

PRIDE Questionnaire Report for Faculty and Staff

2002-2003 National Summary

Faculty / Staff

September 30, 2003

Contents

1	Introduction	1
2	Summary Information	3
2.1	Drug Programs	3
2.1.1	Effectiveness Of Programs	3
2.1.2	Less Known Programs	4
2.2	Safety In The Workplace	4
2.3	Drug Policy	5
2.3.1	Knowledge of School Drug Policy	5
2.3.2	Compliance With School Drug Policy	5
2.4	Drug Use	5
2.5	Drug Information Quiz	6
2.5.1	Alcohol Quiz Results	6
2.5.2	Marijuana Quiz Results	6
2.5.3	Tobacco Quiz Results	7
2.6	Training Needs	7
2.7	Graphs of Training Needs	8
2.8	Graphs of Faculty Perceptions of Student Use	12
2.9	Graphs of Drug Information Quiz	17
3	Percentage Tables	19
3.1	Information About My Work	20
3.2	Drug Information	21
3.2.1	Alcohol	21
3.2.2	Marijuana	22
3.2.3	Tobacco	23
3.3	Drug Use Behavior of Students	24
3.4	Safety in the Workplace	27
3.5	School Personnel Perceptions	29
3.6	School Programs	31
3.7	School Policy	33
3.8	Training Needs	34

List of Tables

3.1	My major teaching area is	20
3.2	I work at an	20
3.3	May cause liver damage (correct response is YES)	21
3.4	May cause cancer (correct response is YES)	21
3.5	10% of Alcohol users become addicted (correct response is YES)	21
3.6	Is fat soluble (correct response is NO)	21
3.7	Wine coolers have less alcohol than beer (correct response is NO)	21
3.8	Is a stimulant (correct response is NO)	21
3.9	Will decrease reaction time (correct response is YES)	21
3.10	May hurt immune system (correct response is YES)	22
3.11	Is fat soluble (correct response is YES)	22
3.12	May cause birth defects (correct response is YES)	22
3.13	May cause cancer (correct response is YES)	22
3.14	Is less addictive than alcohol (correct response is NO)	22
3.15	Is legal in some states (correct response is NO)	22
3.16	Approved by FDA as a treatment for AIDS (correct response is NO)	22
3.17	Causes cancer (correct response is YES)	23
3.18	Causes low birth weight (correct response is YES)	23
3.19	Is less addictive than alcohol (correct response is NO)	23
3.20	Causes early skin damage (correct response is YES)	23
3.21	Will decrease reaction time (correct response is NO)	23
3.22	Most users are addicted by age 14 (correct response is YES)	23
3.23	Use by teens increasing (correct response is NO)	23
3.24	Within the past year, what percentage of your school's students used cigarettes	24
3.25	Within the past year, what percentage of your school's students used smokeless tobacco	24
3.26	Within the past year, what percentage of your school's students used cigars	24
3.27	Within the past year, what percentage of your school's students used beer	24
3.28	Within the past year, what percentage of your school's students used wine coolers	24
3.29	Within the past year, what percentage of your school's students used liquor	24
3.30	Within the past year, what percentage of your school's students used marijuana	24
3.31	Within the past year, what percentage of your school's students used cocaine	25
3.32	Within the past year, what percentage of your school's students used uppers	25
3.33	Within the past year, what percentage of your school's students used downers	25
3.34	Within the past year, what percentage of your school's students used inhalants	25
3.35	Within the past year, what percentage of your school's students used hallucinogens	25
3.36	Within the past year, what percentage of your school's students used heroin	25
3.37	Within the past year, what percentage of your school's students used anabolic steroids	25

3.38	Within the past year, what percentage of your school's students used ecstasy	26
3.39	Within the past year, what percentage of your school's students used oxycontin	26
3.40	My workplace is safe	27
3.41	My workplace is unsafe due to: Alcohol and/or drug use by students	27
3.42	My workplace is unsafe due to: Drug dealing by students	27
3.43	My workplace is unsafe due to: Students who carry weapons	27
3.44	My workplace is unsafe due to: "Outsiders" coming into the school	27
3.45	My workplace is unsafe due to: Students being more violent than in the past	27
3.46	My workplace is unsafe due to: Rules being unclear or not enforced	27
3.47	My workplace is unsafe due to: Lack of cooperation when police are called	28
3.48	My workplace is unsafe due to: Influence of violence in movies and music	28
3.49	The administration informs parents of prom night dangers	29
3.50	My school has a dress code that prohibits advertising alcohol & drugs	29
3.51	My school suspends students who are truant	29
3.52	Our school curriculum promotes "NO USE" for alcohol and drugs	29
3.53	The administration follows up on all alcohol and drug use reports	29
3.54	Students most often talk to friends about alcohol and drug problems	29
3.55	School personnel know that information which is life threatening must be disclosed	29
3.56	School personnel know how to get help from outside the school for students who use alcohol and drugs	30
3.57	School personnel always report students whom they suspect of using or dealing drugs	30
3.58	School personnel always report students whom they suspect of bullying or threatening behavior	30
3.59	Alcohol and drug curriculum for all grades	31
3.60	Teacher training program for drug prevention education	31
3.61	Program for students who have an alcohol and/or drug problem	31
3.62	Support group for students recovering from substance abuse	31
3.63	Student anti-drug organization or program	31
3.64	Drug awareness/education program for parents	31
3.65	Crisis intervention team	31
3.66	Parent, Teacher, Student Association (PTSA)	32
3.67	Employee assistance program available	32
3.68	Violence prevention program	32
3.69	Policy for dealing with violence	32
3.70	School personnel understand the school drug policy	33
3.71	School personnel know the consequences of student drug use	33
3.72	The school policy on drugs is applied fairly	33
3.73	The school policy is applied consistently	33
3.74	Strict enforcement of drug policy has minimized our problems	33
3.75	School policy on threatening behaviors by students is applied consistently	33
3.76	Strict enforcement of violence policy has minimized our problems	33
3.77	Recognizing signs and symptoms of alcohol and drug use	34
3.78	Biological effects of alcohol and drugs	34
3.79	How the child's social world may affect alcohol and drug use	34
3.80	Student refusal skills	34
3.81	Drug education training and awareness programs for parents	34
3.82	Alcohol and other drug curricula	34

3.83 Recognizing signs & symptoms of potential violence	34
3.84 Conflict resolution	35
3.85 Violence prevention (bullying, threatening behaviors, etc.)	35
3.86 Personal liabilities and responsibilities	35
3.87 Locating and using community resources	35
3.88 Risk factor reduction	35

List of Figures

- 2.1 Training Needs Assessment Graph 1 9
- 2.2 Training Needs Assessment Graph 2 10
- 2.3 Training Needs Assessment Graph 3 11
- 2.4 Perceptions of Student Use of Tobacco 13
- 2.5 Perceptions of Student Use of Alcohol 14
- 2.6 Perceptions of Student Use of Illicit Drugs 1 15
- 2.7 Perceptions of Student Use of Illicit Drugs 2 16
- 2.8 Drug Information Quiz Averages 18

Chapter 1

Introduction

The following summary, graphs, and tables are compiled from data collected in your school(s) using the **PRIDE Questionnaire for Faculty and Staff**. These data reflect school personnel's:

- awareness and assessment of current alcohol and drug programs
- safety concerns,
- compliance and basic knowledge of policy,
- perceptions of student drug use,
- knowledge of drug information,
- and training needs.

This report will help your school and system planners decide which programs and policies to maintain, what new prevention/intervention programs to initiate, and what personnel training needs to address. The following pages summarize the results of the questionnaire. **We suggest you distribute a copy of this summary to school faculty and to your Board of Education for system reports.**

NOTE: Most drug use occurs at nights and weekends when school is not in session.

FOR GREATEST SUCCESS IN DECREASING DRUG USE, FACULTY, STUDENTS AND PARENTS MUST WORK TOGETHER TOWARD A DRUG-FREE LIFESTYLE.

If you have questions about this report or if you wish to have information on other **PRIDE Surveys** services and products, please call the **PRIDE Surveys** Office or write to the following address:

PRIDE Surveys

Janie Pitcock

166 St Charles Street

Bowling Green, KY 42101

1-800-279-6361

1-270-746-9596

www.pridesurveys.com

The following information is for **PRIDE Surveys** internal use only.

- Data Files: fs020001-473
- Filter:

Chapter 2

Summary Information

2.1 Drug Programs

2.1.1 Effectiveness Of Programs

The following school drug and alcohol programs are listed in order from most effective to least effective as determined by your personnel who expressed an opinion (percentage is based on those who **Agree** or **Strongly Agree** of those who agree or disagree):

- Parent, Teacher, Student Association (70.1% deemed effective)
- Policy For Dealing With Violence (69.5% deemed effective)
- Crisis Intervention Team (54.6% deemed effective)
- Alcohol And Drug Curriculum For All Grades (51.4% deemed effective)
- Student Anti-Drug Organization or Program (50.8% deemed effective)
- Employee Assistance Program Available (47.2% deemed effective)
- Violence Prevention Program (46.2% deemed effective)
- Teacher Training Programs For Drug Prevention Ed. (35.1% deemed effective)
- Drug Awareness/Ed. Program For Parents (33.1% deemed effective)
- Programs For Students With An Alcohol and Drug Problem (30.5% deemed effective)
- Support Groups For Alcohol and Drug Recovering Students (25.0% deemed effective)

2.1.2 Less Known Programs

The following school drug and alcohol programs are listed in order from least well known to most well known. The percentage figures represent the portion of your faculty and staff who responded **Don't Know** or did not respond to the questions regarding the effectiveness of the programs.

- Employee Assistance Program Available (49.4%)
- Support Groups For Alcohol and Drug Recovering Students (48.9%)
- Programs For Students With An Alcohol and Drug Problem (43.2%)
- Drug Awareness/Ed. Program For Parents (42.0%)
- Violence Prevention Program (35.7%)
- Crisis Intervention Team (34.6%)
- Student Anti-Drug Organization or Program (30.8%)
- Teacher Training Programs For Drug Prevention Ed. (23.7%)
- Alcohol And Drug Curriculum For All Grades (22.2%)
- Parent, Teacher, Student Association (20.3%)
- Policy For Dealing With Violence (19.2%)

2.2 Safety In The Workplace

83.5% of the faculty and staff said their workplace is safe, while 16.5% said their workplace is **not safe**. Personnel in the latter groups said they **Agree** or **Strongly Agree** with the following reasons as to why they consider their workplace unsafe:

- Students Being More Violent Than In The Past (70.0%)
- Influence Of Violence In Movies And Music (64.5%)
- Rules Being Unclear Or Not Enforced (62.6%)
- Outsiders Coming Into The School (46.3%)
- Alcohol And/Or Drug Use By Students (31.2%)
- Drug Dealing By Students (27.3%)
- Students Who Carry Weapons (23.5%)
- Lack Of Cooperation When Police Are Called (12.3%)

2.3 Drug Policy

2.3.1 Knowledge of School Drug Policy

The following list shows the percentage of faculty and staff who agreed (i.e. responded **Agree** or **Strongly Agree**) with the following statements:

- School personnel know that information which is life threatening must be disclosed (81.0%)
- School personnel understand the school drug policy (73.2%)
- School personnel know the consequences of student drug use (69.3%)
- School personnel know how to get help from outside the school for students who use alcohol and drugs (65.0%)

2.3.2 Compliance With School Drug Policy

The following list shows the percentage of faculty and staff who agreed (i.e. responded **Agree** or **Strongly Agree**) with the following statements:

- School personnel always report students whom they suspect of using or dealing drugs (61.2%)
- The school policy on drugs is applied fairly (59.4%)
- The school policy on drugs is applied consistently (53.9%)
- Strict enforcement of drug policy has minimized our problems (41.8%)

2.4 Drug Use

80.0% of the faculty and staff believe that students used marijuana within the past year. In order to estimate the percentage of the student population the faculty and staff believe are using marijuana, a mean category score is calculated. The mean category score is 3.077 which best corresponds to the category of 5-15%. This means that, on average, the faculty and staff believe that 5-15% of the students used marijuana in the past year.

According to last years PRIDE National Summary, 0.6% of 4th-5th grade students used marijuana at least once a year, 8.3% of 6th-8th grade students used marijuana at least once a year, and 29.4% of 9th-12th grade students used marijuana at least once a year.

2.5 Drug Information Quiz

The average score on the drug information quiz was 68.3%. This fell below the suggested average score of 77.8%.

In looking at the results of the drug knowledge quiz slight differences in the percentage figures may be found between the quiz results section and the percentage figures found in the tables chapter for these questions. In the case of the tables chapter all tables have a *N of Valid* and a *N of Missing* column which represents the number of respondents who actually marked a response to the question and the number of respondents who left the question blank, respectively. All tables in the tables chapter calculate percentage figures based on valid responses only (i.e. blank responses are ignored). However, when scoring the quiz a blank response is counted as an incorrect response (i.e. blank responses are NOT ignored). The figures in the **Drug Information Quiz** section more accurately reflect how well all participants performed on the quiz.

2.5.1 Alcohol Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- May cause liver damage (correct response is YES) (95.0% answered correctly)
- Will decrease reaction time (correct response is YES) (90.2% answered correctly)
- 10% of Alcohol users become addicted (correct response is YES) (77.1% answered correctly)
- Wine coolers have less alcohol than beer (correct response is NO) (64.4% answered correctly)
- May cause cancer (correct response is YES) (55.1% answered correctly)
- Is a stimulant (correct response is NO) (53.3% answered correctly)
- Is fat soluble (correct response is NO) (47.4% answered correctly)

2.5.2 Marijuana Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- May cause birth defects (correct response is YES) (88.5% answered correctly)
- May hurt immune system (correct response is YES) (82.0% answered correctly)
- Is less addictive than alcohol (correct response is NO) (74.9% answered correctly)

- May cause cancer (correct response is YES) (67.4% answered correctly)
- Approved by FDA as a treatment for AIDS (correct response is NO) (66.1% answered correctly)
- Is legal in some states (correct response is NO) (46.4% answered correctly)
- Is fat soluble (correct response is YES) (29.6% answered correctly)

2.5.3 Tobacco Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- Causes cancer (correct response is YES) (94.4% answered correctly)
- Causes low birth weight (correct response is YES) (92.0% answered correctly)
- Is less addictive than alcohol (correct response is NO) (85.2% answered correctly)
- Causes early skin damage (correct response is YES) (79.9% answered correctly)
- Most users are addicted by age 14 (correct response is YES) (69.7% answered correctly)
- Will decrease reaction time (correct response is NO) (57.9% answered correctly)
- Use by teens increasing (correct response is NO) (16.7% answered correctly)

2.6 Training Needs

Faculty and staff reported training needs in the following areas:


- Violence prevention (bullying, threatening behaviors, etc.) (75.1% said *I need training*)
- Personal liabilities and responsibilities (74.6% said *I need training*)
- Recognizing signs & symptoms of potential violence (74.4% said *I need training*)
- Conflict resolution (73.4% said *I need training*)
- Risk factor reduction (71.1% said *I need training*)
- Locating and using community resources (70.3% said *I need training*)
- Student refusal skills (69.2% said *I need training*)
- Drug education training and awareness programs for parents (69.0% said *I need training*)

- Recognizing signs and symptoms of alcohol and drug use (68.2% said *I need training*)
- Alcohol and other drug curricula (64.4% said *I need training*)
- How the child's social world may affect alcohol and drug use (60.1% said *I need training*)
- Biological effects of alcohol and drugs (58.5% said *I need training*)


2.7 Graphs of Training Needs

The following graphs examine the questions regarding training needs and reports the percentage of the faculty and staff who feel the need for some training broken down by job categories.


Training Needs Assessment Graph 1



Training Needs Assessment Graph 2



Training Needs Assessment Graph 3




2.8 Graphs of Faculty Perceptions of Student Use


The following graphs examine the questions regarding the perceptions by faculty and staff of student use of drugs.

Perceptions of Student Use of Tobacco


Figure 2.4: Perceptions of Student Use of Tobacco




Perceptions of Student Use of Alcohol



Perceptions of Student Use of Illicit Drugs 1




Perceptions of Student Use of Illicit Drugs 2



2.9 Graphs of Drug Information Quiz

The following graphs examine how well the faculty and staff answered the drug quiz questions.

Drug Information Quiz Averages



Chapter 3

Percentage Tables

This chapter contains your school needs assessment results in tabular form. Each table corresponds to an item on the needs assessment. The tables contain percentage data on each question. The *N of Valid* column contains the number of workers responding to the item and the *N of Missing* column contains the number of workers not responding to the item. The remaining columns contain the percentages of workers responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the needs assessment. The preceding Table of Contents contains the percentage tables by section and gives the page number where each is located.

3.1 Information About My Work

Table 3.1: My major teaching area is

	N of Valid	N of Miss	Social Science	Physical Science	Physical Education	Health	Other	Do Not Teach
TOTAL	14204	1098	8.5	8.0	3.0	0.9	68.4	11.2

Table 3.2: I work at an

	N of Valid	N of Miss	Elementary School	Middle/Junior High School	High School	Other
TOTAL	14418	884	39.5	24.6	33.0	2.9

3.2 Drug Information

3.2.1 Alcohol

Table 3.3: May cause liver damage (correct response is YES)

	N of Valid	N of Miss	Yes	No
TOTAL	14578	724	99.7	0.3

Table 3.4: May cause cancer (correct response is YES)

	N of Valid	N of Miss	Yes	No
TOTAL	13817	1485	61.0	39.0

Table 3.5: 10% of Alcohol users become addicted (correct response is YES)

	N of Valid	N of Miss	Yes	No
TOTAL	13909	1393	84.9	15.1

Table 3.6: Is fat soluble (correct response is NO)

	N of Valid	N of Miss	Yes	No
TOTAL	13070	2232	44.5	55.5

Table 3.7: Wine coolers have less alcohol than beer (correct response is NO)

	N of Valid	N of Miss	Yes	No
TOTAL	13868	1434	28.9	71.1

Table 3.8: Is a stimulant (correct response is NO)

	N of Valid	N of Miss	Yes	No
TOTAL	14067	1235	42.0	58.0

Table 3.9: Will decrease reaction time (correct response is YES)

	N of Valid	N of Miss	Yes	No
TOTAL	14376	926	96.0	4.0

3.2.2 Marijuana

Table 3.10: May hurt immune system (correct response is YES)

	N of Valid	N of Miss	Yes	No
TOTAL	14056	1246	89.3	10.7

Table 3.11: Is fat soluble (correct response is YES)

	N of Valid	N of Miss	Yes	No
TOTAL	12814	2488	35.3	64.7

Table 3.12: May cause birth defects (correct response is YES)

	N of Valid	N of Miss	Yes	No
TOTAL	14252	1050	95.1	4.9

Table 3.13: May cause cancer (correct response is YES)

	N of Valid	N of Miss	Yes	No
TOTAL	13696	1606	75.3	24.7

Table 3.14: Is less addictive than alcohol (correct response is NO)

	N of Valid	N of Miss	Yes	No
TOTAL	13915	1387	17.6	82.4

Table 3.15: Is legal in some states (correct response is NO)

	N of Valid	N of Miss	Yes	No
TOTAL	13937	1365	49.1	50.9

Table 3.16: Approved by FDA as a treatment for AIDS (correct response is NO)

	N of Valid	N of Miss	Yes	No
TOTAL	13649	1653	25.9	74.1

3.2.3 Tobacco

Table 3.17: Causes cancer (correct response is YES)

	N of Valid	N of Miss	Yes	No
TOTAL	14531	771	99.4	0.6

Table 3.18: Causes low birth weight (correct response is YES)

	N of Valid	N of Miss	Yes	No
TOTAL	14344	958	98.2	1.8

Table 3.19: Is less addictive than alcohol (correct response is NO)

	N of Valid	N of Miss	Yes	No
TOTAL	14091	1211	7.5	92.5

Table 3.20: Causes early skin damage (correct response is YES)

	N of Valid	N of Miss	Yes	No
TOTAL	13988	1314	87.4	12.6

Table 3.21: Will decrease reaction time (correct response is NO)

	N of Valid	N of Miss	Yes	No
TOTAL	13759	1543	35.6	64.4

Table 3.22: Most users are addicted by age 14 (correct response is YES)

	N of Valid	N of Miss	Yes	No
TOTAL	13890	1412	76.7	23.3

Table 3.23: Use by teens increasing (correct response is NO)

	N of Valid	N of Miss	Yes	No
TOTAL	14177	1125	82.0	18.0

3.3 Drug Use Behavior of Students

Table 3.24: Within the past year, what percentage of your school's students used cigarettes

	N of Valid	N of Miss	Less						
			None	than 5%	5-15%	16-25%	26-50%	51-75%	76-100%
TOTAL	14300	1002	9.6	25.8	17.3	16.3	17.5	10.9	2.6

Table 3.25: Within the past year, what percentage of your school's students used smokeless tobacco

	N of Valid	N of Miss	Less						
			None	than 5%	5-15%	16-25%	26-50%	51-75%	76-100%
TOTAL	14216	1086	17.5	35.0	18.8	14.0	9.9	3.9	0.8

Table 3.26: Within the past year, what percentage of your school's students used cigars

	N of Valid	N of Miss	Less						
			None	than 5%	5-15%	16-25%	26-50%	51-75%	76-100%
TOTAL	14103	1199	33.9	44.7	11.2	5.5	2.8	1.3	0.5

Table 3.27: Within the past year, what percentage of your school's students used beer

	N of Valid	N of Miss	Less						
			None	than 5%	5-15%	16-25%	26-50%	51-75%	76-100%
TOTAL	14226	1076	12.6	22.9	13.0	12.7	15.9	16.6	6.3

Table 3.28: Within the past year, what percentage of your school's students used wine coolers

	N of Valid	N of Miss	Less						
			None	than 5%	5-15%	16-25%	26-50%	51-75%	76-100%
TOTAL	14175	1127	16.4	24.7	14.7	13.6	15.0	11.5	4.1

Table 3.29: Within the past year, what percentage of your school's students used liquor

	N of Valid	N of Miss	Less						
			None	than 5%	5-15%	16-25%	26-50%	51-75%	76-100%
TOTAL	14178	1124	18.4	24.7	14.1	13.2	14.2	11.0	4.4

Table 3.30: Within the past year, what percentage of your school's students used marijuana

	N of Valid	N of Miss	Less						
			None	than 5%	5-15%	16-25%	26-50%	51-75%	76-100%
TOTAL	14186	1116	20.0	25.7	16.3	15.1	13.0	7.8	2.2

Table 3.31: Within the past year, what percentage of your school's students used cocaine

	N of Valid	N of Miss	Less						
			None	than 5%	5-15%	16-25%	26-50%	51-75%	76-100%
TOTAL	14157	1145	37.5	37.2	13.3	7.2	3.2	1.1	0.5

Table 3.32: Within the past year, what percentage of your school's students used uppers

	N of Valid	N of Miss	Less						
			None	than 5%	5-15%	16-25%	26-50%	51-75%	76-100%
TOTAL	14138	1164	33.8	34.1	16.2	9.4	4.4	1.6	0.5

Table 3.33: Within the past year, what percentage of your school's students used downers

	N of Valid	N of Miss	Less						
			None	than 5%	5-15%	16-25%	26-50%	51-75%	76-100%
TOTAL	14096	1206	33.3	36.5	16.3	8.3	3.8	1.4	0.4

Table 3.34: Within the past year, what percentage of your school's students used inhalants

	N of Valid	N of Miss	Less						
			None	than 5%	5-15%	16-25%	26-50%	51-75%	76-100%
TOTAL	14104	1198	24.3	43.9	18.3	8.0	3.6	1.5	0.4

Table 3.35: Within the past year, what percentage of your school's students used hallucinogens

	N of Valid	N of Miss	Less						
			None	than 5%	5-15%	16-25%	26-50%	51-75%	76-100%
TOTAL	14063	1239	44.3	38.1	10.1	4.7	1.9	0.7	0.3

Table 3.36: Within the past year, what percentage of your school's students used heroin

	N of Valid	N of Miss	Less						
			None	than 5%	5-15%	16-25%	26-50%	51-75%	76-100%
TOTAL	14068	1234	54.2	34.9	6.5	2.8	1.1	0.4	0.2

Table 3.37: Within the past year, what percentage of your school's students used anabolic steroids

	N of Valid	N of Miss	Less						
			None	than 5%	5-15%	16-25%	26-50%	51-75%	76-100%
TOTAL	14067	1235	45.4	34.8	11.6	5.1	2.0	0.8	0.2

Table 3.38: Within the past year, what percentage of your school's students used ecstasy

	N of Valid	N of Miss	Less						
			None	than 5%	5-15%	16-25%	26-50%	51-75%	76-100%
TOTAL	14084	1218	44.2	32.2	12.4	6.1	3.3	1.4	0.4

Table 3.39: Within the past year, what percentage of your school's students used oxycontin

	N of Valid	N of Miss	Less						
			None	than 5%	5-15%	16-25%	26-50%	51-75%	76-100%
TOTAL	13880	1422	50.7	33.8	8.8	4.0	1.6	0.8	0.4

3.4 Safety in the Workplace

Table 3.40: My workplace is safe

	N of Valid	N of Miss	Yes	No
TOTAL	14256	1046	83.5	16.5

Table 3.41: My workplace is unsafe due to: Alcohol and/or drug use by students

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Strongly Agree	
TOTAL	5235	10067	16.0	49.8	18.5	11.5	4.2

Table 3.42: My workplace is unsafe due to: Drug dealing by students

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Strongly Agree	
TOTAL	5189	10113	18.0	49.3	18.7	10.2	3.9

Table 3.43: My workplace is unsafe due to: Students who carry weapons

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Strongly Agree	
TOTAL	5176	10126	18.4	47.9	21.6	9.3	2.9

Table 3.44: My workplace is unsafe due to: "Outsiders" coming into the school

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Strongly Agree	
TOTAL	5214	10088	10.5	41.0	23.6	15.0	10.0

Table 3.45: My workplace is unsafe due to: Students being more violent than in the past

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Strongly Agree	
TOTAL	5271	10031	6.6	28.7	24.9	21.5	18.2

Table 3.46: My workplace is unsafe due to: Rules being unclear or not enforced

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Strongly Agree	
TOTAL	5228	10074	5.9	39.7	19.1	16.4	18.8

Table 3.47: My workplace is unsafe due to: Lack of cooperation when police are called

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	5145	10157	20.4	63.4	8.6	5.2	2.4

Table 3.48: My workplace is unsafe due to: Influence of violence in movies and music

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	5280	10022	8.7	24.3	25.0	18.9	23.1

3.5 School Personnel Perceptions

Table 3.49: The administration informs parents of prom night dangers

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	13234	2068	49.7	9.7	10.5	20.1	10.0

Table 3.50: My school has a dress code that prohibits advertising alcohol & drugs

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14259	1043	3.9	3.1	5.1	37.2	50.6

Table 3.51: My school suspends students who are truant

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14039	1263	18.1	29.6	15.8	23.7	12.8

Table 3.52: Our school curriculum promotes "NO USE" for alcohol and drugs

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14239	1063	3.7	2.8	8.9	35.4	49.2

Table 3.53: The administration follows up on all alcohol and drug use reports

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14105	1197	27.5	5.0	10.8	29.7	27.0

Table 3.54: Students most often talk to friends about alcohol and drug problems

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14081	1221	18.9	4.8	17.3	37.7	21.2

Table 3.55: School personnel know that information which is life threatening must be disclosed

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14189	1113	7.6	2.8	8.6	39.2	41.9

Table 3.56: School personnel know how to get help from outside the school for students who use alcohol and drugs

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14197	1105	10.9	6.1	17.9	37.7	27.3

Table 3.57: School personnel always report students whom they suspect of using or dealing drugs

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14202	1100	15.0	8.4	15.3	33.0	28.2

Table 3.58: School personnel always report students whom they suspect of bullying or threatening behavior

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14255	1047	8.8	11.3	21.3	34.4	24.2

3.6 School Programs

Table 3.59: Alcohol and drug curriculum for all grades

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14194	1108	16.1	18.5	22.2	28.3	14.8

Table 3.60: Teacher training program for drug prevention education

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14155	1147	17.6	32.0	21.6	20.9	8.0

Table 3.61: Program for students who have an alcohol and/or drug problem

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14053	1249	38.1	30.4	12.6	13.1	5.8

Table 3.62: Support group for students recovering from substance abuse

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14005	1297	44.2	32.4	9.4	9.4	4.5

Table 3.63: Student anti-drug organization or program

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14069	1233	24.7	22.0	15.1	23.6	14.6

Table 3.64: Drug awareness/education program for parents

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14053	1249	36.8	28.1	14.2	14.4	6.6

Table 3.65: Crisis intervention team

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14066	1236	28.9	16.1	16.2	24.8	14.0

Table 3.66: Parent, Teacher, Student Association (PTSA)

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14094	1208	13.5	15.0	10.8	30.5	30.2

Table 3.67: Employee assistance program available

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14026	1276	44.8	17.5	11.6	17.3	8.7

Table 3.68: Violence prevention program

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14062	1240	30.0	19.8	17.8	21.9	10.4

Table 3.69: Policy for dealing with violence

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14126	1176	12.4	7.7	19.0	36.8	24.0

3.7 School Policy

Table 3.70: School personnel understand the school drug policy

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14104	1198	7.1	4.4	15.3	40.6	32.6

Table 3.71: School personnel know the consequences of student drug use

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14123	1179	7.8	5.9	16.9	39.4	29.9

Table 3.72: The school policy on drugs is applied fairly

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14078	1224	19.5	7.7	13.4	33.9	25.5

Table 3.73: The school policy is applied consistently

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14049	1253	19.8	11.0	15.3	30.9	22.9

Table 3.74: Strict enforcement of drug policy has minimized our problems

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	13941	1361	27.2	13.0	18.0	25.0	16.8

Table 3.75: School policy on threatening behaviors by students is applied consistently

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14084	1218	13.5	16.6	20.6	30.2	19.1

Table 3.76: Strict enforcement of violence policy has minimized our problems

	N of Valid	N of Miss	Don't Know	Do Not Agree	Somewhat Agree	Agree	Strongly Agree
TOTAL	14014	1288	18.6	15.6	21.8	27.1	16.9

3.8 Training Needs

Table 3.77: Recognizing signs and symptoms of alcohol and drug use

	N of Valid	N of Miss	No Training	Some Training	A Lot Of Training
TOTAL	14016	1286	31.8	57.8	10.4

Table 3.78: Biological effects of alcohol and drugs

	N of Valid	N of Miss	No Training	Some Training	A Lot Of Training
TOTAL	14035	1267	41.5	50.3	8.2

Table 3.79: How the child's social world may affect alcohol and drug use

	N of Valid	N of Miss	No Training	Some Training	A Lot Of Training
TOTAL	13997	1305	39.9	50.7	9.3

Table 3.80: Student refusal skills

	N of Valid	N of Miss	No Training	Some Training	A Lot Of Training
TOTAL	13960	1342	30.8	54.8	14.4

Table 3.81: Drug education training and awareness programs for parents

	N of Valid	N of Miss	No Training	Some Training	A Lot Of Training
TOTAL	13949	1353	31.0	50.2	18.9

Table 3.82: Alcohol and other drug curricula

	N of Valid	N of Miss	No Training	Some Training	A Lot Of Training
TOTAL	13931	1371	35.6	53.4	11.1

Table 3.83: Recognizing signs & symptoms of potential violence

	N of Valid	N of Miss	No Training	Some Training	A Lot Of Training
TOTAL	14006	1296	25.6	57.7	16.7

Table 3.84: Conflict resolution

	N of Valid	N of Miss	No Training	Some Training	A Lot Of Training
TOTAL	14026	1276	26.6	56.2	17.3

Table 3.85: Violence prevention (bullying, threatening behaviors, etc.)

	N of Valid	N of Miss	No Training	Some Training	A Lot Of Training
TOTAL	14027	1275	24.9	56.8	18.3

Table 3.86: Personal liabilities and responsibilities

	N of Valid	N of Miss	No Training	Some Training	A Lot Of Training
TOTAL	14025	1277	25.4	55.3	19.4

Table 3.87: Locating and using community resources

	N of Valid	N of Miss	No Training	Some Training	A Lot Of Training
TOTAL	14007	1295	29.7	56.2	14.1

Table 3.88: Risk factor reduction

	N of Valid	N of Miss	No Training	Some Training	A Lot Of Training
TOTAL	13956	1346	28.9	57.2	13.9