

Questionnaire Report for Faculty and Staff

2005-06 National Summary for Faculty/Staff

September 19, 2006

Contents

1	Intro	oduction	1
2	Sum	nmary Information	3
	2.1	Drug Programs	3
		2.1.1 Effectiveness Of Programs	3
		2.1.2 Less Known Programs	4
	2.2	Safety In The Workplace	4
	2.3	Drug Policy	5
		2.3.1 Knowledge of School Drug Policy	5
		2.3.2 Compliance With School Drug Policy	5
	2.4	Drug Information Quiz	5
		2.4.1 Alcohol Quiz Results	6
		2.4.2 Marijuana Quiz Results	6
		2.4.3 Tobacco Quiz Results	7
	2.5	Training Needs	7
	2.6	Graphs of Training Needs	8
	2.7		12
3	Perc	centage Tables	14
	3.1	Information About My Work	15
	3.2		16
		3.2.1 Alcohol	16
		3.2.2 Marijuana	18
		3.2.3 Tobacco	19
	3.3	Safety in the Workplace	20
	3.4		22
	3.5		24
	3.6		26
	3.7	-	28

List of Tables

3.1	My major teaching area is
3.2	I work at an
3.3	May cause liver damage (correct response is YES)
3.4	May cause cancer (correct response is YES)
3.5	About 10% of alcohol users become addicted (correct response is YES) 16
3.6	Is fat soluble (correct response is NO)
3.7	Coolers, breezers, etc. have less alcohol than beer (correct response is NO)
3.8	Is a stimulant (correct response is NO)
3.9	Will slow reaction time (correct response is YES)
3.10	May hurt immune system (correct response is YES)
3.11	Is fat soluble (correct response is YES)
3.12	May cause birth defects (correct response is YES)
3.13	May cause cancer (correct response is YES)
3.14	Is less addictive than alcohol (correct response is NO)
3.15	Is legal as medicine under federal law (correct response is NO)
3.16	Has more carcinogens than tobacco (correct response is YES)
3.17	Causes cancer (correct response is YES)
	Causes low birth weight (correct response is YES)
3.19	Is less addictive than alcohol (correct response is NO)
3.20	Causes early skin damage (correct response is YES)
3.21	Will slow reaction time (correct response is NO)
	Most users are addicted by age 14 (correct response is YES)
3.23	Use by teens increasing (correct response is NO) 19
3.24	My workplace is safe
	My workplace is unsafe due to: Alcohol and/or drug use by students
3.26	My workplace is unsafe due to: Drug dealing by students
3.27	My workplace is unsafe due to: Students who carry weapons
3.28	My workplace is unsafe due to: "Outsiders" coming into the school
3.29	My workplace is unsafe due to: Students being more violent than in the past 20
3.30	My workplace is unsafe due to: Rules being unclear or not enforced
3.31	My workplace is unsafe due to: Influence of violence in movies and music
3.32	My workplace is unsafe due to: Lack of security officer (police) at my school
	My workplace is unsafe due to: Poor parental support for school policies
	Recognizing signs and symptoms of alcohol and drug use
	Biological effects of alcohol and drugs 22

3.36 How the child's social world may affect alcohol and drug use	22
3.37 Student refusal skills	22
3.38 Drug education training and awareness programs for parents	22
3.39 Alcohol and other drug curricula	22
3.40 Recognizing signs & symptoms of potential violence	23
3.41 Conflict resolution	23
3.42 Violence prevention (bullying, threatening behaviors, etc.)	23
3.43 Personal liabilities and responsibilities regarding students	23
3.44 Locating and using community resources	23
3.45 Parents set clear rules for their children	24
3.46 Students buy and sell drugs when NOT at school	24
3.47 Students buy and sell drugs when AT school	24
3.48 Teachers talk to students about the harmful effects of using tobacco, alcohol and drugs	24
3.49 Parents talk to students about the harmful effects of using tobacco, alcohol and drugs	24
3.50 Students skip school without parent's permission	24
3.51 School security officer helps keep school safe	25
3.52 Alcohol and drug curriculum for all grades	26
3.53 Teacher training program for preventing drug use and violence	26
3.54 Program for students who have an alcohol and/or drug problem	26
3.55 Support group for students recovering from substance abuse	26
3.56 Student anti-drug organization or program	26
3.57 Drug awareness/education program for parents	26
3.58 Crisis intervention team	27
3.59 Parent, Teacher, Student Association (PTA, PTO, etc)	27
3.60 Employee Assistance Program (EAP)	27
3.61 Student Assistance Program (SAP)	27
3.62 Violence and bullying prevention program	27
3.63 Student drug-testing program	27
3.64 Our school has effective policies on violence/bullying	28
3.65 Our school sets clear rules on using drugs at school	28
3.66 School personnel understand the school drug policy	28
3.67 School personnel know the consequences of student drug use	28
3.68 The school policy on drugs is applied fairly	28
3.69 The school policy is applied consistently	28
3.70 Our school sets clear rules on bullying	29
3.71 School policy on threatening behaviors by students is applied consistently	29
3.72 Strict enforcement of violence policy has helped to keep our school safe	29

List of Figures

2.1	Training Needs Assessment Graph 1	9
2.2	Training Needs Assessment Graph 2	10
2.3	Training Needs Assessment Graph 3	11
2.4	Drug Information Quiz Averages	13

Chapter 1

Introduction

The following summary, graphs, and tables are compiled from data collected in your school(s) using the **PRIDE Questionnaire for Faculty and Staff**. These data reflect school personnel's:

- · awareness and assessment of current alcohol and drug programs,
- safety concerns,
- compliance and basic knowledge of policy,
- knowledge of drug information,
- and training needs.

This report will help your school and system planners decide which programs and policies to maintain, what new prevention/intervention programs to initiate, and what personnel training needs to address. The following pages summarize the results of the questionnaire. We suggest you distribute a copy of this summary to school faculty and to your Board of Education for system reports.

NOTE: Most drug use occurs at nights and weekends when school is not in session.

FOR GREATEST SUCCESS IN DECREASING DRUG USE, FACULTY, STUDENTS AND PARENTS MUST WORK TOGETHER TOWARD A DRUG-FREE LIFESTYLE.

2005-06 National Summary for Faculty/Staff

If you have questions about this report, or if you wish to have information on other **Pride Surveys** services and products, please call the **Pride Surveys** Office or write to the following address:

Pride Surveys

Janie Pitcock 160 Vanderbilt Court Bowling Green, KY 42103 1-800-279-6361 1-270-746-9596 www.pridesurveys.com

The following information is for *Pride Surveys*ínternal use only.

- Data Files: fs059999
- Filter:

Chapter 2

Summary Information

2.1 Drug Programs

2.1.1 Effectiveness Of Programs

The following school drug and alcohol programs are listed in order from most effective to least effective as determined by your personnel who expressed an opinion (percentage is based on those who **Agree** or **Strongly Agree**):

- Parent, teacher, student association (72.1% deemed effective)
- Student anti-drug organization or program (39.9% deemed effective)
- Crisis intervention team (39.4% deemed effective)
- Alcohol and drug curriculum for all grades (39.3% deemed effective)
- Violence prevention program (33.1% deemed effective)
- Teacher training programs for drug and violence prevention (29.5% deemed effective)
- Employee assistance program (23.3% deemed effective)
- Student assistance program (22.9% deemed effective)
- Drug awareness/ed. program for parents (22.7% deemed effective)
- Student drug-testing program (21.8% deemed effective)
- Programs for students with an alcohol and/or drug problem (20.0% deemed effective)
- support groups for students recovering from substance abuse (15.6% deemed effective)

2.1.2 Less Known Programs

The following school drug and alcohol programs are listed in order from least well known to most well known. The percentage figures represent the portion of your faculty and staff who did not respond to the questions regarding the effectiveness of the programs.

- Employee assistance program (9.7%)
- Student assistance program (9.6%)
- Crisis intervention team (8.9%)
- Drug awareness/ed. program for parents (8.9%)
- support groups for students recovering from substance abuse (8.9%)
- Student anti-drug organization or program (8.7%)
- Student drug-testing program (8.7%)
- Programs for students with an alcohol and/or drug problem (8.6%)
- Violence prevention program (8.2%)
- Teacher training programs for drug and violence prevention (7.9%)
- Parent, teacher, student association (7.6%)
- Alcohol and drug curriculum for all grades (7.3%)

2.2 Safety In The Workplace

61.7% of the faculty and staff said their workplace is safe, while 38.3% said their workplace is **not safe**. Personnel in the latter groups said they **Agree** or **Strongly Agree** with the following reasons as to why they consider their workplace unsafe:

- Poor parental support for school policies (82.0%)
- Influence of violence in movies and music (77.3%)
- Students being more violent than in the past (74.7%)
- School rules being unclear or not enforced (57.0%)
- Outsiders coming into the school (53.6%)
- Alcohol and/or drug use by students (52.6%)

- Lack of security officer (police) at my school (43.9%)
- Drug dealing by students (42.5%)
- Students who carry weapons (33.6%)

2.3 Drug Policy

2.3.1 Knowledge of School Drug Policy

The following list shows the percentage of faculty and staff who agreed (i.e. responded **Agree** or **Strongly Agree**) with the following statements:

- School personnel understand the school drug policy (80.7%)
- School personnel know the consequences of student drug use (78.2%)

2.3.2 Compliance With School Drug Policy

The following list shows the percentage of faculty and staff who agreed (i.e. responed **Agree** or **Strongly Agree**) with the following statements:

- The school policy on drugs is applied fairly (69.0%)
- The school policy on drugs is applied consistently (65.8%)

2.4 Drug Information Quiz

The average score on the drug information quiz was 69.1%. This fell below the suggested average score of 77.8%.

In looking at the results of the drug knowledge quiz, slight differences in the percentage figures may be found between the quiz results section and the percentage figures found in the tables chapter for these questions. In the case of the tables chapter all tables have a *N* of *Valid* and a *N* of *Missing* column which represents the number of respondents who actually marked a response to the question and the number of respondents who left the question blank, respectively. All tables in the tables chapter calculate percentage figures based on valid responses only (i.e. blank responses are ignored). However, when scoring the quiz a blank response is counted as an incorrect response (i.e. blank responses are NOT ignored). The figures

in the **Drug Information Quiz** section more accurately reflect how well all participants performed on the quiz.

2.4.1 Alcohol Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- May cause liver damage (correct response is YES) (95.0% answered correctly)
- Will slow reaction time (correct response is YES) (93.1% answered correctly)
- About 10% of Alcohol users become addicted (correct response is YES) (76.4% answered correctly)
- Coolers, breezers, etc. have less alcohol than beer (correct response is NO) (65.4% answered correctly)
- May cause cancer (correct response is YES) (56.1% answered correctly)
- Is a stimulant (correct response is NO) (53.5% answered correctly)
- Is fat soluble (correct response is NO) (46.7% answered correctly)

2.4.2 Marijuana Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- May cause birth defects (correct response is YES) (88.8% answered correctly)
- May hurt immune system (correct response is YES) (82.4% answered correctly)
- Is less addictive than alcohol (correct response is NO) (77.1% answered correctly)
- May cause cancer (correct response is YES) (67.1% answered correctly)
- Has more carcinogens than tobacco (correct response is YES) (58.0% answered correctly)
- Is legal as medicine under federal law (correct response is NO) (58.0% answered correctly)
- Is fat soluble (correct response is YES) (31.1% answered correctly)

2.4.3 Tobacco Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- Causes cancer (correct response is YES) (94.3% answered correctly)
- Causes low birth weight (correct response is YES) (92.1% answered correctly)
- Is less addictive than alcohol (correct response is NO) (85.0% answered correctly)
- Causes early skin damage (correct response is YES) (83.7% answered correctly)
- Most users are addicted by age 14 (correct response is YES) (71.7% answered correctly)
- Will slow reaction time (correct response is NO) (57.2% answered correctly)
- Use by teens increasing (correct response is NO) (18.9% answered correctly)

2.5 Training Needs

Faculty and staff reported training needs in the following areas:

- Personal liabilities and responsibilities regarding students (76.7% said *I need training*)
- Violence prevention (bullying, threatening behaviors, etc.) (76.3% said I need training)
- Recognizing signs & symptoms of potential violence (74.9% said I need training)
- Conflict resolution (74.8% said I need training)
- Student refusal skills (69.8% said I need training)
- Drug education training and awareness programs for parents (69.4% said I need training)
- Locating and using community resources (68.6% said *I need training*)
- Recognizing signs and symptoms of alcohol and drug use (64.1% said I need training)
- Alcohol and other drug curricula (63.3% said I need training)
- How the child's social world may affect alcohol and drug use (60.6% said *I need training*)
- Biological effects of alcohol and drugs (57.4% said *I need training*)

2.6 Graphs of Training Needs

The following graphs examine the questions regarding training needs and reports the percentage of the faculty and staff who feel the need for some training.

switched to shorten bar label





Figure 2.1: Training Needs Assessment Graph 1



Training Needs Assessment Graph 2





Figure 2.3: Training Needs Assessment Graph 3

2.7 Graphs of Drug Information Quiz

The following graphs examine how well the faculty and staff answered the drug quiz questions.



Drug Information Quiz Averages

Chapter 3

Percentage Tables

This chapter contains your schoolś faculty/staff needs assessment results in tabular form. Each table corresponds to an item on the needs assessment. The tables contain percentage data on each question. The *N of Valid* column contains the number of workers responding to the item and the *N of Missing* column contains the number of workers not responding to the item. The remaining columns contain the percentages of workers responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the faculty/staff needs assessment. The preceding Table of Contents contains the percentage tables by section and gives the page number where each is located.

3.1 Information About My Work

Table 3.1: My major teaching area is										
	N of	N of		Social	Foreign					Do Not
	Valid	Miss	Science	Science	Language	PE/Health	English	Math	Other	Teach
TOTAL	12649	1182	7.6	8.1	1.4	3.8	12.1	10.9	44.5	11.6

	Table 3.2: I work at an									
	N of	N of	Elementary	Middle/Junior	High	Alternative				
	Valid	Miss	School	High School	School	School	Other			
TOTAL	13095	736	39.0	24.7	33.5	0.9	1.9			

3.2 Drug Information

3.2.1 Alcohol

Table 3.3: May cause liver damage (correct response is YES)									
		N of	N of						
		Valid	Miss	Yes	No				
	TOTAL	13165	663	99.8	0.2				

Table 3.4: May cause cancer (correct response is YES)								
		N of	N of					
		Valid	Miss	Yes	No			
	TOTAL	12632	1199	61.4	38.6			

Table 3.5: About 10% of alcohol users become addicted (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12720	1111	83.1	16.9

Table 3.6: Is fat soluble (correct response is NO)								
		N of	N of					
		Valid	Miss	Yes	No			
	TOTAL	12057	1774	46.4	53.6			

Table 3.7: Coolers, breezers	s, etc. have les	s alcohol than beer	(correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12679	1149	28.7	71.3

Table 3.8: Is a stimulant (correct response is NO						
		N of	N of			
		Valid	Miss	Yes	No	
	TOTAL	12820	1011	42.3	57.7	

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	13051	778	98.6	1.4

Table 3.9: Will slow reaction time (correct response is YES)

3.2.2 Marijuana

Table 3.10: <u>May hurt immune system (correct response is YES)</u>

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12806	1022	89.0	11.0

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	11868	1960	36.3	63.7

Table 3.12: May cause birth defects (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12929	899	95.0	5.0

Table 3.13: May cause cancer (correct response)						
		N of	N of			
		Valid	Miss	Yes	No	
-	TOTAL	12517	1311	74.1	25.9	

Table 3.14: Is less addictive than alcohol (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12688	1142	15.9	84.1

Table 3.15: Is legal as medicine under federal law (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12729	1099	37.0	63.0

Table 3.16: Has more carcinogens than tobacco (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12386	1443	64.8	35.2

3.2.3 Tobacco

Table 3	.17: Caus	es cance	er (corre	ect resp	onse i	s YES)
		N of	N of			
		Valid	Miss	Yes	No	
	TOTAL	13132	698	99.4	0.6	

Table 3.18: Causes low birth weight (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12983	848	98.1	1.9

Table 3.19: Is less addictive than alcohol (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12854	977	8.5	91.5

 Table 3.20: Causes early skin damage (correct response is YES)

 N of
 N of

 Valid
 Miss
 Yes
 No

 TOTAL
 12789
 1042
 90.5
 9.5

Table 3.21: Will slow reaction time (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12620	1208	37.3	62.7

Table 3.22: Most users are addicted by age 14 (correct response is YES)

	N of	N of		
_	Valid	Miss	Yes	No
TOTAL	12692	1136	78.1	21.9

Table 3.23:	Use by teens increasing (correct response is NC						
		N of	N of				
		Valid	Miss	Yes	No		
•	TOTAL	12903	925	79.8	20.2		

3.3 Safety in the Workplace

		afe							
				,	N				
	0	N	s Yes	id Mis	Val				
	3	38.	2 61.7	7 162	AL 1220	TO			
y students	r drug use b	nd/oi	Alcohol a	due to:	is unsafe	vorkplac	25: My v	Table 3.2	
Strongly					Strongly	N of	N of		
Disagree	Disagree	bed	Undecic	Agree	Agree	Miss	Valid		
21.3	18.7	5.6	1	35.5	8.8	7811	6020	TOTAL	
Table 3.26: My workplace is unsafe due to: Drug dealing by students									
dents	aling by stud	g dea	e to: Dru	nsafe du	place is ι	: My wo	ble 3.26:	Tak	
dents Strongly	aling by stud	g dea	e to: Dru	nsafe du	αplace is ι Strongly	: My wo N of	ole 3.26: N of	Tat	
	aling by stud Disagree	-	e to: Dru Undecic	nsafe du Agree	•	-		Tat	
Strongly		-	Undecic		Strongly	N of	N of	Tat TOTAL	
Strongly Disagree 22.0	Disagree	led 0.9	Undecic 2	Agree 30.0	Strongly Agree 6.1	N of Miss 7854	N of Valid 5977	TOTAL	
Strongly Disagree 22.0	Disagree 21.0	led 0.9	Undecic 2	Agree 30.0	Strongly Agree 6.1	N of Miss 7854	N of Valid 5977	TOTAL	
Strongly Disagree 22.0 eapons	Disagree 21.0	led 0.9	Undecic 2	Agree 30.0	Strongly Agree 6.1 ace is uns	N of Miss 7854	N of Valid 5977	TOTAL	
Strongly Disagree 22.0 eapons Strongly	Disagree 21.0 vho carry w	led 0.9	Undecio 2 to: Stude Undecic	Agree 30.0	Strongly Agree 6.1 ace is uns Strongly	N of Miss 7854 Ay work	N of Valid 5977 9 3.27: N N of	TOTAL	
Strongly Disagree 22.0 eapons Strongly Disagree 20.2 the school	Disagree 21.0 vho carry we Disagree	ded 0.9 Ints w ded 3.5	Undecic 2 to: Stude Undecic 2	Agree 30.0 safe due Agree 24.9	Strongly Agree 6.1 ace is uns Strongly Agree 4.1 e is unsaf	N of Miss 7854 /ly work N of Miss 7876	N of Valid 5977 2 3.27: N N of Valid 5955 .28: My	TOTAL Table	
Strongly Disagree 22.0 eapons Strongly Disagree 20.2 the school Strongly	Disagree 21.0 who carry we Disagree 27.3	ded 0.9 ents w ded 3.5	Undecic 2 to: Stude Undecic 2 "Outside	Agree 30.0 safe due Agree 24.9 e due to:	Strongly Agree 6.1 ace is uns Strongly Agree 4.1 e is unsaf Strongly	N of Miss 7854 Ay work N of Miss 7876 workpla N of	N of Valid 5977 3.27: N N of Valid 5955 .28: My	TOTAL Table	
Strongly Disagree 22.0 eapons Strongly Disagree 20.2 the school	Disagree 21.0 who carry we Disagree 27.3	ded 0.9 ents w ded 3.5	Undecic 2 to: Stude Undecic 2	Agree 30.0 safe due Agree 24.9	Strongly Agree 6.1 ace is uns Strongly Agree 4.1 e is unsaf	N of Miss 7854 /ly work N of Miss 7876	N of Valid 5977 2 3.27: N N of Valid 5955 .28: My	TOTAL Table	

Table 3.29: My workp	lace is unsafe due to	: Students beina ma	pre violent than in the past

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	6128	7703	22.5	43.9	12.7	12.8	8.0

Table 3.30: My workplace is unsale due to: Rules being unclear or not enforced								
	N of	N of	Strongly				Strongly	
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree	
TOTAL	6091	7740	20.0	30.0	13.2	22.2	14.6	

Table 3.30: My workplace is unsafe due to: Rules being unclear or not enforced

Ta	Table 3.31: My workplace is unsafe due to: Influence of violence in movies and music									
		N of	N of	Strongly				Strongly		
		Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree		
	TOTAL	6091	7740	30.8	39.5	13.0	9.6	7.0		

Table 3.32: My workplace is unsafe due to: Lack of security officer (police) at my school

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	6033	7798	15.3	24.2	17.0	26.9	16.6

Table 3.33: My workplace is unsafe due to: Poor parental support for school policies

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	6185	7646	36.0	38.4	11.0	9.3	5.3

3.4 Training Needs

Table 3.34: Recognizing signs and symptoms of alcohol and drug use

	<u> </u>	<u> </u>				-
	N of	N of	No	Some	A Lot Of	
	Valid	Miss	Training	Training	Training	
TOTAL	12760	1070	35.9	57.0	7.1	

Table 3.35: Biological effects of alcohol and drugs

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	12673	1158	42.6	51.5	5.9

Table 3.36: How the child's social world may affect alcohol and drug use

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	12625	1206	39.4	53.8	6.8

Table 3.37: Student refusal skills								
	N of N of No Some A Lo							
	Valid	Miss	Training	Training	Training			
TOTAL	12448	1383	30.2	57.3	12.5			

Table 3.38: Drug education training and awareness programs for parents

	N of	N of	No	Some	A Lot Of	
	Valid	Miss	Training	Training	Training	
TOTAL	12671	1160	30.6	52.1	17.3	

Table 3.39: Alcohol and other drug curricula							
	N of	N of	No	Some	A Lot Of		
	Valid	Miss	Training	Training	Training		
TOTAL	12544	1287	36.7	55.1	8.3		

a	able 0.40. Recognizing signs a symptoms of potential violent									
		N of	N of	No	Some	A Lot Of				
		Valid	Miss	Training	Training	Training				
	TOTAL	12739	1089	25.1	60.6	14.3				

Table 3.40: Recognizing signs & symptoms of potential violence

	Table 3.41: Conflict resolution							
	N of	A Lot Of						
	Valid	Miss	Training	Training	Training			
TOTAL	12723	1105	25.2	59.8	15.0			

Table 3.42: Violence prevention (bullying, threatening behaviors, etc.)

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	12747	1081	23.7	60.0	16.2

Table 3.43: Personal liabilities and responsibilities regarding students

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	12772	1056	23.3	60.4	16.3

Table 3.44: Locating and using community resources								
	N of	N of	No	Some	A Lot Of			
	Valid	Miss	Training	Training	Training			
TOTAL	12724	1104	31.4	57.7	10.8			

3.5 School Personnel Opinions

	Table 3.45: Parents set clear rules for their children							
	N of	N of					Α	
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot	
TOTAL	13008	823	2.7	33.5	55.1	7.1	1.7	

Table 3.46: Students buy and sell drugs when NOT at school

	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTA	L 12475	1356	11.2	18.3	46.5	19.3	4.8

Table 3.47: Students k	buy and	d sell drugs	when AT	school

	N of	N of					Α
_	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	12463	1368	30.1	31.9	31.1	5.6	1.3

Table 3.48: Teachers talk to students about the harmful effects of using tobacco, alcohol and drugs

	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	12972	859	1.3	12.0	43.2	31.3	12.2

Table 3.49: Parents talk to students about the harmful effects of using tobacco, alcohol and drugs

	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	12584	1247	2.3	26.5	55.9	12.2	3.1

Tab	Table 3.50: Students skip school without parent's permission										
	N of	N of					Α				
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot				
TOTAL	12775	1056	9.9	24.0	43.9	15.9	6.4				

7	Table 3.51	: Schoo	ol securit	y officer he	elps keep scho	ol safe	
	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	12088	1743	20.7	9.1	24.8	26.5	18.9

25

3.6 School Programs

	Tab						
	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12826	1005	8.7	30.6	29.4	23.6	7.6
Table	9 3.53: Te	acher tr	aining proc	aram for r	preventing dru	a use and v	iolence
	N of	N of	Strongly	, I		9	Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12736	1095	5.1	24.4	29.0	33.2	8.3
	.2,00	1000	0.1	<u> </u>	20.0	00.2	0.0
Table	3.54: Pro N of Valid	ogram fo N of Miss	or students Strongly Agree	who hav Agree	e an alcohol a Undecided	and/or drug Disagree	problem Strongly Disagree
	vano						
TOTAL	12647	1184	5.0	15.0	31.0	34.5	14.5
	12647 e 3.55: S N of	1184 upport (N of	5.0	15.0		34.5	14.5 abuse Strongly
	12647 e 3.55: S	1184 upport (5.0 group for st	15.0	31.0	34.5	14.5 abuse Strongly
	12647 e 3.55: S N of	1184 upport (N of	5.0 group for st Strongly	15.0 udents re	31.0 ecovering from	34.5	abuse Strongly Disagree
Tabl	12647 e 3.55: S N of Valid 12604 Tabl N of	1184 upport g N of Miss 1227 le 3.56: N of	5.0 group for st Strongly Agree 4.4 Student an Strongly	15.0 udents re Agree 11.2 ti-drug o	31.0 ecovering from Undecided 31.5 rganization or	34.5 n substance Disagree 35.3 program	abuse Strongly Disagree 17.5
Tabl	12647 e 3.55: S N of Valid 12604 Tabl N of Valid	1184 upport of Miss 1227 le 3.56: N of Miss	5.0 group for st Strongly Agree 4.4 Student an Strongly Agree	15.0 udents re Agree 11.2 ti-drug o Agree	31.0 ecovering from Undecided 31.5 rganization or Undecided	34.5 n substance Disagree 35.3 program Disagree	abuse Strongly Disagree 17.5 Strongly Disagree
Tabl	12647 e 3.55: S N of Valid 12604 Tabl N of	1184 upport g N of Miss 1227 le 3.56: N of	5.0 group for st Strongly Agree 4.4 Student an Strongly	15.0 udents re Agree 11.2 ti-drug o	31.0 ecovering from Undecided 31.5 rganization or	34.5 n substance Disagree 35.3 program	14.5 abuse
Tabl	12647 e 3.55: S N of Valid 12604 Tabl N of Valid 12624	1184 upport g N of Miss 1227 le 3.56: N of Miss 1207	5.0 group for st Strongly Agree 4.4 Student an Strongly Agree 9.3	15.0 udents re Agree 11.2 ti-drug o Agree 30.6	31.0 ecovering from Undecided 31.5 rganization or Undecided	34.5 n substance Disagree 35.3 program Disagree 24.6	abuse Strongly Disagree 17.5 Strongly Disagree
Tabl	12647 e 3.55: S N of Valid 12604 Tabl N of Valid 12624	1184 upport g N of Miss 1227 le 3.56: N of Miss 1207	5.0 group for st Strongly Agree 4.4 Student an Strongly Agree 9.3	15.0 udents re Agree 11.2 ti-drug o Agree 30.6	31.0 ecovering from Undecided 31.5 rganization or Undecided 24.5	34.5 n substance Disagree 35.3 program Disagree 24.6	abuse Strongly Disagree 17.5 Strongly Disagree
Tabl	12647 e 3.55: S N of Valid 12604 Table 12624	1184 upport (N of Miss 1227 le 3.56: N of Miss 1207 3.57: Dr	5.0 group for st Strongly Agree 4.4 Student an Strongly Agree 9.3	15.0 udents re Agree 11.2 ti-drug o Agree 30.6	31.0 ecovering from Undecided 31.5 rganization or Undecided 24.5	34.5 n substance Disagree 35.3 program Disagree 24.6	abuse Strongly Disagree 17.5 Strongly Disagree 11.0

	Table 3.58: Crisis intervention team											
	N of	N of	Strongly				Strongly					
_	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree					
TOTAL	12596	1235	9.0	30.3	29.8	21.4	9.4					

Table 3.59: Parent, Teacher, Student Association (PTA, PTO, etc) Strongly N of N of Strongly Valid Miss Agree Agree Undecided Disagree Disagree TOTAL 12782 1049 29.9 42.2 12.0 9.9 6.0

	Table 3.60: Employee Assistance Program (EAP)											
	N of	N of	Strongly				Strongly					
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree					
TOTAL	12483	1348	6.4	16.9	44.0	21.7	11.0					

Table 3.61: Student Assistance Program (SAP)

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12498	1333	6.0	16.9	44.3	21.7	11.0

	Table 3.62: Violence and bullying prevention program										
	N of	N of	Strongly				Strongly				
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
TOTAL	12696	1135	7.4	25.7	28.9	26.6	11.4				

	Table 3.63: Student drug-testing program										
	N of	N of	Strongly				Strongly				
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
TOTAL	12622	1209	7.3	14.5	27.3	27.9	23.1				

3.7 School Policy

	N of	N of	Strongly		policies on vio	, ,	Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12923	908	13.6	42.6	19.4	17.6	6.7

	N of	N of	Strongly		<u></u>	0	Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12929	902	32.2	51.1	8.2	5.8	2.8

Table 3.66:	School	personnel	understand	the school	drug policy

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12905	926	30.7	50.0	11.8	5.3	2.2

Table	Table 3.67: School personnel know the consequences of student drug use									
	N of	N of	Strongly				Strongly			
_	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree			
TOTAL	12904	927	28.6	49.7	12.8	6.5	2.4			

	Table 3.68: The school policy on drugs is applied fairly									
	N of	N of	Strongly				Strongly			
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree			
TOTAL	12830	1001	26.0	43.0	20.8	6.6	3.6			

_	Table 3.69: The school policy is applied consistently									
	N of	N of	Strongly				Strongly			
_	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree			
TOTAL	12769	1062	24.7	41.1	22.4	7.8	4.0			

	N of	N of	Strongly				Strongly				
_	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
TOTAL	12825	1006	17.9	39.4	22.2	15.0	5.4				

Table 3.70: Our school sets clear rules on bullying

Т	Table 3.71: School policy on threatening behaviors by students is applied consistently									
		N of	N of	Strongly				Strongly		
		Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree		
	TOTAL	12893	938	17.6	38.1	21.4	15.7	7.2		

Table 3.72: Strict enforcement of violence policy has helped to keep our school safe

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12889	942	19.9	41.2	22.8	10.7	5.4