

# **Questionnaire Report for Faculty and Staff**

2006-07 National Summary - Faculty and Staff

February 1, 2008

# **Contents**

1	Intro	oduction	1
2	Sun	nmary Information	3
	2.1	Drug Programs	3
		2.1.1 Effectiveness Of Programs	3
		2.1.2 Less Known Programs	4
	2.2	Safety In The Workplace	4
	2.3	Drug Policy	5
		2.3.1 Knowledge of School Drug Policy	5
		2.3.2 Compliance With School Drug Policy	5
	2.4	Drug Information Quiz	5
		2.4.1 Alcohol Quiz Results	6
		2.4.2 Marijuana Quiz Results	6
		2.4.3 Tobacco Quiz Results	7
	2.5	Training Needs	7
	2.6	Graphs of Training Needs	8
	2.7	Graphs of Drug Information Quiz	12
3	Perc	centage Tables	14
	3.1	Information About My Work	15
	3.2	Drug Information	16
		3.2.1 Alcohol	16
		3.2.2 Marijuana	18
		3.2.3 Tobacco	19
	3.3	Safety in the Workplace	20
	3.4	Training Needs	22
	3.5	School Personnel Opinions	24
	3.6	School Programs	26
	3.7	School Policy	28

# **List of Tables**

3.1	My major teaching area is	15
3.2	I work at an	15
3.3	May cause liver damage (correct response is YES)	16
3.4	May cause cancer (correct response is YES)	16
3.5	About 10% of alcohol users become addicted (correct response is YES)	16
3.6	Is fat soluble (correct response is NO)	16
3.7	Coolers, breezers, etc. have less alcohol than beer (correct response is NO)	16
3.8	Is a stimulant (correct response is NO)	16
3.9	Will slow reaction time (correct response is YES)	17
3.10	May hurt immune system (correct response is YES)	18
3.11	Is fat soluble (correct response is YES)	18
3.12	May cause birth defects (correct response is YES)	18
3.13	May cause cancer (correct response is YES)	18
3.14	Is less addictive than alcohol (correct response is NO)	18
3.15	Is legal as medicine under federal law (correct response is NO)	18
3.16	Has more carcinogens than tobacco (correct response is YES)	18
3.17	Causes cancer (correct response is YES)	19
3.18	Causes low birth weight (correct response is YES)	19
3.19	Is less addictive than alcohol (correct response is NO)	19
3.20	Causes early skin damage (correct response is YES)	19
3.21	Will slow reaction time (correct response is NO)	19
3.22	Most users are addicted by age 14 (correct response is YES)	19
3.23	Use by teens increasing (correct response is NO)	19
3.24	My workplace is safe	20
3.25	My workplace is unsafe due to: Alcohol and/or drug use by students	20
3.26	My workplace is unsafe due to: Drug dealing by students	20
3.27	My workplace is unsafe due to: Students who carry weapons	20
3.28	My workplace is unsafe due to: "Outsiders" coming into the school	20
3.29	My workplace is unsafe due to: Students being more violent than in the past	20
3.30	My workplace is unsafe due to: Rules being unclear or not enforced	21
3.31	My workplace is unsafe due to: Influence of violence in movies and music	21
3.32	My workplace is unsafe due to: Lack of security officer (police) at my school	21
3.33	My workplace is unsafe due to: Poor parental support for school policies	21
3.34	Recognizing signs and symptoms of alcohol and drug use	22
3.35	Biological effects of alcohol and drugs	22

3.36 How the child's socia	al world may affect alcohol and drug use	22
3.37 Student refusal skills	8	22
3.38 Drug education train	ing and awareness programs for parents	22
	ug curricula	22
3.40 Recognizing signs &	symptoms of potential violence	23
3.41 Conflict resolution		23
3.42 Violence prevention	(bullying, threatening behaviors, etc.)	23
3.43 Personal liabilities ar	nd responsibilities regarding students	23
3.44 Locating and using of	community resources	23
3.45 Parents set clear rul	es for their children	24
3.46 Students buy and se	ell drugs when NOT at school	24
3.47 Students buy and se	ell drugs when AT school	24
3.48 Teachers talk to stud	dents about the harmful effects of using tobacco, alcohol and drugs	24
3.49 Parents talk to stude	ents about the harmful effects of using tobacco, alcohol and drugs	24
3.50 Students skip schoo	I without parent's permission	24
3.51 School security offic	er helps keep school safe	25
3.52 Alcohol and drug cu	rriculum for all grades	26
3.53 Teacher training pro	gram for preventing drug use and violence	26
3.54 Program for students	s who have an alcohol and/or drug problem	26
3.55 Support group for st	udents recovering from substance abuse	26
3.56 Student anti-drug or	ganization or program	26
3.57 Drug awareness/edu	ucation program for parents	26
	eam	27
3.59 Parent, Teacher, Stu	dent Association (PTA, PTO, etc)	27
3.60 Employee Assistance	e Program (EAP)	27
3.61 Student Assistance	Program (SAP)	27
3.62 Violence and bullyin	g prevention program	27
3.63 Student drug-testing	program	27
3.64 Our school has effect	ctive policies on violence/bullying	28
3.65 Our school sets clear	r rules on using drugs at school	28
3.66 School personnel ur	nderstand the school drug policy	28
3.67 School personnel kn	ow the consequences of student drug use	28
3.68 The school policy or	drugs is applied fairly	28
3.69 The school policy is	applied consistently	28
3.70 Our school sets clear	r rules on bullying	29
3.71 School policy on thre	eatening behaviors by students is applied consistently	29
3.72 Strict enforcement o	f violence policy has helped to keep our school safe	29

# **List of Figures**

2.1	Training Needs Assessment Graph 1	ć
2.2	Training Needs Assessment Graph 2	1(
2.3	Training Needs Assessment Graph 3	1
2.4	Drug Information Quiz Averages	1:

# **Chapter 1**

# Introduction

The following summary, graphs, and tables are compiled from data collected in your school(s) using the **PRIDE Questionnaire for Faculty and Staff**. These data reflect school personnel's:

- awareness and assessment of current alcohol and drug programs,
- · safety concerns,
- · compliance and basic knowledge of policy,
- · knowledge of drug information,
- and training needs.

This report will help your school and system planners decide which programs and policies to maintain, what new prevention/intervention programs to initiate, and what personnel training needs to address. The following pages summarize the results of the questionnaire. We suggest you distribute a copy of this summary to school faculty and to your Board of Education for system reports.

**NOTE:** Most drug use occurs at nights and weekends when school is not in session.

FOR GREATEST SUCCESS IN DECREASING DRUG USE, FACULTY, STUDENTS AND PARENTS MUST WORK TOGETHER TOWARD A DRUG-FREE LIFESTYLE.

If you have questions about this report, or if you wish to have information on other *Pride Surveys* services and products, please call the *Pride Surveys* Office or write to the following address:

#### Pride Surveys

Janie Pitcock 160 Vanderbilt Court Bowling Green, KY 42103 1-800-279-6361 1-270-746-9596 www.pridesurveys.com

The following information is for *Pride Surveys*internal use only.

• Data Files: fs069999

• Filter:

# **Chapter 2**

# **Summary Information**

### 2.1 Drug Programs

#### 2.1.1 Effectiveness Of Programs

The following school drug and alcohol programs are listed in order from most effective to least effective as determined by your personnel who expressed an opinion (percentage is based on those who **Agree** or **Strongly Agree**):

- Parent, teacher, student association (71.9% deemed effective)
- Crisis intervention team (44.0% deemed effective)
- Student anti-drug organization or program (39.7% deemed effective)
- Alcohol and drug curriculum for all grades (38.6% deemed effective)
- Violence prevention program (36.4% deemed effective)
- Teacher training programs for drug and violence prevention (30.2% deemed effective)
- Student drug-testing program (26.2% deemed effective)
- Employee assistance program (25.9% deemed effective)
- Student assistance program (25.7% deemed effective)
- Drug awareness/ed. program for parents (23.5% deemed effective)
- Programs for students with an alcohol and/or drug problem (22.1% deemed effective)
- support groups for students recovering from substance abuse (16.7% deemed effective)

#### 2.1.2 Less Known Programs

The following school drug and alcohol programs are listed in order from least well known to most well known. The percentage figures represent the portion of your faculty and staff who did not respond to the questions regarding the effectiveness of the programs.

- Student assistance program (9.9%)
- Employee assistance program (9.7%)
- Student anti-drug organization or program (9.1%)
- Drug awareness/ed. program for parents (9.0%)
- Crisis intervention team (8.9%)
- Student drug-testing program (8.9%)
- support groups for students recovering from substance abuse (8.8%)
- Programs for students with an alcohol and/or drug problem (8.6%)
- Violence prevention program (8.3%)
- Teacher training programs for drug and violence prevention (8.0%)
- Parent, teacher, student association (7.6%)
- Alcohol and drug curriculum for all grades (7.6%)

### 2.2 Safety In The Workplace

59.3% of the faculty and staff said their workplace is safe, while 40.7% said their workplace is **not safe**. Personnel in the latter groups said they **Agree** or **Strongly Agree** with the following reasons as to why they consider their workplace unsafe:

- Poor parental support for school policies (81.5%)
- Influence of violence in movies and music (78.2%)
- Students being more violent than in the past (74.3%)
- Outsiders coming into the school (55.5%)
- School rules being unclear or not enforced (54.7%)
- Alcohol and/or drug use by students (53.2%)

- Lack of security officer (police) at my school (44.2%)
- Drug dealing by students (41.6%)
- Students who carry weapons (30.8%)

#### 2.3 Drug Policy

#### 2.3.1 Knowledge of School Drug Policy

The following list shows the percentage of faculty and staff who agreed (i.e. responded **Agree** or **Strongly Agree**) with the following statements:

- School personnel understand the school drug policy (80.9%)
- School personnel know the consequences of student drug use (77.1%)

#### 2.3.2 Compliance With School Drug Policy

The following list shows the percentage of faculty and staff who agreed (i.e. responed **Agree** or **Strongly Agree**) with the following statements:

- The school policy on drugs is applied fairly (68.0%)
- The school policy on drugs is applied consistently (64.9%)

### 2.4 Drug Information Quiz

The average score on the drug information quiz was 68.4%. This fell below the suggested average score of 77.8%.

In looking at the results of the drug knowledge quiz, slight differences in the percentage figures may be found between the quiz results section and the percentage figures found in the tables chapter for these questions. In the case of the tables chapter all tables have a *N of Valid* and a *N of Missing* column which represents the number of respondents who actually marked a response to the question and the number of respondents who left the question blank, respectively. All tables in the tables chapter calculate percentage figures based on valid responses only (i.e. blank responses are ignored). However, when scoring the quiz a blank response is counted as an incorrect response (i.e. blank responses are NOT ignored). The figures

in the **Drug Information Quiz** section more accurately reflect how well all participants performed on the quiz.

#### 2.4.1 Alcohol Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- May cause liver damage (correct response is YES) (94.7% answered correctly)
- Will slow reaction time (correct response is YES) (93.0% answered correctly)
- About 10% of Alcohol users become addicted (correct response is YES) (75.1% answered correctly)
- Coolers, breezers, etc. have less alcohol than beer (correct response is NO) (65.1% answered correctly)
- May cause cancer (correct response is YES) (56.4% answered correctly)
- Is a stimulant (correct response is NO) (53.4% answered correctly)
- Is fat soluble (correct response is NO) (46.4% answered correctly)

#### 2.4.2 Marijuana Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- May cause birth defects (correct response is YES) (87.8% answered correctly)
- May hurt immune system (correct response is YES) (80.4% answered correctly)
- Is less addictive than alcohol (correct response is NO) (74.7% answered correctly)
- May cause cancer (correct response is YES) (66.6% answered correctly)
- Has more carcinogens than tobacco (correct response is YES) (55.8% answered correctly)
- Is legal as medicine under federal law (correct response is NO) (55.4% answered correctly)
- Is fat soluble (correct response is YES) (30.7% answered correctly)

#### 2.4.3 Tobacco Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- Causes cancer (correct response is YES) (94.0% answered correctly)
- Causes low birth weight (correct response is YES) (91.8% answered correctly)
- Is less addictive than alcohol (correct response is NO) (84.5% answered correctly)
- Causes early skin damage (correct response is YES) (83.6% answered correctly)
- Most users are addicted by age 14 (correct response is YES) (71.8% answered correctly)
- Will slow reaction time (correct response is NO) (56.8% answered correctly)
- Use by teens increasing (correct response is NO) (18.7% answered correctly)

### 2.5 Training Needs


Faculty and staff reported training needs in the following areas:


- Violence prevention (bullying, threatening behaviors, etc.) (76.6% said *I need training*)
- Personal liabilities and responsibilities regarding students (76.3% said I need training)
- Recognizing signs & symptoms of potential violence (76.0% said I need training)
- Conflict resolution (74.9% said I need training)
- Student refusal skills (70.4% said *I need training*)
- Drug education training and awareness programs for parents (69.1% said I need training)
- Locating and using community resources (68.5% said *I need training*)
- Recognizing signs and symptoms of alcohol and drug use (64.2% said I need training)
- Alcohol and other drug curricula (63.4% said I need training)
- How the child's social world may affect alcohol and drug use (60.3% said I need training)
- Biological effects of alcohol and drugs (57.2% said *I need training*)


# 2.6 Graphs of Training Needs

The following graphs examine the questions regarding training needs and reports the percentage of the faculty and staff who feel the need for some training.

switched to shorten bar label








# 2.7 Graphs of Drug Information Quiz

The following graphs examine how well the faculty and staff answered the drug quiz questions.



13

# **Chapter 3**

# **Percentage Tables**

This chapter contains your schools faculty/staff needs assessment results in tabular form. Each table corresponds to an item on the needs assessment. The tables contain percentage data on each question. The *N of Valid* column contains the number of workers responding to the item and the *N of Missing* column contains the number of workers not responding to the item. The remaining columns contain the percentages of workers responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the faculty/staff needs assessment. The preceding Table of Contents contains the percentage tables by section and gives the page number where each is located.

# 3.1 Information About My Work

Table 3.1: My major teaching area is

		N of	N of		Social	Foreign					Do Not
		Valid	Miss	Science	Science	Language	PE/Health	English	Math	Other	Teach
TOT	ΓAL	12809	1178	8.2	8.0	1.6	3.4	12.3	11.6	43.0	12.0

Table 3.2: I work at an

	N of	N of	Elementary	Middle/Junior	High	Alternative	
	Valid	Miss	School	High School	School	School	Other
TOTAL	13221	766	36.6	27.0	33.5	1.0	1.9

## 3.2 Drug Information

#### 3.2.1 Alcohol

Table 3.3: May cause liver damage (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	13281	706	99.8	0.2

Table 3.4: May cause cancer (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12735	1252	62.0	38.0

Table 3.5: About 10% of alcohol users become addicted (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12807	1179	82.0	18.0

Table 3.6: Is fat soluble (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12223	1763	47.0	53.0

Table 3.7: Coolers, breezers, etc. have less alcohol than beer (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12785	1196	28.8	71.2

Table 3.8: Is a stimulant (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12894	1090	42.1	57.9

Table 3.9: Will slow reaction time (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	13160	821	98.8	1.2

#### 3.2.2 Marijuana

Table 3.10: May hurt immune system (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12839	1141	87.6	12.4

Table 3.11: Is fat soluble (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	11950	2030	35.9	64.1

Table 3.12: May cause birth defects (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12986	994	94.6	5.4

Table 3.13: May cause cancer (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12579	1402	74.1	25.9

Table 3.14: Is less addictive than alcohol (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12740	1241	18.0	82.0

Table 3.15: Is legal as medicine under federal law (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12820	1161	39.6	60.4

Table 3.16: Has more carcinogens than tobacco (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12489	1492	62.4	37.6

#### 3.2.3 Tobacco

Table 3.17: Causes cancer (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	13230	755	99.4	0.6

Table 3.18: Causes low birth weight (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	13089	898	98.1	1.9

Table 3.19: Is less addictive than alcohol (correct response is NO)

	N of	N of		_
	Valid	Miss	Yes	No
TOTAL	12920	1066	8.5	91.5

Table 3.20: Causes early skin damage (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12864	1121	90.9	9.1

Table 3.21: Will slow reaction time (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12700	1280	37.4	62.6

Table 3.22: Most users are addicted by age 14 (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12785	1195	78.5	21.5

Table 3.23: Use by teens increasing (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12944	1036	79.7	20.3

## 3.3 Safety in the Workplace

Table 3.24: My workplace is safe

	<u> </u>			
	N of	N of		
	Valid	Miss	Yes	No
TOTAL	12373	1613	59.3	40.7

Table 3.25: My workplace is unsafe due to: Alcohol and/or drug use by students

. 0.0.0 0.1	-0, .			0.0.0 .0.			,
	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	6384	7603	9.0	36.9	14.9	18.8	20.3

Table 3.26: My workplace is unsafe due to: Drug dealing by students

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	6338	7649	6.0	30.3	22.2	20.6	21.0

Table 3.27: My workplace is unsafe due to: Students who carry weapons

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	6284	7703	3.8	22.9	26.3	27.2	19.8

Table 3.28: My workplace is unsafe due to: "Outsiders" coming into the school

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	6412	7575	13.5	35.0	16.8	21.1	13.6

Table 3.29: My workplace is unsafe due to: Students being more violent than in the past

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	6431	7556	21.8	45.2	13.1	12.0	7.9

Table 3.30: My workplace is unsafe due to: Rules being unclear or not enforced

Table 0.	Table 6.56. My Workplace is unsafe due to. Hales being unlocal of flot efficied										
	N of	N of	Strongly				Strongly				
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
TOTAL	6409	7578	18.8	29.9	13.0	23.0	15.4				

Table 3.31: My workplace is unsafe due to: Influence of violence in movies and music

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	6457	7530	31.8	40.1	11.8	8.6	7.7

Table 3.32: My workplace is unsafe due to: Lack of security officer (police) at my school

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	6399	7588	16.7	23.1	15.5	26.7	18.0

Table 3.33: My workplace is unsafe due to: Poor parental support for school policies

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	6555	7432	34.8	39.8	10.9	9.0	5.5

## 3.4 Training Needs

Table 3.34: Recognizing signs and symptoms of alcohol and drug use

	N of	N of	No	Some	A Lot Of	
	Valid	Miss	Training	Training	Training	
TOTAL	12850	1135	35.8	57.1	7.1	

Table 3.35: Biological effects of alcohol and drugs

	0.00.	g			
	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	12719	1268	42.8	51.3	6.0

Table 3.36: How the child's social world may affect alcohol and drug use

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	12677	1310	39.7	53.0	7.3

Table 3.37: Student refusal skills

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	12506	1481	29.6	57.9	12.5

Table 3.38: Drug education training and awareness programs for parents

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	12726	1261	30.9	52.1	17.0

Table 3.39: Alcohol and other drug curricula

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	12598	1386	36.6	55.1	8.2

Table 3.40: Recognizing signs & symptoms of potential violence

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	12846	1135	24.0	60.5	15.5

Table 3.41: Conflict resolution N of N of No Some A Lot Of Valid Miss Training Training Training TOTAL 12825 1156 25.1 59.4 15.5

Table 3.42: Violence prevention (bullying, threatening behaviors, etc.)

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	12855	1125	23.4	59.6	17.0

Table 3.43: Personal liabilities and responsibilities regarding students

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	12873	1107	23.7	59.4	16.9

Table 3.44: Locating and using community resources

Table	Table 6.44: Leodating and defing community resources							
	N of	N of	No	Some	A Lot Of			
	Valid	Miss	Training	Training	Training			
TOTAL	12819	1161	31.5	57.0	11.5			

## 3.5 School Personnel Opinions

Table 3.45: Parents set clear rules for their children	
--	--

	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	13126	861	2.7	34.3	54.8	6.4	1.8

Table 3.46: Students buy and sell drugs when NOT at school

	NI C	NI C					Α
	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	12526	1461	10.5	17.0	47.0	20.3	5.2

Table 3.47: Students buy and sell drugs when AT school

	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	12547	1440	28.9	31.6	32.1	6.0	1.5

Table 3.48: Teachers talk to students about the harmful effects of using tobacco, alcohol and drugs

	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	13055	932	1.6	12.7	43.5	30.4	11.9

Table 3.49: Parents talk to students about the harmful effects of using tobacco, alcohol and drugs

	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	12692	1295	2.7	26.6	56.4	11.3	3.1

Table 3.50: Students skip school without parent's permission

	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	12878	1109	9.3	22.3	44.8	16.6	6.9

Table 3.51: School security officer helps keep school safe

	abio 0.0 i	. 0000	or oooding	, 0111001 110	sipo noop cone	or ouro	
	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	12339	1648	18.4	8.3	23.7	27.8	21.8

## 3.6 School Programs

Table 3.52: Alcohol and drug curriculum for all grades

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12925	1062	8.5	30.1	30.7	23.1	7.7

Table 3.53: Teacher training program for preventing drug use and violence

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12865	1122	4.9	25.3	29.1	32.2	8.5

Table 3.54: Program for students who have an alcohol and/or drug problem

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12782	1205	5.3	16.8	31.8	32.4	13.8

Table 3.55: Support group for students recovering from substance abuse

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12755	1232	4.7	12.1	33.1	33.7	16.5

Table 3.56: Student anti-drug organization or program

1	N of	N of	Strongly			-	Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12716	1271	9.2	30.5	25.3	24.5	10.5

Table 3.57: Drug awareness/education program for parents

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12732	1255	5.4	18.1	33.2	30.8	12.6

Table 3.58: Crisis intervention team

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12739	1248	10.3	33.6	28.6	18.7	8.8

Table 3.59: Parent, Teacher, Student Association (PTA, PTO, etc)

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12923	1064	29.7	42.2	12.3	9.9	5.8

Table 3.60: Employee Assistance Program (EAP)

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12628	1359	7.3	18.6	43.9	19.9	10.3

Table 3.61: Student Assistance Program (SAP)

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12604	1383	6.6	19.1	43.6	20.3	10.4

Table 3.62: Violence and bullying prevention program

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12830	1157	8.3	28.1	28.1	24.5	11.0

Table 3.63: Student drug-testing program

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12738	1249	9.1	17.1	27.3	25.7	20.9

## 3.7 School Policy

Table 3.64: Our school has effective policies on violence/bullying

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	13083	904	13.8	43.2	19.9	16.9	6.3

Table 3.65: Our school sets clear rules on using drugs at school

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	13112	875	32.4	50.7	8.5	5.3	3.1

Table 3.66: School personnel understand the school drug policy

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	13080	907	30.6	50.3	11.6	5.2	2.3

Table 3.67: School personnel know the consequences of student drug use

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	13081	906	27.9	49.2	13.7	6.6	2.6

Table 3.68: The school policy on drugs is applied fairly

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12980	1007	25.0	43.0	21.4	6.7	3.9

Table 3.69: The school policy is applied consistently

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	12952	1035	23.8	41.0	23.2	7.8	4.1

Table 3.70: Our school sets clear rules on bullying

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	13010	977	18.4	41.0	21.0	14.3	5.4

Table 3.71: School policy on threatening behaviors by students is applied consistently

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	13049	938	17.4	38.4	21.0	16.0	7.2

Table 3.72: Strict enforcement of violence policy has helped to keep our school safe

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	13045	942	19.9	41.5	22.6	10.5	5.5