

Questionnaire Report for Faculty and Staff

2007-08 National Summary - Faculty

September 9, 2008

Contents

1	Intro	oduction	1
2	Sum	nmary Information	3
	2.1	Drug Programs	3
		2.1.1 Effectiveness Of Programs	3
		2.1.2 Less Known Programs	4
	2.2	Safety In The Workplace	4
	2.3	Drug Policy	5
		2.3.1 Knowledge of School Drug Policy	5
		2.3.2 Compliance With School Drug Policy	5
	2.4	Drug Information Quiz	5
		2.4.1 Alcohol Quiz Results	6
		2.4.2 Marijuana Quiz Results	6
		2.4.3 Tobacco Quiz Results	7
	2.5	Training Needs	7
	2.6	Graphs of Training Needs	8
	2.7	Graphs of Drug Information Quiz	12
3	Perc	centage Tables	14
	3.1	Information About My Work	15
	3.2	Drug Information	16
		3.2.1 Alcohol	16
		3.2.2 Marijuana	18
		3.2.3 Tobacco	19
	3.3	Safety in the Workplace	20
	3.4		22
	3.5		24
	3.6		26
	3.7	School Policy	28

List of Tables

3.1	My major teaching area is
3.2	I work at an
3.3	May cause liver damage (correct response is YES)
3.4	May cause cancer (correct response is YES)
3.5	About 10% of alcohol users become addicted (correct response is YES)
3.6	Is fat soluble (correct response is NO)
3.7	Coolers, breezers, etc. have less alcohol than beer (correct response is NO)
3.8	Is a stimulant (correct response is NO)
3.9	Will slow reaction time (correct response is YES)
3.10	May hurt immune system (correct response is YES)
3.11	Is fat soluble (correct response is YES)
3.12	May cause birth defects (correct response is YES)
3.13	May cause cancer (correct response is YES)
3.14	Is less addictive than alcohol (correct response is NO)
3.15	Is legal as medicine under federal law (correct response is NO)
3.16	Has more carcinogens than tobacco (correct response is YES)
3.17	Causes cancer (correct response is YES)
	Causes low birth weight (correct response is YES)
3.19	Is less addictive than alcohol (correct response is NO)
3.20	Causes early skin damage (correct response is YES)
3.21	Will slow reaction time (correct response is NO)
	Most users are addicted by age 14 (correct response is YES)
3.23	Use by teens increasing (correct response is NO) 19
3.24	My workplace is safe
	My workplace is unsafe due to: Alcohol and/or drug use by students
3.26	My workplace is unsafe due to: Drug dealing by students
3.27	My workplace is unsafe due to: Students who carry weapons
3.28	My workplace is unsafe due to: "Outsiders" coming into the school
3.29	My workplace is unsafe due to: Students being more violent than in the past
3.30	My workplace is unsafe due to: Rules being unclear or not enforced
3.31	My workplace is unsafe due to: Influence of violence in movies and music
3.32	My workplace is unsafe due to: Lack of security officer (police) at my school
	My workplace is unsafe due to: Poor parental support for school policies
	Recognizing signs and symptoms of alcohol and drug use
	Biological effects of alcohol and drugs

3.36 How the child's social world may affect alcohol and drug use	22
3.37 Student refusal skills	22
3.38 Drug education training and awareness programs for parents	22
3.39 Alcohol and other drug curricula	22
3.40 Recognizing signs & symptoms of potential violence	23
3.41 Conflict resolution	23
3.42 Violence prevention (bullying, threatening behaviors, etc.)	23
3.43 Personal liabilities and responsibilities regarding students	23
3.44 Locating and using community resources	23
3.45 Parents set clear rules for their children	24
3.46 Students buy and sell drugs when NOT at school	24
3.47 Students buy and sell drugs when AT school	24
3.48 Teachers talk to students about the harmful effects of using tobacco, alcohol and drugs	24
3.49 Parents talk to students about the harmful effects of using tobacco, alcohol and drugs	24
3.50 Students skip school without parent's permission	24
3.51 School security officer helps keep school safe	25
3.52 Alcohol and drug curriculum for all grades	26
3.53 Teacher training program for preventing drug use and violence	26
3.54 Program for students who have an alcohol and/or drug problem	26
3.55 Support group for students recovering from substance abuse	26
3.56 Student anti-drug organization or program	26
3.57 Drug awareness/education program for parents	26
3.58 Crisis intervention team	27
3.59 Parent, Teacher, Student Association (PTA, PTO, etc)	27
3.60 Employee Assistance Program (EAP)	27
3.61 Student Assistance Program (SAP)	27
3.62 Violence and bullying prevention program	27
3.63 Student drug-testing program	27
3.64 Our school has effective policies on violence/bullying	28
3.65 Our school sets clear rules on using drugs at school	28
3.66 School personnel understand the school drug policy	28
3.67 School personnel know the consequences of student drug use	28
3.68 The school policy on drugs is applied fairly	28
3.69 The school policy is applied consistently	28
3.70 Our school sets clear rules on bullying	29
3.71 School policy on threatening behaviors by students is applied consistently	29
3.72 Strict enforcement of violence policy has helped to keep our school safe	29

List of Figures

2.1	Training Needs Assessment Graph 1	9
2.2	Training Needs Assessment Graph 2	10
2.3	Training Needs Assessment Graph 3	11
2.4	Drug Information Quiz Averages	13

Chapter 1

Introduction

The following summary, graphs, and tables are compiled from data collected in your school(s) using the **PRIDE Questionnaire for Faculty and Staff**. These data reflect school personnel's:

- · awareness and assessment of current alcohol and drug programs,
- safety concerns,
- compliance and basic knowledge of policy,
- knowledge of drug information,
- and training needs.

This report will help your school and system planners decide which programs and policies to maintain, what new prevention/intervention programs to initiate, and what personnel training needs to address. The following pages summarize the results of the questionnaire. We suggest you distribute a copy of this summary to school faculty and to your Board of Education for system reports.

NOTE: Most drug use occurs at nights and weekends when school is not in session.

FOR GREATEST SUCCESS IN DECREASING DRUG USE, FACULTY, STUDENTS AND PARENTS MUST WORK TOGETHER TOWARD A DRUG-FREE LIFESTYLE.

2007-08 National Summary - Faculty

If you have questions about this report, or if you wish to have information on other *Pride Surveys* services and products, please call the *Pride Surveys* Office or write to the following address:

Pride Surveys

Janie Pitcock 160 Vanderbilt Court Bowling Green, KY 42103 1-800-279-6361 1-270-746-9596 www.pridesurveys.com

The following information is for *Pride Surveys*ínternal use only.

- Data Files: fs079999
- Filter:

Chapter 2

Summary Information

2.1 Drug Programs

2.1.1 Effectiveness Of Programs

The following school drug and alcohol programs are listed in order from most effective to least effective as determined by your personnel who expressed an opinion (percentage is based on those who **Agree** or **Strongly Agree**):

- Parent, teacher, student association (73.4% deemed effective)
- Crisis intervention team (44.9% deemed effective)
- Student anti-drug organization or program (40.7% deemed effective)
- Violence prevention program (40.2% deemed effective)
- Alcohol and drug curriculum for all grades (39.6% deemed effective)
- Teacher training programs for drug and violence prevention (30.7% deemed effective)
- Employee assistance program (29.8% deemed effective)
- Student drug-testing program (28.1% deemed effective)
- Student assistance program (28.1% deemed effective)
- Drug awareness/ed. program for parents (24.3% deemed effective)
- Programs for students with an alcohol and/or drug problem (23.1% deemed effective)
- support groups for students recovering from substance abuse (18.1% deemed effective)

2.1.2 Less Known Programs

The following school drug and alcohol programs are listed in order from least well known to most well known. The percentage figures represent the portion of your faculty and staff who did not respond to the questions regarding the effectiveness of the programs.

- Student assistance program (10.9%)
- Employee assistance program (10.5%)
- Student drug-testing program (10.2%)
- Crisis intervention team (10.0%)
- Drug awareness/ed. program for parents (9.9%)
- Student anti-drug organization or program (9.9%)
- support groups for students recovering from substance abuse (9.7%)
- Programs for students with an alcohol and/or drug problem (9.4%)
- Violence prevention program (9.4%)
- Teacher training programs for drug and violence prevention (9.1%)
- Parent, teacher, student association (8.7%)
- Alcohol and drug curriculum for all grades (8.2%)

2.2 Safety In The Workplace

61.5% of the faculty and staff said their workplace is safe, while 38.5% said their workplace is **not safe**. Personnel in the latter groups said they **Agree** or **Strongly Agree** with the following reasons as to why they consider their workplace unsafe:

- Poor parental support for school policies (80.3%)
- Influence of violence in movies and music (76.0%)
- Students being more violent than in the past (71.9%)
- Outsiders coming into the school (55.3%)
- School rules being unclear or not enforced (52.4%)
- Alcohol and/or drug use by students (52.3%)

- Lack of security officer (police) at my school (44.7%)
- Drug dealing by students (41.3%)
- Students who carry weapons (31.5%)

2.3 Drug Policy

2.3.1 Knowledge of School Drug Policy

The following list shows the percentage of faculty and staff who agreed (i.e. responded **Agree** or **Strongly Agree**) with the following statements:

- School personnel understand the school drug policy (82.1%)
- School personnel know the consequences of student drug use (78.8%)

2.3.2 Compliance With School Drug Policy

The following list shows the percentage of faculty and staff who agreed (i.e. responed **Agree** or **Strongly Agree**) with the following statements:

- The school policy on drugs is applied fairly (70.1%)
- The school policy on drugs is applied consistently (66.7%)

2.4 Drug Information Quiz

The average score on the drug information quiz was 68.8%. This fell below the suggested average score of 77.8%.

In looking at the results of the drug knowledge quiz, slight differences in the percentage figures may be found between the quiz results section and the percentage figures found in the tables chapter for these questions. In the case of the tables chapter all tables have a *N* of *Valid* and a *N* of *Missing* column which represents the number of respondents who actually marked a response to the question and the number of respondents who left the question blank, respectively. All tables in the tables chapter calculate percentage figures based on valid responses only (i.e. blank responses are ignored). However, when scoring the quiz a blank response is counted as an incorrect response (i.e. blank responses are NOT ignored). The figures

in the **Drug Information Quiz** section more accurately reflect how well all participants performed on the quiz.

2.4.1 Alcohol Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- May cause liver damage (correct response is YES) (94.6% answered correctly)
- Will slow reaction time (correct response is YES) (92.8% answered correctly)
- About 10% of Alcohol users become addicted (correct response is YES) (75.2% answered correctly)
- Coolers, breezers, etc. have less alcohol than beer (correct response is NO) (66.1% answered correctly)
- May cause cancer (correct response is YES) (59.9% answered correctly)
- Is a stimulant (correct response is NO) (54.1% answered correctly)
- Is fat soluble (correct response is NO) (45.3% answered correctly)

2.4.2 Marijuana Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- May cause birth defects (correct response is YES) (87.4% answered correctly)
- May hurt immune system (correct response is YES) (80.9% answered correctly)
- Is less addictive than alcohol (correct response is NO) (75.5% answered correctly)
- May cause cancer (correct response is YES) (68.4% answered correctly)
- Has more carcinogens than tobacco (correct response is YES) (57.3% answered correctly)
- Is legal as medicine under federal law (correct response is NO) (51.4% answered correctly)
- Is fat soluble (correct response is YES) (33.3% answered correctly)

2.4.3 Tobacco Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- Causes cancer (correct response is YES) (94.0% answered correctly)
- Causes low birth weight (correct response is YES) (91.8% answered correctly)
- Is less addictive than alcohol (correct response is NO) (84.8% answered correctly)
- Causes early skin damage (correct response is YES) (84.4% answered correctly)
- Most users are addicted by age 14 (correct response is YES) (72.9% answered correctly)
- Will slow reaction time (correct response is NO) (55.6% answered correctly)
- Use by teens increasing (correct response is NO) (18.0% answered correctly)


2.5 Training Needs

Faculty and staff reported training needs in the following areas:


- Violence prevention (bullying, threatening behaviors, etc.) (74.3% said *I need training*)
- Personal liabilities and responsibilities regarding students (73.9% said I need training)
- Recognizing signs & symptoms of potential violence (73.0% said I need training)
- Conflict resolution (72.6% said I need training)
- Student refusal skills (68.3% said I need training)
- Drug education training and awareness programs for parents (67.9% said I need training)
- Locating and using community resources (67.0% said I need training)
- Alcohol and other drug curricula (61.7% said I need training)
- Recognizing signs and symptoms of alcohol and drug use (61.6% said *I need training*)
- How the child's social world may affect alcohol and drug use (58.3% said I need training)
- Biological effects of alcohol and drugs (56.3% said *I need training*)


2.6 Graphs of Training Needs

The following graphs examine the questions regarding training needs and reports the percentage of the faculty and staff who feel the need for some training.




Training Needs Assessment Graph 1





2.7 Graphs of Drug Information Quiz

The following graphs examine how well the faculty and staff answered the drug quiz questions.



Chapter 3

Percentage Tables

This chapter contains your schoolś faculty/staff needs assessment results in tabular form. Each table corresponds to an item on the needs assessment. The tables contain percentage data on each question. The *N of Valid* column contains the number of workers responding to the item and the *N of Missing* column contains the number of workers not responding to the item. The remaining columns contain the percentages of workers responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the faculty/staff needs assessment. The preceding Table of Contents contains the percentage tables by section and gives the page number where each is located.

3.1 Information About My Work

	Table 3.1: My major teaching area is									
	N of	N of		Social	Foreign					Do Not
	Valid	Miss	Science	Science	Language	PE/Health	English	Math	Other	Teach
TOTAL	11345	977	8.3	8.5	1.7	4.1	12.6	11.2	42.6	11.1

	Table 3.2: I work at an								
	N of	N of	Elementary	Middle/Junior	High	Alternative			
	Valid	Miss	School	High School	School	School	Other		
TOTAL	11655	666	36.6	25.6	34.3	0.9	2.7		

3.2 Drug Information

3.2.1 Alcohol

Table 3.3: May cause liver damage (correct response is YES)								
		N of	N of			<u>'</u>		
		Valid	Miss	Yes	No			
	TOTAL	11715	603	99.5	0.5	•		

Table 3.4: May cause cancer (correct response is YES)								
		N of	N of					
		Valid	Miss	Yes	No			
	TOTAL	11324	998	65.2	34.8			

Table 3.5: About 10% of alcohol users become addicted (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	11393	929	81.3	18.7

Table 3.6: Is fat soluble (correct response is NO)								
		N of	N of					
		Valid	Miss	Yes	No			
	TOTAL	10919	1403	48.8	51.2			

Table 3.7: Coolers, breezers	s, etc. have les	s alcohol than beer	(correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	11350	968	28.2	71.8

Table 3.8: Is a stimulant (correct response is NC							
		N of	N of				
		Valid	Miss	Yes	No		
	TOTAL	11456	864	41.8	58.2		

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	11614	704	98.5	1.5

Will slow reaction time (correct response is YES) N of

3.2.2 Marijuana

Table 3.10: May hurt immune system (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	11404	914	87.4	12.6

Table 3.11: Is fat soluble	(correct response is YES)
----------------------------	---------------------------

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	10771	1547	38.1	61.9

Table 3.12: May cause birth defects (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	11497	821	93.7	6.3

Table 3.	13: May c	ause can	icer (cor	rect res	sponse	is YES)
		N of	N of			
		Valid	Miss	Yes	No	
	TOTAL	11233	1085	75.0	25.0	

Table 3.14: Is less addictive than alcohol (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	11325	994	17.8	82.2

Table 3.15: Is legal as medicine under federal law (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	11388	931	44.4	55.6

Table 3.16: Has more carcinogens than tobacco (correct response is YES)

	N of	N of		
_	Valid	Miss	Yes	No
TOTAL	11097	1221	63.6	36.4

3.2.3 Tobacco

Table 3	.17: Caus	es cance	er (corre	ect resp	onse i	s YES)
		N of	N of			
		Valid	Miss	Yes	No	
	TOTAL	11672	648	99.3	0.7	

Table 3.18: Causes low birth weight (correct response is YES)

	N of	N of		
_	Valid	Miss	Yes	No
TOTAL	11557	765	97.9	2.1

Table 3.19: Is less addictive than alcohol (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	11449	873	8.7	91.3

 Table 3.20: Causes early skin damage (correct response is YES)

 N of

 Valid Miss Yes No

 TOTAL 11418 904 91.0 9.0

Table 3.2	21: Will slow reaction time (correct re	esponse is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	11259	1059	39.2	60.8

Table 3.22: Most users are addicted by age 14 (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	11335	984	79.3	20.7

Table 3.23:	Use by t	eens incr	easing	(correct	respo	nse is NO)
-		N of	N of			
		Valid	Miss	Yes	No	
-	TOTAL	11454	865	80.6	19.4	

3.3 Safety in the Workplace

					place is safe		
			N			_	
			Va	id Miss	s Yes N	10	
		TO	TAL 1093	37 1383	3 61.5 38	.5	
Table 3.2	25: My v	vorkplac	ce is unsafe	e due to:	Alcohol and/c	or drug use b	by students
	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	5007		0.0	05.0		10.0	0 / F
TOTAL	5387	6935	8.8	35.6	14.7	19.3	21.5
			rkplace is u		14.7 e to: Drug de		dents
	ole 3.26	: My wo					
	ole 3.26 N of	: My wo N of	rkplace is u Strongly	ınsafe du	e to: Drug de	ealing by stu	dents Strongly
Tal TOTAL	ole 3.26 N of Valid 5357	: My wo N of Miss 6965	rkplace is u Strongly Agree 5.9	Insafe du Agree 29.8	e to: Drug de Undecided 20.9	aling by stu Disagree 21.0	dents Strongly Disagree 22.4
Tal TOTAL	ole 3.26 N of Valid 5357	: My wo N of Miss 6965	rkplace is u Strongly Agree 5.9	Insafe du Agree 29.8	e to: Drug de Undecided	aling by stu Disagree 21.0	dents Strongly Disagree 22.4
Tal TOTAL	ole 3.26 N of Valid 5357	: My wo N of Miss 6965 Øy work	rkplace is un Strongly Agree 5.9	Insafe du Agree 29.8	e to: Drug de Undecided 20.9	aling by stu Disagree 21.0	dents Strongly Disagree 22.4 eapons
Tat TOTAL	ole 3.26 N of Valid 5357 9 3.27: N N of	: My wo N of Miss 6965 Ay work N of	rkplace is u Strongly Agree 5.9 place is un Strongly	Insafe du Agree 29.8 safe due	e to: Drug de Undecided 20.9 to: Students	ealing by stur Disagree 21.0 who carry w	dents Strongly Disagree 22.4 eapons Strongly

_	Table 3.28: My workplace is unsafe due to: "Outsiders" coming into the school								
		N of	N of	Strongly				Strongly	
_		Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree	
	TOTAL	E410	010	12.2	35.1	15.5	23.3	13.9	

Table 3.29: My	workpl	lace is	unsafe due to	: Students being	more violent t	than in the past
	N of	N of	Stronaly			Strongly

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	5442	6880	20.6	42.7	13.2	13.5	10.0

Table 3.30: My workplace is unsale due to: Rules being unclear of not enforced								
	N of	N of	Strongly				Strongly	
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree	
TOTAL	5408	6914	16.0	29.5	13.1	25.3	16.1	

Table 3.30: My workplace is unsafe due to: Rules being unclear or not enforced

Ta	Table 3.31: My workplace is unsafe due to: Influence of violence in movies and music									
		N of	N of	Strongly				Strongly		
		Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree		
	TOTAL	5450	6872	29.4	39.2	13.6	9.4	8.3		

Table 3.32: My workplace is unsafe due to: Lack of security officer (police) at my school

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	5413	6909	16.8	23.7	14.9	26.5	18.1

Table 3.33: My workplace is unsafe due to: Poor parental support for school policies

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	5524	6798	32.0	40.3	11.1	10.1	6.5

3.4 Training Needs

Table 3.34: Recognizing signs and symptoms of alcohol and drug use

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	11386	935	38.4	54.4	7.2

Table 3.35: Biological effects of alcohol and drugs						
N of	N of	No	Some	A Lot Of		

			INU	Some	A LUI UI
	Valid	Miss	Training	Training	Training
TOTAL	11288	1033	43.7	49.5	6.8

Table 3.36: How the child's social world may affect alcohol and drug use

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	11261	1061	41.7	50.3	8.0

Table 3.37: Student refusal skills						
	N of	N of	No	Some	A Lot Of	
_	Valid	Miss	Training	Training	Training	
TOTAL	11107	1215	31.7	55.1	13.2	

Table 3.38: Drug education training and awareness programs for parents

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	11275	1047	32.1	50.6	17.3

Table 3.39: Alcohol and other drug curricula						
	N of	N of	No	Some	A Lot Of	
	Valid	Miss	Training	Training	Training	
TOTAL	11184	1135	38.3	52.7	9.0	

	N of	N of	No	Some	A Lot Of		
	Valid	Miss	Training	Training	Training		
TOTAL	11353	966	27.0	58.0	15.0		

Table 3.40: Recognizing signs & symptoms of potential violence

	Table 3.41: Conflict resolution						
	N of	N of	No	Some	A Lot Of		
	Valid	Miss	Training	Training	Training		
TOTAL	11353	966	27.4	57.6	15.1		

Table 3.42: Violence prevention (bullying, threatening behaviors, etc.)

	N of	N of	No	Some	A Lot Of
_	Valid	Miss	Training	Training	Training
TOTAL	11377	942	25.7	57.3	17.1

Table 3.43: Personal liabilities and responsibilities regarding students

	N of	N of	No	Some	A Lot Of	
	Valid	Miss	Training	Training	Training	
TOTAL	11383	936	26.1	57.5	16.3	

Table 3	Table 3.44: Locating and using community resources										
N of N of No Some A L											
	Valid	Miss	Training	Training	Training						
TOTAL	11357	962	33.0	55.4	11.6						

3.5 School Personnel Opinions

TOTAL

11024

1298

	Table 3	.45: Pai	rents set	clear rules	for their child	ren	
	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	11480	842	2.6	31.8	56.1	7.3	2.3

 Table 3.46: Students buy and sell drugs when NOT at school

 N of
 N of

 Valid
 Miss

 Never
 Seldom

 Sometimes
 Often

 Lot
 Lot

17.0

47.9

19.0

4.7

11.4

_	Table 3.47	: Stude	nts buy a	and sell dru	ugs when AT s	chool	
	N of	N of					Α
	Mallal	14:00	Marian	O a lala ma	0	04	1

							A
_	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	11031	1291	29.6	31.6	31.7	5.8	1.4

Table 3.48: Teachers talk to students about the harmful effects of using tobacco, alcohol and drugs

	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	11408	914	1.7	13.1	43.2	29.9	12.0

Table 3.49: Parents talk to students about the harmful effects of using tobacco, alcohol and drugs

	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	11134	1188	2.8	25.9	56.2	11.5	3.5

Table 3.50: Students skip school without parent's permission									
	N of	N of					Α		
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot		
TOTAL 11281 1041 9.9 22.6 44.8 16.0 6									

-	Table 3.51: School security officer helps keep school safe								
	N of	N of					Α		
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot		
TOTAL	10777	1545	20.3	8.4	22.3	27.0	22.1		

25

3.6 School Programs

	Tab						
	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	11307	1015	9.3	30.3	30.1	23.0	7.3
Table	e 3.53: Te	acher tr	aining prog	gram for p	preventing dru	g use and v	iolence
	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	11203	1119	5.7	25.0	29.9	31.7	7.7
	N of	N of Miss	Strongly Agree	Agree	e an alcohol a Undecided	Disagree	Strongly Disagree
		Miee	Aaree	Aaree	Undecided	Disagree	Disagree
	Valid		Ţ	-		<u> </u>	
TOTAL	11168	1154	5.5	17.6	32.2	32.3	-
	11168 e 3.55: S N of	1154 upport (N of	5.5 group for st Strongly	17.6 udents re	32.2 ecovering from	32.3	12.5 abuse Strongly
	11168 e 3.55: S	1154 upport (5.5 group for st	17.6	32.2	32.3	12.5
Tabl	11168 e 3.55: S N of Valid 11130 Tabl N of	1154 upport g N of Miss 1192 le 3.56: N of	5.5 group for st Strongly Agree 5.0 Student an Strongly	17.6 udents re Agree 13.1 ti-drug o	32.2 ecovering from Undecided 33.4 rganization or	32.3 n substance Disagree 33.5 program	abuse Strongly Disagree 15.0
Tabl	11168 e 3.55: S N of Valid 11130 Tabl N of Valid	1154 upport of Miss 1192 le 3.56: N of Miss	5.5 Strongly Agree 5.0 Student an Strongly Agree	17.6 udents re Agree 13.1 ti-drug o Agree	32.2 ecovering from Undecided 33.4 rganization or Undecided	32.3 n substance Disagree 33.5 program Disagree	abuse Strongly Disagree 15.0 Strongly Disagree
Tabl	11168 e 3.55: S N of Valid 11130 Tabl N of	1154 upport g N of Miss 1192 le 3.56: N of	5.5 group for st Strongly Agree 5.0 Student an Strongly	17.6 udents re Agree 13.1 ti-drug o	32.2 ecovering from Undecided 33.4 rganization or	32.3 n substance Disagree 33.5 program	abuse Strongly Disagree 15.0 Strongly Disagree
Tabl	11168 e 3.55: S N of Valid 11130 Tabl N of Valid 11107	1154 upport g N of Miss 1192 le 3.56: N of Miss 1215	5.5 group for st Strongly Agree 5.0 Student an Strongly Agree 9.1	17.6 udents re Agree 13.1 ti-drug o Agree 31.6	32.2 ecovering from Undecided 33.4 rganization or Undecided	32.3 n substance Disagree 33.5 program Disagree 24.1	abuse Strongly Disagree 15.0
Tabl	11168 e 3.55: S N of Valid 11130 Tabl N of Valid 11107	1154 upport g N of Miss 1192 le 3.56: N of Miss 1215	5.5 group for st Strongly Agree 5.0 Student an Strongly Agree 9.1	17.6 udents re Agree 13.1 ti-drug o Agree 31.6	32.2 ecovering from Undecided 33.4 rganization or Undecided 25.5	32.3 n substance Disagree 33.5 program Disagree 24.1	abuse Strongly Disagree 15.0 Strongly Disagree
Tabl	11168 e 3.55: S N of Valid 11130 Tabl N of Valid 11107 Table 3	1154 upport (N of Miss 1192 le 3.56: N of Miss 1215 3.57: Dr	5.5 Strongly Agree 5.0 Student an Strongly Agree 9.1 ug awarene	17.6 udents re Agree 13.1 ti-drug o Agree 31.6	32.2 ecovering from Undecided 33.4 rganization or Undecided 25.5	32.3 n substance Disagree 33.5 program Disagree 24.1	abuse Strongly Disagree 15.0 Strongly Disagree 9.6

	Table 3.58: Crisis intervention team											
N of N of Strongly S												
_	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree					
TOTAL	11094	1228	11.3	33.5	29.0	18.4	7.7					

Table 3.59: Parent, Teacher, Student Association (PTA, PTO, etc)

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	11251	1071	31.7	41.7	12.0	9.7	4.9

_	Table 3.60: Employee Assistance Program (EAP)										
	N of	N of	Strongly				Strongly				
_	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
TOTAL	11023	1299	8.8	21.0	42.8	18.6	8.8				

Table 3.61: Student Assistance Program (SAP)

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	10976	1346	7.8	20.3	43.8	19.2	8.9

	Table 3.62: Violence and bullying prevention program										
	N of	N of	Strongly				Strongly				
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
TOTAL	11160	1162	9.9	30.3	27.2	23.2	9.5				

	Table 3.63: Student drug-testing program										
	N of	N of	Strongly				Strongly				
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
TOTAL	11068	1254	9.8	18.3	27.5	24.7	19.6				

3.7 School Policy

	N of	N of	Strongly	٨			Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	11250	1072	16.4	44.0	18.2	15.6	5.7
	Table 3.6	5: Our :	school sets	clear rul	es on using d	rugs at scho	ool
	N of	N of	Strongly			0	Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	11221	1101	34.4	49.4	8.2	5.2	2.8
				el unders	stand the scho	ool drug poli	
	N of	N of	Strongly	A	المعام وأعام وا	Discourse	Strongly
TOTAL	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	11205	1117	32.7	49.3	11.3	4.5	2.2
Table		chool pe	rsonnel kno	ow the co	onsequences	of student d	rug use
	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
		1138	30.5	48.3	12.6	6.3	2.3
TOTAL	11184	1130	00.0				
TOTAL	11184	1130	00.0				
TOTAL	11184	1130	00.0				
TOTAL					n drugs is app		

	N of	N of	Strongly				Strongly				
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
TOTAL	11125	1197	27.5	42.6	20.1	6.3	3.5				

	Table 3.69: The school policy is applied consistently										
	N of	N of	Strongly				Strongly				
_	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
TOTAL	11052	1270	26.4	40.3	22.2	7.4	3.7				

	N of	N of	Strongly				Strongly				
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
TOTAL	11077	1245	21.5	42.0	18.8	12.9	4.8				

Table 3.70: Our school sets clear rules on bullying

Т	Table 3.71: School policy on threatening behaviors by students is applied consistently										
		N of	N of	Strongly				Strongly			
		Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree			
	TOTAL	11165	1157	20.0	39.1	20.6	13.8	6.4			

Table 3.72: Strict enforcement of violence policy has helped to keep our school safe

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	11184	1138	22.9	41.4	21.5	9.5	4.7