

Questionnaire Report for Faculty and Staff

2009-2010 National Summary / Facult-Staff

July 27, 2010

Contents

1	Intro	oduction	1
2	Sum	nmary Information	3
	2.1	Drug Programs	3
		2.1.1 Effectiveness Of Programs	3
		2.1.2 Less Known Programs	4
	2.2	Safety In The Workplace	4
	2.3	Drug Policy	5
		2.3.1 Knowledge of School Drug Policy	5
		2.3.2 Compliance With School Drug Policy	5
	2.4	Drug Information Quiz	5
		2.4.1 Alcohol Quiz Results	6
		2.4.2 Marijuana Quiz Results	6
		2.4.3 Tobacco Quiz Results	7
	2.5	Training Needs	7
	2.6	Graphs of Training Needs	8
	2.7	Graphs of Drug Information Quiz	12
3	Perc	centage Tables	14
	3.1	Information About My Work	15
	3.2	Drug Information	16
		3.2.1 Alcohol	16
		3.2.2 Marijuana	18
		3.2.3 Tobacco	19
	3.3	Safety in the Workplace	20
	3.4		22
	3.5		24
	3.6		26
	3.7	School Policy	28

List of Tables

3.1	My major teaching area is
3.2	I work at an
3.3	May cause liver damage (correct response is YES)
3.4	May cause cancer (correct response is YES)
3.5	About 10% of alcohol users become addicted (correct response is YES)
3.6	Is fat soluble (correct response is NO)
3.7	Coolers, breezers, etc. have less alcohol than beer (correct response is NO)
3.8	Is a stimulant (correct response is NO)
3.9	Will slow reaction time (correct response is YES)
3.10	May hurt immune system (correct response is YES)
3.11	Is fat soluble (correct response is YES)
3.12	May cause birth defects (correct response is YES)
3.13	May cause cancer (correct response is YES)
3.14	Is less addictive than alcohol (correct response is NO)
3.15	Is legal as medicine under federal law (correct response is NO)
3.16	Has more carcinogens than tobacco (correct response is YES)
3.17	Causes cancer (correct response is YES)
	Causes low birth weight (correct response is YES)
3.19	Is less addictive than alcohol (correct response is NO)
3.20	Causes early skin damage (correct response is YES)
3.21	Will slow reaction time (correct response is NO)
	Most users are addicted by age 14 (correct response is YES)
3.23	Use by teens increasing (correct response is NO) 19
3.24	My workplace is safe
	My workplace is unsafe due to: Alcohol and/or drug use by students
3.26	My workplace is unsafe due to: Drug dealing by students
3.27	My workplace is unsafe due to: Students who carry weapons
3.28	My workplace is unsafe due to: "Outsiders" coming into the school
3.29	My workplace is unsafe due to: Students being more violent than in the past
3.30	My workplace is unsafe due to: Rules being unclear or not enforced
3.31	My workplace is unsafe due to: Influence of violence in movies and music
3.32	My workplace is unsafe due to: Lack of security officer (police) at my school
	My workplace is unsafe due to: Poor parental support for school policies
	Recognizing signs and symptoms of alcohol and drug use
	Biological effects of alcohol and drugs

3.36 How the child's social world may affect alcohol and drug use	22
3.37 Student refusal skills	22
3.38 Drug education training and awareness programs for parents	22
3.39 Alcohol and other drug curricula	22
3.40 Recognizing signs & symptoms of potential violence	23
3.41 Conflict resolution	23
3.42 Violence prevention (bullying, threatening behaviors, etc.)	23
3.43 Personal liabilities and responsibilities regarding students	23
3.44 Locating and using community resources	23
3.45 Parents set clear rules for their children	24
3.46 Students buy and sell drugs when NOT at school	24
3.47 Students buy and sell drugs when AT school	24
3.48 Teachers talk to students about the harmful effects of using tobacco, alcohol and drugs	24
3.49 Parents talk to students about the harmful effects of using tobacco, alcohol and drugs	24
3.50 Students skip school without parent's permission	24
3.51 School security officer helps keep school safe	25
3.52 Alcohol and drug curriculum for all grades	26
3.53 Teacher training program for preventing drug use and violence	26
3.54 Program for students who have an alcohol and/or drug problem	26
3.55 Support group for students recovering from substance abuse	26
3.56 Student anti-drug organization or program	26
3.57 Drug awareness/education program for parents	26
3.58 Crisis intervention team	27
3.59 Parent, Teacher, Student Association (PTA, PTO, etc)	27
3.60 Employee Assistance Program (EAP)	27
3.61 Student Assistance Program (SAP)	27
3.62 Violence and bullying prevention program	27
3.63 Student drug-testing program	27
3.64 Our school has effective policies on violence/bullying	28
3.65 Our school sets clear rules on using drugs at school	28
3.66 School personnel understand the school drug policy	28
3.67 School personnel know the consequences of student drug use	28
3.68 The school policy on drugs is applied fairly	28
3.69 The school policy is applied consistently	28
3.70 Our school sets clear rules on bullying	29
3.71 School policy on threatening behaviors by students is applied consistently	29
3.72 Strict enforcement of violence policy has helped to keep our school safe	29

List of Figures

2.1	Training Needs Assessment Graph 1	9
2.2	Training Needs Assessment Graph 2	10
2.3	Training Needs Assessment Graph 3	11
2.4	Drug Information Quiz Averages	13

Chapter 1

Introduction

The following summary, graphs, and tables are compiled from data collected in your school(s) using the **PRIDE Questionnaire for Faculty and Staff**. These data reflect school personnel's:

- · awareness and assessment of current alcohol and drug programs,
- safety concerns,
- compliance and basic knowledge of policy,
- knowledge of drug information,
- and training needs.

This report will help your school and system planners decide which programs and policies to maintain, what new prevention/intervention programs to initiate, and what personnel training needs to address. The following pages summarize the results of the questionnaire. We suggest you distribute a copy of this summary to school faculty and to your Board of Education for system reports.

NOTE: Most drug use occurs at nights and weekends when school is not in session.

FOR GREATEST SUCCESS IN DECREASING DRUG USE, FACULTY, STUDENTS AND PARENTS MUST WORK TOGETHER TOWARD A DRUG-FREE LIFESTYLE.

2009-2010 National Summary / Facult-Staff

If you have questions about this report, or if you wish to have information on other *Pride Surveys* services and products, please call the *Pride Surveys* Office or write to the following address:

Pride Surveys

Janie Pitcock 160 Vanderbilt Court Bowling Green, KY 42103 1-800-279-6361 1-270-746-9596 www.pridesurveys.com

The following information is for *Pride Surveys*ínternal use only.

- Data Files: fs090001-147,8000-8056
- Filter:

Chapter 2

Summary Information

2.1 Drug Programs

2.1.1 Effectiveness Of Programs

The following school drug and alcohol programs are listed in order from most effective to least effective as determined by your personnel who expressed an opinion (percentage is based on those who **Agree** or **Strongly Agree**):

- Parent, teacher, student association (73.4% deemed effective)
- Crisis intervention team (47.5% deemed effective)
- Violence prevention program (41.6% deemed effective)
- Student anti-drug organization or program (41.1% deemed effective)
- Alcohol and drug curriculum for all grades (40.7% deemed effective)
- Teacher training programs for drug and violence prevention (31.6% deemed effective)
- Employee assistance program (30.5% deemed effective)
- Student assistance program (30.1% deemed effective)
- Drug awareness/ed. program for parents (25.0% deemed effective)
- Student drug-testing program (24.1% deemed effective)
- Programs for students with an alcohol and/or drug problem (23.8% deemed effective)
- support groups for students recovering from substance abuse (19.1% deemed effective)

2.1.2 Less Known Programs

The following school drug and alcohol programs are listed in order from least well known to most well known. The percentage figures represent the portion of your faculty and staff who did not respond to the questions regarding the effectiveness of the programs.

- Student assistance program (8.9%)
- Employee assistance program (8.7%)
- Student anti-drug organization or program (8.7%)
- Crisis intervention team (8.6%)
- Drug awareness/ed. program for parents (8.5%)
- Student drug-testing program (8.5%)
- support groups for students recovering from substance abuse (8.2%)
- Programs for students with an alcohol and/or drug problem (8.2%)
- Teacher training programs for drug and violence prevention (7.8%)
- Violence prevention program (7.8%)
- Parent, teacher, student association (7.5%)
- Alcohol and drug curriculum for all grades (7.0%)

2.2 Safety In The Workplace

62.9% of the faculty and staff said their workplace is safe, while 37.1% said their workplace is **not safe**. Personnel in the latter groups said they **Agree** or **Strongly Agree** with the following reasons as to why they consider their workplace unsafe:

- Poor parental support for school policies (79.6%)
- Students being more violent than in the past (73.5%)
- Influence of violence in movies and music (71.0%)
- School rules being unclear or not enforced (55.7%)
- Alcohol and/or drug use by students (53.3%)
- Outsiders coming into the school (51.3%)

- Drug dealing by students (43.7%)
- Lack of security officer (police) at my school (35.7%)
- Students who carry weapons (33.7%)

2.3 Drug Policy

2.3.1 Knowledge of School Drug Policy

The following list shows the percentage of faculty and staff who agreed (i.e. responded **Agree** or **Strongly Agree**) with the following statements:

- School personnel understand the school drug policy (81.2%)
- School personnel know the consequences of student drug use (78.0%)

2.3.2 Compliance With School Drug Policy

The following list shows the percentage of faculty and staff who agreed (i.e. responed **Agree** or **Strongly Agree**) with the following statements:

- The school policy on drugs is applied fairly (68.2%)
- The school policy on drugs is applied consistently (65.1%)

2.4 Drug Information Quiz

The average score on the drug information quiz was 67.5%. This fell below the suggested average score of 77.8%.

In looking at the results of the drug knowledge quiz, slight differences in the percentage figures may be found between the quiz results section and the percentage figures found in the tables chapter for these questions. In the case of the tables chapter all tables have a *N* of *Valid* and a *N* of *Missing* column which represents the number of respondents who actually marked a response to the question and the number of respondents who left the question blank, respectively. All tables in the tables chapter calculate percentage figures based on valid responses only (i.e. blank responses are ignored). However, when scoring the quiz a blank response is counted as an incorrect response (i.e. blank responses are NOT ignored). The figures

in the **Drug Information Quiz** section more accurately reflect how well all participants performed on the quiz.

2.4.1 Alcohol Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- May cause liver damage (correct response is YES) (94.5% answered correctly)
- Will slow reaction time (correct response is YES) (92.4% answered correctly)
- About 10% of Alcohol users become addicted (correct response is YES) (75.4% answered correctly)
- Coolers, breezers, etc. have less alcohol than beer (correct response is NO) (63.2% answered correctly)
- May cause cancer (correct response is YES) (63.0% answered correctly)
- Is a stimulant (correct response is NO) (49.7% answered correctly)
- Is fat soluble (correct response is NO) (40.7% answered correctly)

2.4.2 Marijuana Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- May cause birth defects (correct response is YES) (86.7% answered correctly)
- May hurt immune system (correct response is YES) (79.2% answered correctly)
- Is less addictive than alcohol (correct response is NO) (72.0% answered correctly)
- May cause cancer (correct response is YES) (67.5% answered correctly)
- Has more carcinogens than tobacco (correct response is YES) (54.2% answered correctly)
- Is legal as medicine under federal law (correct response is NO) (47.7% answered correctly)
- Is fat soluble (correct response is YES) (36.0% answered correctly)

2.4.3 Tobacco Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- Causes cancer (correct response is YES) (94.0% answered correctly)
- Causes low birth weight (correct response is YES) (91.6% answered correctly)
- Causes early skin damage (correct response is YES) (83.4% answered correctly)
- Is less addictive than alcohol (correct response is NO) (81.9% answered correctly)
- Most users are addicted by age 14 (correct response is YES) (74.8% answered correctly)
- Will slow reaction time (correct response is NO) (54.0% answered correctly)
- Use by teens increasing (correct response is NO) (15.8% answered correctly)


2.5 Training Needs


Faculty and staff reported training needs in the following areas:

- Violence prevention (bullying, threatening behaviors, etc.) (70.4% said *I need training*)
- Personal liabilities and responsibilities regarding students (69.6% said I need training)
- Conflict resolution (68.9% said I need training)
- Recognizing signs & symptoms of potential violence (68.4% said I need training)
- Student refusal skills (64.8% said I need training)
- Drug education training and awareness programs for parents (63.2% said I need training)
- Locating and using community resources (63.2% said I need training)
- Alcohol and other drug curricula (57.4% said I need training)
- Recognizing signs and symptoms of alcohol and drug use (56.3% said I need training)
- How the child's social world may affect alcohol and drug use (54.5% said I need training)
- Biological effects of alcohol and drugs (52.2% said *I need training*)


2.6 Graphs of Training Needs


The following graphs examine the questions regarding training needs and reports the percentage of the faculty and staff who feel the need for some training.





Training Needs Assessment Graph 2





Personal Responsibilities


Percent Who Feel the Need For Some Training

Locating Community Resources

×. ℃

2.7 Graphs of Drug Information Quiz

The following graphs examine how well the faculty and staff answered the drug quiz questions.



Chapter 3

Percentage Tables

This chapter contains your schoolś faculty/staff needs assessment results in tabular form. Each table corresponds to an item on the needs assessment. The tables contain percentage data on each question. The *N of Valid* column contains the number of workers responding to the item and the *N of Missing* column contains the number of workers not responding to the item. The remaining columns contain the percentages of workers responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the faculty/staff needs assessment. The preceding Table of Contents contains the percentage tables by section and gives the page number where each is located.

3.1 Information About My Work

Table 3.1: My major teaching area is										
	N of	N of		Social	Foreign					Do Not
	Valid	Miss	Science	Science	Language	PE/Health	English	Math	Other	Teach
TOTAL	5630	506	7.0	6.8	1.5	3.1	13.7	11.1	42.9	13.8

	Table 3.2: I work at an						
	N of N of Elementary Middle/Junior High Alter				Alternative		
_	Valid	Miss	School	High School	School	School	Other
TOTAL	5817	319	39.7	27.8	29.9	1.3	1.4

3.2 Drug Information

3.2.1 Alcohol

Table 3.3: N	lay cause	liver da	mage (correct	respo	nse is YES)
		N of	N of			
		Valid	Miss	Yes	No	
	TOTAL	5830	306	99.5	0.5	

Table 3.4: May cause cancer (correct response is YES)						
		N of	N of			
		Valid	Miss	Yes	No	
	TOTAL	5653	483	68.4	31.6	1

Table 3.5: About 10% of alcohol users become addicted (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	5663	473	81.7	18.3

Table 3.6: Is fat soluble (correct response is NO)						
		N of	N of			
		Valid	Miss	Yes	No	
-	TOTAL	5463	673	54.3	45.7	

Table 3.7: Coolers, breezers, etc. have less alcohol than beer (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	5664	472	31.6	68.4

Table 3.8: Is a stimulant	(correct response is NO)
---------------------------	--------------------------

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	5686	450	46.3	53.7

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	5783	353	98.1	1.9

Table 3.9: Will slow reaction time (correct response is YES)

3.2.2 Marijuana

Table 3.10: May hurt immune system (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	5667	469	85.8	14.2

Table 3.11: Is fat soluble	(correct response is YES)
----------------------------	---------------------------

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	5410	726	40.8	59.2

Table 3.12: May cause birth defects (correct response is YES)

	N of	N of		
_	Valid	Miss	Yes	No
TOTAL	5725	411	93.0	7.0

Table 3.1	3: May	cause	cance	er (correc	t response	e is YE	S)
		NI	. (1			

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	5606	530	73.9	26.1

Table 3.14: Is less addictive than alcohol (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	5613	523	21.3	78.7

Table 3.15: Is legal as medicine under federal law (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	5667	469	48.4	51.6

Table 3.16: Has more carcinogens than tobacco (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	5545	591	59.9	40.1

3.2.3 Tobacco

Table 3.	17: Cause	es cance	er (corre	ect resp	oonse	is YES)
		N of	N of			
		Valid	Miss	Yes	No	
	TOTAL	5815	321	99.2	0.8	

Table 3.18: Causes low birth weight (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	5750	386	97.8	2.2

Table 3.19: Is less addictive than alcohol (correct response is NO)

	N of	N of		
_	Valid	Miss	Yes	No
TOTAL	5681	455	11.5	88.5

Table 3.20: Causes early skin damage (correct response is YES) N of N of

	Valid	MISS	Yes	NO
TOTAL	5683	453	90.0	10.0

Table 3.21: Will slow reaction time (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	5620	516	41.0	59.0

Table 3.22: Most users are addicted by age 14 (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	5667	469	81.0	19.0

Table 3.23: Use by teens increasing (correct response is NO)N ofN ofValidMissYesTOTAL570842842883.017.0

3.3 Safety in the Workplace

Table 3.24: My workplace is safe										
N of	N of									
Valid	Miss	Yes	No							
5408	728	62.9	37.1							
	N of Valid	N of N of Valid Miss								

Table 3.25: My workplace is unsafe due to: Alcohol and/or drug use by students										
	N of	N of	Strongly				Strongly			
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree			
TOTAL	2783	3353	9.7	33.5	13.4	19.2	24.1			

Table 3.26: My workplace is unsafe due to: Drug dealing by students

Tai	Table 5.20. My workplace is unsale due to. Drug dealing by students										
	N of	N of	Strongly				Strongly				
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
TOTAL	2758	3378	7.0	29.2	18.0	21.0	24.8				

Table	Table 3.27: My workplace is unsafe due to: Students who carry weapons										
	N of	N of	Strongly				Strongly				
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
TOTAL	2730	3406	4.7	22.9	23.2	26.6	22.6				

Table 3	Table 3.28: My workplace is unsafe due to: "Outsiders" coming into the school										
	N of	N of	Strongly				Strongly				
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
TOTAL	2769	3367	12.3	30.3	15.3	25.2	16.9				

Table 3.29: My wor	kplace is unsafe due to:	Students being more	e violent than in the past

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	2780	3356	21.3	41.7	12.1	13.8	11.0

Table 3.30: My workplace is unsale due to: Rules being unclear or not enforced									
	N of	N of	Strongly				Strongly		
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree		
TOTAL	2773	3363	19.1	27.7	12.0	23.3	17.8		

Table 3.30: My workplace is unsafe due to: Rules being unclear or not enforced

Та	Table 3.31: My workplace is unsafe due to: Influence of violence in movies and music									
		N of	N of	Strongly				Strongly		
		Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree		
	TOTAL	2775	3361	26.1	36.8	14.4	12.2	10.6		

Table 3.32: My workplace is unsafe due to: Lack of security officer (police) at my school

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	2744	3392	11.5	19.9	15.0	30.8	22.8

Table 3.33: My workplace is unsafe due to: Poor parental support for school policies

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	2800	3336	33.0	37.6	11.4	10.6	7.4

3.4 Training Needs

Table 3.34: Recognizing signs and symptoms of alcohol and drug use

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	5693	443	43.7	50.3	5.9

Table 3.35: Biological effects of alcohol and drugs

	N of	N of	No	Some	A Lot Of			
	Valid	Miss	Training	Training	Training			
TOTAL	5668	468	47.8	46.2	6.0			

Table 3.36: How the child's social world may affect alcohol and drug use

	N of	N of	No	Some	A Lot Of
_	Valid	Miss	Training	Training	Training
TOTAL	5649	487	45.5	47.8	6.8

Table 3.37: Student refusal skills								
	N of	N of	No	Some	A Lot Of			
	Valid	Miss	Training	Training	Training			
TOTAL	5568	568	35.2	53.4	11.4			

Table 3.38: Drug education training and awareness programs for parents

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	5658	478	36.8	48.4	14.8

Table 3.39: Alcohol and other drug curricula								
	N of	N of	No	Some	A Lot Of			
	Valid	Miss	Training	Training	Training			
TOTAL	5634	502	42.6	49.5	7.9			

010 0.40	Je 3.40. Necognizing signs & symptoms of potential violent									
	Ν	l of	N of	No	Some	A Lot Of				
	Va	alid	Miss	Training	Training	Training				
TOTA	AL 56	699	437	31.6	56.2	12.2				

Table 3.40: Recognizing signs & symptoms of potential violence

Table 3.41: Conflict resolution								
	N of	N of	No	Some	A Lot Of			
	Valid	Miss	Training	Training	Training			
TOTAL	5682	454	31.1	55.6	13.3			

Table 3.42: Violence prevention (bullying, threatening behaviors, etc.)

		N of	N of	No	Some	A Lot Of
		Valid	Miss	Training	Training	Training
-	TOTAL	5709	427	29.6	55.3	15.1

Table 3.43: Personal liabilities and responsibilities regarding students

	N of	N of	No	Some	A Lot Of
_	Valid	Miss	Training	Training	Training
TOTAL	5703	433	30.4	55.6	14.0

Table 3.	Table 3.44: Locating and using community resources											
	N of	N of	No	Some	A Lot Of							
	Valid	Miss	Training	Training	Training							
TOTAL	5690	446	36.8	52.8	10.4							

3.5 School Personnel Opinions

Table 3.45: Parents set clear rules for their children										
	N of	N of					Α			
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot			
TOTAL	5762	374	3.3	32.0	54.3	8.3	2.1			

Table 3.46: Students buy and sell drugs when NOT at school

	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	5565	571	14.4	17.3	43.8	19.5	5.1

 Table 3.47: Students buy and sell drugs when AT school

 N of
 N of
 A

	IN OI	IN OI					A
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	5575	561	34.0	29.4	29.6	5.7	1.4

Table 3.48: Teachers talk to students about the harmful effects of using tobacco, alcohol and drugs

	N of	N of					Α
_	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	5740	396	2.0	14.8	43.4	28.1	11.7

Table 3.49: Parents talk to students about the harmful effects of using tobacco, alcohol and drugs

	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	5572	564	3.4	26.7	54.1	12.2	3.7

Tabl	Table 3.50: Students skip school without parent's permission											
	N of	N of					Α					
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot					
TOTAL	5669	467	13.5	21.6	42.1	15.4	7.4					

Table 3.51: School security officer helps keep school safe										
	N of	N of					Α			
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot			
TOTAL	5446	690	15.6	7.5	21.0	26.8	29.1			

3.6 School Programs

Table 3.52: Alcohol and drug curriculum for all grades											
	N of	N of	Strongly				Strongly				
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
TOTAL	5704	432	9.6	31.1	29.5	21.5	8.3				
Table	3.53: Te	eacher t	training pro	gram for	preventing dr	ug use and [,]	violence				
	N of	N of	Strongly	-		-	Strongly				
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
TOTAL	5655	481	6.0	25.6	30.1	29.5	8.7				
Table	3.54: Pr	ogram	for students	s who ha	ve an alcohol	and/or drug	problem				
	N of	N of	Strongly			-	Strongly				
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
			_			_					
TOTAL	5630	506	5.4	18.4	33.3	29.8	13.1				
					33.3 ecovering from						
	3.55: 8	Support	group for s				e abuse				
	9 3.55: S N of	Support N of	group for s Strongly	tudents r	ecovering from	n substance	e abuse Strongly Disagree				
Table TOTAL	9 3.55: S N of Valid 5631 Tab N of Valid	Support N of Miss 505 0le 3.56 N of Miss	group for s Strongly Agree 5.1 : Student a Strongly Agree	tudents r Agree 14.0 nti-drug o Agree	Undecided 34.8 organization o Undecided	m substance Disagree 30.8 r program Disagree	e abuse Strongly Disagree 15.3 Strongly Disagree				
Table	3.55: S N of Valid 5631 Tab N of	Support N of Miss 505 Ile 3.56: N of	group for s Strongly Agree 5.1 : Student a Strongly	tudents r Agree 14.0 nti-drug c	ecovering from Undecided 34.8 organization o	m substance Disagree 30.8 r program	e abuse Strongly Disagree 15.3 Strongly				
Table TOTAL	2 3.55: S N of Valid 5631 Tab N of Valid 5600	Support N of Miss 505 ble 3.56 N of Miss 536	group for s Strongly Agree 5.1 : Student a Strongly Agree 9.9 rug awarer	tudents r Agree 14.0 nti-drug o Agree 31.3	Undecided 34.8 organization o Undecided	m substance Disagree 30.8 r program Disagree 22.5	e abuse Strongly Disagree 15.3 Strongly Disagree 10.1				
Table TOTAL	a 3.55: S N of Valid 5631 Tab N of Valid 5600 Table	Support N of Miss 505 ole 3.56 N of Miss 536 3.57: D	group for s Strongly Agree 5.1 : Student a Strongly Agree 9.9	tudents r Agree 14.0 nti-drug o Agree 31.3	ecovering from Undecided 34.8 organization o Undecided 26.2	m substance Disagree 30.8 r program Disagree 22.5	e abuse Strongly Disagree 15.3 Strongly Disagree 10.1				

	Table 3.58: Crisis intervention team											
	N of	N of	Strongly				Strongly					
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree					
TOTAL	5608	528	11.7	35.8	28.5	16.0	8.0					

Table 3.59: Parent, Teacher, Student Association (PTA, PTO, etc)

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	5678	458	32.1	41.4	13.1	8.3	5.1

	Table 3.60: Employee Assistance Program (EAP)											
	N of	N of	Strongly				Strongly					
_	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree					
TOTAL	5605	531	9.0	21.5	44.7	16.4	8.4					

Table 3.61: Student Assistance Program (SAP)

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	5591	545	7.9	22.2	44.6	17.0	8.3

	Table 3.62: Violence and bullying prevention program											
	N of	N of	Strongly				Strongly					
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree					
TOTAL	5659	477	10.5	31.1	28.1	20.9	9.4					

	Table 3.63: Student drug-testing program											
	N of	N of	Strongly				Strongly					
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree					
TOTAL	5614	522	7.4	16.7	31.9	24.4	19.6					

3.7 School Policy

TOTAL

5671

465

24.8

Т	able 3.6	64: Our	school has	effective	policies on vi	olence/bully	ving
	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	5733	403	16.8	41.9	19.4	15.8	6.1
-	Table 3.6	65: Our	school sets	s clear ru	les on using d	drugs at sch	ool
	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	5743	393	32.6	49.7	8.7	5.8	3.2
-	Table 3.6 N of	56: Sch N of	ool personr Strongly	nel under	stand the sch	ool drug pol	licy Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	5730	406	31.8	49.5	44 7	4 7	A 4
		400	01.0	49.5	11.7	4.7	2.4
Table	3.67: Se	chool pe	ersonnel kr		onsequences		drug use
Table	3.67: Se N of	chool pe	ersonnel kn Strongly	low the c	onsequences	of student of	drug use Strongly
Table	3.67: Se	chool pe	ersonnel kr				drug use
	3.67: So N of Valid 5721	chool pe N of Miss 415	ersonnel kn Strongly Agree 28.8	ow the c Agree 49.1	onsequences Undecided	of student	drug use Strongly Disagree
	3.67: So N of Valid 5721	chool pe N of Miss 415	ersonnel kn Strongly Agree 28.8	ow the c Agree 49.1	onsequences Undecided 13.2	of student	drug use Strongly Disagree
	3.67: So N of Valid 5721 Tab	chool pe N of Miss 415 le 3.68:	ersonnel kn Strongly Agree 28.8 The schoo	ow the c Agree 49.1	onsequences Undecided 13.2	of student	drug use Strongly Disagree 2.5
	3.67: So N of Valid 5721 Tab N of	chool pe N of Miss 415 le 3.68: N of	ersonnel kn Strongly Agree 28.8 The schoo Strongly	Agree 49.1	onsequences Undecided 13.2 on drugs is ap	of student	drug use Strongly Disagree 2.5 Strongly
TOTAL	3.67: So N of Valid 5721 Tab N of Valid 5683	chool pe N of Miss 415 le 3.68: N of Miss 453	ersonnel kr Strongly Agree 28.8 The schoo Strongly Agree 26.1	Agree 49.1 I policy of Agree 42.1	onsequences Undecided 13.2 on drugs is ap Undecided	of student of Disagree 6.3 plied fairly Disagree 6.6	drug use Strongly Disagree 2.5 Strongly Disagree

40.3

22.6

7.9

4.4

Table 3.70: Our school sets clear rules on bullying											
	N of	N of	Strongly				Strongly				
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree				
TOTAL	5705	431	21.8	41.3	18.6	13.1	5.3				

Ta	Table 3.71: School policy on threatening behaviors by students is applied consistently												
		N of	N of	Strongly				Strongly					
		Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree					
	TOTAL	5714	422	20.1	38.5	19.3	14.5	7.6					

Table 3.72: Strict enforcement of violence policy has helped to keep our school safe

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	5711	425	22.4	40.5	21.2	9.8	6.2