

Pride Questionnaire Report for Grades 4 thru 6

2009-2010 National Summary / Grade 4-6

July 27, 2010

Contents

1	Introduction 1								
	1.1	Drug U	se Summary	3					
	1.2	Tobacco	o Use	3					
	1.3	Alcohol	Use	3					
	1.4	Marijua	na Use	3					
	1.5	Inhalan	ts Use	3					
	1.6	Other d	rugs Use	4					
	1.7	What C	an You Do As A Parent, Teacher, Or Concerned Citizen?	4					
2	Star	ndard Gi	raphics	5					
	2.1	Freque	ncy Of Use	6					
	2.2	Harmfu	I To Health	9					
	2.3	How Ea	asy Is It For Kids Your Age To Get	12					
3	Adv	anced G	iraphics	15					
	3.1	Freque	ncy of Use by Sex	16					
	3.2	Parents	Ápproval of Drug Use	22					
	3.3	Friends	Ápproval of Drug Use	28					
4	Narı	rative Re	eport	34					
4	Narı 4.1	rative Re	eport ction	34 34					
4		Introduc		-					
4		Introduc 4.1.1	ction	34					
4		Introduc 4.1.1 4.1.2	ction	34 34					
4		Introduc 4.1.1 4.1.2 4.1.3	ction	34 34 34					
4		Introduc 4.1.1 4.1.2 4.1.3 4.1.4	ction	34 34 34 35					
4		Introduc 4.1.1 4.1.2 4.1.3 4.1.4 4.1.4 4.1.5	ction	34 34 34 35 35					
4	4.1	Introduc 4.1.1 4.1.2 4.1.3 4.1.4 4.1.5 Survey	ction	34 34 35 35 36					
4	4.1	Introduc 4.1.1 4.1.2 4.1.3 4.1.4 4.1.5 Survey 4.2.1	ction	34 34 34 35 35 36 37					
4	4.1	Introduc 4.1.1 4.1.2 4.1.3 4.1.4 4.1.5 Survey 4.2.1 4.2.2	ction	34 34 35 35 36 37 37					
4	4.1	Introduc 4.1.1 4.1.2 4.1.3 4.1.4 4.1.5 Survey 4.2.1 4.2.2 4.2.3	ction	34 34 35 35 36 37 37 44					
4	4.1	Introduc 4.1.1 4.1.2 4.1.3 4.1.4 4.1.5 Survey 4.2.1 4.2.2 4.2.3 How To	ction	34 34 35 35 36 37 37 44					
4	4.1	Introduc 4.1.1 4.1.2 4.1.3 4.1.4 4.1.5 Survey 4.2.1 4.2.2 4.2.3 How To 4.3.1	ction	34 34 35 35 36 37 44 45 47					
4	4.1	Introduc 4.1.1 4.1.2 4.1.3 4.1.4 4.1.5 Survey 4.2.1 4.2.2 4.2.3 How To 4.3.1 4.3.2	ction	34 34 35 35 36 37 44 45 47 47					

5	Perc	centage Tables	57
	5.1	Student Information	58
	5.2	Student Characteristics	59
	5.3	Within The Past Year How Often Have You Used	63
	5.4	Harmful To Health	65
	5.5	Would Your Parents Approve	67
	5.6	Would Your Friends Approve	69
	5.7	Where Do You Get	71
	5.8	While At School Have You	73
	5.9	While Not At School Have You	76
	5.10	How Easy Is It For Kids Your Age To Get	79
	5.11	Frequency of Use	81

List of Tables

4.1	Perceived Harmful Effects of Drug and Alcohol Use 4	4
4.2	Percentage of Students Reporting Drugs as Easy to Get	-6
		_
5.1		8
5.2		8
5.3	• •	8
5.4	5 S	9
5.5	5	9
5.6	· · · · · · · · · · · · · · · · · · ·	9
5.7	I talk to my parents about my problems	9
5.8	My parents talk to me about the dangers of alcohol and drugs 6	0
5.9	My teachers talk to me about the dangers of alcohol and drugs 6	0
5.10	My parents make me follow certain rules	0
5.11	My school makes me follow certain rules	60
5.12	I have to be home at a certain time	51
5.13	Most days I am alone at home for an hour or more	51
5.14	The kids at school like me	51
5.15	My parents make sure I do my homework	51
5.16	I play violent video games	51
5.17	I think I am overweight	52
5.18	A doctor said that I am overweight	2
	· · · · · · · · · · · · · · · · · · ·	3
		3
		3
		3
		64
		5
		5
		55
		55
		6
		57
		57
		57
		57
0.02	The and year parents approve of year doing glad, gab, etc. (to get ingri).	

	~~
5.33 Would your parents approve of you using other drugs (to get high)?	68
5.34 Would your friends approve of you using tobacco (cigarettes, chew, etc.)?	69
5.35 Would your friends approve of you using alcohol (beer, liquor, etc.)?	69
5.36 Would your friends approve of you using marijuana (pot)?	69
5.37 Would your friends approve of you using glue, gas, etc. (to get high)?	69
5.38 Would your friends approve of you using other drugs (to get high)?	70
5.39 Where do you get tobacco (cigarettes, chew, etc.)?	71
5.40 Where do you get alcohol (beer, liquor, etc.)?	71
5.41 Where do you get marijuana (pot)?	71
5.42 Where do you get glue, gas, etc. (to get high)?	71
5.43 Where do you get other drugs (to get high)?	72
5.44 While at school have you used tobacco (cigarettes, chew, etc.)?	73
5.45 While <i>at</i> school have you drunk alcohol (beer, liquor, etc.)?	73
5.46 While <i>at</i> school have you smoked marijuana?	73
5.47 While <i>at</i> school have you inhaled glue, gas, etc. to get high?	73
5.48 While <i>at</i> school have you been afraid a student will hurt you?	74
5.49 While <i>at</i> school have you been threatened by a student?	74
5.50 While <i>at</i> school have you been furreatened by a student?	74
5.51 While <i>at</i> school have you carried a real gun for protection?	74
	74
5.52 While at school have you carried a knife for protection?	
5.53 While <i>not</i> at school have you used tobacco (cigarettes, chew, etc.)?	76
5.54 While <i>not</i> at school have you drunk alcohol (beer, liquor, etc.)?	76
5.55 While <i>not</i> at school have you smoked marijuana?	76
5.56 While not at school have you inhaled glue, gas, etc. to get high?	76
5.57 While <i>not</i> at school have you been afraid a student will hurt you?	77
5.58 While <i>not</i> at school have you been threatened by a student?	77
5.59 While <i>not</i> at school have you been hurt by a student?	77
5.60 While <i>not</i> at school have you carried a real gun for protection?	77
5.61 While <i>not</i> at school have you carried a knife for protection?	78
5.62 How easy is it to get tobacco (cigarettes, chew, etc.)?	79
5.63 How easy is it to get alcohol (beer, liquor, etc.)?	79
5.64 How easy is it to get marijuana (pot)?	79
5.65 How easy is it to get glue, gas, etc. (to get high)?	79
5.66 How easy is it to get other drugs (to get high)?	80
5.67 How easy is it to get a gun?	80
5.68 Frequency of Use – Tobacco (cigarettes, chew, etc.)	81
5.69 Frequency of Use – Alcohol (beer, liquor, etc.)	81
5.70 Frequency of Use – Marijuana	81
5.71 Frequency of Use – Glue, Gas, etc.	81
5.72 Frequency of Use – Other Drugs	82
	52

List of Figures

2.1	% Students Who Use Gateway Drugs
2.2	% Students Who Use Illicit Drugs
2.3	Harmful to Health – Tobacco and Alcohol
2.4	Harmful to Health – Marijuana, Glue, Gas, Other Drugs
2.5	How Easy Is It For Kids Your Age To Get Tobacco and Alcohol
2.6	How Easy Is It For Kids Your Age To Get Marijuana, Glue, Gas, Other Drugs, A Gun 14
3.1	% Students Who Use Tobacco (Cigarettes, Chew, Etc. By Sex
3.2	% Students Who Use Alcohol (Beer, Liquor, Etc.) By Sex
3.3	% Students Who Use Marijuana By Sex 19
3.4	% Students Who Use Inhalants By Sex
3.5	% Students Who Use Other Drugs By Sex 21
3.6	Would Your Parents Approve of You Using Tobacco 23
3.7	Would Your Parents Approve of You Using Alcohol 24
3.8	Would Your Parents Approve of You Using Marijuana 25
3.9	Would Your Parents Approve of You Using Inhalants 26
	Would Your Parents Approve of You Using Other drugs 27
	Would Your Friends Approve Of You Using Tobacco 29
	Would Your Friends Approve Of You Using Alcohol 30
	Would Your Friends Approve Of You Using Marijuana 31
	Would Your Friends Approve Of You Using Inhalants 32
3.15	Would Your Friends Approve Of You Using Other drugs 33
4.1	Use of Tobacco (Cigarettes, Chew, Etc.)
4.2	Local Use of Alcohol vs. 2008-2009 National Summary 39
4.3	Local Use of Marijuana vs. 2008-2009 National Summary41
4.4	Local Use of Inhalants vs. 2008-2009 National Summary 42
4.5	Local Use of Alcohol, Marijuana and Inhalants vs. 2008-2009 National Summary 43
4.6	Students Reporting These Drugs as EASY To Get

Chapter 1

Introduction

The following graphs, summary and tables are compiled from data collected in your school(s)/system using the *Pride Surveys Questionnaire*. These data reflect prevalence and patterns of drug and alcohol use, violence, gang activity and suicide. It is important that this report be utilized as part of your drug abuse and violence awareness and prevention programs. We strongly suggest that you:

COPY THE FOLLOWING PAGES, (which highlight and graphically summarize drug use and violent behavior by students in your school/system)

DISTRIBUTE THEM TO YOUR FACULTY

AND SHARE THIS INFORMATION WITH PARENTS.

Most of all, we strongly encourage a parent meeting at your school to share this information!

FOR GREATEST SUCCESS IN DECREASING DRUG USE, FACULTY, STUDENTS AND PARENTS MUST WORK TOGETHER TOWARD A DRUG-FREE LIFESTYLE.

If you have questions about this report or if you wish to have information on other **Pride Surveys** services and products, please call the **Pride Surveys** Office or write to the following address:

Pride Surveys

Janie Pitcock 160 Vanderbilt Court Bowling Green, KY 42103 1-800-279-6361 1-270-746-9596 www.pridesurveys.com

The following information is for *Pride Surveys* internal use only.

- Data Files: ue099999
- Filter:

1.1 Drug Use Summary

- Number of 4th grade students surveyed: 6459
- Number of 5th grade students surveyed: 9385
- Number of 6th grade students surveyed: 3637
- Total number of students surveyed: 19481

1.2 Tobacco Use

1.7 percent of your 4th grade students said they used tobacco within the past year (2008-2009 Pride National Avg = 1.4 %). **1.9** percent of your 5th grade students said they used tobacco within the past year (2008-2009 Pride National Avg = 2.0 %). **3.9** percent of your 6th grade students said they used tobacco within the past year (2008-2009 Pride National Avg = 2.8 %).

1.3 Alcohol Use

4.0 percent of your 4th grade students said they used alcohol within the past year (2008-2009 Pride National Avg = 3.7 %). **4.8** percent of your 5th grade students said they used alcohol within the past year (2008-2009 Pride National Avg = 4.6 %). **8.3** percent of your 6th grade students said they used alcohol within the past year (2008-2009 Pride National Avg = 7.6 %).

1.4 Marijuana Use

1.0 percent of your 4th grade students said they used marijuana within the past year (2008-2009 Pride National Avg = 0.8 %). **0.9** percent of your 5th grade students said they used marijuana within the past year (2008-2009 Pride National Avg = 0.8 %). **2.0** percent of your 6th grade students said they used marijuana within the past year (2008-2009 Pride National Avg = 1.5 %).

1.5 Inhalants Use

2.4 percent of your 4th grade students said they used inhalants within the past year (2008-2009 Pride National Avg = 2.5 %). **2.1** percent of your 5th grade students said they used inhalants within the past year (2008-2009 Pride National Avg = 2.0 %). **2.9** percent of your 6th grade students said they used inhalants within the past year (2008-2009 Pride National Avg = 2.7 %).

1.6 Other drugs Use

1.1 percent of your 4th grade students said they used other drugs within the past year (2008-2009 Pride National Avg = 0.8 %). **0.8** percent of your 5th grade students said they used other drugs within the past year (2008-2009 Pride National Avg = 0.7 %). **1.6** percent of your 6th grade students said they used other drugs within the past year (2008-2009 Pride National Avg = 1.5 %).

1.7 What Can You Do As A Parent, Teacher, Or Concerned Citizen?

The drug merchandisers thrive on the ignorance, apathy, and irresponsibility of ordinary citizens.

YOU CAN MAKE A DIFFERENCE!

Here's how:

- 1. Educate yourself and your family about the health hazards of drugs.
- 2. Insist on no illegal drug use by youngsters. This includes alcohol, tobacco and marijuana.
- 3. Support drug education in the schools, workplace, churches and civic associations.
- 4. Rebuild understanding and respect for the laws concerning alcohol, marijuana, cocaine and other drugs.
- 5. Recognize the danger of the illegal consumer as well as the illegal supplier of alcohol and other drugs.
- 6. Support law-enforcement efforts at home and abroad.
- 7. Write letters, telephone and visit those members of the publishing, merchandising and media world who glamorize, trivialize or subsidize the drug culture.

Chapter 2

Standard Graphics

The following graphs will assist you in understanding the relationship of student behavior to alcohol and other drug use. You are encouraged to make overheads or slides from the graphs for presentations to school faculty, parents, media, and other audiences in the community.

The *Frequency of Use* graphs show the percent of students at each grade level who report any use of the various drugs. The graphs are divided into *Gateway* and *Illicit* drug categories.

The *Perceived Harm* of alcohol and other drugs will assist with understanding how the false assumptions concerning harm are related to drug use. When drugs are perceived as harmless, the probability of use increases. These graphs show the percent of students who marked *Yes* or *A Lot* on the question *Do You Think The Following Are Harmful To Your Health.*

Research indicates that easy access, *Availability*, to drugs increases the probability of use. Availability of alcohol and other drugs normally increases at higher grade levels. These graphs show the percent of students who marked *Easy To Get* on the question *How Easy Is It For Kids Your Age To Get*.

Data collected in past years using the *Pride Surveys Questionnaire* indicate a high correlation between friends' use of drugs and an individual student's use of drugs (i.e. a student who reports use of drugs by friends is more likely to use drugs). These graphs show the percent of students who marked *A Lot* on the question *How Many Of Your Friends Use*.

2.1 Frequency Of Use




Figure 2.1: % Students Who Use Gateway Drugs





Figure 2.2: % Students Who Use Illicit Drugs

2.2 Harmful To Health






Figure 2.4: Harmful to Health - Marijuana, Glue, Gas, Other Drugs

2.3 How Easy Is It For Kids Your Age To Get




Figure 2.5: How Easy Is It For Kids Your Age To Get Tobacco and Alcohol




Figure 2.6: How Easy Is It For Kids Your Age To Get Marijuana, Glue, Gas, Other Drugs, A Gun

Chapter 3

Advanced Graphics

The following graphs will assist you in understanding the relationship of student behavior to alcohol and other drug usage. You are encouraged to make presentations to school faculty, parents, media, and other audiences in the community.

The first set of graphs, on frequency of use by sex, presents data on gateway and illicit drug use broken down by Male and Female students. These graphs show any use within the past year as reported by the students.

3.1 Frequency of Use by Sex




Figure 3.1: % Students Who Use Tobacco (Cigarettes, Chew, Etc. By Sex

% Students Who Use Alcohol (Beer, Liquor, Etc.) By Sex




Figure 3.2: % Students Who Use Alcohol (Beer, Liquor, Etc.) By Sex




Figure 3.3: % Students Who Use Marijuana By Sex




Figure 3.4: % Students Who Use Inhalants By Sex






Figure 3.5: % Students Who Use Other Drugs By Sex

3.2 Parents Ápproval of Drug Use








Figure 3.8: Would Your Parents Approve of You Using Marijuana




Figure 3.9: Would Your Parents Approve of You Using Inhalants




Figure 3.10: Would Your Parents Approve of You Using Other drugs

3.3 FriendsÁpproval of Drug Use





Figure 3.11: Would Your Friends Approve Of You Using Tobacco



2009-2010 National Summary / Grade 4-6




Figure 3.13: Would Your Friends Approve Of You Using Marijuana

2009-2010 National Summary / Grade 4-6





Figure 3.14: Would Your Friends Approve Of You Using Inhalants

2009-2010 National Summary / Grade 4-6



2009-2010 National Summary / Grade 4-6

Chapter 4

Narrative Report

4.1 Introduction

4.1.1 The Problem

Early use of psychoactive drugs by elementary age students is a dangerous *fall out* of the drug culture which has plagued our country during the past quarter century. Use of mind altering drugs by children and young adolescents can retard physical, educational and social development, and often leads to severe problems of alcohol and drug dependency in junior and senior high school. Although tobacco and alcohol are legal drugs for adults, use by children and adolescents place them at a high risk of becoming drug dependent. Drug use also contributes to other problems such as teenage crime, pregnancy, school dropouts and suicide.

As with junior and senior high students, gateway drug use by elementary students is most likely prevented by those who have the most contact with the students. Parents, educators, law enforcement officers, court officials, health care professionals, the clergy, business and civic leaders, and the students themselves must be part of the drug prevention effort for maximum success.

This report is designed to assist schools, parent groups and community task forces to initiate and/or continue adolescent drug and alcohol abuse prevention programs. Also, enclosed with this report is information on *Pride Surveys* services, programs, and materials that you may want to review as you plan your prevention programs.

4.1.2 The Pride Questionnaire for Grades 4-6

The Pride Questionnaire for Grades 4-6 was developed to provide accurate, reliable and useful information about student drug use behavior and perceptions. The questionnaire and administration procedures have

undergone extensive field tests and other developmental studies. These studies found that surveys using the Pride Questionnaire produced consistent and accurate results. To date, more than half a million students in 38 states have completed the elementary version of the Pride Questionnaire. A copy of the *Pride Questionnaire for Grades 4-6* is contained in your report.

Each school year, responses to the Pride Questionnaire are summarized in an annual report. A copy of the most current annual report, the 2008-2009 Pride Surveys National Summary Percentage Tables for Grades 4-6, is available for your use in contrasting local percentages with national summary percentages at our website www.pridesurveys.com

4.1.3 Gateway Drug Use

In grades 4-6, students who use drugs generally report using tobacco, alcohol, and marijuana, which are referred to as *gateway* drugs. Use of these drugs is especially harmful to developing adolescents and often leads to the use of other toxic drugs such as cocaine, opiates, and hallucinogens. The Pride Questionnaire asks students to respond to questions about their use of alcohol and other drugs and about how they regard or perceive the use of various drugs. This report spotlights selected responses your students made to these questions.

It may be of interest to note that Pride Surveys annual reports continue to indicate early use of tobacco and alcohol by many students in elementary school. For example, 7.6% of sixth grade students reported using alcohol within the past year. A relatively low percentage of students at this level reported smoking marijuana. However, since marijuana is generally the first illicit drug used by students, it is considered an important drug to monitor.

Students are asked how harmful drugs are to their health, and how easy it is to get drugs. These questions help define a student's relationship to drug use. Student responses to these questions will be explored in this report.

Very little information is available in the research literature on drug use by elementary students and their perceptions about drugs. The Pride Questionnaire for Grades 4-6 breaks new ground at the school and community level. With these results, you can make informed program decisions and develop or select prevention activities that are appropriate for students in your school and community.

4.1.4 Overview of Report

Your school survey is an important part of a dynamic, ongoing process that identifies drug-related needs and resources in your community. This report is intended to be used as part of your school/community prevention program. The report is divided into three sections:

Section One:INTRODUCTIONSection Two:SURVEY FINDINGSSection Three:HOW TO USE THIS REPORT

Section One provides you with useful introductory information. Selected results from your survey appear in Section Two. All statistics compiled from your survey results in this section will be highlighted in **bold** print. Section Three contains creative ways to use your survey results to create attention for your programs. A customized press release will help you phrase the main findings in an interesting and understandable way. This section also provides a presentation outline that can be adapted to your survey results.

The 2008-2009 Pride Surveys National Summary Percentage Tables for Grades 4-6 may be used to contrast local data with findings from other communities that have used the Pride Survey. Throughout this report there are spaces left for you to make notes on aspects that you find particularly important, or on actions that you may wish to take.

4.1.5 How *Pride Surveys* Can Help You

Pride Surveys offers other in-depth analysis, training, and technical assistance services to accompany your report. For information about *Pride Surveys* services such as parent, community and worksite training and Pride publications write to:

Pride Surveys

Janie Pitcock 160 Vanderbilt Court Bowling Green, KY 42103 1-800-279-6361 1-270-746-9596 www.pridesurveys.com

YOUR NOTES HERE:

4.2 Survey Findings

4.2.1 Self-Reported Gateway Drug Use

Tobacco

The Facts About Tobacco

Tobacco contains the drug nicotine which acts as a stimulant to the central nervous system. Smoking any drug delivers it quickly to the brain. The tobacco user develops a tolerance to the nicotine and quickly becomes dependent or addicted. While not as rapid as smoking tobacco, nicotine ingested through chewing or *dipping* also creates a dependence.


Tobacco use can cause cancer of the lungs, mouth, throat and other organs of the body. It can also cause heart and vascular disease and lead to a heart attack. Adolescents who smoke tobacco are **thirty times** more likely to use marijuana, and those who use marijuana are **one-hundred and fifty times** more likely to use cocaine than the non-user.


It is important that elementary students know the health consequences of using tobacco, but they may be most influenced by the social stigma and unattractive appearance that smoking or chewing can cause. For example, young people may choose not to smoke because cigarette smoke makes their hair smell bad, turns their teeth and fingers yellow, and causes bad breath. These are important considerations for young adolescents who are usually concerned about their appearance and being accepted by their peers.

Annual Use of Tobacco

Responses to the survey by your elementary students indicate that **2.2** percent report using tobacco (cigarettes, chew, etc.) within the past year.

For sixth graders, **3.9** percent report using tobacco (cigarettes, chew, etc.) within the past year. Figure 4.1 contains a bar graph of cigarette and smokeless tobacco use reported by students in grades 4 through 6. More information about frequency of cigarette smoking and use of smokeless tobacco by your students may be found in the Percentage Tables chapter of your report.





Alcohol

The Facts About Alcohol

Alcohol is a central nervous system depressant which relaxes the inhibiting and controlling mechanisms of the brain. The intoxicating effects of drinking alcohol depend on the amount consumed, body size, food intake before or while drinking, age, genetic susceptibility, and tolerance to alcohol. The compulsive frequent need for alcohol is a biological condition involving genetic and metabolic factors.

The types of alcohol most used by youth are beer, wine or wine coolers, and various forms of liquor. It is important that youth and adults understand that beer and wine coolers with lower percentages of alcohol are equally as capable of causing intoxication and dependence as liquor. However, there appears to be a progression of alcohol use that begins with drinking beer and/or wine coolers and moves to liquor. And, as expected, students report reaching higher levels of intoxication when drinking liquor, probably due to its higher concentration of alcohol.

One out of 10 adults who drink become dependent on alcohol, but the odds may be two to three times greater for adolescents who drink. Teens have fewer defenses against acute intoxication and rapid addictions. Immature inhibitors in the forebrain, incomplete muscle and bone mass, poor eating habits, a tendency to gulp drinks, and frequent exposure to social events where alcohol is served place teens at a high risk for addiction.

Annual Use of Alcohol

Although drinking alcoholic beverages is illegal for minors, drinking is widespread among junior and senior high students and, to a lesser extent, among students in upper elementary school. Figures 4.2, 4.3, and 4.4 contain percentage data from your students in grades 4 through 6 describing use of beer, wine coolers and liquor within the past year compared to the 2008-2009 Pride Surveys National Summary Percentage Tables for Grades 4-6.

In Figure 4.2, **8.3** percent of sixth grade students report drinking alcohol as compared to **4.0** percent of fourth grade students. Percentages of all students responding to alcohol use are contained in the Percentages Tables of your report.




Figure 4.2: Local Use of Alcohol vs. 2008-2009 National Summary Local Use of Alcohol vs. 2008-2009 National Summary

Marijuana

The Facts About Marijuana

Marijuana used in the 1960's generally had a low content of the mind-altering chemical Tetrahydrocannabinol, or THC. The THC content ranged from .25 to one percent. In the early 1970's, the Mexican marijuana coming into this country averaged one to two percent THC content. After 1975, Colombian marijuana became available, and it ranged from three to six percent in THC content. The marijuana (a variety called Sinsemilla) presently grown in the U.S. has THC levels of 25 percent or higher. Because of the stronger, more potent varieties now available, the intoxicating and health effects of smoking marijuana have been dramatically increased.

The THC and other cannabinoids found in marijuana are fat-soluble chemicals and accumulate in the fatty linings of cells. They are metabolized very slowly, and may stay in the body for six weeks or longer. Thus, the student who smokes pot *only on weekends* will gradually accumulate THC content in his or her body cells. This build-up of THC due to marijuana smoking is unlike the effects of alcohol, which is metabolized out of the body much more quickly, usually within 24 hours.

THC in the body has the most detrimental effect on those organs where there is an accumulation of fatty cells, such as the brain, heart, lungs and reproductive systems of males and females. The effect of this drug may be even more severe when used by a developing adolescent. Recent research has indicated that regular marijuana use reduces the mental efficiency of students and increases their susceptibility to infection and disease.

Annual Use of Marijuana

Percentage data in Figure 4.5 indicates that for fourth grade students, **1.0** percent report using marijuana within the past year. **0.9** percent of fifth grade students report using marijuana within the past year. This changes to **2.0** percent for sixth grade students. Typically, fewer students report using marijuana than alcohol.

Widespread use of marijuana is generally not seen by students in upper elementary school grades. However, it is important that students at this level understand the dangers of using marijuana. More detailed information about marijuana use by students in grades 4 through 6 is contained in the Percentage Table chapter of your report.




Figure 4.3: Local Use of Marijuana vs. 2008-2009 National Summary Local Use of Marijuana vs. 2008-2009 National Summary

Inhalants

The Facts About Inhalants

The immediate negative effects of inhalants include nausea, sneezing, coughing, nosebleeds, fatigue, lack of coordination, and loss of appetite. Solvents and aerosol sprays also decrease the heart and respiratory rates and impair judgement. Amyl and butyl nitrite cause rapid pulse, headaches, and involuntary passing of urine and feces. Long-term use may result in hepatitis and/or brain damage.

Deeply inhaling the toxic vapors, or using large amounts of these chemicals over a short time, may result in disorientation, violent behavior, unconsciousness, or death. High concentrations of inhalants can cause suffocation by displacing the oxygen in the lungs or by depressing the central nervous system to the point that breathing stops.

Long-term use can cause weight loss, fatigue, electrolyte imbalance, and muscle fatigue. Repeated sniffing of concentrated vapors over time can permanently damage the nervous system.


Annual Use of Inhalants


Use of inhalants is a very dangerous, life-threatening practice. Fortunately, relatively little use of inhalants is typically reported by students (as compared to reported alcohol or tobacco use). However, given the considerable danger of this practice, any use should be of immediate concern. Inhalant use by grade

2009-2010 National Summary / Grade 4-6

level is presented in Figure 4.6. Overall use of inhalants by students in grades 4 through 6 was **2.4** percent. Figure 4.7 compares inhalant use to other drug use.

Figure 4.4: Local Use of Inhalants vs. 2008-2009 National Summary Local Use of Inhalants vs. 2008-2009 National Summary









Figure 4.5: Local Use of Alcohol, Marijuana and Inhalants vs. 2008-2009 National Summary Local Use of Alcohol, Marijuana and Inhalants vs. 2008-2009 National Summary



YOUR NOTES HERE:

4.2.2 Perceived Health Effects of Gateway Drug Use

One of the main objectives of alcohol and drug education is to provide students with accurate information about the health hazards of using drugs. Students were asked, *DO YOU THINK THE FOLLOWING ARE HARMFUL TO YOUR HEALTH?* Table 4.2 contains students' responses to this question for eight drug categories.

It is encouraging that most students consider the use of gateway drugs harmful to one's health. However, some students perceive gateway drug use, particularly alcohol, as safe. As perception of danger decreases for a specific drug, its use increases. For example, **18.1** percent of the your students responded that alcohol is not harmful to one's health.

These data suggest a need for continued alcohol and drug education for students in upper elementary grades. Additional information on perceived harmful health effects can be found in the Percentage Tables chapter of your report.

		•
	No	Yes
tobacco	14.9	85.1
alcohol	18.1	81.9
marijuana	15.0	85.0
inhalants	17.1	82.9
other drugs	14.6	85.4

Students in grades 4 through 6.

YOUR NOTES HERE:

4.2.3 Perceived Availability of Gateway Drugs

The question of availability is an important consideration for parents, educators, law enforcement officials, and others in the community who are concerned about prevention. Students who have ready access to gateway drugs are at greater risk than students who cannot easily obtain them. Figures 4.9 through 4.11 present the percentage of your students in fourth, fifth, and sixth grades, respectively, who responded *Easy* to the question *How easy is it for kids your age to get ...* the various gateway drugs.

The percentage of students reporting ready access to gateway drugs by peers commonly increases with grade level. Similar access was reported for alcohol with marijuana being the least accessible. However, it is important to note that **4.1** percent of fourth grade students and **8.3** percent of sixth grade students reported marijuana as easy to get.




Figure 4.6: Students Reporting These Drugs as EASY To Get Students Reporting These Drugs as EASY To Get

Table 4.3 contains the percentage of students who responded *Easy* compared with the 2008-2009 Pride Surveys National Summary percentages calculated from 22052 student responses. More than one in five American students in fourth, fifth, and sixth grades reported that marijuana was easy to obtain.

2009-2010 National Summary / Grade 4-6

Table 4.2.	Table 4.2. Percentage of Students Reporting Drugs as Easy to Get								
	LOCAL					NAT	IONAL		
DRUG	4th	5th	6th	TOTAL	4th	5th	6th	TOTAL	
tobacco	6.7	10.2	15.5	10.1	6.4	10.8	16.1	9.8	
alcohol	8.3	12.4	19.3	12.4	8.7	12.9	20.5	12.3	
marijuana	4.1	5.1	8.3	5.4	3.5	5.3	9.1	5.2	
inhalants	10.2	16.3	23.6	15.7	10.6	16.8	26.6	15.7	
other drugs	5.0	7.2	10.1	7.0	4.6	7.1	10.6	6.6	

Table 4.2: Percentage of Students Reporting Drugs as Easy to Get

YOUR NOTES HERE:

Use of alcohol and marijuana by minors is illegal, yet these drugs are reported to be readily available. The use of alcohol and, to a lesser extent, other drugs by adolescents is often encouraged and condoned in the youth culture through movies, music, television programs, advertisements, t-shirts, internet, etc. There are few anti-alcohol/drug messages to counter these strong influences.

It is important to discourage the use of alcohol and marijuana by elementary students through formal education, family education, and community prevention programs. It is also important to reduce the ease by which students may obtain these drugs, whether at home or a neighbor's home, from "pushers" who prey on youth, or from uncaring or greedy establishments that sell alcoholic beverages to minors. Cooperation of parents, students and educators with local, state and federal law enforcement agencies to reduce the availability of gateway drugs to students should be an important part of a community's prevention strategy.

4.3 How To Use This Report

4.3.1 Community Awareness

Your school-based survey results can be utilized in many ways to promote and support drug and alcohol prevention programs in your community. It is important that the results of this survey be made available to the public in a timely fashion.

Community awareness that a drug problem exists is the first step toward mobilizing the various components of your community. Unless members of your community are convinced that the problem is serious, real, and local, i.e., a threat to children, families and friends, it is doubtful that meaningful community involvement or support will occur. You can inform them by using the information collected in your survey of student drug use.

It is also important for members of the community to understand the harmful nature of drug use. Two of the most effective means of conducting community awareness are through electronic and print media and through presentations to community groups, such as parent and school groups, civic and business organizations, and church groups.

The following pages outline a step-by-step plan for community awareness. Tailor the plan to your community, but by all means try to reach as many people as possible through as many avenues as possible. Depending on the size of your community, you may need committees to take responsibility for various activities. The leader of your publicity or communications committee should be knowledgeable about the local news media. The communications/public relations professional in your school system is a good contact for assistance in this area.

4.3.2 The News Media

Since the survey is news, the results should be reported to the community in a timely fashion. The community deserves to know the extent of the alcohol and drug problem of students. After you have announced the results to the total community through the news media, you will want to conduct a series of follow-up activities to target specific groups and organizations, enlisting them in the prevention effort.

The news media used most often to communicate survey results are newspaper articles and editorials, radio and television newscasts, talk shows, and interviews. Opportunities exist within their pages and on their broadcast channels for you to communicate information about the local student drug and alcohol use problem, especially when you have evidence from your elementary school survey.

Communications can:

- Raise awareness
- Increase knowledge
- Influence attitudes
- Show benefits of behavior change
- · Reinforce knowledge, attitudes and behavior
- Demonstrate skills
- Suggest an action
- Increase the demand for services

HOW TO GET STARTED!

You can set a date for the announcement of your school data. Choose a *slow news day* when nothing major is scheduled in the community. Mid-morning on Tuesday may be a good time, giving the reporters time to prepare their stories for an afternoon or early morning edition of the newspaper, or an early evening broadcast or telecast.

Develop a local news media profile, showing the names, addresses, phone numbers and contact persons for each newspaper, station and type of program. Keep up with times you contact each one, news releases or other materials you provide them, and what the next steps will be toward giving your topic coverage. Good sources for help in developing your news media profile are the yellow pages, locally-published media directories, or media profiles already available from communications/public relations professionals.

HOW TO WRITE A NEWS RELEASE

Your next step is to prepare a news release on the survey results. A sample news release is included in Appendix B. The following guidelines may assist you in preparing a news release:

- 1. Use standard-size 8 1/2 by 11 white paper, and type or computer print the release double spaced on one side only. The first page should contain the name and address of your school/organization (letterhead is fine). If special News Release paper is available, use it.
- 2. Name a contact person and his/her office and home phone numbers in the upper right hand corner of the first page. Ideally, this is the person who prepared the news release. Make sure the contact person has agreed to handle possible follow-up calls from the media.
- 3. Write FOR IMMEDIATE RELEASE in the upper left hand corner of the first page unless you have planned a certain day and time to announce the survey results, perhaps at a news conference or some other event. If that is the case, write FOR RELEASE (DATE and TIME). The media are accustomed to respecting your release time.
- 4. Give the news release a brief two or three line title, centered and all caps (also bold if possible) for emphasis.
- 5. Be brief with what you write one to three pages, double spaced. Most releases do not exceed two pages, but questionnaire data are hard to summarize and may take an additional page.
- 6. Write in the active voice and use short sentences and paragraphs.
- 7. Write MORE at the bottom of each page except the last one to let the reporter know there is more than one page to the release. Type -30- or ### in the center of the last page below the last paragraph.
- 8. Proofread carefully. Reporters are wary of releases that contain typographical errors, misspellings, or crossouts.

TIPS FOR WRITING YOUR NEWS RELEASE

- 1. Traditionally, news releases are written in the "inverted pyramid style." This means that the more important information comes first in case the reporter doesn't have space or time for the entire release and wants to "cut" it from the bottom.
- 2. Include at least two of the five W's (Who, What, Where, When, and Why) in the lead (first) paragraph. Your lead paragraph should grab the reporter's attention and make him/her want to read and report the news the release contains.
- 3. The second paragraph should answer the other W's.
- 4. Identify your spokesperson no later than the third paragraph.
- 5. Use quotes to make an emotional point or state an opinion. A good news release contains two to four quotes. Remember to obtain the quoted person's permission, and let him/her know when the news will be released so that he/she can be prepared to respond to any media calls for additional details.
- 6. The last paragraph should include background information on your school or organization a "commercial" for the work you are doing. Include purpose, size, non-profit status or other pertinent information.

7. Double-check names, dates, places, numbers, and quotes for accuracy. Your credibility as a source of information is jeopardized when details of a news release are inaccurate.

Send an original copy of the news release to all appropriate names on your media list. Follow-up by phone is important to make sure the release arrived, answer any questions, provide more information, and offer spokespeople to be interviewed by phone or in person.

End your conversation by thanking the reporter or editor for his/her time and interest. And, when the story appears in print or on the air, phone or write the reporter/editor a brief but sincere "thank you." Remember, a well written news release containing valid and interesting data should receive wide distribution in the news media.

SPECIALIZED PUBLICATIONS AND NEWS CONFERENCES

In addition to the news media in your community, there will be a number of specialized publications that will be interested in your survey data. They include school and school system newsletters and other publications, community magazines, club and organization newsletters, and church bulletins. Don't forget to send them an original copy of your news release.

A News Conference gives your group the opportunity to release important information to all the news media at once. Here are some tips for setting up a news conference:

- Schedule the news conference for a "slow news time." You will be more likely to get a good turnout of reporters.
- Select a location appropriate for your announcement. In the case of a student drug use report that has implications for the entire community, you may want to consider the school, City Hall, or some youth oriented site in the community.
- Develop a good presentation. Include your key spokespeople, but also include parents and young people who represent the populations affected by the survey announcement.
- Develop a Media Alert to let reporters/editors know about the conference, and notify them two to three weeks in advance.
- Phone the media to remind them to schedule the news conference on their calendars.
- Develop an information packet to distribute to the media at the conference and to others who are unable to attend. Include your news release, fact sheets and brochures, and recent news clippings on the drug problem. You may want to provide biographies of your leaders and/or spokespeople.

EDITORIALS, LETTERS TO THE EDITOR, AND PUBLIC SERVICE ANNOUNCEMENTS

Editorials in newspapers and on radio and television express definite opinions on important issues that face the community. Editorials may be produced by the media from materials you provide to them, or you

may be asked to read your own editorial on radio or television as a "community comment." Opinion pages in newspapers and letters to the editor are other good ways to express your viewpoint on the problem of early adolescent alcohol and drug use in the community.

Radio and television make time available to local nonprofit groups for free announcements that benefit the community by providing needed information or linking individuals with services. Your student drug use report will be of interest to Public Service Directors of radio and television who may decide to air public service announcements (PSA's) to heighten the community awareness about prevalence and patterns of elementary school students' use of gateway drugs.

4.3.3 Presentations to School/Community Groups

An excellent means of reaching the community leadership is through presentations to school, parent, civic, business, and religious groups. These groups are concerned with community issues, particularly those related to the safety and welfare of youth. Often these organizations will invite prevention leaders to speak at their meetings. While media coverage will help to make known your prevention efforts, you will want to contact appropriate groups and organizations in your community to offer a program on student drug and alcohol abuse and strategies for combatting it.

The interests, needs, and abilities of your audience should be kept in mind when preparing your presentation. For example, parents are concerned about drug use that may affect their children and their children's friends; business leaders are mindful of the need for a drug-free work force that includes workers' children and future workers.

Select a poised, articulate spokesperson who is thoroughly familiar with the student data. The graphs, tables, and narrative discussion of the data in this report should assist the speaker in presenting pertinent and meaningful information. Such presentations are easy to prepare and deliver, and will make the presentation more interesting and informative to the audience. Necessary arrangements should be made with the organization's program chairman. Background information (perhaps a news release) could help the group to promote your presentation among its membership.

GUIDELINES FOR PRESENTATION OF STUDENT DRUG USE RESULTS

Length of Presentation

An important consideration in preparing a presentation is the length of time you are expected to address the group. Usually civic and business groups have a limited time available for a program – as little as 5 or 10 minutes in some cases. This means only a fraction of the information may be presented. Once again, concentrate on the type of audience and what you think they will be interested in and need to hear. It is more important to leave the audience wanting to know more than having them feeling uncomfortable by exceeding your allotted time. If possible, leave a few minutes for questions at the end of your presentation, and always promise to provide additional information through printed materials or a return appearance.

Matching Survey Results to the Audience

2009-2010 National Summary / Grade 4-6

In structuring your presentation, keep in mind your audience. If the presentation is to teachers and administrators, you may want to emphasize students' perceptions of the harmful effects of gateway drug use. You may want to stress that while most students in grades four through six perceive tobacco, alcohol, and marijuana use as harmful, there are many students who do not share these strong convictions. Teachers and administrators will be interested in how often students say they talk to teachers about the harmful effects of drug use.

If the presentation is targeted to parents, frequency of use, expectation of future use and availability of drugs are important data to share. Help parents to realize their responsibility for their child's actions regarding gateway drug use and the importance of becoming involved in community drug prevention programs. Civic and business groups, law enforcement officers, and court officials will be particularly interested in the current use, anticipated future use, and availability of gateway drugs to students 9 through 12 years of age.

Organizing Survey Results

Graphs are very effective in communicating the meaning of data. They enable audiences to "see" the relationship you are explaining. Bar graphs located in this report can be utilized in describing gateway drug use. However, you can lose the audience's attention with too many graphs. Tables are also effective if they are kept simple.

Short sentences or phrases called "bullets" are an excellent way to communicate your findings. Bullets can stand alone, be included in a list of findings, or accompany a graph or table. The following are examples of "bullets" that can be used in presentations:

- 1. "ONE IN EIGHT STUDENTS IN GRADES FOUR THROUGH SIX REPORTED USING BEER AND/OR WINE COOLERS WITHIN THE PAST YEAR"
- 2. "ONLY ONE PERCENT OF (-YOUR SCHOOL NAME-) STUDENTS IN GRADES FOUR THROUGH SIX REPORTED USING MARIJUANA WITHIN THE PAST YEAR"
- 3. "NEARLY ONE IN FOUR STUDENTS IN GRADES FOUR THROUGH SIX REPORTED THEY EX-PECTED TO SMOKE CIGARETTES AT SOME FUTURE TIME, BUT ONLY TWO PERCENT RE-PORTED EXPECTATIONS OF FUTURE MARIJUANA USE"
- 4. "OVER ONE-THIRD OF STUDENTS IN UPPER ELEMENTARY SCHOOL REPORTED THAT BEER AND WINE COOLERS WERE EASY TO GET BY THEIR PEERS AND NEARLY ONE-FOURTH INDICATED LIQUOR WAS EASY TO GET"
- 5. "ONE-FOURTH OF SIXTH GRADE STUDENTS IN –YOUR SCHOOL NAME– REPORTED MARI-JUANA AS EASILY ACCESSIBLE TO THEIR PEERS"

A combination of graphics, tables and bullets are suggested in a presentation to add variety and keep audience attention. It should be kept in mind that a good presentation is:

1. straightforward

- 2. easy to understand
- 3. relevant to the interests of the audience
- 4. supportive of local drug efforts.

Using Visual Aids

Visual aids can be very helpful when presenting statistical data, as long as they don't interfere with the intent and smooth flow of your presentation. Visual aids range from a simple handout to transparencies, slides, and even videotape. Use one or more, depending on the time allotted to the presentation. The following are types of presentation aids that you may want to consider:

- 1. **Overhead transparencies** are easy and inexpensive to make, can be viewed by large audiences, but can be cumbersome to use and require an on-site projector and screen;
- 2. Flip charts and poster boards are easy to use, fairly easy to transport, and require no special equipment, but are sometimes expensive and time consuming to make and can only be viewed by a relatively small audience;
- 3. **Slides** are easy to use and can be viewed by large audiences, but are difficult and expensive to make, and require on-site projector and screen;
- 4. **Handouts** are useful when other types of aids cannot be utilized, are easy to transport, and provide a *take-home* product, but can be expensive to produce, may be difficult to utilize with large audiences, and may distract attention from your presentation;
- 5. Video tapes provide a *canned*, consistent approach to a topic, utilize *expertise* of presenter(s) on tape, and are easy to use, but are very time consuming and expensive to make, require technical expertise for quality product, require on-site play-back equipment, and may be difficult to use with large audiences.

YOUR NOTES:

4.3.4 Sample Press Release

(Name of Organization & Address)

Contact phone number

FOR IMMEDIATE RELEASE

ALCOHOL PRIMARY DRUG USED BY ELEMENTARY STUDENTS IN (NAME OF SCHOOL DISTRICT)

Few students in grades _____ in (*Name of School District*) use marijuana, but more drink alcohol frequently and find it readily available, according to information obtained by the Pride Questionnaire for Grades 4-6.

Among sixth graders, _____ percent reported drinking beer, _____ percent reported drinking liquor, and _____ percent reported drinking wine coolers. In comparison, _____ percent of fifth graders and _____ percent of fourth graders reported drinking beer.

"The results of the survey in *(Locality)* were similar to national results which show that the gateway drugs of alcohol and tobacco are the primary drugs used by elementary students," said *(Local Official, i.e., superintendent, mayor, principal)*.

Widespread use of illicit drugs usually begins in high school, most often by students who began drinking and smoking in elementary school.

A total of *(Number of Students)* in *(Name of School District)* responded to the questionnaire developed by Pride, the national drug prevention organization which assisted local officials in conducting their schoolbased survey. Over 3,000 schools throughout the nation have administered the Pride Questionnaire for Grades 4-6 to determine the prevalence and perceptions of drug use by elementary students.

*** MORE ***

PAGE TWO

Marijuana Use Not As Prevalent

Marijuana is the most used illegal drug among American adolescents. Data from *(Name of School District)* indicates that relatively few elementary students reported using marijuana as compared to alcohol at this level. Marijuana use was reported by _____ percent of fourth graders, _____ percent of fifth graders, and _____ percent of sixth graders.

Drug prevention specialists caution that any use of illicit drugs such as marijuana by young people should be considered a problem.

"We are deeply concerned about any use of alcohol or other drugs by students in *(locality)*," said *(Local Official)*.

*** MORE ***

PAGE THREE

Upper Elementary Students Find Drugs Readily Available

Of the gateway drugs alcohol, tobacco and marijuana, the percentage of students who responded "Easy" to the question "How easy is it for kids your age to get ...?" increased with grade level. Among fourth graders in (*Name of School District*), _____ percent reported beer as easy to obtain. Beer was reported as easy to get by _____ percent of fifth graders and _____ percent of sixth graders.

Marijuana was the least accessible gateway drug to students in grades 4-6 in (*Name of School District*), with _____ percent of sixth graders reporting the drug as easy to obtain. Accordingly, a fewer number of fifth graders (_____ percent) and fourth graders (_____ percent) reported easy access to marijuana.

The Pride Questionnaire

The Pride Questionnaire for Grades 4-6 has undergone continuous development since 1988 and provides reliable and accurate information for evaluating the effectiveness of drug prevention efforts. Over 7.5 million students have completed Pride Questionnaires in elementary, middle and high schools. For more information, contact Pride Surveys at 1-800-279-6361.

Pride Surveys is devoted to drug abuse prevention through education.

####

Chapter 5

Percentage Tables

This chapter contains your school/school district survey results in tabular form. Each table corresponds to an item on the questionnaire. The tables contain percentage data by grade level, (grades 4 through 6), and *Total.* The *N* of *Valid* column contains the number of students responding to the item and the *N* of *Missing* column contains the number of students not responding to the item. The remaining columns contain the percentages of students responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the questionnaire. The Table of Contents contains the percentage tables by section and gives the page number where each section is located. The List of Tables contains the location of each individual table.

The last section of tables presents the frequency of drug use data with the categories *collapsed* as follows:

Weekly Use - 1-7 Times A Week
Monthly Use - 1-2 Times A Month + 1-7 Times A Week
Annual Use - 1-6 Times A Year + 1-2 Times A Month + 1-7 Times A Week

5.1 Student Information

Table 5.1: Sex										
Grade	N of	N of								
Level	Valid	Miss	Male	Female						
4th	6436	23	51.1	48.9						
5th	9371	14	50.3	49.7						
6th	3616	21	48.7	51.3						
Total	19423	58	50.3	49.7						

Table 5.2: Ethnic Origin

Grade	N of	N of					Native	Mixed	
Level	Valid	Miss	White	Black	Hispanic	Asian	American	Origin	Other
4th	6360	99	46.1	29.7	10.9	1.1	3.1	6.5	2.5
5th	9279	106	57.7	19.3	9.6	1.1	2.9	7.9	1.5
6th	3569	68	63.2	15.2	9.3	1.4	2.5	7.0	1.4
Total	19208	273	54.9	22.0	10.0	1.1	2.9	7.3	1.8

Table 5.3: Age

					<u> </u>				
Grade	N of	N of							
Level	Valid	Miss	8	9	10	11	12	13	14+
4th	6431	28	0.6	39.1	51.3	8.3	0.7	0.0	0.0
5th	9356	29	0.0	0.1	42.6	50.1	6.7	0.5	0.0
6th	3606	31	0.2	0.2	0.3	42.4	49.4	7.1	0.4
Total	19393	88	0.3	13.0	37.6	34.8	12.6	1.6	0.1

5.2 Student Characteristics

lable 5.4: I make good grades.									
Grade	N of	N of			А				
Level	Valid	Miss	Never	Sometimes	Lot				
4th	6398	61	1.1	55.2	43.7				
5th	9352	33	0.6	52.0	47.4				
6th	3627	10	0.4	45.9	53.8				
Total	19377	104	0.7	51.9	47.4				

Table 5.4: I make good grades

Table 5.5: I get into trouble at school.

		5			
Grade	N of	N of			Α
Level	Valid	Miss	Never	Sometimes	Lot
4th	6347	112	36.6	58.6	4.7
5th	9263	122	39.5	56.6	3.9
6th	3605	32	39.8	55.7	4.5
Total	19215	266	38.6	57.1	4.3

Table 5.6:	I ao to church	n or synagogue
		i or synagoguc

T	Table 5.6: I go to church or synagogue.									
Grade	N of	N of			Α					
Level	Valid	Miss	Never	Sometimes	Lot					
4th	6290	169	17.2	39.8	43.0					
5th	9291	94	16.5	41.8	41.7					
6th	3607	30	15.9	43.0	41.1					
Total	19188	293	16.6	41.4	42.0					

Table 5.7:	I talk to	my	parents	about	my	prob	lems.
------------	-----------	----	---------	-------	----	------	-------

Table 3.7. Traile to my parents about my problems.									
Grade	N of	N of			Α				
Level	Valid	Miss	Never	Sometimes	Lot				
4th	6380	79	15.0	46.7	38.4				
5th	9311	74	15.7	51.3	33.0				
6th	3621	16	18.8	54.0	27.2				
Total	19312	169	16.0	50.3	33.7				

Grade	N of	N of			Α
Level	Valid	Miss	Never	Sometimes	Lot
4th	6322	137	15.2	33.2	51.6
5th	9227	158	12.4	40.4	47.2
6th	3589	48	12.4	44.9	42.6
Total	19138	343	13.3	38.9	47.8

Table 5.8: My parents talk to me about the dangers of alcohol and drugs.

Table 5.9: My teachers talk to me about the dangers of alcohol and drugs.

Grade	N of	N of			А
Level	Valid	Miss	Never	Sometimes	Lot
4th	6200	259	15.5	41.2	43.3
5th	9098	287	11.6	45.0	43.4
6th	3543	94	13.6	49.7	36.7
Total	18841	640	13.2	44.6	42.1

Table 5.10: My parents make me follow certain rules.

	, ,				
Grade	N of	N of			Α
Level	Valid	Miss	Never	Sometimes	Lot
4th	6316	143	3.5	24.4	72.0
5th	9264	121	2.9	27.5	69.6
6th	3600	37	3.2	31.0	65.8
Total	19180	301	3.2	27.1	69.7

Table 5.11: My school makes me follow certain rules.

Grade	N of	N of			А
Level	Valid	Miss	Never	Sometimes	Lot
4th	6367	92	1.8	8.9	89.4
5th	9317	68	1.1	8.2	90.7
6th	3617	20	1.2	8.5	90.4
Total	19301	180	1.3	8.5	90.2

Table 5.12: Thave to be home at a certain time.					me.
Grade	N of	N of			Α
Level	Valid	Miss	Never	Sometimes	Lot
4th	6326	133	23.5	44.1	32.4
5th	9260	125	17.9	48.4	33.7
6th	3594	43	15.2	50.6	34.1
Total	19180	301	19.2	47.4	33.4

Table 5.12: I have to be home at a certain time.

Table 5.13: Most days I am alone at home for an hour or more.

Grade	N of	N of			Α
Level	Valid	Miss	Never	Sometimes	Lot
4th	6304	155	60.5	30.5	9.0
5th	9217	168	51.5	38.4	10.1
6th	3585	52	40.1	45.6	14.3
Total	19106	375	52.3	37.2	10.5

Table 5.14:	The kids at school like me.	
N 1 (

Grade	N of	N of			Α
Level	Valid	Miss	Never	Sometimes	Lot
4th	6053	406	6.9	44.5	48.6
5th	8903	482	4.2	41.9	53.9
6th	3477	160	3.1	39.1	57.8
Total	18433	1048	4.9	42.2	52.9

Table 5.15: My parents make sure I do my homework.

Grade	N of	N of			Α
Level	Valid	Miss	Never	Sometimes	Lot
4th	6363	96	2.3	11.6	86.1
5th	9289	96	2.2	12.8	85.0
6th	3612	25	4.4	16.9	78.7
Total	19264	217	2.6	13.2	84.2

Table 5.16:	I play violent	t video games.
-------------	----------------	----------------

	habie erfer i play herent habe gameer					
Grade	N of	N of			Α	
Level	Valid	Miss	Never	Sometimes	Lot	
4th	6202	257	45.3	32.7	22.1	
5th	9083	302	42.7	36.1	21.1	
6th	3541	96	39.3	37.5	23.2	
Total	18826	655	42.9	35.2	21.8	

Grade	N of	N of			Α		
Level	Valid	Miss	Never	Sometimes	Lot		
4th	6264	195	66.7	24.5	8.8		
5th	9212	173	64.9	25.8	9.3		
6th	3587	50	63.5	27.6	8.9		
Total	19063	418	65.2	25.7	9.1		

Table 5.17: I think I am overweight.

Table 5.18: A doctor said that I am overweight.

Grade	N of	N of			Α
Level	Valid	Miss	Never	Sometimes	Lot
4th	6250	209	88.2	8.2	3.6
5th	9201	184	89.3	7.8	3.0
6th	3573	64	88.4	8.3	3.3
Total	19024	457	88.7	8.0	3.2

5.3 Within The Past Year How Often Have You Used

Table 5.19: Within the past year how often h	ave you used tobacco	(cigarettes, chew, etc.)?
--	----------------------	---------------------------

Grade	N of	N of	Did			
Level	Valid	Miss	Not Use	1-6/yr	1-2/mo	1-7/wk
4th	6372	87	98.3	0.6	0.4	0.7
5th	9307	78	98.1	1.2	0.3	0.4
6th	3604	33	96.1	2.2	1.0	0.7
Total	19283	198	97.8	1.2	0.5	0.6

Table 5.20: Within the past year how often have you drunk alcohol (beer, liquor, etc.)?

Grade	N of	N of	Did			
Level	Valid	Miss	Not Use	1-6/yr	1-2/mo	1-7/wk
4th	6348	111	96.0	2.4	0.8	0.8
5th	9289	96	95.2	3.6	0.8	0.5
6th	3601	36	91.7	5.8	1.7	0.8
Total	19238	243	94.8	3.6	1.0	0.6

Table 5.21: Within the past year how often have you smoked marijuana (pot)?

Grade	N of	N of	Did			
Level	Valid	Miss	Not Use	1-6/yr	1-2/mo	1-7/wk
4th	6348	111	99.0	0.4	0.3	0.3
5th	9288	97	99.1	0.4	0.2	0.3
6th	3599	38	98.0	1.1	0.6	0.3
Total	19235	246	98.9	0.5	0.3	0.3

Table 5.22: Within the past year how often have you sniffed glue, gas, etc. (to get high)?

Grade	N of	N of	Did			
Level	Valid	Miss	Not Use	1-6/yr	1-2/mo	1-7/wk
4th	6332	127	97.6	1.0	0.6	0.8
5th	9287	98	97.9	1.1	0.4	0.6
6th	3597	40	97.1	1.6	0.6	0.7
Total	19216	265	97.6	1.2	0.5	0.7

Grade	N of	N of	Did			
Level	Valid	Miss	Not Use	1-6/yr	1-2/mo	1-7/wk
4th	6352	107	98.9	0.3	0.3	0.5
5th	9302	83	99.2	0.4	0.2	0.2
6th	3602	35	98.4	0.8	0.4	0.4
Total	19256	225	99.0	0.4	0.3	0.3

Table 5.23: Within the past year how often have you used other drugs (to get high)?

5.4 Harmful To Health

Table 5.24: Do you think that using tobacco (cigarettes, chew, etc.) is harmful to your health?

Grade	N of	N of		
Level	Valid	Miss	No	Yes
4th	6359	100	21.5	78.5
5th	9307	78	12.5	87.5
6th	3609	28	9.8	90.2
Total	19275	206	14.9	85.1

Table 5.25: Do you think that using alcohol (beer, liquor, etc.) is harmful to your health?

Grade	N of	N of		
Level	Valid	Miss	No	Yes
4th	6359	100	23.6	76.4
5th	9293	92	15.5	84.5
6th	3603	34	15.1	84.9
Total	19255	226	18.1	81.9

Table 5.26: Do you think that using marijuana (pot) is harmful to your health?

Grade	N of	N of		
Level	Valid	Miss	No	Yes
4th	6356	103	21.4	78.6
5th	9292	93	12.2	87.8
6th	3606	31	10.9	89.1
Total	19254	227	15.0	85.0

Table 5.27: Do you think that using glue, gas, etc. (to get high) is harmful to your health?

Grade	N of	N of		
Level	Valid	Miss	No	Yes
4th	6336	123	23.6	76.4
5th	9297	88	14.4	85.6
6th	3596	41	13.0	87.0
Total	19229	252	17.1	82.9

Grade	N of	N of		
Level	Valid	Miss	No	Yes
4th	6343	116	21.2	78.8
5th	9297	88	12.0	88.0
6th	3601	36	9.7	90.3
Total	19241	240	14.6	85.4

Table 5.28: Do you think that using other drugs (to get high) is harmful to your health?

5.5 Would Your Parents Approve

Table 5.29: Would your parents approve of you using tobacco (cigarettes, chew, etc.)?

	Grade	N of	N of		Not	
_	Level	Valid	Miss	No	Sure	Yes
	4th	6347	112	93.5	3.7	2.7
	5th	9281	104	95.2	3.4	1.4
_	6th	3590	47	95.3	3.5	1.2
	Total	19218	263	94.6	3.6	1.8

Table 5.30: Would your parents approve of you using alcohol (beer, liquor, etc.)?

Grade	N of	N of		Not	
Level	Valid	Miss	No	Sure	Yes
4th	6328	131	90.0	6.4	3.6
5th	9269	116	90.3	7.3	2.4
6th	3587	50	88.3	8.8	2.8
Total	19184	297	89.8	7.3	2.9

Table 5.31: Would your parents approve of you using marijuana (pot)?

Grade	N of	N of		Not	
Level	Valid	Miss	No	Sure	Yes
4th	6326	133	95.3	3.0	1.7
5th	9262	123	97.2	1.9	0.8
6th	3589	48	97.3	1.9	0.8
Total	19177	304	96.6	2.3	1.1

Table 5.32: Would your parents approve of you using glue, gas, etc. (to get high)?

Grade	N of	N of	Not			
Level	Valid	Miss	No	Sure	Yes	
4th	6311	148	93.6	4.5	1.9	
5th	9258	127	95.7	3.3	1.0	
6th	3585	52	96.5	2.6	0.8	
Total	19154	327	95.2	3.6	1.2	

Grade	N of	N of		Not	
Level	Valid	Miss	No	Sure	Yes
4th	6313	146	95.2	3.0	1.8
5th	9254	131	96.9	2.2	1.0
6th	3578	59	97.5	1.8	0.8
Total	19145	336	96.4	2.4	1.2
Iotal	19145	336	96.4	2.4	1.2

Table 5.33: Would your parents approve of you using other drugs (to get high)?

5.6 Would Your Friends Approve

Table 5.34: Would your friends approve of you using tobacco (cigarettes, chew, etc.)?

Grade	N of	N of		Not	
Level	Valid	Miss	No	Sure	Yes
4th	6322	137	85.7	11.9	2.5
5th	9230	155	83.9	14.1	2.0
6th	3581	56	80.2	16.7	3.1
Total	19133	348	83.8	13.9	2.3

Table 5.35: Would your friends approve of you using alcohol (beer, liquor, etc.)?

Grade	N of	N of		Not	
Level	Valid	Miss	No	Sure	Yes
4th	6315	144	84.0	13.1	2.9
5th	9229	156	80.7	16.7	2.6
6th	3575	62	75.0	20.4	4.6
Total	19119	362	80.7	16.2	3.1

Table 5.36: Would your friends approve of you using marijuana (pot)?

Grade	N of	N of		Not	
Level	Valid	Miss	No Sure		Yes
4th	6318	141	87.4	10.8	1.9
5th	9219	166	86.9	11.8	1.3
6th	3577	60	84.1	13.5	2.4
Total	19114	367	86.5	11.8	1.7

Table 5.37: Would your friends approve of you using glue, gas, etc. (to get high)?

Grade	N of	N of	Not			
Level	Valid	Miss	No	Sure	Yes	
4th	6304	155	85.5	12.5	2.0	
5th	9205	180	84.4	14.1	1.6	
6th	3570	67	81.7	15.7	2.7	
Total	19079	402	84.2	13.9	1.9	

N of	N of		Not	
Valid	Miss	No	Sure	Yes
6310	149	87.0	11.0	1.9
9204	181	86.1	12.5	1.4
3569	68	83.8	13.9	2.3
19083	398	86.0	12.3	1.8
	Valid 6310 9204 3569	Valid Miss 6310 149 9204 181 3569 68	Valid Miss No 6310 149 87.0 9204 181 86.1 3569 68 83.8	Valid Miss No Sure 6310 149 87.0 11.0 9204 181 86.1 12.5 3569 68 83.8 13.9

Table 5.38: Would your friends approve of you using other drugs (to get high)?

5.7 Where Do You Get

Tabl	Table 3.55. Where do you get tobacco (ligarettes, ciew, ctc.):									
Grade	N of	N of	Never	At	Friend's	At	Other			
Level	Valid	Miss	Get	Home	House	School	Place			
4th	6298	161	96.6	0.9	0.5	0.1	2.0			
5th	9214	171	96.5	0.9	0.7	0.1	1.7			
6th	3570	67	94.6	1.7	1.2	0.1	2.4			
Total	19082	399	96.2	1.0	0.7	0.1	1.9			

Table 5.39: Where do you get tobacco (cigarettes, chew, etc.)?

Table 5.40: Where do you get alcohol (beer, liquor, etc.)?

Grade	N of	N of	Never	At	Friend's	At	Other
Level	Valid	Miss	Get	Home	House	School	Place
4th	6284	175	94.6	2.6	0.5	0.2	2.2
5th	9185	200	94.2	3.1	0.6	0.1	2.0
6th	3560	77	90.2	5.2	1.4	0.1	3.1
Total	19029	452	93.6	3.3	0.7	0.1	2.3

Table 5.41: Where do you get marijuana (pot)?

		-		J 3	J	(I= = -)	
Grade	N of	N of	Never	At	Friend's	At	Other
Level	Valid	Miss	Get	Home	House	School	Place
4th	6288	171	98.0	0.4	0.4	0.1	1.1
5th	9189	196	98.4	0.2	0.3	0.1	0.9
6th	3571	66	97.2	0.3	0.9	0.2	1.4
Total	19048	433	98.1	0.3	0.4	0.1	1.1

Table 5.42: Where do you get glue, gas, etc. (to get high)?

N of	N of	Never	At	Friend's	At	Other
Valid	Miss	Get	Home	House	School	Place
6282	177	96.8	0.9	0.4	0.4	1.5
9173	212	97.0	0.6	0.3	0.8	1.3
3563	74	96.1	1.2	0.4	1.2	1.2
19018	463	96.8	0.8	0.3	0.7	1.3
	Valid 6282 9173 3563	Valid Miss 6282 177 9173 212 3563 74	ValidMissGet628217796.8917321297.035637496.1	ValidMissGetHome628217796.80.9917321297.00.635637496.11.2	ValidMissGetHomeHouse628217796.80.90.4917321297.00.60.335637496.11.20.4	ValidMissGetHomeHouseSchool628217796.80.90.40.4917321297.00.60.30.835637496.11.20.41.2

10	Table 5.45. Where do you get other drugs (to get high):							
Grade	N of	N of	Never	At	Friend's	At	Other	
Level	Valid	Miss	Get	Home	House	School	Place	
4th	6280	179	97.8	0.4	0.4	0.1	1.3	
5th	9170	215	98.6	0.1	0.2	0.2	1.0	
6th	3560	77	97.9	0.4	0.4	0.1	1.1	
Total	19010	471	98.2	0.3	0.3	0.1	1.1	

Table 5.43: Where do you get other drugs (to get high)?

5.8 While At School Have You

Table 5.44: While at school have you used tobacco (cigarettes, chew, etc.)?

		,		(0
Grade	N of	N of		One	Two or
Level	Valid	Miss	No	Time	More
4th	6301	158	99.0	0.7	0.4
5th	9236	149	99.2	0.6	0.3
6th	3573	64	98.9	0.5	0.6
Total	19110	371	99.0	0.6	0.4

Table 5.45: While at school have you drunk alcohol (beer, liquor, etc.)?

		,			(
Grade	N of	N of		One	Two or
Level	Valid	Miss	No	Time	More
4th	6287	172	98.1	1.3	0.6
5th	9227	158	98.5	0.9	0.6
6th	3572	65	98.0	1.1	0.9
Total	19086	395	98.3	1.0	0.7

Table 5.46: While at school have you smoked marijuana?

			,		,
Grade	N of	N of		One	Two or
Level	Valid	Miss	No	Time	More
4th	6287	172	99.3	0.4	0.2
5th	9228	157	99.6	0.3	0.1
6th	3563	74	99.2	0.4	0.4
Total	19078	403	99.4	0.3	0.2

Table 5.47: While at school have you inhaled glue, gas, etc. to get high?

				<u> </u>	
Grade	N of	N of		One	Two or
Level	Valid	Miss	No	Time	More
4th	6267	192	98.1	1.1	0.8
5th	9203	182	97.7	1.4	0.8
6th	3562	75	96.9	1.8	1.2
Total	19032	449	97.7	1.4	0.9

Grade	N of	N of		One	Two or
Level	Valid	Miss	No	Time	More
4th	6269	190	74.3	15.3	10.3
5th	9204	181	75.5	14.8	9.7
6th	3562	75	77.4	14.1	8.5
Total	19035	446	75.5	14.8	9.7

Table 5.48: While at school have you been afraid a student will hurt you?

Table 5.49: While at school have you been threatened by a student?

Grade	N of	N of		One	Two or
Level	Valid	Miss	No	Time	More
4th	6260	199	67.5	16.1	16.4
5th	9200	185	66.1	17.1	16.8
6th	3563	74	67.8	17.6	14.7
Total	19023	458	66.9	16.9	16.3

Table 5.50: While at school have you been hurt by a student?

			- ,		· · · , · · · · ·
Grade	N of	N of		One	Two or
Level	Valid	Miss	No	Time	More
4th	6251	208	76.0	13.6	10.4
5th	9170	215	76.4	13.4	10.2
6th	3559	78	80.2	11.9	7.8
Total	18980	501	77.0	13.2	9.8

Table 5.51: While at school have you carried a real gun for protection?

N of	N of		One	Two or
Valid	Miss	No	Time	More
6271	188	98.3	0.8	0.8
9210	175	99.0	0.5	0.5
3564	73	99.0	0.6	0.3
19045	436	98.8	0.6	0.6
	Valid 6271 9210 3564	Valid Miss 6271 188 9210 175 3564 73	Valid Miss No 6271 188 98.3 9210 175 99.0 3564 73 99.0	Valid Miss No Time 6271 188 98.3 0.8 9210 175 99.0 0.5 3564 73 99.0 0.6

Grade	N of	N of		One	Two or
Level	Valid	Miss	No	Time	More
4th	6250	209	96.2	2.3	1.5
5th	9202	183	96.1	2.5	1.4
6th	3557	80	95.6	2.4	2.0
Total	19009	472	96.1	2.4	1.5

Table 5.52: While at school have you carried a knife for protection?

5.9 While Not At School Have You

Table 5.53: While not at school have you used tobacco (cigarettes, chew, etc.)?

				-	_
Grade	N of	N of		One	Two or
Level	Valid	Miss	No	Time	More
4th	6303	156	98.2	1.1	0.7
5th	9220	165	97.1	1.8	1.0
6th	3568	69	95.2	2.3	2.5
Total	19091	390	97.1	1.7	1.2

Table 5.54: While not at school have you drunk alcohol (beer, liquor, etc.)?

					(
Grade	N of	N of		One	Two or
Level	Valid	Miss	No	Time	More
4th	6297	162	94.6	3.7	1.7
5th	9198	187	93.2	4.2	2.6
6th	3565	72	89.0	5.8	5.2
Total	19060	421	92.9	4.3	2.8

Table 5.55: While not at school have you smoked marijuana?

Grad	de No	f Nof		One	Two or
Leve	el Valio	d Miss	No	Time	More
4th	6292	2 167	99.2	0.5	0.3
5th	9208	3 177	99.1	0.5	0.5
6th	356	1 76	97.8	0.7	1.5
Tota	l 1906	1 420	98.9	0.5	0.6

Table 5.56: While not at school have you inhaled glue, gas, etc. to get high?

Grade	N of	N of		One	Two or
Level	Valid	Miss	No	Time	More
4th	6283	176	98.0	1.1	0.8
5th	9201	184	97.7	1.4	0.9
6th	3552	85	96.8	1.7	1.5
Total	19036	445	97.6	1.4	1.0

Grade	N of	N of		One	Two or
Level	Valid	Miss	No	Time	More
4th	6288	171	83.0	9.7	7.3
5th	9199	186	85.5	8.2	6.4
6th	3555	82	87.1	6.9	5.9
Total	19042	439	85.0	8.4	6.6

Table 5.57: While not at school have you been afraid a student will hurt you?

Table 5.58: While not at school have you been threatened by a student?

Grade	N of	N of		One	Two or
Level	Valid	Miss	No	Time	More
4th	6277	182	78.2	11.2	10.6
5th	9198	187	80.7	9.0	10.4
6th	3558	79	82.0	9.2	8.8
Total	19033	448	80.1	9.7	10.2

Table 5.59: While not at school have you been hurt by a student?

			,		,
Grade	N of	N of		One	Two or
Level	Valid	Miss	No	Time	More
4th	6265	194	83.6	8.8	7.6
5th	9181	204	85.2	7.6	7.2
6th	3561	76	88.0	6.2	5.8
Total	19007	474	85.2	7.7	7.1

Table 5.60: While not at school have you carried a real gun for protection?

Grade	N of	N of		One	Two or
Level	Valid	Miss	No	Time	More
4th	6277	182	96.4	2.1	1.5
5th	9193	192	96.8	1.5	1.7
6th	3556	81	97.0	1.3	1.6
Total	19026	455	96.7	1.7	1.6

Grade	N of	N of		One	Two or
Level	Valid	Miss	No	Time	More
4th	6265	194	90.9	4.7	4.4
5th	9180	205	87.4	5.4	7.2
6th	3545	92	86.8	5.3	7.9
Total	18990	491	88.4	5.2	6.4

Table 5.61: While not at school have you carried a knife for protection?

5.10 How Easy Is It For Kids Your Age To Get

0.0	0.02.110	m ouby it	, it to ge		loiguioite	$\mathcal{O}, \mathcal{O}, \mathcal{O}$	510
	Grade	N of	N of	Cannot	Hard	Easy	
	Level	Valid	Miss	Get	To Get	To Get	
	4th	6269	190	85.2	8.0	6.7	
	5th	9213	172	81.0	8.8	10.2	
	6th	3582	55	76.2	8.2	15.5	
	Total	19064	417	81.5	8.5	10.1	

Table 5.62: How easy is it to get tobacco (cigarettes, chew, etc.)?

Table 5.63: How easy is it to get alcohol (beer, liquor, etc.)?

Grade	N of	N of	Cannot	Hard	Easy
Level	Valid	Miss	Get	To Get	To Get
4th	6251	208	82.8	8.9	8.3
5th	9200	185	78.1	9.5	12.4
6th	3569	68	71.6	9.1	19.3
Total	19020	461	78.4	9.2	12.4

Table 5.64: How	easy	is.	it to	net	marijuana	(not)?
14016 3.04. 1101	casy	13	11 10	yei	manjuana	(pol):

					(pot) -
Grade	N of	N of	Cannot	Hard	Easy
Level	Valid	Miss	Get	To Get	To Get
4th	6253	206	87.7	8.2	4.1
5th	9188	197	84.8	10.1	5.1
6th	3572	65	80.9	10.7	8.3
Total	19013	468	85.0	9.6	5.4

Table 5.65: How eas	auln tan at ti si v	nas otr	(to get high)?
10010 0.00. 11010 000	y is it to got glub	, yas, cic.	(to got nigh):

	,		0 0 / 0		<u> </u>
 Grade	N of	N of	Cannot	Hard	Easy
Level	Valid	Miss	Get	To Get	To Get
4th	6241	218	83.2	6.6	10.2
5th	9179	206	77.6	6.1	16.3
6th	3564	73	71.6	4.8	23.6
Total	18984	497	78.3	6.0	15.7

	,	0	5 (<u> </u>
N of	N of	Cannot	Hard	Easy
Valid	Miss	Get	To Get	To Get
6264	195	86.8	8.2	5.0
9181	204	84.2	8.6	7.2
3572	65	81.0	9.0	10.1
19017	464	84.4	8.5	7.0
	Valid 6264 9181 3572	Valid Miss 6264 195 9181 204 3572 65	Valid Miss Get 6264 195 86.8 9181 204 84.2 3572 65 81.0	ValidMissGetTo Get626419586.88.2918120484.28.635726581.09.0

Table 5.66: How easy is it to get other drugs (to get high)?

Table 5.67: How easy is it to get a gun?

Grade	N of	N of	Cannot	Hard	Easy
Level	Valid	Miss	Get	To Get	To Get
4th	6233	226	77.0	12.3	10.7
5th	9169	216	73.0	14.0	13.0
6th	3561	76	71.7	14.6	13.7
Total	18963	518	74.1	13.6	12.4

5.11 Frequency of Use

Grade	N of	N of	Weekly	Monthly	Annual
Level	Valid	Miss	Use	Use	Use
4th	6372	87	0.7	1.1	1.7
5th	9307	78	0.4	0.7	1.9
6th	3604	33	0.7	1.6	3.9
Total	19283	198	0.6	1.0	2.2

Table 5.69: Frequency of Use – Alcohol (beer, liquor, etc.)

				· ·	
Grade	N of	N of	Weekly	Monthly	Annual
Level	Valid	Miss	Use	Use	Use
4th	6348	111	0.8	1.6	4.0
5th	9289	96	0.5	1.2	4.8
6th	3601	36	0.8	2.5	8.3
Total	19238	243	0.6	1.6	5.2

Table 5.70: Frequency of Us	se – Marijuana
-----------------------------	----------------

Grade	N of	N of	Weekly	Monthly	Annual
Level	Valid	Miss	Use	Use	Use
4th	6348	111	0.3	0.6	1.0
5th	9288	97	0.3	0.5	0.9
6th	3599	38	0.3	0.9	2.0
Total	19235	246	0.3	0.6	1.1

Table 5.71: Free	quency of l	Jse – Glue	, Gas, etc.
------------------	-------------	------------	-------------

Grade	N of	N of	Weekly	Monthly	Annual	
Level	Valid	Miss	Use	Use	Use	
4th	6332	127	0.8	1.4	2.4	
5th	9287	98	0.6	1.0	2.1	
6th	3597	40	0.7	1.3	2.9	
Total	19216	265	0.7	1.2	2.4	

Grade	N of	N of	Weekly	Monthly	Annual
Level	Valid	Miss	Use	Use	Use
4th	6352	107	0.5	0.7	1.1
5th	9302	83	0.2	0.4	0.8
6th	3602	35	0.4	0.8	1.6
Total	19256	225	0.3	0.6	1.0

Table 5.72: Frequency of Use – Other Drugs