PRIDE Questionnaire Report for Grades 6 thru 12 2003-04 PRIDE National Summary / Grades 6 thru 12

September 16, 2004

Contents

1	Intro	oduction 1
	1.1	Drug Use Summary
	1.2	Cigarette Use
	1.3	Beer Use
	1.4	Marijuana Use
	1.5	Cocaine Use
	1.6	Hallucinogen Use
2	Nati	ional Summary Statistics
	2.1	Outline of Procedures Used to Obtain PRIDE National Summary Data
	2.2	National Summary Tables
	2.3	National Summary Graphics
3	Star	ndard Graphics 25
	3.1	Frequency of Use
	3.2	Where Do You Use
	3.3	When Do You Use
	3.4	Harmfulness to Health
	3.5	Availability
	3.6	Friends Use
4	Adv	anced Graphics 72
	4.1	Effect of Use By Students Who Use Drugs
	4.2	Frequency of Use by Sex
	4.3	Illicit Drug Use by Risk & Protective Factors
5	Sum	nmary Statistics 111
	5.1	Guns
	5.2	Gangs
	5.3	Suicide
	5.4	Threatening Behaviors
	5.5	Trouble With The Police
	5.6	Personal Safety
	5.7	Risk and Protective Factors
		5.7.1 Community - Risk Factors
		5.7.2 Community - Protective Factors
		5.7.3 School - Risk Factors

CONTENTS iii

		5.7.4 School - Protective Factors 5.7.5 Family - Risk Factors 5.7.6 Family - Protective Factors 5.7.7 Individual - Risk Factors 5.7.8 Individual - Protective Factors	120 120 121
6	Drug		123
•	6.1	Monthly Use	_
	6.2	Perception of Risk	
	6.3	Perception of Disapproval	
	6.4	Age of First Use	
	0.1	7.86 017 1136 036	-01
7	Perc	entage Tables	133
	7.1	Personal & Family Information	134
	7.2	Student Characteristics	138
	7.3	Harmful To Health	155
	7.4	Within The Past Year How Often Have You Used	161
	7.5	At What Age Did You First	168
	7.6	Where Do You Use	174
	7.7	When Do You Use	
	7.8	While At School Have You	188
	7.9	What Effect Do You Most Often Get When You Use	193
	7.10	How Easy Is It To Get	199
		In My School, I Feel Safe	
		In My Neighborhood, I Feel Safe	
		Would Your Parents Disapprove Of You	
		Would Your Friends Disapprove Of You	
			218

List of Tables

2.1	Sample Sizes of Annual Summaries for Grades 6 thru 12	
2.2	Comparisions of Demographic Variables - Grades 6 thru 12	9
2.3	Sample Distribution by Percentage Drawn from Each State - Grades 6 thru 12	10
2.4	Percentage of Students Who Report Using Drugs - Tobacco and Alcohol	11
2.5	Percentage of Students Who Report Using Drugs - Illicit Drugs	12
2.6	Chi-Square Analysis of Junior High Student Who Used These Drugs At Least $1/Year$	13
2.7	Chi-Square Analysis of Senior High Student Who Used These Drugs At Least $1/\mathrm{Year}$	14
2.8	PRIDE Summary Report - Violence	15
2.9	Percentage of Annual Drug Use Across Years for Tobacco and Alcohol	16
2.10	Percentage of Annual Drug Use Across Years for Illicit Drugs	17
6.1	Monthly Use of Alcohol	124
6.2	Monthly Use of Tobacco	124
6.3	Monthly Use of Marijuana	125
6.4	Perception of Risk of Alcohol	126
6.5	Perception of Risk of Tobacco	126
6.6	Perception of Risk of Marijuana	127
6.7	Perception of Parents Disapproval of Tobacco	128
6.8	Perception of Parents Disapproval of Alcohol	128
6.9	Perception of Parents Disapproval of Marijuana	129
6.10	Perception of Friends Disapproval of Tobacco	129
6.11	Perception of Friends Disapproval of Alcohol	129
6.12	Perception of Friends Disapproval of Marijuana	130
6.13	When did you first use any alcohol?	131
6.14	When did you first use any tobacco?	131
6.15	When did you first use marijuana?	132
7.1	Ethnic Origin	134
7.2	Sex	134
7.3	Age	135
7.4	Do you live with:	135
7.5	Do you have a job?	135
7.6	Does your father have a job?	136
7.7	Does your mother have a job?	
7.8	What is the educational level of your father?	136
7.9	What is the educational level of your mother?	137
	Do you make good grades?	
7.11	Do you get into trouble at school?	138

LIST OF TABLES

7.12	Do you take part in school sports teams?	. 139
7.13	Do you take part in school activities such as band, clubs, etc?	. 139
7.14	Do you take part in community activities such as scouts, rec. teams, youth clubs, etc?	. 139
7.15	Do you attend church, synagogue, etc.?	. 140
7.16	Have you threatened to harm a teacher?	. 140
7.17	Have you threatened to harm one or both of your parents, guardians, etc.?	. 140
7.18	Do your parents talk with you about the problems of tobacco use?	. 141
7.19	Do your parents talk with you about the problems of alcohol use?	. 141
7.20	Do your parents talk with you about the problems of drug use?	. 141
7.21	Do your teachers talk with you about the problems of alcohol use?	. 142
7.22	Do your teachers talk with you about the problems of drug use?	. 142
7.23	Does your school set clear rules on bringing a gun to school?	. 142
	Does your school set clear rules on using drugs at school?	
	Does your school set clear rules on bullying or threatening other students at school? .	
	Does your school punish you when you break the rules?	
	Do your parents set clear rules for you?	
	Do your parents punish you when you break the rules?	
	Have you been in trouble with the police?	
	Do you take part in gang activities?	
	Have you thought about committing suicide?	
	While NOT at school have you carried a gun for protection or as a weapon?	
	Have you received treatment or counseling for alcohol and/or drug use?	
	Have you been caught using alcohol?	
	Have you been caught using drugs?	
	Do you have an adult, other than your parent or guardian, that you talk to about problems	
	Do you buy or sell drugs at school?	
	Do you buy or sell drugs when NOT at school?	
	Do your friends use tobacco? (cigarettes, cigars, etc)?	
	Do your friends use alcohol? (beer, liquor, etc)?	
	Do your friends use drugs? (marijuana, cocaine, etc)?	
	Do your parents set clear rules about violent TV, movies and video games?	
	Have you had 5 or more glasses of beer, wine or liquor within a few hours?	
	Have you driven a car after or while drinking alcohol??	
	Do you surf the internet for fun?	
	Have you skipped school in the past year?	
	Have you seen ads on TV that encourage NO drug use?	
	Does your school have a security officer?	
	Do you think your school needs a security officer?	
	Does your school have a drug screening program?	
	Does your school's drug screening program include all students?	. 152
1.52	If your school does not screen all students, do you participate in an activity that is part of the drug screening program?	150
7 52	of the drug screening program?	
	Have you been screened for drugs at school?	
	Does you school have a student assistance program?	
	Have you participated in the student assistance program?	
	If you particiated, was the student assistance program helpful?	
1.51	Do you feel that using cigarettes is harmful to your health?	. 155

LIST OF TABLES vi

	Do you feel that using smokeless tobacco is harmful to your health?	
7.59	Do you feel that using cigars is harmful to your health?	156
7.60	Do you feel that using beer is harmful to your health?	156
7.61	Do you feel that using wine coolers is harmful to your health?	156
7.62	Do you feel that using liquor is harmful to your health?	157
7.63	Do you feel that using marijuana is harmful to your health?	157
7.64	Do you feel that using cocaine is harmful to your health?	157
7.65	Do you feel that using uppers is harmful to your health?	158
	Do you feel that using downers is harmful to your health?	
	Do you feel that using inhalants is harmful to your health?	
7.68	Do you feel that using hallucinogens is harmful to your health?	159
	Do you feel that using heroin is harmful to your health?	
	Do you feel that using steroids is harmful to your health?	
	Do you feel that using ecstasy is harmful to your health?	
	Do you feel that using OxyContin is harmful to your health?	
	Within the past year how often have you smoked cigarettes?	
	Within the past year how often have you used smokeless tobacco?	
7.75	Within the past year how often have you smoked cigars?	162
	Within the past year how often have you drunk beer?	
	Within the past year how often have you drunk wine coolers?	
7.78	Within the past year how often have you drunk liquor?	163
	Within the past year how often have you smoked marijuana?	
	Within the past year how often have you used cocaine?	
	Within the past year how often have you used uppers?	
	Within the past year how often have you used downers?	
	Within the past year how often have you used inhalants?	
	Within the past year how often have you used hallucinogens?	
	Within the past year how often have you used heroin?	
	Within the past year how often have you used steroids?	
	Within the past year how often have you used ecstasy?	
	Within the past year how often have you used OxyContin?	
	Within the past year how often have you used tobacco?	
	Within the past year how often have you drunk alcohol?	
	Within the past year how often have you used illicit drugs?	
	At what age did you first smoke cigarettes?	
	At what age did you first use smokeless tobacco?	
	At what age did you first smoke cigars?	
	At what age did you first drink beer?	
	At what age did you first drink wine coolers?	
	At what age did you first drink liquor?	
	At what age did you first smoke marijuana?	
	At what age did you first use cocaine?	
	OAt what age did you first use uppers?	
	1At what age did you first use downers?	
	2At what age did you first use inhalants?	
	3At what age did you first use hallucinogens?	
1.104	4At what age did you first use heroin?	1/2

LIST OF TABLES vii

7.105At what age did you first use steroids?	
7.106At what age did you first use ecstasy?	
7.107At what age did you first use OxyContin?	. 173
7.108Where do you smoke cigarettes?	
7.109Where do you use smokeless tobacco?	. 174
7.110Where do you smoke cigars?	. 175
7.111Where do you drink beer?	. 175
7.112Where do you drink wine coolers?	. 175
7.113Where do you drink liquor?	
7.114Where do you smoke marijuana?	. 176
7.115Where do you use cocaine?	. 176
7.116Where do you use uppers?	
7.117Where do you use downers?	. 177
7.118Where do you use inhalants?	. 177
7.119Where do you use hallucinogens?	. 178
7.120Where do you use heroin?	. 178
7.121Where do you use steroids?	. 178
7.122Where do you use ecstasy?	
7.123Where do you use OxyContin?	
7.124Where do you use any tobacco?	
7.125Where do you use any alcohol?	. 180
7.126Where do you use any illicit drugs?	
7.127When do you smoke cigarettes?	. 181
7.128When do you use smokeless tobacco?	
7.129When do you smoke cigars?	. 182
7.130When do you drink beer?	
7.131When do you drink wine coolers?	
7.132When do you drink liquor?	. 183
7.133When do you smoke marijuana?	
7.134When do you use cocaine?	
7.135When do you use uppers?	. 184
7.136When do you use downers?	
7.137When do you use inhalants?	. 184
7.138When do you use hallucinogens?	. 185
7.139When do you use heroin?	
7.140When do you use steroids?	. 185
7.141When do you use ecstasy?	
7.142When do you use OxyContin?	
7.143When do you use any tobacco?	
7.144When do you use any alcohol?	
7.145When do you use any illicit drugs?	
7.146While at school have you carried a gun?	
7.147While at school have you carried a knife, club or other weapon?	
7.148While at school have you threatened a student with a gun, knife or club?	
7.149While at school have you threatened to hurt a student by hitting, slapping or kicking?	
7.150While at school have you hurt a student by using a gun, knife or club?	
7.151While at school have you hurt a student by hitting, slapping or kicking?	

LIST OF TABLES viii

7.152While at school have you been threatened with a gun, knife or club by a student?	. 190
7.153While at school have you had a student threaten to hit, slap or kick you?	. 190
7.154While at school have you been afraid a student may hurt you?	. 191
7.155While at school have you been hurt by a student using a gun, knife or club?	. 191
7.156While at school have you been hurt by a student who hit, slapped or kicked you?	. 191
7.157While at school have you been helped by a school security officer?	192
7.158While at school have you been in trouble with school security officer?	192
7.159What effect do you most often get when you smoke cigarettes?	. 193
7.160What effect do you most often get when you use smokeless tobacco?	. 193
7.161What effect do you most often get when you smoke cigars?	
7.162What effect do you most often get when you drink beer?	194
7.163What effect do you most often get when you drink wine coolers?	194
7.164What effect do you most often get when you drink liquor?	. 195
7.165What effect do you most often get when you smoke marijuana?	
7.166What effect do you most often get when you use cocaine?	. 195
7.167What effect do you most often get when you use uppers?	. 196
7.168What effect do you most often get when you use downers?	. 196
7.169What effect do you most often get when you use inhalants?	. 196
7.170What effect do you most often get when you use hallucinogens?	197
7.171What effect do you most often get when you use heroin?	197
7.172What effect do you most often get when you use steroids?	. 197
7.173What effect do you most often get when you use ecstasy?	
7.174What effect do you most often get when you use OxyContin?	
7.175How easy is it to get cigarettes?	
7.176How easy is it to get smokeless tobacco?	. 199
7.177How easy is it to get cigars?	. 200
7.178How easy is it to get beer?	. 200
7.179How easy is it to get wine coolers?	
7.180How easy is it to get liquor?	. 201
7.181How easy is it to get marijuana?	
7.182How easy is it to get cocaine?	
7.183How easy is it to get uppers?	
7.184How easy is it to get downers?	
7.185How easy is it to get inhalants?	
7.186How easy is it to get hallucinogens?	
7.187How easy is it to get heroin?	
7.188How easy is it to get steroids?	
7.189How easy is it to get ecstasy?	
7.190How easy is it to get OxyContin?	
7.191In my school, I feel safe in the classroom?	
7.192In my school, I feel safe in the cafeteria?	
7.193In my school, I feel safe in the halls?	
7.194In my school, I feel safe in the bathroom?	
7.195In my school, I feel safe in the gym?	
7.196In my school, I feel safe on the school bus?	
7.197In my school, I feel safe at school events?	
7.198In my school, I feel safe on the playground?	. 207

LIST OF TABLES ix

List of Figures

2.1	Percentage of Students Who Use Cigarettes & Alcohol - Grades 6 to 8	
2.2		20
2.3	Percentage of Students Who Use Marijuana, Cocaine, Inhalants & Hallucinogens - Grades	
	6 to 8	21
2.4	Percentage of Students Who Use Marijuana, Cocaine, Inhalants & Hallucinogens - Grades	
	9 to 12	22
2.5	Percentage of Students Who Use Uppers, Downers & Any Illicit Drugs - Grades 6 to 8 $$.	23
2.6	Percentage of Students Who Use Uppers, Downers & Any Illicit Drugs - Grades 9 to 12	24
3.1	% Students Who Use Cigarettes, Smokeless Tobacco & Cigars	27
3.2	% Students Who Use Beer, Wine Coolers, Liquor & Marijuana	28
3.3		29
3.4	% Students Who Use Hallucinogens, Heroin & Steroids	
3. 4	% Students Who Use Ecstasy & OxyContin	
3.6	Where Do You Use Beer	
3.7 3.8	Where Do You Use Liquor	
3.9	Where Do You Use Marijuana	
	Where Do You Use Cocaine	
	Where Do You Use Inhalants	
	Where Do You Use Hallucinogens	30 39
	Where Do You Use Ecstasy	39 40
	Where Do You Use OxyContin	40
	When Do You Use Beer	
	When Do You Use Liquor	43
	When Do You Use Marijuana	44
	When Do You Use Cocaine	45
	When Do You Use Inhalants	46
	When Do You Use Hallucinogens	
	When Do You Use Ecstasy	48
	When Do You Use OxyContin	49
	Is It Harmful To Use Beer	
	Is It Harmful To Use Liquor	
	Is It Harmful To Use Marijuana	
	Is It Harmful To Use Cocaine	
	Is It Harmful To Use Inhalants	
	Is It Harmful To Use Hallucinogens	
3.28	Is It Harmful To Use Ecstasy	57

LIST OF FIGURES xi

3.29	Is It Harmful To Use OxyContin	58
3.30	How Easy Is It To Get Beer	60
3.31	How Easy Is It To Get Liquor	61
3.32	How Easy Is It To Get Marijuana	62
3.33	How Easy Is It To Get Cocaine	63
	How Easy Is It To Get Inhalants	
	How Easy Is It To Get Hallucinogens	
	How Easy Is It To Get Ecstasy	
	How Easy Is It To Get OxyContin	
	Friends Use of Tobacco	
	Friends Use of Alcohol	
	Friends Use of Illicit Drugs	
0		
4.1	% Students Who Get Very High or Bombed When Using Beer, Wine Coolers or Liquor $$.	74
4.2	% Students Who Get Very High or Bombed When Using Marijuana, Cocaine or Uppers .	75
4.3	% Students Who Get Very High or Bombed When Using Downers, Inhalants or Hallu-	
	cinogens	76
4.4	% Students Who Get Very High or Bombed When Using Heroin, Steroids, Ecstasy or	
	OxyContin	77
4.5	% Students Who Use Beer by Sex	79
4.6	% Students Who Use Liquor by Sex	80
4.7	% Students Who Use Marijuana by Sex	81
4.8	% Students Who Use Cocaine by Sex	82
4.9	% Students Who Use Inhalants by Sex	83
4.10	% Students Who Use Hallucinogens by Sex	84
4.11	% Students Who Use Ecstasy by Sex	85
4.12	% Students Who Use OxyContin by Sex	86
4.13	% Students Who Use Illicit Drugs by Attend Church, Synagogue, etc	88
4.14	% Students Who Use Illicit Drugs by Take Part in Community Activities	89
4.15	% Students Who Use Illicit Drugs by Make Good Grades	90
4.16	% Students Who Use Illicit Drugs by Take Part in Sports Teams	91
4.17	% Students Who Use Illicit Drugs by Take Part in School Activities	92
4.18	% Students Who Use Illicit Drugs by Get Into Trouble at School	93
4.19	% Students Who Use Illicit Drugs by Parents Talk About Dangers of Drugs	94
4.20	% Students Who Use Illicit Drugs by Parents Set Clear Rules	95
4.21	% Students Who Use Illicit Drugs by Parents Punish for Breaking Rules	96
4.22	% Students Who Use Illicit Drugs by School Sets Clear Rules on Guns at School	97
4.23	% Students Who Use Illicit Drugs by School Sets Clear Rules on Drugs at School	98
4.24	% Students Who Use Illicit Drugs by School Sets Clear Rules on Bullying at School	99
	% Students Who Use Illicit Drugs by School Punishes for Breaking Rules	
	% Students Who Use Illicit Drugs by Received Treatment for Alcohol/Drug Use	
	% Students Who Use Illicit Drugs by Been Caught Using Alcohol	
	% Students Who Use Illicit Drugs by Been Caught Using Drugs	
	% Students Who Use Illicit Drugs by Buy/Sell Drugs at School	
	% Students Who Use Illicit Drugs by Buy/Sell Drugs While NOT at School	
	% Students Who Use Illicit Drugs by Friends Use Alcohol	
	% Students Who Use Illicit Drugs by Friends Use Drugs	

LIST OF FIGURES xii

4.33	% Students Who Use Illicit Drugs by Parents Set Rules About TV, Movies, etc 108
4.34	% Students Who Use Illicit Drugs by Drinking 5 or More Glasses of Alcohol 109
4.35	% Students Who Use Illicit Drugs by Skipped School
5.1	Drug Use of Students Who Carry Guns vs Students Who Do Not
5.2	Drug Use of Students In Gangs vs Students Not In Gangs
5.3	Drug Use of Students Who Think of Suicide
5.4	Drug Use of Students Who Threaten vs Students Who Do Not
5.5	Drug Use of Students Who Get In Trouble With Police vs Those Who Do Not 116

Chapter 1

Introduction

The following graphs, summary and tables are compiled from data collected in the 2003-04 school(s) using the **PRIDE Surveys Questionnaire**. These data reflect prevalence and patterns of drug and alcohol use, violence, gang activity and suicide. It is important that this report be utilized as part of drug abuse and violence awareness and prevention programs. We strongly suggest that you:

COPY THE FOLLOWING PAGES, (which highlight and graphically summarize drug use and violent behavior by students in schools)

DISTRIBUTE THEM TO THE FACULTY

AND SHARE THIS INFORMATION WITH PARENTS.

Most of all, we strongly encourage a parent meeting at school to share this information!

NOTE: Most drug use occurs at nights and weekends when school is not in session. You will find statistics in this report which support these findings.

FOR GREATEST SUCCESS IN DECREASING DRUG USE, FACULTY, STUDENTS AND PARENTS MUST WORK TOGETHER TOWARD A DRUG-FREE LIFESTYLE.

If you have questions about this report or if you wish to have information on other **PRIDE Surveys** services and products, please call the **PRIDE Surveys** Office or write to the following address:

PRIDE Surveys

Janie Pitcock 160 Vanderbilt Court Bowling Green, KY 42103 1-800-279-6361 1-270-746-9596 www.pridesurveys.com

The following information is for PRIDE Surveys internal use only.

• Data Files: us039999

• Filter:

1.1 Drug Use Summary

• Number of 6th grade students surveyed: 15176

• Number of 7th grade students surveyed: 18270

• Number of 8th grade students surveyed: 23934

• Number of 9th grade students surveyed: 16235

• Number of 10th grade students surveyed: 16533

• Number of 11th grade students surveyed: 15134

• Number of 12th grade students surveyed: 9120

• Number of students surveyed: 114402

1.2 Cigarette Use

9.1 percent of the 2003-04 6th grade students said they used cigarettes within the past year (2002-2003 PRIDE National Avg = 11.1%). **14.4** percent of the 2003-04 7th grade students said they used cigarettes within the past year (2002-2003 PRIDE National Avg = 16.3%). **22.2** percent of the 2003-04 8th grade students said they used cigarettes within the past year (2002-2003 PRIDE National Avg = 25.6%). **28.2** percent of the 2003-04 9th grade students said they used cigarettes within the past year (2002-2003 PRIDE National Avg = 28.8%). **31.5** percent of the 2003-04 10th grade students said they used cigarettes within the past year (2002-2003 PRIDE National Avg = 34.1%). **37.1** percent of the 2003-04 11th grade students said they used cigarettes within the past year (2002-2003 PRIDE National Avg = 37.4%). **39.3** percent of the 2003-04 12th grade students said they used cigarettes within the past year (2002-2003 PRIDE National Avg = 40.8%).

1.3 Beer Use

13.8 percent of the 2003-04 6th grade students said they used beer within the past year (2002-2003 PRIDE National Avg = 15.0%). 21.2 percent of the 2003-04 7th grade students said they used beer within the past year (2002-2003 PRIDE National Avg = 21.0%). 32.5 percent of the 2003-04 8th grade students said they used beer within the past year (2002-2003 PRIDE National Avg = 33.5%). 40.4 percent of the 2003-04 9th grade students said they used beer within the past year (2002-2003 PRIDE National Avg = 41.5%). 48.3 percent of the 2003-04 10th grade students said they used beer within the past year (2002-2003 PRIDE National Avg = 47.7%). 54.2 percent of the 2003-04 11th grade students said they used beer within the past year (2002-2003 PRIDE National Avg = 54.1%). 57.3 percent of the 2003-04 12th grade students said they used beer within the past year (2002-2003 PRIDE National Avg = 56.7%).

Of those 6th grade students who reported using beer, 17.2 percent of them reported getting *very high* or *bombed* when they used. Of those 7th grade students who reported using beer, 15.3 percent of them reported getting *very high* or *bombed* when they used. Of those 8th grade students who reported using beer, 19.3 percent of them reported getting *very high* or *bombed* when they used. Of those 9th grade students who reported using beer, 27.1 percent of them reported getting *very high* or *bombed* when they used. Of those 10th grade students who reported using beer, 33.1 percent of them reported getting *very high* or *bombed* when they used. Of those 11th grade students who reported using beer, 40.7 percent of them reported getting *very high* or *bombed* when they used. Of those 12th grade students who reported using beer, 44.0 percent of them reported getting *very high* or *bombed* when they used.

1.4 Marijuana Use

4.2 percent of the 2003-04 6th grade students said they used marijuana within the past year (2002-2003 PRIDE National Avg = 5.2%). **7.1** percent of the 2003-04 7th grade students said they used marijuana within the past year (2002-2003 PRIDE National Avg = 8.8%). **14.3** percent of the 2003-04 8th grade students said they used marijuana within the past year (2002-2003 PRIDE National Avg = 16.8%). **22.1** percent of the 2003-04 9th grade students said they used marijuana within the past year (2002-2003 PRIDE National Avg = 23.6%). **28.0** percent of the 2003-04 10th grade students said they used marijuana within the past year (2002-2003 PRIDE National Avg = 29.7%). **33.0** percent of the 2003-04 11th grade students said they used marijuana within the past year (2002-2003 PRIDE National Avg = 34.3%). **35.5** percent of the 2003-04 12th grade students said they used marijuana within the past year (2002-2003 PRIDE National Avg = 34.3%). **35.5** percent of the 2003-04 12th grade students said they used marijuana within the past year (2002-2003 PRIDE National Avg = 35.8%).

Of those 6th grade students who reported using marijuana, **69.2** percent of them reported getting *very high* or *bombed* when they used. Of those 7th grade students who reported using marijuana, **72.8** percent of them reported getting *very high* or *bombed* when they used. Of those 8th grade students who reported using marijuana, **76.1** percent of them reported getting *very high* or *bombed* when they used. Of those 9th grade students who reported using marijuana, **78.1** percent of them reported getting *very high* or *bombed* when they used. Of those 10th grade students who reported using marijuana, **77.7** percent of them reported getting *very high* or *bombed* when they used. Of those 11th grade students who reported using marijuana, **78.0** percent of them reported getting *very high* or *bombed* when they used. Of those 12th grade students who reported using marijuana, **75.8** percent of them reported getting *very high* or *bombed* when they used.

2.0 percent of the 2003-04 6th grade students reported they used marijuana on weekends vs. 0.7 percent who reported use during school. 4.0 percent of the 2003-04 7th grade students reported they used marijuana on weekends vs. 0.6 percent who reported use during school. 9.4 percent of the 2003-04 8th grade students reported they used marijuana on weekends vs. 1.0 percent who reported use during school. 14.3 percent of the 2003-04 9th grade students reported they used marijuana on weekends vs. 2.0 percent who reported use during school. 19.5 percent of the 2003-04 10th grade students reported they used marijuana on weekends vs. 2.9 percent who reported use during school. 22.7 percent of the 2003-04 11th grade students reported they used marijuana on weekends vs. 3.4 percent who reported use during school. 24.2 percent of the 2003-04 12th grade students reported they used marijuana on weekends vs. 4.2 percent who reported use during school.

1.5 Cocaine Use

2.2 percent of the 2003-04 6th grade students said they used cocaine within the past year (2002-2003 PRIDE National Avg = 2.5%). **2.3** percent of the 2003-04 7th grade students said they used cocaine within the past year (2002-2003 PRIDE National Avg = 2.4%). **3.8** percent of the 2003-04 8th grade students said they used cocaine within the past year (2002-2003 PRIDE National Avg = 3.8%). **5.3** percent of the 2003-04 9th grade students said they used cocaine within the past year (2002-2003 PRIDE National Avg = 4.9%). **5.9** percent of the 2003-04 10th grade students said they used cocaine within the past year (2002-2003 PRIDE National Avg = 5.8%). **7.2** percent of the 2003-04 11th grade students said they used cocaine within the past year (2002-2003 PRIDE National Avg = 7.1%). **9.5** percent of the 2003-04 12th grade students said they used cocaine within the past year (2002-2003 PRIDE National Avg = 8.7%).

Of those 6th grade students who reported using cocaine, **68.0** percent of them reported getting very high or bombed when they used. Of those 7th grade students who reported using cocaine, **67.7** percent of them reported getting very high or bombed when they used. Of those 8th grade students who reported using cocaine, **73.1** percent of them reported getting very high or bombed when they used. Of those 9th grade students who reported using cocaine, **75.1** percent of them reported getting very high or bombed when they used. Of those 10th grade students who reported using cocaine, **74.5** percent of them reported getting very high or bombed when they used. Of those 11th grade students who reported using cocaine, **77.5** percent of them reported getting very high or bombed when they used. Of those 12th grade students who reported using cocaine, **73.0** percent of them reported getting very high or bombed when they used.

1.6 Hallucinogen Use

2.2 percent of the 2003-04 6th grade students said they used hallucinogens within the past year (2002-2003 PRIDE National Avg = 2.2%). **2.1** percent of the 2003-04 7th grade students said they used hallucinogens within the past year (2002-2003 PRIDE National Avg = 2.0%). **3.1** percent of the 2003-04 8th grade students said they used hallucinogens within the past year (2002-2003 PRIDE National Avg = 3.3%). **4.6** percent of the 2003-04 9th grade students said they used hallucinogens within the past year (2002-2003 PRIDE National Avg = 4.4%). **5.5** percent of the 2003-04 10th grade students said they used hallucinogens within the past year (2002-2003 PRIDE National Avg = 5.1%). **6.6** percent of the 2003-04 11th grade students said they used hallucinogens within the past year (2002-2003 PRIDE National Avg = 6.6%). **8.0** percent of the 2003-04 12th grade students said they used hallucinogens within the past year (2002-2003 PRIDE National Avg = 7.8%).

Of those 6th grade students who reported using hallucinogens, **69.5** percent of them reported getting very high or bombed when they used. Of those 7th grade students who reported using hallucinogens, **67.0** percent of them reported getting very high or bombed when they used. Of those 8th grade students who reported using hallucinogens, **72.5** percent of them reported getting very high or bombed when they used. Of those 9th grade students who reported using hallucinogens, **77.2** percent of them reported getting very high or bombed when they used. Of those 10th grade students who reported using hallucinogens, **76.5** percent of them reported getting very high or bombed when they used. Of

those 11th grade students who reported using hallucinogens, **81.6** percent of them reported getting *very high* or *bombed* when they used. Of those 12th grade students who reported using hallucinogens, **78.8** percent of them reported getting *very high* or *bombed* when they used.

Chapter 2

National Summary Statistics

2.1 Outline of Procedures Used to Obtain PRIDE National Summary Data

Since 1982, the PRIDE Survey has been used by schools, school systems, communities, and states, to gather data on student drug and alcohol use. In recent years, questions on violence and threatening behaviors have been added. The PRIDE Questionnaire for Grades 6-12 has been utilized by thousands of school systems across the United States, as well as in six other countries. Developmental studies (Adams, 1994; Craig and Emshoff, 1987; Metze, 2000) have indicated that the survey procedures developed by PRIDE result in reliable data on the prevalence and patterns of drug and alcohol use and other behaviors. Further, the evolution of PRIDE Questionnaires since 1980 not only provides research quality data, it provides information that can be easily used by educators, parents and others at the local school and community level to study and monitor the drug and alcohol use, and violent or threatening behaviors.

From the beginning, the PRIDE Survey has assisted local schools and communities with obtaining accurate, defensible information about the drug and alcohol use and related behaviors among their youth. The PRIDE Survey has been utilized by several state education and other government agencies in providing state-wide and regional information on student drug and alcohol use and related behaviors. These state-wide surveys have included near-census studies as well as surveys employing sophisticated sampling designs. Survey results have been used in program and policy decision making at state and regional levels. In addition, each statewide survey also included reports to participating schools for use at the local school level.

Each year the PRIDE data is archived from each student questionnaire. This procedure allows local or state educational agencies to retrieve their data for multi-year comparisons should such a service be needed. This archiving process also provides for summary data to be compiled to create a national database. This national level summary data can be used by local and state clients as comparison data.

The PRIDE national archived data provide a rich source of information for the study of adolescent

prevalence and patterns of drug and alcohol use and related behaviors. In the years prior to the 1989-90 school year, sample sizes of national annual summaries ranged from 14,815 in 1982-83 to 392,003 in 1988-89. The annual summaries for the past ten years involved a weighting system for states that conducted state-wide surveys and states where relatively large numbers of school systems used the PRIDE Questionnaire in local surveys. This weighting system was implemented to prevent any one state from having a disproportionate influence on annual summary results. Random samples were drawn from those states where disproportionately large numbers of students were surveyed. Tables 1-3 contain information regarding national samples for the past ten years.

Table 1 contains the total number of students surveyed in Grades 6-12 for the ten-year period. The large number of total students surveyed in certain years reflects statewide surveys conducted in those years. Table 2 provides percentage information by state for those states that comprised the PRIDE national summaries for each of the ten years. No state contributed more than approximately 10% for any year. Table 3 provides a year by year comparison by sex and race. These demographic comparisons indicate no inordinate differences among years.

As indicated in the previous discussion, the purpose of the PRIDE Questionnaire was to assist state and local education agencies in conducting quality surveys of student prevalence and patterns of drug and alcohol use. Questions concerning violence and other threatening behaviors have been added to the questionnaires in recent years. The national annual summary reports represent large numbers of students who have completed the PRIDE Questionnaire using standardized procedures. While not randomly drawn, the sheer magnitude of the numbers represented in the annual summaries, suggest that these data take on the properties of the population. In addition, the samples appear to have somewhat similar patterns of students sampled across the various states (see Table 2). Discussion of sample sizes may be found in Guilford's *Fundamentals Statistics in Psychology and Education*. While it is desirable to have non-biased sampling, e.g., samples based on random procedures; this is not always possible. Guilford states:

Where there is less than customary experimental control of the observations, every possible effort should be made to know the conditions under which the data are obtained. Thorough knowledge of the conditions should be a basis for deciding whether selection of cases has been biased. (Page 140)

Probably the information that speaks most to consistent findings of the PRIDE annual summary analyses across the ten years, was the finding of other drug studies. For example, the PRIDE findings reflect similar findings of the NIDA funded studies conducted at the Institute for Social Research, University of Michigan, from the 1990-91 school year to the present.

2.2 National Summary Tables

This section contains tables of national summary statitistics for the following:

• sample size for the past ten years,

- sex and race demographics for the past ten years,
- the sample distribution by state for the past ten years,
- comparisons of the frequency of drug use for the current year vs the previous year,
- chi-square analysis of the difference in use for the current year vs the previous year,
- violence summary for the current year and
- frequency of drug use for every year since the 1987-88 school year.

Table 2.1: Sample Sizes of Annual Summaries for Grades 6 thru 12

Year	# Students Surveyed	*Sample
1994-95	231,433	198,241
1995-96	258,433	129,560
1996-97	160,308	141,077
1997-98	162,623	154,350
1998-99	265,430	138,079
1999-00	183,781	114,318
2000-01	89,661	75,804
2001-02	320,169	101,882
2002-03	459,906	109,919
2003-04	503,732	114,402

^{*}Sample (number drawn from the total number of students)

Table 2.2: Comparisions of Demographic Variables - Grades 6 thru 12

100	10 2.2.	companis	10113 01 1	cinogra	pine vai	iabics	Grades (tillu 12	_	
	94-95	95-96	96-97	97-98	98-99	99-00	00-01	01-02	02-03	03-04
SEX										
Male	49.1	49.4	49.7	49.6	49.3	48.7	49.4	49.2	48.5	48.8
Female	50.9	50.6	50.3	50.4	50.7	51.3	50.6	50.8	51.5	51.2
RACE										
African American	16.3	13.8	12.0	9.8	10.6	15.2	12.5	14.2	18.2	17.9
Asian	2.1	2.8	2.5	3.0	4.9	2.4	2.5	2.5	2.3	2.6
Hispanic	5.3	4.9	5.5	5.9	7.0	6.9	5.0	5.5	6.7	5.3
Mixed Origin*					4.9	4.9	4.7	4.5	3.8	3.7
Native American	8.0	0.7	0.9	0.7	0.9	0.9	1.1	0.9	1.0	1.2
Other*	1.7	1.9	2.1	2.1					1.6	1.7
White	73.8	75.9	77.0	78.5	71.7	69.6	74.1	72.4	66.5	67.7

^{*}Category not asked for all years

Table 2.3:	: Sampl	e Distril	bution b	y Perce	ntage D	rawn fro	om Each	State -	- Grades	6 thru 12
State	94-95	95-96	96-97	97-98	98-99	99-00	00-01	01-02	02-03	03-04
AK	0.0	0.0	0.6	1.3	0.0	0.0	0.0	0.0	0.0	0.1
AL	1.3	0.0	0.0	0.0	1.7	5.5	1.4	10.2	8.7	10.5
AR	0.0	0.0	3.4	0.0	7.7	4.5	5.4	9.6	7.9	3.4
ΑZ	1.5	4.1	0.0	3.5	0.0	1.2	0.0	0.0	0.0	0.0
CA	4.0	7.2	3.2	7.7	8.4	2.1	0.0	0.0	0.0	0.0
CO	0.1	0.1	3.1	0.0	0.0	0.0	4.9	0.0	3.1	0.1
CT	1.1	1.7	1.1	0.0	0.8	0.0	2.3	0.0	0.0	0.0
DC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FL	8.9	8.0	6.9	8.2	4.9	5.7	0.0	0.0	0.0	0.0
GA	9.9	5.4	5.0	5.0	2.4	1.7	0.0	0.5	8.7	10.5
HI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ID	0.1	1.6	0.0	0.9	0.0	1.2	0.0	1.3	0.0	1.4
IL	4.1	9.5	4.9	4.8	3.3	4.7	6.3	3.1	3.5	4.8
IN	1.0	0.0	0.0	0.3	1.1	0.0	0.0	0.0	0.5	0.0
KS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
KY	9.4	9.5	8.9	9.8	9.9	10.2	10.2	10.4	8.7	5.4
LA	5.8	1.7	0.0	0.7	0.0	0.0	0.1	8.7	4.0	0.0
MA MD	2.0 0.0	0.0 0.0	0.8 0.0	2.0 0.0	3.1 0.0	5.0 0.0	1.2 0.0	1.2 0.0	0.4 0.0	0.3 0.0
ME	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MI	2.3	0.0	2.5	0.0	2.5	0.0	4.6	0.0	2.1	0.0
MN	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0
MO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
MS	2.9	6.8	2.4	1.8	2.8	5.7	10.2	5.1	8.7	10.5
MT	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.0
NC	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.6	0.0
ND	0.4	0.0	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0
NE	0.0	0.0	0.0	0.4	0.5	0.0	0.0	0.0	0.0	0.0
NH	2.8	0.5	1.0	0.9	0.4	0.0	0.0	0.0	0.0	0.0
NJ	3.1	3.7	7.1	2.9	6.3	9.3	2.8	1.6	0.8	0.6
NM	0.6	1.2	0.0	0.0	1.1	1.4	1.9	0.5	1.2	0.0
NV	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NY	7.2	9.5	10.1	7.5	9.9	10.2	10.2	10.4	8.2	10.5
ОН	5.2	9.5	10.1	9.8	8.1			10.4	0.7	5.5
OK	8.0	0.6	0.4	0.6	1.8	0.5	0.8	0.9	1.0	0.8
OR	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PA	5.4	1.8	0.4	3.9	2.4	3.8	0.9	2.5	1.9	0.0
RI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
TN	9.9	4.0	5.6	9.9	4.5	4.4	8.3	3.8	4.5	7.6
TX	1.3	0.7	3.5	1.1	2.8	• • • •	1.2		4.8	10.5
UT	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0
VA	2.0	8.1	6.5	9.4	9.0		10.2		8.7	10.5
VT	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0
WA	1.5	0.6	7.5	0.0	1.9	3.2	8.0	0.6	0.5	0.0
WI	8.0	2.4	2.1	0.9	1.2	2.8	0.4		0.6	0.7
WV		1.2	0.2	4.5	0.1	2.7			8.7	4.7
WY	0.0	0.0	1.0	0.0	0.7	0.0	1.4	0.0	0.0	8.0

Table 2.4: Percentage of Students Who Report Using Drugs - Tobacco and Alcohol

		dents Who Report Using Drugs - Tol						
DRUG	GRADE		Annual Use			Monthly Use		
	LEVEL	2002-03	2003-04	change	2002-03	2003-04	change	
Cigarettes	Junior High	19.6	16.2	-3.4*	10.0	8.4	-1.6*	
	Senior High	34.8	33.3	-1.5*	22.8	21.9	-0.9*	
	12th Graders	41.0	39.3	-1.7*	29.2	28.0	-1.2	
	Total	27.3	24.8	-2.5*	16.5	15.2	-1.3*	
Smokeless Tobacco	Junior High	7.0	6.5	-0.5*	3.6	3.5	-0.1	
	Senior High	12.6	13.5	0.9*	7.7	8.4	0.7*	
	12th Graders	14.4	15.0	0.6	9.5	9.6	0.1	
	Total	9.8	10.0	0.2	5.7	6.0	0.3*	
Cigars	Junior High	8.9	7.9	-1.0*	3.8	3.6	-0.2	
	Senior High	20.2	20.7	0.5*	9.2	10.2	1.0*	
	12th Graders	26.0	26.7	0.7	12.3	13.8	1.5*	
	Total	14.6	14.3	-0.3*	6.5	6.9	0.4*	
Any Tobacco	Junior High	23.0	19.2	-3.8*	11.8	9.9	-1.9*	
	Senior High	40.8	39.7	-1.1*	26.8	26.1	-0.7*	
	12th Graders	47.5	46.6	-0.9	33.8	32.8	-1.0	
	Total	32.0	29.4	-2.6*	19.3	18.0	-1.3*	
Beer	Junior High	25.7	24.0	-1.7*	9.9	8.9	-1.0*	
	Senior High	49.3	49.0	-0.3	28.2	28.4	0.2	
	12th Graders	56.9	57.3	0.4	36.8	38.1	1.3	
	Total	37.6	36.5	-1.1*	19.2	18.6	-0.6*	
Wine Coolers	Junior High	28.5	25.5	-3.0*	10.1	8.6	-1.5*	
	Senior High	45.8	44.1	-1.7*	20.9	19.7	-1.2*	
	12th Graders	48.7	46.3	-2.4*	24.1	22.5	-1.6*	
	Total	37.3	34.8	-2.5*	15.6	14.2	-1.4*	
Liquor	Junior High	19.1	17.7	-1.4*	8.0	7.1	-0.9*	
	Senior High	48.3	48.6	0.3	26.9	27.0	0.1	
	12th Graders	58.3	59.2	0.9	36.3	36.4	0.1	
	Total	33.9	33.2	-0.7*	17.6	17.1	-0.5*	
Any Alcohol	Junior High	37.0	34.0	-3.0*	13.7	12.0	-1.7*	
	Senior High	63.0	62.3	-0.7*	35.0	34.3	-0.7*	
	12th Graders	70.1	69.8	-0.3	44.6	44.5	-0.1	
	Total	50.1	48.1	-2.0*	24.5	23.1	-1.4*	

^{*}Statistically significant difference at .05 level using chi-square with variables year and no

N-Sizes by Grade

	,	
Grade	2002-03	2003-04
Junior High	54,520	57,380
Senior High	55,399	57,022
12th Graders	8,385	9,120
Total	109,919	114,402

Table 2.5: Percentage of Students Who Report Using Drugs - Illicit Drugs

Table 2.5: Percentage of Students Who Report Using Drugs - Illicit Drugs							
DRUG	GRADE		Annual Use	9		lonthly Us	е
	LEVEL	2002-03	2003-04	change	2002-03	2003-04	change
Marijuana	Junior High	11.7	9.3	-2.4*	7.1	5.6	-1.5*
	Senior High	30.0	28.8	-1.2*	19.1	17.9	-1.2*
	12th Graders	35.5	35.5	0.0	22.9	22.6	-0.3
	Total	20.9	19.1	-1.8*	13.1	11.8	-1.3*
Cocaine	Junior High	3.1	2.9	-0.2	1.9	1.9	0.0
	Senior High	6.3	6.7	0.4*	3.8	4.1	0.3*
	12th Graders	8.6	9.5	0.9*	5.3	5.7	0.4
	Total	4.7	4.8	0.1	2.8	3.0	0.2
Uppers	Junior High	3.3	3.0	-0.3*	2.1	1.9	-0.2
	Senior High	7.1	6.8	-0.3*	4.4	4.2	-0.2
	12th Graders	8.8	8.6	-0.2	5.7	5.6	-0.1
	Total	5.2	4.9	-0.3*	3.2	3.1	-0.1*
Downers	Junior High	3.5	3.4	-0.1	2.1	2.2	0.1
	Senior High	7.7	7.9	0.2	4.8	5.1	0.3*
	12th Graders	9.4	9.6	0.2	6.3	6.4	0.1
	Total	5.6	5.7	0.1	3.5	3.7	0.2
Inhalants	Junior High	5.9	5.7	-0.2	2.7	2.9	0.2*
	Senior High	5.7	5.8	0.1	3.2	3.4	0.2*
	12th Graders	5.7	5.7	0.0	3.7	3.9	0.2
	Total	5.8	5.7	-0.1	2.9	3.2	0.3*
Hallucinogens	Junior High	2.6	2.6	0.0	1.7	1.8	0.1
	Senior High	5.7	5.9	0.2	3.3	3.5	0.2
	12th Graders	7.8	8.0	0.2	4.5	4.5	0.0
	Total	4.2	4.2	0.0	2.5	2.6	0.1
Heroin	Junior High	2.3	2.4	0.1	1.6	1.6	0.0
	Senior High	3.8	3.9	0.1	2.6	2.7	0.1
	12th Graders	5.0	4.9	-0.1	3.6	3.5	-0.1
<u> </u>	Total	3.0	3.1	0.1	2.1	2.2	0.1*
Steroids	Junior High	2.5	2.5	0.0	1.6	1.7	0.1
	Senior High	3.7	3.8	0.1	2.6	2.7	0.1
	12th Graders	4.8	4.7	-0.1	3.6	3.5	-0.1
Ганан	Total	3.1	3.1	0.0	2.1	2.2	0.1*
Ecstasy	Junior High	3.1 6.7	3.0	-0.1 -0.6*	1.9	1.9	0.0
	Senior High		6.1	-0.0* -1.0*	3.6 4.7	3.4 4.3	-0.2
	12th Graders	8.9	7.9	-1.0* -0.4*	2.7	4.3 2.7	-0.4
OxyContin	Total Junior High	4.9 2.8	4.5 2.8	0.0	1.8	1.9	0.0
Oxycontin	Senior High	2.o 5.5	6.2	0.0 0.7*	3.2	3.7	0.1 0.5*
	12th Graders	7.0	7.3	0.7	4.4	3. <i>1</i> 4.5	0.5
	Total	4.2	4.5	0.3 0.3*	2.5	2.8	0.1
Any Illicit Drugs	Junior High	15.8	13.5	-2.3*	9.0	7.7	-1.3*
Any mich Drugs	Senior High	32.7	31.4	-2.3 -1.3*	21.0	20.0	-1.3 -1.0*
	12th Graders	37.8	37.5	-1.3 -0.3	25.2	24.6	-1.0 -0.6
	Total	24.3	22.5	-0.3 -1.8*	15.1	13.8	-0.0 -1.3*
		۷٦.5	22.5	1.0	15.1	15.0	<u> </u>

^{*}Statistically significant difference at .05 level using chi-square with variables year and no

N-Sizes by Grade

Grade	2002-03	2003-04
Junior High	54,520	57,380
Senior High	55,399	57,022
12th Graders	8,385	9,120
Total	109,919	114,402

Table 2.6: Chi-Square Analysis of Junior High Student Who Used These Drugs At Least 1/Year

DRUG	2002-03	2003-04	Chi-Square	Change
Cigarettes	19.6	16.2	216.3*	-3.4
Smokeless Tobacco	7.0	6.5	11.8*	-0.5
Cigars	8.9	7.9	34.4*	-1.0
Any Tobacco	23.0	19.2	240.5*	-3.8
Beer	25.7	24.0	42.0*	-1.7
Wine Coolers	28.5	25.5	125.8*	-3.0
Liquor	19.1	17.7	35.5*	-1.4
Any Alcohol	37.0	34.0	108.6*	-3.0
Marijuana	11.7	9.3	157.3*	-2.4
Cocaine	3.1	2.9	2.1	-0.2
Uppers	3.3	3.0	9.2*	-0.3
Downers	3.5	3.4	0.5	-0.1
Inhalants	5.9	5.7	2.0	-0.2
Hallucinogens	2.6	2.6	0.6	0.0
Heroin	2.3	2.4	0.3	0.1
Steroids	2.5	2.5	0.0	0.0
Any Illicit Drugs	15.8	13.5	110.6*	-2.3

^{*}Statistically significant difference at .05 level using chi-square with 1 degree of freedom

N-Sizes by Grade

Grade	2002-03	2003-04
Junior High	54,520	57,380
Senior High	55,399	57,022

Table 2.7: Chi-Square Analysis of Senior High Student Who Used These Drugs At Least 1/Year

DRUG	2002-03	2003-04	Chi-Square	Change
Cigarettes	34.8	33.3	27.1*	-1.5
Smokeless Tobacco	12.6	13.5	18.3*	0.9
Cigars	20.2	20.7	4.3*	0.5
Any Tobacco	40.8	39.7	16.2*	-1.1
Beer	49.3	49.0	0.8	-0.3
Wine Coolers	45.8	44.1	34.7*	-1.7
Liquor	48.3	48.6	0.8	0.3
Any Alcohol	63.0	62.3	5.4*	-0.7
Marijuana	30.0	28.8	18.0*	-1.2
Cocaine	6.3	6.7	4.5*	0.4
Uppers	7.1	6.8	5.4*	-0.3
Downers	7.7	7.9	2.0	0.2
Inhalants	5.7	5.8	0.6	0.1
Hallucinogens	5.7	5.9	1.8	0.2
Heroin	3.8	3.9	0.9	0.1
Steroids	3.7	3.8	0.5	0.1
Any Illicit Drugs	32.7	31.4	19.5*	-1.3

^{*}Statistically significant difference at .05 level using chi-square with 1 degree of freedom

N-Sizes by Grade

Grade	2002-03	2003-04
Junior High	54,520	57,380
Senior High	55,399	57,022

Table 2.8: PRIDE Summary Re	eport - Vic	lence
-----------------------------	-------------	-------

6-8th grade n = 57,380	9-12th grade n = 57,022
Percentage of Junior High (6-8th)	Percentage of Senior High (9-12th)
students who report	students who report
carrying a gun to school $=3.1\%$	carrying a gun to school $= 4.2\%$
taking part in gang activities $=11.4\%$	taking part in gang activities $=10.9\%$
thinking of suicide often or a lot $= 6.3\%$	thinking of suicide often or a lot $= 7.9\%$
threatening to harm another $=35.6\%$	threatening to harm another $= 37.6\%$
getting into trouble with police $=21.1\%$	getting into trouble with police = 27.6%
Drug Use of Junior High (6-8th)	Drug Use of Senior High (9-12th)
Students Who Report	Students Who Report

carrying a gun to school

carrying a gun to school

Drug	Yes	No	Drug	Yes	No
Liquor	61.9%	16.1%	Liquor	82.8%	47.1%
Marijuana	57.5%	7.6%	Marijuana	76.8%	26.4%
Cocaine	38.0%	1.7%	Cocaine	50.1%	4.5%
Inhalants	38.0%	4.5%	Inhalants	44.9%	3.8%
N-sizes	1,631	51,250	N-sizes	2,182	50,122

taking part in gang activities taking part in gang activities

Drug	Yes	No	Drug	Yes	No
Liquor	48.5%	13.8%	Liquor	73.7%	45.6%
Marijuana	39.2%	5.5%	Marijuana	64.1%	24.5%
Cocaine	17.3%	1.1%	Cocaine	29.3%	3.9%
Inhalants	22.0%	3.6%	Inhalants	25.7%	3.3%
N-sizes	6.150	48.878	N-sizes	5.963	49.272

thinking of suicide often or a lot thinking of suicide often or a lot

Yes	No	Drug	Yes	No
48.7%	15.7%	Liquor	69.8%	46.8%
35.9%	7.6%	Marijuana	54.4%	26.6%
18.4%	1.8%	Cocaine	25.4%	5.0%
26.1%	4.3%	Inhalants	24.1%	4.2%
3,414	51,614	N-sizes	4,326	50,909
	48.7% 35.9% 18.4% 26.1%	48.7% 15.7% 35.9% 7.6% 18.4% 1.8% 26.1% 4.3%	48.7% 15.7% Liquor 35.9% 7.6% Marijuana 18.4% 1.8% Cocaine 26.1% 4.3% Inhalants	48.7% 15.7% Liquor 69.8% 35.9% 7.6% Marijuana 54.4% 18.4% 1.8% Cocaine 25.4% 26.1% 4.3% Inhalants 24.1%

threatening to harm another threatening to harm another

Drug	Yes	No	Drug	Yes	No
Liquor	31.4%	9.9%	Liquor	63.6%	39.5%
Marijuana	18.1%	4.2%	Marijuana	42.8%	19.9%
Cocaine	6.0%	1.0%	Cocaine	11.8%	3.1%
Inhalants	11.5%	2.3%	Inhalants	10.6%	2.4%
N-sizes	18.884	34.160	N-sizes	19.717	32.727

getting into trouble with police getting into trouble with police

0 0			0 0		
Drug	Yes	No	Drug	Yes	No
Liquor	41.3%	11.4%	Liquor	70.8%	40.2%
Marijuana	30.7%	3.7%	Marijuana	56.0%	18.6%
Cocaine	10.5%	0.8%	Cocaine	17.4%	2.6%
Inhalants	15.0%	3.2%	Inhalants	14.1%	2.6%
N-sizes	11,423	43,364	N-sizes	15,085	39,906

^{*}Drug use figures represent annual usage (at least 1 per year)

Table 2.9:	Percen	itage of	Annua	l Drug	Use Ac	cross Ye	ars for	Tobaco	o and	Alcohol
DRUG	94-95	95-96	96-97	97-98	98-99	99-00	00-01	01-02	02-03	03-04
Cigarettes										
Jr. High	28.1	31.1	31.8	29.4	26.2	21.0	19.1	16.2	19.6	16.2
Sr. High	44.4	48.2	50.2	48.9	46.5	43.9	41.8	35.6	34.8	33.3
12th Grade	46.8	50.0	52.4	54.0	51.4	49.7	48.1	41.7	41.0	39.3
Total	36.8	40.5	41.3	40.3	37.9	32.0	30.5	26.4	27.3	24.8
Smokeless T	obacco**	ķ								
Jr. High					6.3	5.3	5.5	4.7	7.0	6.5
Sr. High					13.0	12.6	12.5	10.9	12.6	13.5
12th Grade					14.9	14.5	15.0	13.2	14.4	15.0
Total					10.1	8.8	9.0	7.9	9.8	10.0
Cigars**										
Jr. High					12.2	9.5	8.6	6.7	8.9	7.9
Sr. High					29.2	26.3	24.5	19.5	20.2	20.7
12th Grade					35.4	32.8	32.1	26.5	26.0	26.7
Total					22.0	17.6	16.6	13.5	14.6	14.3
Any Tobacco	0**									
Jr. High					28.9	23.6	21.9	18.5	23.0	19.2
Sr. High					52.2	49.7	47.8	40.7	40.8	39.7
12th Grade					58.4	56.5	55.6	48.8	47.5	46.6
Total					42.3	36.2	34.9	30.2	32.0	29.4
Beer										
Jr. High	30.8	33.1	33.2	30.3	29.6	27.2	24.5	22.5	25.7	24.0
Sr. High	57.4	59.1	59.6	57.0	55.9	55.2	54.5	50.3	49.3	49.0
12th Grade	64.0	64.9	65.3	64.5	63.2	61.8	62.4	57.6	56.9	57.3
Total	45.0	47.4	46.9	45.2	44.7	40.7	39.7	37.2	37.6	36.5
Wine Coole										
Jr. High	29.8	33.2	33.6	31.6	31.2	30.3	27.4	25.7	28.5	25.5
Sr. High	51.7	52.6	52.9	51.5	52.0	51.8	50.6	48.8	45.8	44.1
12th Grade	56.5	54.5	55.4	54.9	55.1	55.4	54.4	53.6	48.7	46.3
Total	41.5	43.8	43.6	42.7	43.2	40.7	39.1	37.9	37.3	34.8
Liquor										
Jr. High	21.3	22.9	23.7	21.0	21.1	18.8	17.3	15.4	19.1	17.7
Sr. High	51.5	53.4	54.9	52.1	52.9	52.5	52.8	48.1	48.3	48.6
12th Grade	59.5	59.9	62.3	61.8	61.9	62.2	62.5	59.4	58.3	59.2
Total	37.4	39.6	39.9	38.4	39.5	35.1	35.2	32.7	33.9	33.2
Any Alcohol										
Jr. High	39.8	44.5	44.7	41.8	41.4	39.5	36.5	34.0	37.0	34.0
Sr. High	66.8	70.6	71.0	68.8	68.1	68.1	67.5	65.0	63.0	62.3
12th Grade	73.4	75.6	76.5	75.6	74.5	74.4	74.6	72.3	70.1	69.8
Total	54.2	58.8	58.3	56.9	56.8	53.3	52.1	50.4	50.1	48.1

^{*}New drug category added 95-96 school year.
**New drug category added 98-99 school year.

^{***}New drug category added 02-03 school year.


Table	2.10: F	Percenta	age of A	Annual	Drug U	Jse Acro	oss Yea	rs for II	licit Dr	ugs
DRUG	94-95	95-96	96-97	97-98	98-99	99-00	00-01	01-02	02-03	03-04
Marijuana										
Jr. High	9.5	13.6	14.7	12.5	11.0	9.2	9.3	8.3	11.7	9.3
Sr. High	28.2	34.0	35.8	33.4	32.3	31.4	32.3	29.4	30.0	28.8
12th Grade	33.2	37.9	39.4	38.6	37.8	38.0	39.0	35.7	35.5	35.5
Total	19.5	24.8	25.6	24.2	23.3	19.9	20.9	19.5	20.9	19.1
Cocaine	25.0									
Jr. High	1.9	2.7	3.0	2.8	2.7	2.2	2.1	2.1	3.1	2.9
Sr. High	4.5	5.6	5.9	6.0	6.1	5.3	5.5	5.1	6.3	6.7
12th Grade	5.3	7.1	7.0	7.9	8.0	7.1	7.9	7.1	8.6	9.5
Total	3.3	4.3	4.5	4.6	4.7	3.7	3.8	3.7	4.7	4.8
	J.J	4.3	4.3	4.0	4.1	3.1	3.0	3.1	4.1	4.0
Uppers	2.2	16	4.0	4.7	2.0	2.0	2.0	2.4	2.2	3.0
Jr. High	3.3	4.6	4.9	4.7	3.8 9.2	3.0	2.9	2.4	3.3	
Sr. High	9.3	10.5	10.3	10.4		9.1	9.8	7.0	7.1	6.8
12th Grade	10.6	11.6	10.7	11.8	10.9	11.1	12.3	8.5	8.8	8.6
Total	6.5	7.8	7.7	7.9	6.9	6.0	6.4	4.8	5.2	4.9
Downers	0.4	2.5	4.0	2.6	0.1	0.5	0.5	0.4	2.5	2.4
Jr. High	2.4	3.5	4.0	3.6	3.1	2.5	2.5	2.4	3.5	3.4
Sr. High	5.5	7.1	7.2	7.7	7.0	7.1	7.7	6.9	7.7	7.9
12th Grade	5.9	7.4	7.4	8.6	8.3	8.6	9.8	8.1	9.4	9.6
Total	4.1	5.5	5.7	5.9	5.3	4.7	5.2	4.8	5.6	5.7
Inhalants										
Jr. High	6.3	8.5	8.9	8.1	7.0	5.6	5.4	4.9	5.9	5.7
Sr. High	7.5	7.6	7.1	7.1	6.5	5.7	5.6	4.6	5.7	5.8
12th Grade	6.6	6.6	5.8	5.8	6.0	5.2	5.6	4.3	5.7	5.7
Total	6.9	8.0	8.0	7.6	6.7	5.6	5.5	4.8	5.8	5.7
Hallucinoge	15									
Jr. High	2.4	3.3	3.6	3.2	2.8	2.2	2.2	1.9	2.6	2.6
Sr. High	7.7	9.5	9.5	8.7	8.8	7.8	7.9	5.9	5.7	5.9
12th Grade	9.7	12.1	11.7	11.3	12.0	10.9	11.3	8.3	7.8	8.0
Total	5.2	6.7	6.6	6.2	6.3	4.9	5.1	4.0	4.2	4.2
Heroin*										
Jr. High		2.1	2.4	2.1	1.9	1.6	1.6	1.5	2.3	2.4
Sr. High		3.1	3.1	3.2	3.1	2.9	3.2	2.9	3.8	3.9
12th Grade		3.5	3.4	3.8	3.6	3.2	4.4	3.7	5.0	4.9
Total		2.7	2.7	2.7	2.6	2.2	2.4	2.2	3.0	3.1
Steroids**										
Jr. High					2.7	2.4	2.6	1.9	2.5	2.5
Sr. High					3.1	3.2	3.5	3.0	3.7	3.8
12th Grade					3.2	3.2	4.0	3.4	4.8	4.7
Total					3.0	2.8	3.0	2.5	3.1	3.1
Ecstasy***										
Jr. High									3.1	3.0
Sr. High									6.7	6.1
12th Grade									8.9	7.9
Total									4.9	4.5
OxyContin*	**								1.5	1.0
Jr. High									2.8	2.8
Sr. High									5.5	6.2
12th Grade									7.0	7.3
Total									4.2	4.5
Any Illicit D	riiae								7.2	7.3
Jr. High	14.8	19.7	20.7	18.6	16.3	13.6	13.7	11.9	15.8	13.5
Sr. High	31.9	37.6	38.9	36.7	35.2	34.3	35.3	31.6	32.7	31.4
12th Grade	35.8	40.8	41.6	41.0	40.2	40.2	41.4	37.4	37.8	37.5
Total	24.0	29.5	30.1	28.7	27.1	23.6	24.6	22.3	24.3	22.5
IOLAI	27.0	∠9.5	50.1	20.1	4١.١	25.0	۷.۰۰	۷٥	۷-۲.۵	22.5

^{*}New drug category added 95-96 school year.


^{**}New drug category added 98-99 school year. ***New drug category added 02-03 school year.

2.3 National Summary Graphics

This section contains graphs of national summary statitistics for Junior & Senior High Drug Use for the past six years.




2003-04 PRIDE National Summary / Grades 6 thru 12





6 to 8 2.6 Percentage of Students Who Use Marijuana, Cocaine, Inhalants & Hallucinogens - Grades 6 to 8 USA - PRIDE Survey - Annual Use Hallucinogens 2.6 ۱.9 2.2 2003-04 2.2 8.2 02-03=54,520 03-04=57,380 2002-03 ۲.۵ 6.3 Inhalants 6.₄ 4.8 2001-02 9.6 00-01=37,653 01-02=48,026 0.7 2000-01 6.2 1.5 Cocaine 1.2 1999-00 99-00=59,243 1.2 2.2 7.2 1998-99 # Surveyed by Years - 98-99=58,619 6.3 7.11 Marijuana £.8 6.3 2.6 0.11

Figure 2.3: Percentage of Students Who Use Marijuana, Cocaine, Inhalants & Hallucinogens - Grades 6 to 8

Figure 2.4: Percentage of Students Who Use Marijuana, Cocaine, Inhalants & Hallucinogens - Grades 9 to 12







Chapter 3

Standard Graphics


The following graphs will assist you in understanding the relationship of student behavior to alcohol and other drug usage. You are encouraged to make overheads or slides from the graphs for presentations to school faculty, parents, media, and other audiences in the community.


The Location and Time of drug use graphs will be helpful in understanding the need for a commitment to drug abuse prevention by parents and the larger community - not just by schools. Student alcohol and other drug use occurs most often outside the school and at times when school is not in session.


The *Perceived Harm* of alcohol and other drugs will assist with understanding how the false assumptions concerning harm are related to drug use. When drugs are perceived as harmless, the probability of use increases.


Research indicates that easy access, *Availability*, to drugs increases the probability of use. Availability of alcohol and other drugs normally increases at higher grade levels.


3.1 Frequency of Use














3.2 Where Do You Use






















Where Do You Use Inhalants




Where Do You Use Hallucinogens



Where Do You Use Ecstasy




Where Do You Use OxyContin




3.3 When Do You Use


When Do You Use Beer




When Do You Use Liquor




When Do You Use Marijuana




When Do You Use Cocaine




When Do You Use Inhalants




When Do You Use Hallucinogens




When Do You Use Ecstasy




When Do You Use OxyContin




3.4 Harmfulness to Health














Is It Harmful To Use Cocaine




Is It Harmful To Use Inhalants




Is It Harmful To Use Hallucinogens




Is It Harmful To Use Ecstasy




Is It Harmful To Use OxyContin




3.5 Availability







How Easy Is It To Get Liquor




How Easy Is It To Get Marijuana









How Easy Is It To Get Inhalants



How Easy Is It To Get Hallucinogens




How Easy Is It To Get Ecstasy





0.78


How Easy Is It To Get OxyContin




3.6 Friends Use











81.3





9.68

Chapter 4

Advanced Graphics

The following graphs will assist you in understanding the relationship of student behavior to alcohol and other drug usage. You are encouraged to make presentations to school faculty, parents, media, and other audiences in the community.

The graphs on effect of use present data on how intoxicated students become when they use particular drugs. These figures are calculated by looking at the question *What Effect Do You Most Often Get When You* ... The percentage is calculated as follows; Of those students who reported some use (i.e. all students whose response to the question was other than *Do Not Use*), the percentage of students who responded either *Very High* or *Bombed*. Typically, even though use of most illicit drugs may not seem very high, when they are used by students a high percentage of those students become very intoxicated. This would indicate that there is very little *casual* use of illicit drugs. Students tend to take these drugs in order to become intoxicated.

The graphs on frequency of use by sex present data on gateway and illicit drug use broken down by male and female students.

The graphs on illicit drug use by risk & protective factors show for each category of a risk or protective factor question the percentage of students who report using illicit drugs. For example, on the question of taking part in school activities, if the bar labeled NEVER was 40%, this means that of those students who responded NEVER to the question 40% reported using an illicit drug.

4.1 Effect of Use By Students Who Use Drugs




Figure 4.1: % Students Who Get Very High or Bombed When Using Beer, Wine Coolers or Liquor







Figure 4.3: % Students Who Get Very High or Bombed When Using Downers, Inhalants or Hallucinogens 8.87 9.18 10 **3.97** % Students Who Get Very High or Bombed When Using Downers, Inhalants or Hallucinogens S.770 75.5 ∞ 0.78 / 9.69 9 Hallucinogens 12 1.18 7 6.19 10 53.3 Inhalants 0 7.13 6.14 ∞ / 4.75 Downers 9 ゖ゚ゖ 12 7.09 9.49 10 0.09 Source: PRIDE Surveys 6.62 0 ∞ 6.43 9.23 / 0.83 9


Figure 4.4: % Students Who Get Very High or Bombed When Using Heroin, Steroids, Ecstasy or OxyContin





4.2 Frequency of Use by Sex




















4.3 Illicit Drug Use by Risk & Protective Factors

A Lot 13.2 % Students Who Use Illicit Drugs by Attend Church, Synagogue, etc. 8.61 Percent of Use Sometimes 24.2 Seldom 31.5 Source: PRIDE Surveys Never 7.75

Figure 4.13: % Students Who Use Illicit Drugs by Attend Church, Synagogue, etc.






Figure 4.15: % Students Who Use Illicit Drugs by Make Good Grades A Lot 13.2 % Students Who Use Illicit Drugs by Make Good Grades 4.12 Percent of Use Sometimes 8.08 Seldom 4.74 Source: PRIDE Surveys Never 6.89

2003-04 PRIDE National Summary / Grades 6 thru 12



2003-04 PRIDE National Summary / Grades 6 thru 12







Figure 4.19: % Students Who Use Illicit Drugs by Parents Talk About Dangers of Drugs A Lot 16.3 % Students Who Use Illicit Drugs by Parents Talk About Dangers of Drugs 4۲.9 Percent of Use Sometimes 7.02 Seldom 2.92 Source: PRIDE Surveys Never 4.15



2003-04 PRIDE National Summary / Grades 6 thru 12

Figure 4.21: % Students Who Use Illicit Drugs by Parents Punish for Breaking Rules A Lot 4.41 % Students Who Use Illicit Drugs by Parents Punish for Breaking Rules 1.81 Percent of Use Sometimes 9.92 Seldom 3.98 Source: PRIDE Surveys Never 45.6

2003-04 PRIDE National Summary / Grades 6 thru 12

Figure 4.22: % Students Who Use Illicit Drugs by School Sets Clear Rules on Guns at School A Lot 9.81 % Students Who Use Illicit Drugs by School Sets Clear Rules on Guns at School 9.22 Percent of Use Sometimes 4.72 Seldom 30.5 Source: PRIDE Surveys Never 8.85

2003-04 PRIDE National Summary / Grades 6 thru 12

Figure 4.23: % Students Who Use Illicit Drugs by School Sets Clear Rules on Drugs at School A Lot 4.81 % Students Who Use Illicit Drugs by School Sets Clear Rules on Drugs at School 23.3 Percent of Use Sometimes 0.62 Seldom 5.25 Source: PRIDE Surveys Never 6.04

Figure 4.24: % Students Who Use Illicit Drugs by School Sets Clear Rules on Bullying at School A Lot 8.21 % Students Who Use Illicit Drugs by School Sets Clear Rules on Bullying at School Often 8.02 Percent of Use Sometimes 27.3 Seldom 7.25 Source: PRIDE Surveys Never 39.3







Figure 4.26: % Students Who Use Illicit Drugs by Received Treatment for Alcohol/Drug Use A Lot 9.27 % Students Who Use Illicit Drugs by Received Treatment for Alcohol/Drug L Often 2.18 Percent of Use Sometimes 2.63 Seldom 5.93 Source: PRIDE Surveys Never 8.61


2003-04 PRIDE National Summary / Grades 6 thru 12






2003-04 PRIDE National Summary / Grades 6 thru 12





2003-04 PRIDE National Summary / Grades 6 thru 12








Figure 4.33: % Students Who Use Illicit Drugs by Parents Set Rules About TV, Movies, etc. A Lot ١.9 % Students Who Use Illicit Drugs by Parents Set Rules About TV, Movies, etc. Often Τ.Τ Percent of Use Sometimes 1.01 Seldom 0.91 Source: PRIDE Surveys Never 9.68



2003-04 PRIDE National Summary / Grades 6 thru 12



Chapter 5

Summary Statistics

The following graphs and tables summarize some of the *Student Information* questions in regards to drug use. These data are calculated by examining specific subsets of your population. For example, a percentage is calculated for students who report carrying a gun and their liquor use. This percentage is calculated as follows:

Number of those reporting carrying a gun to school and claiming to use liquor

Number of those reporting carrying a gun and validly responding to the question *How Often Do You Use Liquor*

The *Ratio* describes the relationship between the groups examined on each graph. For example, in looking at Guns vs No Guns if the cocaine ratio were 5.3 this would mean the percentage of students who report cocaine use was 5.3 times higher for students who report bringing a gun to school compared to those who don't.

5.1 Guns

Total number of students surveyed = 114402

3934 students report carrying a gun to school. (3.7% of total responding)

Of the 3934 students who report carrying a gun to school,


2815 report using liquor (73.8%)

2606 report using marijuana (68.5%).

1589 report using inhalants (42.0%).

1707 report using cocaine (44.9%).

Figure 5.1: Drug Use of Students Who Carry Guns vs Students Who Do Not Drug Use of Students Who Carry Guns vs Students Who Do Not



Drug	Guns	No Guns	Ratio
Liquor	73.8%	31.4%	2.4
Marijuana	68.5%	16.9%	4.1
Cocaine	44.9%	3.1%	14.5
Inhalants	42.0%	4.2%	10.0
N of Students	3034	102715	

5.2 Gangs

Total number of students surveyed = 114402

12590 students report taking part in gang activities, (11.2% of total responding)

Of the 12590 students who report taking part in gang activities,


7380 report using liquor (60.9%)

6211 report using marijuana (51.4%).

2879 report using inhalants (23.9%).

2807 report using cocaine (23.2%).

Figure 5.2: Drug Use of Students In Gangs vs Students Not In Gangs
Drug Use of Students In Gangs vs Students Not In Gangs



Drug	Gangs	No Gangs	Ratio
Liquor	60.9%	29.7%	2.1
Marijuana	51.4%	15.1%	3.4
Cocaine	23.2%	2.5%	9.3
Inhalants	23.9%	3.4%	7.0
N of Students	12590	100190	

5.3 Suicide

Total number of students surveyed = 114402

7974 students report thinking Often or A Lot about committing suicide. (7.1% of total responding)

Of the 7974 students thinking Often or A Lot about committing suicide,

4682 report using liquor (60.5%)


3582 report using marijuana (46.3%).

1929 report using inhalants (25.0%).

1724 report using cocaine (22.3%).

Figure 5.3: Drug Use of Students Who Think of Suicide

Drug Use of Students Who Think of Suicide Often or a Lot vs Students Who Do Not



Drug	Suicide	No Suicide	Ratio
Liquor	60.5%	31.2%	1.9
Marijuana	46.3%	17.0%	2.7
Cocaine	22.3%	3.4%	6.6
Inhalants	25.0%	4.2%	6.0
N of Students	7974	104790	

5.4 Threatening Behaviors

Total number of students surveyed = 114402

39173 students report threatening to harm another student. (36.6% of total responding)

Of the 39173 students who report threatening to harm,

3290 report carrying a gun to school (8.5%)


18467 report using liquor (47.8%)

11855 report using marijuana (30.7%).

4251 report using inhalants (11.0%).

3466 report using cocaine (9.0%).

Figure 5.4: Drug Use of Students Who Threaten vs Students Who Do Not Drug Use of Students Who Threaten vs Students Who Do Not



Drug	Threat	No Threat	Ratio
Liquor	47.8%	24.4%	2.0
Marijuana	30.7%	11.9%	2.6
Cocaine	9.0%	2.0%	4.5
Inhalants	11.0%	2.4%	4.6
N of Students	39173	67789	

5.5 Trouble With The Police

Total number of students surveyed = 114402

27325 students report getting in trouble with the police. (24.3% of total responding)

Of the 27325 students who report getting in trouble with the police,

15398 report using liquor (58.1%)

11939 report using marijuana (45.1%).


3818 report using inhalants (14.5%).

3819 report using cocaine (14.4%).

Trouble With Police vs Those Who Do Not

Figure 5.5: Drug Use of Students Who Get In Trouble With Police vs Those Who Do Not

Drug Use of Students Who Get In



Drug	Police	No Police	Ratio
Liquor	58.1%	25.2%	2.3
Marijuana	45.1%	10.8%	4.2
Cocaine	14.4%	1.7%	8.5
Inhalants	14.5%	2.9%	5.0
N of Students	27325	84972	

5.6 Personal Safety

Total number of students surveyed = 114402

24768 students report being afraid another student will hurt them at school. (23.4% of total responding)

Of these 24768 students, 1835 report carrying a gun to school (7.5%).

22394 students report getting hurt at school. (21.0% of total responding)

Of these 22394 students, 2325 report carrying a gun to school (10.5%).

5.7 Risk and Protective Factors

A *risk factor* is any characteristic which researchers have linked to a higher incidence of drug use. A *protective factor* is any characteristic which has been linked to a lower incidence of drug use. The following analysis of local risk and protective factors does not consider any cause and effect, only a *relationship* between student characteristics and drug use. Community, School, Family and Individual risk and protective factors are grouped accordingly and discussed.

5.7.1 Community - Risk Factors

FACTOR	% AT RISK
Join in community activities (Never/Seldom)	55.7%
Attend church or synagogue (Never/Seldom)	27.9%
Take part in gangs (Seldom/Some/Often/A Lot)	11.2%
Substance Availability (Fairly/Very Easy to get)	
Cigarettes	51.5%
Smokeless Tobacco	39.1%
Cigars	38.5%
Beer	50.7%
Wine Coolers	48.0%
Liquor	44.1%
Marijuana	35.9%
Cocaine	19.6%
Uppers	18.7%
Downers	20.5%
Inhalants	30.3%
Hallucinogens	16.9%
Heroin	15.3%
Steroids	17.5%
Ecstasy	18.1%
OxyContin	17.5%

The above survey results show community risk factors. These factors include *low neighborhood attachment* (never or seldom participate in community activities, church or synagogue); *community disorganization and norms favorable toward drug use* (student participation in gangs); and *availability of alcohol and other drugs* (fairly or very easy to get alcohol and other drugs). Note that a higher risk factor indicates an increased probability of involvement in drug use.

5.7.2 Community - Protective Factors

FACTOR	% PROTECTED
Join in community activities (Often/A Lot)	27.1%
Attend church or synagogue (Often/A Lot)	53.2%
Take part in gangs (Never)	88.8%
Substance Availability (Cannot Get)	
Cigarettes	40.3%
Smokeless Tobacco	51.3%
Cigars	49.9%
Beer	38.3%
Wine Coolers	40.3%
Liquor	43.7%
Marijuana	52.2%
Cocaine	63.4%
Uppers	64.9%
Downers	64.2%
Inhalants	59.6%
Hallucinogens	66.2%
Heroin	67.4%
Steroids	66.4%
Ecstasy	65.7%
OxyContin	66.9%

The above survey results show community protective factors. These factors include *supportive* networks and social bonds (participate in community activities, church or synagogue often or a lot); community organization and norms favorable to support non-use among youth (never participate in gangs); and limited availability of alcohol and other drugs (cannot get alcohol and other drugs). Note that a higher protective factor indicates a decreased probability of involvement in drug use.

5.7.3 School - Risk Factors

FACTOR	% AT RISK
Make good grades (Never/Seldom)	4.0%
Play on school sports teams (Never/Seldom)	46.5%
Join in school activities (Never/Seldom)	44.6%
Trouble at school (Often/A Lot)	7.7%

The above survey results show school risk factors. These factors include academic failure (never or seldom make good grades); low commitment to school (never or seldom join in school activities or sports teams); and early anti-social behavior (get into trouble at school often or a lot).

5.7.4 School - Protective Factors

FACTOR	% PROTECTED
Make good grades (Often/A Lot)	68.6%
Play on school sports teams (Often/A Lot)	38.8%
Join in school activities (Often/A Lot)	38.7%
Trouble at school (Never/Seldom)	72.7%

The above survey results show school protective factors. These factors include *high academic expectations*, *goal setting and mastery* (make good grades often or a lot); *active involvement in extracurricular activities sponsored by the school* (join in school activities or sports teams often or a lot); and *pro-social development* (never or seldom get into trouble at school).

5.7.5 Family - Risk Factors

FACTOR	% AT RISK
Parents talk about tobacco (Never/Seldom)	42.1%
Parents talk about alcohol (Never/Seldom)	41.9%
Parents talk about drugs (Never/Seldom)	38.1%
Parents set clear rules (Never/Seldom)	10.3%
Parents enforce rules (Never/Seldom)	17.5%

The above survey results show family risk factors. These factors include *weak parental attitudes towards use* (parents never or seldom talk to their children about the harmful effects of using drugs); and *family management problems* (parents never or seldom set clear rules and never or seldom enforce those rules).

5.7.6 Family - Protective Factors

FACTOR	% PROTECTED
Parents talk about tobacco (Often/A Lot)	30.4%
Parents talk about alcohol (Often/A Lot)	31.2%
Parents talk about drugs (Often/A Lot)	35.8%
Parents set clear rules (Often/A Lot)	73.3%
Parents enforce rules (Often/A Lot)	59.6%

The above survey results show family protective factors. These factors include *strong parental* attitudes against adolescent drug use (parents talk to their children about the harmful effects of using drugs often or a lot); parents' clear expectations of their children (parents set clear rules often or a lot); and discipline (parents punish their children often or a lot when they break the rules).

5.7.7 Individual - Risk Factors

FACTOR	% AT RISK
Threaten students (One or more times)	36.6%
Trouble with police (Seldom/Sometimes/Often/A Lot)	24.3%
Think about suicide (Often/A Lot)	7.1%
Harmful to health (No/Some Harm)	
Cigarettes	17.0%
Smokeless Tobacco	20.1%
Cigars	25.4%
Beer	42.3%
Wine Coolers	56.1%
Liquor	31.0%
Marijuana	19.2%
Cocaine	5.9%
Uppers	8.4%
Downers	13.1%
Inhalants	15.9%
Hallucinogens	8.5%
Heroin	6.2%
Steroids	12.4%
Ecstasy	8.1%
OxyContin	10.4%

The above survey results show individual risk factors. These include anti-social behavior in early adolescence and rebelliousness (threaten to harm others and get in trouble with the police); alienation (think about suicide often or a lot); and favorable attitudes towards drug use (feel drugs are not harmful, sometimes harmful).

5.7.8 Individual - Protective Factors

FACTOR	% PROTECTED
Threaten students (Never)	63.4%
Trouble with police (Never)	75.7%
Think about suicide (Never/Seldom)	85.3%
Harmful to health (Very Much)	
Cigarettes	51.1%
Smokeless Tobacco	48.6%
Cigars	43.1%
Beer	30.9%
Wine Coolers	23.8%
Liquor	38.8%
Marijuana	64.0%
Cocaine	83.8%
Uppers	76.5%
Downers	65.9%
Inhalants	62.7%
Hallucinogens	75.7%
Heroin	82.3%
Steroids	65.1%
Ecstasy	77.8%
OxyContin	72.2%

The above survey results show individual protective factors. These include *respect for authority* (never threaten to harm students or teachers and never get into trouble with the police); *feeling of belonging, higher respect for self* (think about suicide never or seldom); and *unfavorable attitudes towards drug use* (feel drugs are very much harmful).

Chapter 6

Drug-Free Communities Support Program - OJJDP Required Statistics

The following tables contain data that is requested by the Office of Juvenile Justice and Drug Prevention on the Drug-Free Communities Support Program form. Some of the wording of questions asked by the OJJDP differ somewhat from those asked by the **PRIDE Surveys Questionnaire**. The following is a list of the OJJDP requested statistics and their **PRIDE Surveys** equivalant. The **PRIDE Surveys Questionnaire** can be used to reliably measure and monitor change in all of these areas.

- **30-Day Use** The question *How often do you use* is used to measure this statistic by reporting the percentage of students who report using *Once a Month* or more often.
- **Perception of Risk** The question *Do you feel the following drugs are harmful to your health* is used to measure this statistic by reporting the percentage of students who report that using the drug is *Harmful* or *Very Harmful* to their health.
- **Perception of Disapproval** The question *Would your parents disapprove of you...* and *Would your friends disapprove of you...* are used to measure this statistic by reporting the percentage of students who report that parents/friends would *Disapprove* or *Strongly Disapprove* of using tobacco, alcohol and marijuana.
- **Age of Onset** The question *At what age did you first use...* is used to measure this statistic. The possible responses to this question range from *8 or Under* to *17 or Older*. The table shows the age range that represents the average category score for this question of those students who answered the question with a response other than *Never Used*.

6.1 Monthly Use

Table 6.1: Monthly Use of Alcohol

		.,	
Grade	N of	N of	Percent
Level	Valid	Miss	of Use
6th	14784	392	6.0
7th	17927	343	9.8
8th	23464	470	17.4
9th	15969	266	25.6
10th	16274	259	32.9
11th	14872	262	39.1
12th	8973	147	44.5
Jr Hi	56175	1205	12.0
Sr Hi	56088	934	34.3
Total	112263	2139	23.1

Table 6.2: Monthly Use of Tobacco

		<i>J</i>	
Grade	N of	N of	Percent
Level	Valid	Miss	of Use
6th	14831	345	5.1
7th	17974	296	8.2
8th	23534	400	14.3
9th	16001	234	20.5
10th	16302	231	23.9
11th	14903	231	30.3
12th	8989	131	32.8
Jr Hi	56339	1041	9.9
Sr Hi	56195	827	26.1
Total	112534	1868	18.0

Table 6.3:	Monthly	Use of	Marijuana
Grade	N of	N of	Percent
Level	Valid	Miss	of Use
6th	14648	528	2.6
7th	17763	507	4.2
8th	23255	679	8.6
9th	15868	367	13.9
10th	16147	386	17.2
11th	14766	368	20.2
12th	8920	200	22.6
Jr Hi	55666	1714	5.6
Sr Hi	55701	1321	17.9
Total	111367	3035	11.8

6.2 Perception of Risk

Table 6.4: Perception of Risk of Alcohol

Grade	N of	${\sf N}$ of	Harmful or
Level	Valid	Miss	Very Harmful
6th	14864	312	85.1
7th	17916	354	80.5
8th	23426	508	73.9
9th	15953	282	69.0
10th	16228	305	65.9
11th	14853	281	64.0
12th	8916	204	62.3
Jr Hi	56206	1174	79.0
Sr Hi	55950	1072	65.7
Total	112156	2246	72.4

Table 6.5: Perception of Risk of Tobacco

Grade	N of	N of	Harmful or
Level	Valid	Miss	Very Harmful
6th	14889	287	93.0
7th	17953	317	91.2
8th	23471	463	88.9
9th	15981	254	86.9
10th	16251	282	87.5
11th	14862	272	86.7
12th	8921	199	87.0
Jr Hi	56313	1067	90.7
Sr Hi	56015	1007	87.0
Total	112328	2074	88.9

Table 6.6:	Percept	ion of R	Risk of Marijuana
Grade	N of	N of	Harmful or
Level	Valid	Miss	Very Harmful
6th	14687	489	92.9
7th	17746	524	90.5
8th	23210	724	84.9
9th	15841	394	78.3
10th	16124	409	73.5
11th	14752	382	69.4
12th	8841	279	67.7
Jr Hi	55643	1737	88.8
Sr Hi	55558	1464	72.9
Total	111201	3201	80.8

6.3 Perception of Disapproval

Table 6.7: Perception of Parents Disapproval of Tobacco

	ı ı		
Grade	N of	N of	Disapprove or
Level	Valid	Miss	Strongly Disapprove
6th	13718	1458	78.3
7th	16889	1381	81.1
8th	22141	1793	81.7
9th	14831	1404	80.4
10th	15326	1207	81.7
11th	13807	1327	79.5
12th	8362	758	78.7
Jr Hi	52748	4632	80.6
Sr Hi	52326	4696	80.3
Total	105074	9328	80.5

Table 6.8: Perception of Parents Disapproval of Alcohol

Grade	N of	N of	Disapprove or
Level	Valid	Miss	Strongly Disapprove
6th	13718	1458	77.6
7th	16866	1404	80.0
8th	22098	1836	79.2
9th	14821	1414	77.6
10th	15315	1218	77.9
11th	13782	1352	76.1
12th	8355	765	73.4
Jr Hi	52682	4698	79.0
Sr Hi	52273	4749	76.6
Total	104955	9447	77.8

Table 6.9: Perception of Parents Disapproval of Marijuana

Level Valid Miss Strongly Disapprove 6th 13709 1467 79.2 7th 16849 1421 82.8 8th 22099 1835 83.8 9th 14822 1413 83.1 10th 15292 1241 85.0 11th 13761 1373 84.4 12th 8343 777 84.3 Jr Hi 52657 4723 82.3 Sr Hi 52218 4804 84.2 Total 104875 9527 83.2	Grade	N of	N of	Disapprove or
7th 16849 1421 82.8 8th 22099 1835 83.8 9th 14822 1413 83.1 10th 15292 1241 85.0 11th 13761 1373 84.4 12th 8343 777 84.3 Jr Hi 52657 4723 82.3 Sr Hi 52218 4804 84.2	Level	Valid	Miss	Strongly Disapprove
8th 22099 1835 83.8 9th 14822 1413 83.1 10th 15292 1241 85.0 11th 13761 1373 84.4 12th 8343 777 84.3 Jr Hi 52657 4723 82.3 Sr Hi 52218 4804 84.2	6th	13709	1467	79.2
9th 14822 1413 83.1 10th 15292 1241 85.0 11th 13761 1373 84.4 12th 8343 777 84.3 Jr Hi 52657 4723 82.3 Sr Hi 52218 4804 84.2	7th	16849	1421	82.8
10th 15292 1241 85.0 11th 13761 1373 84.4 12th 8343 777 84.3 Jr Hi 52657 4723 82.3 Sr Hi 52218 4804 84.2	8th	22099	1835	83.8
11th 13761 1373 84.4 12th 8343 777 84.3 Jr Hi 52657 4723 82.3 Sr Hi 52218 4804 84.2	9th	14822	1413	83.1
12th 8343 777 84.3 Jr Hi 52657 4723 82.3 Sr Hi 52218 4804 84.2	10th	15292	1241	85.0
Jr Hi 52657 4723 82.3 Sr Hi 52218 4804 84.2	11th	13761	1373	84.4
Sr Hi 52218 4804 84.2	12th	8343	777	84.3
0.1 0222	Jr Hi	52657	4723	82.3
Total 104875 9527 83.2	Sr Hi	52218	4804	84.2
	Total	104875	9527	83.2

Table 6.10: Perception of Friends Disapproval of Tobacco

Grade	N of	N of	Disapprove or
Level	Valid	Miss	Strongly Disapprove
6th	13487	1689	62.9
7th	16628	1642	60.2
8th	21823	2111	53.1
9th	14724	1511	48.7
10th	15197	1336	45.5
11th	13751	1383	41.5
12th	8302	818	40.5
Jr Hi	51938	5442	57.9
Sr Hi	51974	5048	44.6
Total	103912	10490	51.2

Table 6.11: Perception of Friends Disapproval of Alcohol

Grade	N of	N of	Disapprove or
Level	Valid	Miss	Strongly Disapprove
6th	13477	1699	62.1
7th	16656	1614	58.3
8th	21810	2124	47.8
9th	14706	1529	40.0
10th	15205	1328	33.8
11th	13759	1375	29.8
12th	8314	806	27.5
Jr Hi	51943	5437	54.9
Sr Hi	51984	5038	33.5
Total	103927	10475	44.2

Table 6.12: Perception of Friends Disapproval of Marijuana

Grade	N of	N of	Disapprove or
Level	Valid	Miss	Strongly Disapprove
6th	13449	1727	65.4
7th	16624	1646	64.1
8th	21779	2155	58.0
9th	14688	1547	54.5
10th	15175	1358	50.6
11th	13719	1415	47.7
12th	8298	822	47.5
Jr Hi	51852	5528	61.9
Sr Hi	51880	5142	50.4
Total	103732	10670	56.1

6.4 Age of First Use

Table 6.13: When did you first use any alcohol?

			J		
Grade	N of	N of	Avg Cat	Rounded	Avg
Level	Valid	Miss	Score	Cat Score	Age Cat
6th	14703	435	3.672	4	10
7th	17817	454	4.338	4	10
8th	23314	609	5.058	5	11
9th	15714	443	5.876	6	12
10th	15526	496	6.394	6	12
11th	12829	1018	6.580	7	13
12th	7433	1754	6.498	6	12
Jr Hi	55834	1498	4.619	5	11
Sr Hi	51502	3711	6.315	6	12
Total	107336	5209	5.658	6	12

Table 6.14: When did you first use any tobacco?

Grade	N of	N of	Avg Cat	Rounded	Avg
Level	Valid	Miss	Score	Cat Score	Age Cat
6th	14723	416	3.644	4	10
7th	17838	427	4.282	4	10
8th	23359	574	4.863	5	11
9th	15795	412	5.580	6	12
10th	15821	423	6.037	6	12
11th	13578	747	6.114	6	12
12th	7923	1207	6.152	6	12
Jr Hi	55920	1417	4.506	5	11
Sr Hi	53117	2789	5.955	6	12
Total	109037	4206	5.441	5	11

Table 6.15: When did you first use marijuana?

Grade	N of	N of	Avg Cat	Rounded	Avg
Level	Valid	Miss	Score	Cat Score	Age Cat
6th	14671	505	4.540	5	11
7th	17733	537	5.429	5	11
8th	23220	714	6.029	6	12
9th	15692	543	6.701	7	13
10th	16003	530	7.463	7	13
11th	14547	587	7.939	8	14
12th	8773	347	8.238	8	14
Jr Hi	55624	1756	5.715	6	12
Sr Hi	55015	2007	7.612	8	14
Total	110639	3763	7.176	7	13

Chapter 7

Percentage Tables

This chapter contains your school survey results in tabular form. Each table corresponds to an item on the questionnaire. The tables contain percentage data by grade level, *Junior High* (grades 6 through 8), *Senior High* (grades 9 through 12), and *Total*. The *N of Valid* column contains the number of students responding to the item and the *N of Missing* column contains the number of students not responding to the item. The remaining columns contain the percentages of students responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the questionnaire. The Table of Contents contains the percentage tables by section and gives the page number where each section is located. The List of Tables contains the location of each individual table.

The last section of tables presents the frequency of drug use *How Often Do You Use* data with the categories *collapsed* as follows:

```
Daily Use - Every Day
Weekly Use - Once/Week + 3 Times/Week + Every Day
Monthly Use - Once/Month + Twice/Month + Once/Week + 3 Times/Week
+ Every Day

Annual Use - Once/Year + 6 Times/Year + Once/Month + Twice/Month +
Once/Week + 3 Times/Week + Every Day
```

Three additional drug use categories have been created for the question *How Often Do You Use* by combining the existing data. A *Tobacco Use* category was created by looking at the responses on each questionnaire on the tobacco categories and taking the highest value as the value for *Tobacco Use*. The *Alcohol Use* category was created by looking at the responses on each questionnaire on the alcohol categories. The category of *Illicit Drug Use* was created in the same way by looking at the illicit drug categories. Therefore, the *Tobacco Use* category represents any tobacco use regardless of the type of tobacco, the *Alcohol Use* category represents any alcohol use regardless of the type of alcohol and the *Illicit Drug Use* category represents any illicit drug use regardless of the type of drug.

7.1 Personal & Family Information

Table 7.1: Ethnic Origin

Grade	N of	N of		African	Hispanic	Asian	Native	Mixed	
Level	Valid	Miss	White	American	Latino	PacIsIndr	American	Origin	Other
6th	14893	283	63.8	19.8	5.9	2.6	1.2	4.6	2.0
7th	18001	269	66.0	18.2	6.2	2.5	1.2	4.2	1.7
8th	23405	529	67.3	17.6	5.7	2.7	1.2	4.0	1.6
9th	15955	280	68.3	18.0	4.9	2.2	1.3	3.6	1.7
10th	16281	252	67.5	19.2	4.8	2.5	1.2	3.1	1.7
11th	14938	196	72.2	15.7	4.1	2.4	1.1	2.8	1.6
12th	8992	128	70.4	16.1	4.9	3.0	1.3	2.5	1.7
Jr Hi	56299	1081	66.0	18.4	5.9	2.6	1.2	4.2	1.7
Sr Hi	56166	856	69.4	17.5	4.7	2.5	1.2	3.1	1.7
Total	112465	1937	67.7	17.9	5.3	2.6	1.2	3.7	1.7

	Tab	le 7.2: \$	Sex	
Grade	N of	N of		
Level	Valid	Miss	Male	Female
6th	14577	599	49.5	50.5
7th	17504	766	49.5	50.5
8th	22523	1411	48.4	51.6
9th	15252	983	48.8	51.2
10th	15578	955	48.9	51.1
11th	14342	792	48.2	51.8
12th	8599	521	47.9	52.1
Jr Hi	54604	2776	49.1	50.9
Sr Hi	53771	3251	48.5	51.5
Total	108375	6027	48.8	51.2

Table 7.3: Age

Grade	N of	N of										
Level	Valid	Miss	-10	11	12	13	14	15	16	17	18	19+
6th	15080	96	0.6	36.2	52.3	9.0	8.0	0.1	0.1	0.1	0.1	0.7
7th	18174	96	0.0	0.5	37.4	52.2	8.6	0.9	0.2	0.0	0.0	0.1
8th	23700	234	0.0	0.0	0.3	39.3	51.2	8.2	0.7	0.0	0.0	0.1
9th	16147	88	0.0	0.0	0.0	0.4	36.3	52.7	8.8	1.2	0.2	0.3
10th	16438	95	0.1	0.0	0.0	0.0	0.4	39.7	52.3	6.9	0.4	0.2
11th	15057	77	0.2	0.0	0.0	0.0	0.0	0.5	39.7	53.1	6.0	0.4
12th	9093	27	0.5	0.1	0.1	0.1	0.1	0.1	1.0	48.2	44.5	5.4
Jr Hi	56954	426	0.2	9.8	25.9	35.4	24.2	3.7	0.4	0.0	0.0	0.3
Sr Hi	56735	287	0.2	0.0	0.0	0.1	10.5	26.7	28.4	24.1	8.9	1.1
Total	113689	713	0.2	4.9	13.0	17.8	17.4	15.2	14.3	12.1	4.5	0.7

Table 7.4: Do you live with:

Grade	N of	N of	Both	Mother	Father	Mother &	Father &	
Level	Valid	Miss	Parents	Only	Only	Stepfather	Stepmother	Other
6th	14976	200	58.1	16.5	2.5	13.3	2.7	6.8
7th	18083	187	59.5	15.9	2.5	13.2	2.9	6.0
8th	23568	366	57.4	17.0	3.1	13.7	3.2	5.7
9th	16065	170	56.3	18.3	3.0	13.6	3.3	5.6
10th	16366	167	56.7	17.9	3.4	13.2	3.1	5.7
11th	15013	121	57.8	16.7	3.6	12.3	3.4	6.3
12th	9066	54	58.0	17.0	3.2	11.0	2.9	7.9
Jr Hi	56627	753	58.2	16.5	2.8	13.4	3.0	6.1
Sr Hi	56510	512	57.1	17.6	3.3	12.7	3.2	6.2
Total	113137	1265	57.7	17.0	3.0	13.1	3.1	6.1

Table 7.5: Do you have a job?

Grade	N of	N of	Yes,	Yes,	
Level	Valid	Miss	Full-time	Part-time	No
6th	14681	495	1.7	12.8	85.6
7th	17743	527	1.0	15.2	83.8
8th	22928	1006	1.0	16.4	82.6
9th	15607	628	1.2	17.9	80.9
10th	15943	590	1.9	25.8	72.4
11th	14635	499	2.5	41.1	56.5
12th	8786	334	4.9	50.9	44.2
Jr Hi	55352	2028	1.2	15.1	83.8
Sr Hi	54971	2051	2.3	31.6	66.1
Total	110323	4079	1.7	23.3	74.9

Table 7.6: Does your father have a job?

				<u> </u>	
Grade	N of	N of	Yes,	Yes,	
Level	Valid	Miss	Full-time	Part-time	No
6th	13878	1298	78.2	13.6	8.3
7th	16800	1470	82.5	10.4	7.2
8th	21769	2165	83.2	8.3	8.5
9th	14865	1370	85.8	6.1	8.2
10th	15255	1278	86.9	4.8	8.3
11th	14182	952	86.5	3.9	9.5
12th	8531	589	86.5	3.6	9.8
Jr Hi	52447	4933	81.6	10.3	8.0
Sr Hi	52833	4189	86.4	4.7	8.8
Total	105280	9122	84.0	7.5	8.4

Table 7.7: Does your mother have a job?

	4.5.0 1.11.	2000		nave a jeb.	
Grade	${\sf N}$ of	${\sf N}$ of	Yes,	Yes,	
Level	Valid	Miss	Full-time	Part-time	No
6th	14010	1166	55.1	22.7	22.2
7th	17066	1204	57.8	20.7	21.5
8th	22283	1651	60.1	19.2	20.7
9th	15197	1038	62.3	17.0	20.6
10th	15616	917	66.0	15.3	18.6
11th	14258	876	65.3	13.9	20.8
12th	8630	490	67.5	13.0	19.5
Jr Hi	53359	4021	58.0	20.6	21.4
Sr Hi	53701	3321	65.0	15.1	19.9
Total	107060	7342	61.5	17.8	20.6

Table 7.8: What is the educational level of your father?

Grade	N of	N of	Some High	High School	Some	College
Level	Valid	Miss	School	Graduate	College	Graduate
6th	12413	2763	14.3	29.0	14.6	42.1
7th	15400	2870	13.8	29.4	15.7	41.1
8th	20157	3777	15.3	32.9	16.1	35.8
9th	13936	2299	15.4	31.6	15.9	37.1
10th	14435	2098	14.8	33.6	16.1	35.4
11th	13488	1646	14.0	34.1	17.1	34.8
12th	8155	965	13.4	32.1	17.8	36.8
Jr Hi	47970	9410	14.5	30.7	15.6	39.1
Sr Hi	50014	7008	14.5	32.9	16.6	35.9
Total	97984	16418	14.5	31.8	16.1	37.5

Table 7.9: What is the educational level of your mother?

Grade	N of	N of	Some High	High School	Some	College
Level	Valid	Miss	School	Graduate	College	Graduate
6th	12924	2252	11.1	25.9	18.1	44.9
7th	16086	2184	11.6	26.5	18.5	43.4
8th	21128	2806	12.3	28.9	20.0	38.8
9th	14647	1588	12.7	28.7	19.4	39.2
10th	15067	1466	11.9	29.3	20.2	38.6
11th	13918	1216	11.4	30.4	20.4	37.7
12th	8412	708	10.3	30.3	21.1	38.3
Jr Hi	50138	7242	11.8	27.4	19.0	41.9
Sr Hi	52044	4978	11.7	29.6	20.2	38.5
Total	102182	12220	11.8	28.5	19.6	40.1

7.2 Student Characteristics

Table 7.10: Do you make good grades?

					, 0		
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	15078	98	1.4	2.4	28.0	34.0	34.2
7th	18203	67	8.0	2.5	27.9	35.8	33.1
8th	23821	113	1.0	3.0	28.4	36.6	31.1
9th	16163	72	1.4	3.6	27.4	37.7	29.9
10th	16473	60	1.1	2.9	28.6	39.0	28.4
11th	15093	41	1.1	2.7	26.0	38.7	31.5
12th	9078	42	1.5	2.6	23.3	38.6	34.0
Jr Hi	57102	278	1.0	2.7	28.1	35.6	32.6
Sr Hi	56807	215	1.3	3.0	26.7	38.5	30.5
Total	113909	493	1.1	2.8	27.4	37.1	31.5

Table 7.11: Do you get into trouble at school?

			, , , ,				
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	15000	176	30.1	35.2	24.4	5.8	4.5
7th	18129	141	28.4	38.1	23.8	5.9	3.7
8th	23769	165	27.8	39.1	23.7	5.9	3.5
9th	16128	107	34.1	39.1	19.5	4.4	2.9
10th	16426	107	38.7	39.3	16.2	3.6	2.1
11th	15059	75	44.8	37.8	12.9	2.7	1.9
12th	9068	52	50.5	34.4	10.4	2.5	2.2
Jr Hi	56898	482	28.6	37.8	23.9	5.9	3.8
Sr Hi	56681	341	40.9	38.1	15.3	3.4	2.3
Total	113579	823	34.7	37.9	19.6	4.7	3.1

Table 7.12: Do you take part in school sports teams?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14370	806	42.0	9.6	14.6	11.4	22.4
7th	17728	542	30.7	12.2	16.3	13.6	27.2
8th	23274	660	30.7	12.1	15.2	14.4	27.6
9th	15742	493	31.9	13.2	14.6	13.2	27.1
10th	16106	427	33.7	12.6	14.0	13.3	26.5
11th	14783	351	36.7	13.2	13.4	11.9	24.9
12th	8914	206	39.7	13.0	13.4	11.4	22.5
Jr Hi	55372	2008	33.6	11.5	15.4	13.4	26.1
Sr Hi	55545	1477	34.9	13.0	13.9	12.6	25.6
Total	110917	3485	34.3	12.2	14.6	13.0	25.9

Table 7.13: Do you take part in school activities such as band, clubs, etc?

	o. 20 jou		u. t 00			, aa., oa.	
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14938	238	33.4	9.4	13.6	14.2	29.3
7th	18116	154	32.8	12.5	15.3	15.0	24.3
8th	23727	207	33.1	13.8	16.0	15.0	22.1
9th	16119	116	32.4	14.3	18.2	15.2	19.8
10th	16420	113	30.3	14.0	18.2	15.9	21.5
11th	15040	94	28.5	14.2	17.7	17.0	22.6
12th	9057	63	26.6	13.1	19.0	16.8	24.6
Jr Hi	56781	599	33.1	12.2	15.2	14.8	24.7
Sr Hi	56636	386	29.8	14.0	18.2	16.1	21.8
Total	113417	985	31.5	13.1	16.7	15.5	23.3

Table 7.14: Do you take part in community activities such as scouts, rec. teams, youth clubs, etc?

							, ,
Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14828	348	39.0	12.0	14.7	12.9	21.3
7th	17988	282	38.0	15.3	16.1	13.4	17.2
8th	23646	288	39.6	16.5	16.9	12.5	14.4
9th	16039	196	39.5	18.3	17.2	12.7	12.3
10th	16352	181	40.1	18.6	18.1	11.7	11.5
11th	14990	144	37.7	19.2	19.0	12.4	11.7
12th	9037	83	36.6	19.1	19.2	12.9	12.2
Jr Hi	56462	918	39.0	14.9	16.1	12.9	17.1
Sr Hi	56418	604	38.7	18.7	18.3	12.4	11.9
Total	112880	1522	38.8	16.8	17.2	12.6	14.5

Table 7.15: Do you attend church, synagogue, etc.?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14726	450	11.9	9.7	18.2	17.8	42.3
7th	17943	327	10.4	10.6	18.4	18.5	42.1
8th	23417	517	13.9	12.9	19.3	18.3	35.6
9th	15984	251	13.9	13.7	19.3	17.2	35.9
10th	16296	237	16.3	15.3	19.0	16.3	33.0
11th	14819	315	18.1	15.8	19.6	15.8	30.6
12th	9015	105	21.1	17.3	17.7	14.9	29.0
Jr Hi	56086	1294	12.3	11.3	18.7	18.2	39.4
Sr Hi	56114	908	16.9	15.3	19.1	16.2	32.6
Total	112200	2202	14.6	13.3	18.9	17.2	36.0

Table 7.16: Have you threatened to harm a teacher?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14705	471	94.0	2.6	1.4	0.6	1.5
7th	17809	461	92.8	3.9	1.6	0.6	1.1
8th	23324	610	91.3	4.9	1.9	8.0	1.1
9th	15855	380	89.9	5.5	2.3	8.0	1.5
10th	16163	370	90.2	5.2	2.3	1.0	1.3
11th	14776	358	90.6	4.9	2.2	8.0	1.5
12th	8947	173	90.0	4.6	2.4	1.0	2.1
Jr Hi	55838	1542	92.5	4.0	1.7	0.7	1.2
Sr Hi	55741	1281	90.2	5.1	2.3	0.9	1.5
Total	111579	2823	91.3	4.5	2.0	8.0	1.4

Table 7.17: Have you threatened to harm one or both of your parents, guardians, etc.?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14959	217	92.8	3.7	1.5	0.5	1.4
7th	18123	147	91.6	4.9	1.9	0.6	8.0
8th	23704	230	89.0	6.4	2.6	1.0	1.0
9th	16106	129	87.3	7.1	3.3	0.9	1.3
10th	16406	127	87.1	7.6	3.0	1.0	1.2
11th	15013	121	87.7	6.9	3.0	1.1	1.3
12th	9061	59	87.9	6.6	2.8	0.9	1.8
Jr Hi	56786	594	90.9	5.2	2.1	0.7	1.1
Sr Hi	56586	436	87.5	7.1	3.1	1.0	1.4
Total	113372	1030	89.2	6.2	2.6	0.9	1.2

Table 7.18: Do your parents talk with you about the problems of tobacco use?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14943	233	16.5	15.0	26.1	18.6	23.8
7th	18080	190	17.4	17.7	28.0	18.1	18.8
8th	23687	247	19.9	19.4	27.7	17.1	16.0
9th	16086	149	22.2	22.5	27.9	14.9	12.5
10th	16393	140	24.5	23.1	27.9	13.7	10.8
11th	15018	116	25.4	24.2	28.2	12.6	9.7
12th	9044	76	29.7	24.8	25.4	11.5	8.6
Jr Hi	56710	670	18.2	17.7	27.4	17.8	18.9
Sr Hi	56541	481	24.9	23.5	27.6	13.4	10.6
Total	113251	1151	21.6	20.6	27.5	15.6	14.8

Table 7.19: Do your parents talk with you about the problems of alcohol use?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14957	219	16.9	15.8	24.5	19.0	23.8
7th	18114	156	18.0	18.3	26.7	18.1	18.8
8th	23697	237	20.6	19.6	26.9	16.7	16.2
9th	16100	135	22.4	22.3	27.3	15.2	12.8
10th	16417	116	23.6	23.5	26.7	14.7	11.5
11th	15022	112	23.3	23.4	28.8	14.1	10.4
12th	9044	76	26.0	25.0	26.8	13.0	9.2
Jr Hi	56768	612	18.8	18.2	26.2	17.8	19.0
Sr Hi	56583	439	23.6	23.4	27.5	14.4	11.2
Total	113351	1051	21.2	20.8	26.8	16.1	15.1

Table 7.20: Do your parents talk with you about the problems of drug use?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14906	270	14.3	13.7	23.7	19.3	28.9
7th	18073	197	15.3	16.4	25.7	19.2	23.5
8th	23660	274	17.5	18.0	25.8	18.5	20.1
9th	16086	149	20.0	20.5	26.5	17.1	15.9
10th	16401	132	21.5	22.1	27.0	15.3	14.1
11th	15010	124	21.9	22.7	27.9	15.4	12.1
12th	9036	84	25.4	23.9	26.0	13.6	11.0
Jr Hi	56639	741	16.0	16.4	25.2	18.9	23.5
Sr Hi	56533	489	21.8	22.1	26.9	15.6	13.6
Total	113172	1230	18.9	19.2	26.1	17.3	18.6

Table 7.21: Do your teachers talk with you about the problems of alcohol use?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14856	320	14.7	17.2	26.5	21.1	20.5
7th	18001	269	15.2	20.7	29.9	19.1	15.1
8th	23580	354	17.7	23.9	30.2	16.8	11.5
9th	16043	192	22.3	26.5	28.4	14.3	8.5
10th	16340	193	26.1	30.1	27.0	10.5	6.3
11th	15000	134	28.7	31.2	26.6	8.4	5.0
12th	9016	104	31.4	30.8	25.1	7.8	5.0
Jr Hi	56437	943	16.1	21.1	29.1	18.7	15.0
Sr Hi	56399	623	26.6	29.5	27.0	10.6	6.4
Total	112836	1566	21.3	25.3	28.1	14.6	10.7

Table 7.22: Do your teachers talk with you about the problems of drug use?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14857	319	13.5	16.2	26.9	21.4	22.0
7th	18030	240	13.4	20.0	29.4	20.3	16.9
8th	23594	340	15.7	22.8	30.5	17.9	13.1
9th	16043	192	20.1	26.1	29.0	15.1	9.7
10th	16343	190	23.5	30.4	27.7	11.4	7.1
11th	14999	135	26.3	31.4	27.2	9.4	5.8
12th	9012	108	29.4	30.4	26.0	8.9	5.4
Jr Hi	56481	899	14.4	20.2	29.2	19.6	16.7
Sr Hi	56397	625	24.2	29.4	27.6	11.5	7.2
Total	112878	1524	19.3	24.8	28.4	15.6	11.9

Table 7.23: Does your school set clear rules on bringing a gun to school?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14859	317	5.8	4.3	6.5	12.4	71.0
7th	17984	286	5.2	5.3	8.6	16.0	64.9
8th	23613	321	6.0	6.6	10.1	17.1	60.1
9th	16039	196	7.1	8.0	11.7	19.0	54.2
10th	16318	215	7.0	8.1	12.1	20.0	52.8
11th	14966	168	7.8	7.9	12.1	20.4	51.8
12th	9000	120	8.6	8.5	12.2	18.8	51.9
Jr Hi	56456	924	5.7	5.6	8.7	15.5	64.5
Sr Hi	56323	699	7.5	8.1	12.0	19.6	52.8
Total	112779	1623	6.6	6.8	10.3	17.6	58.7

Table 7.24: Does your school set clear rules on using drugs at school?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14859	317	5.0	3.3	6.6	13.7	71.4
7th	17937	333	4.4	4.5	8.4	17.1	65.6
8th	23529	405	4.6	5.6	10.2	19.3	60.3
9th	15990	245	5.9	6.9	12.6	21.4	53.2
10th	16294	239	5.7	7.1	12.7	22.3	52.2
11th	14905	229	5.8	6.9	12.8	22.5	52.0
12th	8993	127	6.0	6.9	12.9	21.2	52.9
Jr Hi	56325	1055	4.7	4.7	8.7	17.1	64.9
Sr Hi	56182	840	5.9	7.0	12.7	21.9	52.5
Total	112507	1895	5.3	5.8	10.7	19.5	58.7

Table 7.25: Does your school set clear rules on bullying or threatening other students at school?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14930	246	4.8	4.3	9.7	20.7	60.5
7th	18017	253	5.0	7.2	13.8	24.0	50.1
8th	23628	306	5.5	8.4	16.2	25.3	44.6
9th	16045	190	9.0	12.7	21.4	24.6	32.2
10th	16337	196	8.9	13.4	22.4	24.5	30.7
11th	14981	153	9.3	14.1	22.6	24.6	29.3
12th	9011	109	9.4	13.4	22.4	23.9	31.0
Jr Hi	56575	805	5.1	6.9	13.7	23.7	50.5
Sr Hi	56374	648	9.1	13.4	22.2	24.5	30.8
Total	112949	1453	7.1	10.1	18.0	24.1	40.7

Table 7.26: Does your school punish you when you break the rules?

Grade	N of	N of	<u> </u>		Ī		А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14848	328	3.5	3.0	10.6	22.9	60.0
7th	17945	325	2.7	3.4	11.9	24.7	57.2
8th	23547	387	2.9	3.9	13.4	27.0	52.8
9th	15942	293	3.7	5.1	17.0	27.8	46.3
10th	16237	296	3.6	5.8	17.7	28.9	44.0
11th	14904	230	3.8	6.3	20.1	29.4	40.4
12th	8937	183	4.8	6.4	19.6	28.7	40.5
Jr Hi	56340	1040	3.0	3.5	12.2	25.2	56.1
Sr Hi	56020	1002	3.9	5.8	18.4	28.7	43.1
Total	112360	2042	3.4	4.7	15.3	26.9	49.6

Table 7.27: Do your parents set clear rules for you?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14726	450	3.1	3.5	9.6	18.7	65.1
7th	17737	533	2.7	4.5	12.9	22.1	57.7
8th	23295	639	3.6	5.9	15.5	25.0	50.1
9th	15830	405	4.5	7.3	17.7	25.8	44.7
10th	16089	444	4.2	7.2	20.1	27.3	41.3
11th	14770	364	4.8	7.9	20.4	28.0	38.9
12th	8878	242	6.4	9.7	21.4	27.1	35.3
Jr Hi	55758	1622	3.2	4.8	13.1	22.4	56.5
Sr Hi	55567	1455	4.8	7.8	19.7	27.0	40.7
Total	111325	3077	4.0	6.3	16.4	24.7	48.6

Table 7.28: Do your parents punish you when you break the rules?

		<i>J</i>		<u> </u>	<u> </u>		
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14870	306	5.5	6.2	18.1	24.8	45.3
7th	17995	275	5.0	8.3	20.2	25.9	40.6
8th	23564	370	6.2	9.8	22.7	26.5	34.9
9th	16014	221	7.2	11.3	23.8	25.5	32.2
10th	16282	251	7.2	12.4	25.4	25.4	29.5
11th	14924	210	8.4	13.3	25.8	26.1	26.4
12th	8988	132	11.4	15.5	25.7	23.7	23.7
Jr Hi	56429	951	5.6	8.4	20.7	25.9	39.5
Sr Hi	56208	814	8.2	12.8	25.1	25.4	28.5
Total	112637	1765	6.9	10.6	22.9	25.6	34.0

Table 7.29: Have you been in trouble with the police?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14825	351	83.9	7.9	3.9	1.6	2.7
7th	17938	332	80.5	10.4	4.7	1.9	2.5
8th	23446	488	74.6	13.1	6.4	2.6	3.3
9th	15942	293	72.5	14.5	6.7	2.7	3.5
10th	16251	282	72.6	14.6	7.2	2.5	3.0
11th	14912	222	72.2	15.8	7.0	2.2	2.9
12th	8983	137	72.2	15.5	7.2	2.0	3.1
Jr Hi	56209	1171	78.9	10.9	5.2	2.1	2.9
Sr Hi	56088	934	72.4	15.1	7.0	2.4	3.1
Total	112297	2105	75.7	13.0	6.1	2.3	3.0

Table 7.30: Do you take part in gang activities?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14871	305	90.3	3.6	2.5	1.1	2.5
7th	18001	269	89.2	4.7	2.6	1.3	2.1
8th	23571	363	87.1	5.2	3.4	1.5	2.8
9th	16018	217	87.9	4.6	3.0	1.4	3.0
10th	16337	196	89.1	4.0	2.7	1.3	2.7
11th	14956	178	89.7	3.7	2.6	1.0	2.9
12th	9026	94	89.8	3.2	2.4	1.3	3.3
Jr Hi	56443	937	88.6	4.6	2.9	1.4	2.5
Sr Hi	56337	685	89.1	4.0	2.7	1.3	3.0
Total	112780	1622	88.8	4.3	2.8	1.3	2.7

Table 7.31: Have you thought about committing suicide?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14830	346	81.9	8.6	4.6	1.8	3.2
7th	17997	273	78.7	10.1	5.8	2.2	3.2
8th	23602	332	72.5	12.0	7.7	3.2	4.6
9th	16010	225	70.2	13.1	8.5	3.4	4.8
10th	16340	193	68.7	14.1	9.2	3.5	4.5
11th	14962	172	67.2	15.4	9.6	3.4	4.4
12th	9023	97	67.8	16.0	8.9	2.9	4.3
Jr Hi	56429	951	76.9	10.5	6.3	2.5	3.8
Sr Hi	56335	687	68.6	14.5	9.0	3.4	4.5
Total	112764	1638	72.8	12.5	7.7	2.9	4.1

Table 7.32: While NOT at school have you carried a gun for protection or as a weapon?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14898	278	90.2	3.5	2.5	1.3	2.5
7th	18027	243	88.3	4.5	3.3	1.7	2.2
8th	23589	345	86.2	5.5	3.7	2.0	2.7
9th	16000	235	85.2	5.5	4.1	2.2	3.0
10th	16296	237	86.0	5.1	3.9	2.0	3.0
11th	14923	211	85.1	5.3	4.5	2.0	3.2
12th	8975	145	85.6	5.0	3.9	1.9	3.5
Jr Hi	56514	866	87.9	4.7	3.3	1.7	2.5
Sr Hi	56194	828	85.4	5.3	4.1	2.0	3.1
Total	112708	1694	86.7	5.0	3.7	1.9	2.8

Table 7.33: Have you received treatment or counseling for alcohol and/or drug use?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14800	376	93.9	2.2	1.5	0.9	1.5
7th	17986	284	94.6	2.0	1.6	8.0	1.0
8th	23565	369	94.5	2.2	1.6	8.0	1.0
9th	15995	240	93.6	2.4	1.9	0.9	1.1
10th	16283	250	93.4	2.7	1.8	8.0	1.3
11th	14916	218	92.6	3.0	2.3	8.0	1.3
12th	8975	145	92.0	3.1	2.4	0.9	1.6
Jr Hi	56351	1029	94.4	2.1	1.5	8.0	1.1
Sr Hi	56169	853	93.0	2.8	2.0	0.9	1.3
Total	112520	1882	93.7	2.4	1.8	0.9	1.2

Table 7.34: Have you been caught using alcohol?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14821	355	95.2	2.0	1.0	0.5	1.3
7th	17970	300	92.4	3.8	1.9	8.0	1.1
8th	23495	439	86.9	6.3	3.7	1.5	1.7
9th	15973	262	82.3	7.6	5.4	2.2	2.5
10th	16246	287	77.4	9.5	7.3	2.6	3.2
11th	14894	240	72.1	11.5	9.3	3.2	3.9
12th	8962	158	69.5	12.0	10.2	3.8	4.5
Jr Hi	56286	1094	90.9	4.4	2.4	1.0	1.4
Sr Hi	56075	947	76.1	9.9	7.8	2.8	3.4
Total	112361	2041	83.5	7.1	5.1	1.9	2.4

Table 7.35: Have you been caught using drugs?

			J		56 406 41.42	,	
Grade	N of	${\sf N}$ of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14681	495	96.5	1.4	0.6	0.3	1.2
7th	17812	458	95.4	2.1	1.1	0.5	1.0
8th	23365	569	92.5	3.3	1.8	0.9	1.5
9th	15882	353	89.5	4.3	2.8	1.4	2.1
10th	16181	352	87.5	5.1	3.6	1.7	2.2
11th	14825	309	85.1	6.2	4.2	1.8	2.7
12th	8935	185	84.2	6.8	4.6	1.7	2.7
Jr Hi	55858	1522	94.4	2.4	1.3	0.6	1.2
Sr Hi	55823	1199	86.9	5.4	3.7	1.6	2.4
Total	111681	2721	90.7	3.9	2.5	1.1	1.8

Table 7.36: Do you have an adult, other than your parent or guardian, that you talk to about problems?

Grade	N of	N of			8		А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14809	367	25.9	13.7	21.3	14.2	24.9
7th	17970	300	25.8	15.4	21.9	14.5	22.5
8th	23543	391	25.0	15.3	22.6	15.1	22.1
9th	15966	269	26.1	14.7	22.5	15.0	21.6
10th	16291	242	25.2	15.4	23.1	15.3	21.0
11th	14902	232	24.9	15.3	23.3	16.1	20.4
12th	8975	145	26.9	15.0	24.4	15.1	18.7
Jr Hi	56322	1058	25.5	14.9	22.0	14.7	23.0
Sr Hi	56134	888	25.6	15.1	23.2	15.4	20.6
Total	112456	1946	25.6	15.0	22.6	15.0	21.8

Table 7.37: Do you buy or sell drugs at school?

Grade	N of	N of		<u>, </u>			Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14817	359	97.6	0.5	0.5	0.2	1.2
7th	17977	293	97.0	1.1	0.7	0.3	0.9
8th	23508	426	94.8	2.0	1.3	0.6	1.3
9th	15954	281	91.2	3.3	2.5	1.1	2.0
10th	16256	277	89.4	3.9	3.0	1.3	2.4
11th	14872	262	89.0	4.0	3.1	1.4	2.6
12th	8956	164	88.0	4.1	3.2	1.6	3.1
Jr Hi	56302	1078	96.3	1.3	0.9	0.4	1.2
Sr Hi	56038	984	89.6	3.8	2.9	1.3	2.4
Total	112340	2062	92.9	2.5	1.9	0.9	1.8

Table 7.38: Do you buy or sell drugs when NOT at school?

-		- ,					
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14818	358	96.7	0.9	0.7	0.4	1.3
7th	17921	349	94.8	2.0	1.3	0.7	1.3
8th	23452	482	90.1	3.3	2.8	1.6	2.2
9th	15888	347	85.3	4.8	4.3	2.2	3.5
10th	16199	334	81.8	5.5	5.8	2.8	4.2
11th	14798	336	79.2	6.7	5.9	3.3	4.9
12th	8910	210	77.3	6.6	6.7	3.8	5.6
Jr Hi	56191	1189	93.3	2.3	1.7	1.0	1.7
Sr Hi	55795	1227	81.4	5.8	5.5	2.9	4.4
Total	111986	2416	87.4	4.0	3.6	1.9	3.0

Table 7.39: Do your friends use tobacco? (cigarettes, cigars, etc...)?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14764	412	78.8	7.7	6.0	2.8	4.7
7th	17877	393	65.4	12.0	10.7	5.0	7.0
8th	23441	493	47.9	14.4	16.4	8.8	12.6
9th	15915	320	33.2	15.1	20.3	12.5	19.0
10th	16246	287	26.1	14.4	22.9	14.6	22.0
11th	14864	270	20.2	12.4	23.2	16.6	27.6
12th	8942	178	18.9	12.0	23.2	17.5	28.4
Jr Hi	56082	1298	61.6	11.9	11.8	6.0	8.7
Sr Hi	55967	1055	25.4	13.7	22.3	15.0	23.6
Total	112049	2353	43.5	12.8	17.0	10.5	16.2

Table 7.40: Do your friends use alcohol? (beer, liquor, etc...)?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14737	439	81.3	7.9	5.0	2.3	3.6
7th	17832	438	67.1	12.7	9.9	4.6	5.7
8th	23421	513	45.4	16.7	17.5	9.4	11.1
9th	15913	322	28.2	16.7	22.5	14.3	18.4
10th	16212	321	19.4	14.5	25.0	18.0	23.1
11th	14848	286	14.8	11.9	23.9	20.5	28.8
12th	8933	187	13.9	10.0	23.5	21.4	31.2
Jr Hi	55990	1390	61.8	13.1	11.8	6.0	7.4
Sr Hi	55906	1116	19.8	13.7	23.7	18.2	24.6
Total	111896	2506	40.8	13.4	17.8	12.1	16.0

Table 7.41: Do your friends use drugs? (marijuana, cocaine, etc...)?

Cuada	N of	N of					Λ
Grade	IN OT	IN OT					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14609	567	89.6	3.8	2.4	1.4	2.8
7th	17677	593	79.7	7.4	5.6	2.7	4.5
8th	23260	674	62.7	12.2	10.8	5.7	8.6
9th	15792	443	47.4	15.3	14.7	9.0	13.7
10th	16158	375	38.1	16.5	18.1	11.2	16.2
11th	14795	339	32.4	16.4	19.7	12.5	19.0
12th	8930	190	31.4	16.7	19.7	13.1	19.1
Jr Hi	55546	1834	75.2	8.5	6.9	3.6	5.8
Sr Hi	55675	1347	38.1	16.2	17.8	11.2	16.7
Total	111221	3181	56.6	12.3	12.4	7.4	11.2

Table 7.42: Do your parents set clear rules about violent TV, movies and video games?

	7						
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14847	329	26.7	16.9	21.9	14.3	20.3
7th	17984	286	33.5	19.5	21.3	12.8	13.0
8th	23564	370	44.3	20.6	18.1	9.0	8.0
9th	15998	237	52.2	20.4	14.9	6.8	5.8
10th	16283	250	59.3	18.7	12.3	5.3	4.5
11th	14889	245	64.0	17.7	10.3	4.3	3.7
12th	8968	152	68.3	16.2	8.5	3.3	3.6
Jr Hi	56395	985	36.2	19.3	20.1	11.6	12.8
Sr Hi	56138	884	60.0	18.5	11.9	5.1	4.5
Total	112533	1869	48.1	18.9	16.0	8.4	8.7

Table 7.43: Have you had 5 or more glasses of beer, wine or liquor within a few hours?

Grade	N of	${\sf N}$ of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14793	383	93.9	2.3	1.3	0.6	2.1
7th	17944	326	89.7	4.4	2.4	1.3	2.2
8th	23487	447	81.5	6.9	5.1	2.7	3.9
9th	15937	298	72.3	9.0	7.7	4.3	6.7
10th	16242	291	64.5	9.8	10.5	5.7	9.5
11th	14851	283	57.0	10.0	13.2	7.4	12.4
12th	8959	161	52.5	10.8	14.3	7.9	14.5
Jr Hi	56224	1156	87.4	4.9	3.2	1.7	2.9
Sr Hi	55989	1033	62.8	9.8	11.0	6.1	10.3
Total	112213	2189	75.1	7.3	7.1	3.9	6.6

Table 7.44: Have you driven a car after or while drinking alcohol??

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14747	429	97.0	0.9	0.4	0.4	1.3
7th	17863	407	96.7	1.3	0.7	0.3	0.9
8th	23427	507	94.6	2.3	1.2	0.7	1.2
9th	15888	347	91.9	3.1	2.0	1.0	2.0
10th	16207	326	88.4	5.1	2.9	1.3	2.3
11th	14821	313	79.4	9.6	5.3	2.1	3.5
12th	8936	184	72.6	12.6	7.2	3.1	4.5
Jr Hi	56037	1343	95.9	1.6	0.9	0.5	1.1
Sr Hi	55852	1170	84.5	6.9	4.0	1.7	2.9
Total	111889	2513	90.2	4.3	2.4	1.1	2.0

Table 7.45: Do you surf the internet for fun?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14674	502	27.4	13.2	21.0	12.6	25.8
7th	17816	454	20.6	13.9	21.8	14.4	29.2
8th	23400	534	16.2	13.2	22.9	15.6	32.0
9th	15911	324	15.9	13.7	23.5	16.4	30.5
10th	16213	320	15.4	14.0	24.3	16.8	29.5
11th	14833	301	15.7	15.8	24.8	17.2	26.5
12th	8950	170	17.1	15.9	25.7	16.0	25.2
Jr Hi	55890	1490	20.5	13.4	22.1	14.5	29.5
Sr Hi	55907	1115	15.9	14.7	24.4	16.7	28.3
Total	111797	2605	18.2	14.1	23.3	15.6	28.9

Table 7.46: Have you skipped school in the past year?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14706	470	84.2	8.6	3.6	1.2	2.4
7th	17797	473	80.6	10.3	4.9	1.6	2.6
8th	23348	586	72.8	13.1	7.1	2.9	4.0
9th	15867	368	68.2	14.2	8.8	3.2	5.7
10th	16189	344	63.2	16.2	10.4	4.0	6.2
11th	14822	312	53.3	19.0	13.6	5.7	8.4
12th	8920	200	46.2	20.5	16.4	6.6	10.4
Jr Hi	55851	1529	78.3	11.0	5.5	2.0	3.2
Sr Hi	55798	1224	59.3	17.0	11.8	4.6	7.3
Total	111649	2753	68.8	14.0	8.6	3.3	5.2

Table 7.47: Have you seen ads on TV that encourage NO drug use?

		,			U		
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14684	492	12.9	9.9	18.6	17.4	41.2
7th	17824	446	11.0	11.0	20.1	19.9	37.9
8th	23384	550	9.9	10.1	20.5	21.1	38.4
9th	15864	371	9.7	10.0	20.7	23.3	36.2
10th	16202	331	8.2	9.7	21.7	25.0	35.4
11th	14821	313	8.5	9.2	23.4	25.7	33.2
12th	8922	198	8.2	9.1	23.9	27.4	31.5
Jr Hi	55892	1488	11.0	10.3	19.9	19.8	39.0
Sr Hi	55809	1213	8.7	9.6	22.2	25.1	34.4
Total	111701	2701	9.9	10.0	21.1	22.4	36.7

Table 7.48: Does your school have a security officer?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	14520	656	52.1	47.9
7th	17446	824	57.3	42.7
8th	23098	836	63.7	36.3
9th	15637	598	75.6	24.4
10th	15997	536	76.3	23.7
11th	14629	505	72.4	27.6
12th	8871	249	73.1	26.9
Jr Hi	55064	2316	58.6	41.4
Sr Hi	55134	1888	74.5	25.5
Total	110198	4204	66.6	33.4

Table 7.49: Do you think your school needs a security officer?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	14478	698	59.3	40.7
7th	17431	839	57.5	42.5
8th	23040	894	53.7	46.3
9th	15591	644	60.7	39.3
10th	15953	580	57.9	42.1
11th	14594	540	52.5	47.5
12th	8853	267	50.7	49.3
Jr Hi	54949	2431	56.4	43.6
Sr Hi	54991	2031	56.1	43.9
Total	109940	4462	56.2	43.8

Table 7.50: Does your school have a drug screening program?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	13859	1317	24.3	75.7
7th	16690	1580	25.9	74.1
8th	22176	1758	23.1	76.9
9th	14955	1280	30.5	69.5
10th	15494	1039	25.8	74.2
11th	14259	875	23.2	76.8
12th	8698	422	23.2	76.8
Jr Hi	52725	4655	24.3	75.7
Sr Hi	53406	3616	26.0	74.0
Total	106131	8271	25.2	74.8

Table 7.51: Does your school's drug screening program include all students?

<u> </u>			<u> </u>	
Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	13066	2110	22.7	77.3
7th	15785	2485	21.1	78.9
8th	21281	2653	17.4	82.6
9th	14480	1755	18.0	82.0
10th	15015	1518	13.7	86.3
11th	13807	1327	12.5	87.5
12th	8343	777	11.5	88.5
Jr Hi	50132	7248	20.0	80.0
Sr Hi	51645	5377	14.2	85.8
Total	101777	12625	17.0	83.0

Table 7.52: If your school does not screen all students, do you participate in an activity that is part of the drug screening program?

N of	N of		
Valid	Miss	Yes	No
13242	1934	19.3	80.7
16056	2214	17.7	82.3
21545	2389	15.8	84.2
14676	1559	16.1	83.9
15176	1357	14.6	85.4
13968	1166	13.7	86.3
8492	628	13.8	86.2
50843	6537	17.3	82.7
52312	4710	14.6	85.4
103155	11247	16.0	84.0
	Valid 13242 16056 21545 14676 15176 13968 8492 50843 52312	Valid Miss 13242 1934 16056 2214 21545 2389 14676 1559 15176 1357 13968 1166 8492 628 50843 6537 52312 4710	Valid Miss Yes 13242 1934 19.3 16056 2214 17.7 21545 2389 15.8 14676 1559 16.1 15176 1357 14.6 13968 1166 13.7 8492 628 13.8 50843 6537 17.3 52312 4710 14.6

Table 7.53: Have you been screened for drugs at school?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	13992	1184	7.5	92.5
7th	16952	1318	8.2	91.8
8th	22609	1325	8.3	91.7
9th	15375	860	10.6	89.4
10th	15794	739	9.5	90.5
11th	14442	692	10.2	89.8
12th	8789	331	10.0	90.0
Jr Hi	53553	3827	8.1	91.9
Sr Hi	54400	2622	10.1	89.9
Total	107953	6449	9.1	90.9

Table 7.54: Does you school have a student assistance program?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	13517	1659	48.0	52.0
7th	16363	1907	51.8	48.2
8th	21810	2124	50.0	50.0
9th	14733	1502	54.3	45.7
10th	15260	1273	50.6	49.4
11th	14025	1109	47.0	53.0
12th	8534	586	42.9	57.1
Jr Hi	51690	5690	50.1	49.9
Sr Hi	52552	4470	49.4	50.6
Total	104242	10160	49.8	50.2

Table 7.55: Have you participated in the student assistance program?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	13467	1709	15.6	84.4
7th	16434	1836	13.5	86.5
8th	21906	2028	11.6	88.4
9th	14900	1335	9.5	90.5
10th	15370	1163	8.6	91.4
11th	14139	995	8.6	91.4
12th	8591	529	8.6	91.4
Jr Hi	51807	5573	13.2	86.8
Sr Hi	53000	4022	8.8	91.2
Total	104807	9595	11.0	89.0

Table 7.56: If you particiated, was the student assistance program helpful?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	11801	3375	26.8	73.2
7th	14097	4173	21.5	78.5
8th	18932	5002	16.7	83.3
9th	12655	3580	14.4	85.6
10th	12924	3609	12.3	87.7
11th	12105	3029	11.3	88.7
12th	7301	1819	10.7	89.3
Jr Hi	44830	12550	20.9	79.1
Sr Hi	44985	12037	12.3	87.7
Total	89815	24587	16.6	83.4

7.3 Harmful To Health

Table 7.57: Do you feel that using cigarettes is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	14791	385	3.9	8.2	29.4	58.5
7th	17857	413	3.7	11.2	31.6	53.5
8th	23348	586	4.3	13.7	32.2	49.8
9th	15904	331	4.9	14.6	33.1	47.4
10th	16181	352	4.3	14.0	32.2	49.5
11th	14816	318	4.1	14.4	32.5	48.9
12th	8892	228	4.6	13.4	31.2	50.8
Jr Hi	55996	1384	4.0	11.4	31.3	53.3
Sr Hi	55793	1229	4.5	14.2	32.4	48.9
Total	111789	2613	4.2	12.8	31.8	51.1

Table 7.58: Do you feel that using smokeless tobacco is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	14732	444	5.0	9.6	27.1	58.3
7th	17804	466	4.6	13.2	29.1	53.2
8th	23298	636	5.0	15.3	31.5	48.2
9th	15864	371	5.5	17.3	32.6	44.6
10th	16155	378	5.1	16.9	33.1	44.9
11th	14767	367	5.2	17.4	33.5	43.8
12th	8880	240	4.9	16.2	33.3	45.6
Jr Hi	55834	1546	4.8	13.1	29.6	52.5
Sr Hi	55666	1356	5.2	17.0	33.1	44.6
Total	111500	2902	5.0	15.1	31.3	48.6

Table 7.59: Do you feel that using cigars is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	14674	502	4.9	13.7	28.8	52.6
7th	17770	500	5.0	17.2	30.7	47.1
8th	23223	711	5.7	20.0	31.5	42.8
9th	15821	414	6.7	21.5	32.6	39.1
10th	16133	400	6.3	21.3	33.0	39.5
11th	14734	400	6.2	22.2	32.6	39.0
12th	8868	252	6.1	21.8	31.8	40.3
Jr Hi	55667	1713	5.3	17.4	30.5	46.7
Sr Hi	55556	1466	6.4	21.7	32.6	39.4
Total	111223	3179	5.8	19.5	31.6	43.1

Table 7.60: Do you feel that using beer is harmful to your health?

	- ,					,
Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	14718	458	7.2	22.2	28.0	42.6
7th	17781	489	8.0	26.7	28.3	37.0
8th	23229	705	10.2	31.2	27.5	31.1
9th	15848	387	11.3	34.4	26.6	27.8
10th	16138	395	12.1	36.6	25.7	25.6
11th	14775	359	12.5	37.4	25.3	24.8
12th	8872	248	12.2	38.7	24.2	24.9
Jr Hi	55728	1652	8.7	27.4	27.9	36.0
Sr Hi	55633	1389	12.0	36.5	25.6	25.9
Total	111361	3041	10.4	31.9	26.7	30.9

Table 7.61: Do you feel that using wine coolers is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	14603	573	12.9	26.4	25.2	35.4
7th	17699	571	16.0	31.6	22.6	29.7
8th	23138	796	20.9	35.9	20.1	23.0
9th	15830	405	22.9	37.4	19.0	20.6
10th	16128	405	24.3	39.4	17.8	18.5
11th	14733	401	23.4	41.1	17.1	18.3
12th	8856	264	22.6	41.1	17.2	19.1
Jr Hi	55440	1940	17.3	32.0	22.3	28.4
Sr Hi	55547	1475	23.4	39.6	17.9	19.2
Total	110987	3415	20.3	35.8	20.1	23.8

Table 7.62: Do you feel that using liquor is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	14664	512	5.2	13.1	28.3	53.3
7th	17719	551	5.7	17.5	30.3	46.5
8th	23156	778	7.4	22.2	30.8	39.7
9th	15814	421	8.9	25.4	31.2	34.5
10th	16114	419	9.9	27.6	30.1	32.3
11th	14752	382	10.0	29.0	30.4	30.6
12th	8863	257	10.3	30.2	29.9	29.7
Jr Hi	55539	1841	6.3	18.3	30.0	45.5
Sr Hi	55543	1479	9.7	27.8	30.4	32.1
Total	111082	3320	8.0	23.0	30.2	38.8

Table 7.63: Do you feel that using marijuana is harmful to your health?

Grade N of Valid N of Miss No Harm Some Harm Very Harmful 6th 14687 489 4.4 2.8 9.6 83.3 7th 17746 524 4.9 4.7 11.4 79.0 8th 23210 724 7.0 8.1 15.1 69.8 9th 15841 394 10.1 11.7 19.1 59.2 10th 16124 409 11.4 15.1 21.3 52.3 11th 14752 382 12.5 18.1 22.5 46.9 12th 8841 279 13.1 19.2 23.2 44.5 Jr Hi 55643 1737 5.6 5.6 12.5 76.3 Sr Hi 55558 1464 11.6 15.5 21.3 51.6 Total 111201 3201 8.6 10.6 16.9 64.0							
6th 14687 489 4.4 2.8 9.6 83.3 7th 17746 524 4.9 4.7 11.4 79.0 8th 23210 724 7.0 8.1 15.1 69.8 9th 15841 394 10.1 11.7 19.1 59.2 10th 16124 409 11.4 15.1 21.3 52.3 11th 14752 382 12.5 18.1 22.5 46.9 12th 8841 279 13.1 19.2 23.2 44.5 Jr Hi 55643 1737 5.6 5.6 12.5 76.3 Sr Hi 55558 1464 11.6 15.5 21.3 51.6	Grade	N of	N of	No	Some		Very
7th 17746 524 4.9 4.7 11.4 79.0 8th 23210 724 7.0 8.1 15.1 69.8 9th 15841 394 10.1 11.7 19.1 59.2 10th 16124 409 11.4 15.1 21.3 52.3 11th 14752 382 12.5 18.1 22.5 46.9 12th 8841 279 13.1 19.2 23.2 44.5 Jr Hi 55643 1737 5.6 5.6 12.5 76.3 Sr Hi 55558 1464 11.6 15.5 21.3 51.6	Level	Valid	Miss	Harm	Harm	Harmful	Harmful
8th 23210 724 7.0 8.1 15.1 69.8 9th 15841 394 10.1 11.7 19.1 59.2 10th 16124 409 11.4 15.1 21.3 52.3 11th 14752 382 12.5 18.1 22.5 46.9 12th 8841 279 13.1 19.2 23.2 44.5 Jr Hi 55643 1737 5.6 5.6 12.5 76.3 Sr Hi 55558 1464 11.6 15.5 21.3 51.6	6th	14687	489	4.4	2.8	9.6	83.3
9th 15841 394 10.1 11.7 19.1 59.2 10th 16124 409 11.4 15.1 21.3 52.3 11th 14752 382 12.5 18.1 22.5 46.9 12th 8841 279 13.1 19.2 23.2 44.5 Jr Hi 55643 1737 5.6 5.6 12.5 76.3 Sr Hi 55558 1464 11.6 15.5 21.3 51.6	7th	17746	524	4.9	4.7	11.4	79.0
10th 16124 409 11.4 15.1 21.3 52.3 11th 14752 382 12.5 18.1 22.5 46.9 12th 8841 279 13.1 19.2 23.2 44.5 Jr Hi 55643 1737 5.6 5.6 12.5 76.3 Sr Hi 55558 1464 11.6 15.5 21.3 51.6	8th	23210	724	7.0	8.1	15.1	69.8
11th 14752 382 12.5 18.1 22.5 46.9 12th 8841 279 13.1 19.2 23.2 44.5 Jr Hi 55643 1737 5.6 5.6 12.5 76.3 Sr Hi 55558 1464 11.6 15.5 21.3 51.6	9th	15841	394	10.1	11.7	19.1	59.2
12th 8841 279 13.1 19.2 23.2 44.5 Jr Hi 55643 1737 5.6 5.6 12.5 76.3 Sr Hi 55558 1464 11.6 15.5 21.3 51.6	10th	16124	409	11.4	15.1	21.3	52.3
Jr Hi 55643 1737 5.6 5.6 12.5 76.3 Sr Hi 55558 1464 11.6 15.5 21.3 51.6	11th	14752	382	12.5	18.1	22.5	46.9
Sr Hi 55558 1464 11.6 15.5 21.3 51.6	12th	8841	279	13.1	19.2	23.2	44.5
	Jr Hi	55643	1737	5.6	5.6	12.5	76.3
Total 111201 3201 8.6 10.6 16.9 64.0	Sr Hi	55558	1464	11.6	15.5	21.3	51.6
	Total	111201	3201	8.6	10.6	16.9	64.0

Table 7.64: Do you feel that using cocaine is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	14663	513	3.5	1.7	7.7	87.1
7th	17762	508	2.8	1.9	8.6	86.7
8th	23207	727	3.0	2.6	10.6	83.8
9th	15841	394	3.5	3.1	11.6	81.8
10th	16147	386	3.5	2.9	11.3	82.3
11th	14751	383	3.4	3.3	11.4	81.9
12th	8872	248	3.7	3.4	11.1	81.9
Jr Hi	55632	1748	3.1	2.1	9.2	85.6
Sr Hi	55611	1411	3.5	3.1	11.4	82.0
Total	111243	3159	3.3	2.6	10.3	83.8

Table 7.65: Do you feel that using uppers is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	14279	897	4.5	5.3	16.7	73.5
7th	17553	717	3.5	4.4	15.0	77.2
8th	23069	865	3.5	4.9	15.4	76.3
9th	15800	435	3.9	4.8	15.1	76.2
10th	16109	424	3.7	4.3	14.7	77.3
11th	14727	407	3.6	4.8	14.4	77.3
12th	8854	266	3.9	4.2	14.0	78.0
Jr Hi	54901	2479	3.7	4.8	15.6	75.9
Sr Hi	55490	1532	3.8	4.5	14.6	77.1
Total	110391	4011	3.8	4.7	15.1	76.5

Table 7.66: Do you feel that using downers is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	14211	965	5.3	8.5	21.7	64.5
7th	17507	763	4.3	8.0	20.5	67.3
8th	23014	920	4.6	9.0	21.4	65.0
9th	15778	457	4.9	8.8	21.4	64.8
10th	16086	447	4.8	8.5	20.3	66.5
11th	14724	410	4.2	8.7	20.9	66.1
12th	8860	260	4.3	7.4	20.2	68.0
Jr Hi	54732	2648	4.7	8.5	21.2	65.6
Sr Hi	55448	1574	4.6	8.5	20.8	66.2
Total	110180	4222	4.6	8.5	21.0	65.9

Table 7.67: Do you feel that using inhalants is harmful to your health?

C I .	NI - C	NI - C	NI.	C		17
Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	14419	757	6.3	12.7	21.5	59.5
7th	17609	661	5.6	11.9	21.7	60.9
8th	23085	849	5.5	12.2	22.2	60.1
9th	15798	437	5.2	10.3	22.3	62.1
10th	16089	444	4.6	9.5	21.2	64.8
11th	14720	414	4.2	8.2	20.4	67.1
12th	8854	266	4.2	7.9	19.5	68.4
Jr Hi	55113	2267	5.8	12.2	21.8	60.2
Sr Hi	55461	1561	4.6	9.1	21.0	65.2
Total	110574	3828	5.2	10.7	21.4	62.7

Table 7.68: Do you feel that using hallucinogens is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	13987	1189	4.6	4.7	17.3	73.5
7th	17376	894	3.4	4.7	16.2	75.7
8th	22850	1084	3.5	5.0	17.2	74.4
9th	15736	499	4.0	4.9	16.0	75.1
10th	16065	468	3.9	4.1	15.2	76.9
11th	14693	441	4.0	4.4	14.1	77.5
12th	8852	268	4.0	4.5	12.9	78.7
Jr Hi	54213	3167	3.7	4.8	16.9	74.6
Sr Hi	55346	1676	3.9	4.5	14.8	76.8
Total	109559	4843	3.8	4.6	15.8	75.7

Table 7.69: Do you feel that using heroin is harmful to your health?

	-					
Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	14228	948	4.3	3.7	13.7	78.3
7th	17549	721	3.1	2.9	12.4	81.6
8th	22989	945	3.0	3.2	12.3	81.5
9th	15790	445	3.5	3.0	11.7	81.8
10th	16058	475	3.2	2.6	10.4	83.8
11th	14709	425	3.2	2.3	9.4	85.1
12th	8854	266	3.5	2.1	8.6	85.7
Jr Hi	54766	2614	3.3	3.2	12.7	80.7
Sr Hi	55411	1611	3.3	2.5	10.2	83.9
Total	110177	4225	3.3	2.9	11.5	82.3

Table 7.70: Do you feel that using steroids is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	14192	984	5.4	7.6	21.0	65.9
7th	17487	783	3.9	8.1	22.0	66.1
8th	22976	958	4.0	8.7	22.9	64.4
9th	15753	482	4.4	8.6	23.8	63.1
10th	16045	488	4.0	8.4	23.3	64.4
11th	14691	443	3.7	8.2	22.3	65.7
12th	8844	276	3.9	6.8	22.2	67.1
Jr Hi	54655	2725	4.4	8.2	22.1	65.3
Sr Hi	55333	1689	4.0	8.2	23.0	64.8
Total	109988	4414	4.2	8.2	22.6	65.1

Table 7.71: Do you feel that using ecstasy is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	14049	1127	4.3	4.9	15.9	74.9
7th	17366	904	3.6	4.2	13.8	78.5
8th	22934	1000	3.5	4.3	14.5	77.7
9th	15730	505	4.1	4.2	14.0	77.7
10th	16059	474	3.8	4.2	13.3	78.7
11th	14706	428	3.7	4.4	13.6	78.3
12th	8852	268	4.1	3.7	13.7	78.6
Jr Hi	54349	3031	3.7	4.4	14.6	77.2
Sr Hi	55347	1675	3.9	4.2	13.6	78.3
Total	109696	4706	3.8	4.3	14.1	77.8

Table 7.72: Do you feel that using OxyContin is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	13989	1187	5.4	6.8	17.3	70.4
7th	17226	1044	4.2	5.9	17.5	72.3
8th	22709	1225	4.2	5.6	17.9	72.3
9th	15651	584	4.8	5.8	17.8	71.6
10th	15926	607	4.3	6.0	17.2	72.5
11th	14659	475	4.4	6.0	16.7	72.9
12th	8799	321	4.6	5.4	16.3	73.6
Jr Hi	53924	3456	4.5	6.0	17.6	71.8
Sr Hi	55035	1987	4.5	5.9	17.1	72.6
Total	108959	5443	4.5	5.9	17.4	72.2

7.4 Within The Past Year How Often Have You Used

Table 7.73: Within the past year how often have you smoked cigarettes?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14759	417	90.9	3.8	1.0	0.6	0.4	0.6	0.8	1.8
7th	17899	371	85.6	5.8	1.8	1.0	0.9	1.1	1.4	2.4
8th	23427	507	77.8	7.3	2.6	1.6	1.6	1.8	2.6	4.7
9th	15942	293	71.8	7.7	3.3	1.9	1.6	2.2	3.3	8.1
10th	16241	292	68.5	7.7	3.9	2.0	2.0	2.6	3.6	9.7
11th	14848	286	62.9	7.2	4.3	2.2	2.4	3.0	3.7	14.1
12th	8962	158	60.7	7.0	4.3	2.3	2.5	2.5	4.1	16.7
Jr Hi	56085	1295	83.8	5.9	1.9	1.2	1.1	1.3	1.7	3.2
Sr Hi	55993	1029	66.7	7.5	3.9	2.1	2.1	2.6	3.6	11.5
Total	112078	2324	75.2	6.7	2.9	1.6	1.6	1.9	2.7	7.4

Table 7.74: Within the past year how often have you used smokeless tobacco?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14729	447	95.6	1.6	0.4	0.3	0.2	0.2	0.3	1.4
7th	17864	406	94.2	2.2	0.6	0.4	0.4	0.4	0.5	1.3
8th	23368	566	91.7	2.8	0.9	0.6	0.5	0.7	8.0	2.0
9th	15901	334	88.2	3.2	1.2	1.0	8.0	1.1	1.4	3.2
10th	16215	318	87.2	3.5	1.6	1.1	1.0	0.9	1.3	3.4
11th	14823	311	85.0	3.7	1.7	1.1	0.9	1.0	1.3	5.2
12th	8945	175	85.0	3.8	1.7	1.2	0.9	1.2	1.3	5.0
Jr Hi	55961	1419	93.5	2.3	0.7	0.5	0.4	0.5	0.6	1.6
Sr Hi	55884	1138	86.5	3.5	1.5	1.1	0.9	1.0	1.3	4.1
Total	111845	2557	90.0	2.9	1.1	8.0	0.6	0.7	0.9	2.8

Table 7.75: Within the past year how often have you smoked cigars?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14686	490	95.3	1.8	0.5	0.3	0.2	0.3	0.2	1.3
7th	17800	470	93.3	3.0	0.7	0.7	0.4	0.5	0.4	0.9
8th	23268	666	89.1	4.7	1.4	1.1	0.9	0.9	0.7	1.3
9th	15859	376	84.0	5.7	2.6	1.9	1.4	1.5	1.1	1.7
10th	16168	365	80.8	6.8	3.3	2.2	2.0	1.6	1.2	2.0
11th	14769	365	76.3	7.4	4.5	3.1	2.5	2.3	1.6	2.4
12th	8930	190	73.3	7.8	5.2	3.6	2.9	2.5	1.4	3.4
Jr Hi	55754	1626	92.1	3.4	0.9	8.0	0.6	0.6	0.5	1.2
Sr Hi	55726	1296	79.3	6.8	3.7	2.6	2.1	1.9	1.3	2.3
Total	111480	2922	85.7	5.1	2.3	1.7	1.3	1.3	0.9	1.7

Table 7.76: Within the past year how often have you drunk beer?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14661	515	86.2	7.6	1.9	0.9	0.7	0.6	0.6	1.5
7th	17805	465	78.8	10.6	3.5	1.9	1.6	1.4	1.0	1.3
8th	23290	644	67.5	13.6	5.9	3.5	3.2	2.9	1.8	1.7
9th	15861	374	59.6	12.9	7.4	4.9	4.9	5.2	2.7	2.3
10th	16168	365	51.7	12.7	8.6	6.3	7.1	7.5	3.6	2.4
11th	14754	380	45.8	11.7	9.5	6.8	8.3	10.1	5.0	2.7
12th	8925	195	42.7	10.7	8.5	6.7	9.7	12.0	5.9	3.9
Jr Hi	55756	1624	76.0	11.0	4.0	2.3	2.0	1.8	1.2	1.5
Sr Hi	55708	1314	51.0	12.2	8.5	6.1	7.2	8.3	4.1	2.7
Total	111464	2938	63.5	11.6	6.3	4.2	4.6	5.0	2.7	2.1

Table 7.77: Within the past year how often have you drunk wine coolers?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14640	536	85.1	8.6	1.9	0.9	0.7	0.6	0.6	1.5
7th	17779	491	77.3	11.9	3.7	1.8	1.5	1.4	1.1	1.3
8th	23266	668	65.7	15.7	6.2	3.5	2.9	2.5	1.7	1.8
9th	15868	367	60.3	15.4	7.5	4.7	4.3	3.5	2.1	2.1
10th	16180	353	55.1	15.9	9.2	5.8	5.3	4.5	2.2	2.0
11th	14763	371	53.5	15.5	10.0	6.0	5.9	4.8	2.3	2.0
12th	8916	204	53.7	14.2	9.7	6.3	6.5	5.0	1.9	2.8
Jr Hi	55685	1695	74.5	12.6	4.3	2.3	1.9	1.7	1.2	1.5
Sr Hi	55727	1295	55.9	15.4	9.0	5.6	5.4	4.4	2.2	2.2
Total	111412	2990	65.2	14.0	6.7	3.9	3.6	3.0	1.7	1.9

T 11 7 70	\ \ /'				1	c.	1			1. 2
Table 7.78:	VVithin 1	the	nast \	/ear	now/	otten	nave	VOII	driink	lialior

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14655	521	91.9	4.0	0.9	0.6	0.5	0.5	0.3	1.4
7th	17788	482	85.4	7.1	2.2	1.4	1.1	1.1	8.0	1.1
8th	23248	686	73.9	10.7	4.5	2.8	2.6	2.4	1.6	1.6
9th	15848	387	62.5	12.3	6.6	4.6	4.8	4.6	2.4	2.3
10th	16148	385	52.2	13.3	8.7	6.3	7.2	6.8	3.2	2.3
11th	14762	372	45.0	13.0	10.2	7.7	9.1	8.4	3.9	2.7
12th	8905	215	40.8	12.1	10.7	8.7	10.4	10.0	3.9	3.4
Jr Hi	55691	1689	82.3	7.8	2.8	1.8	1.5	1.5	1.0	1.4
Sr Hi	55663	1359	51.4	12.7	8.8	6.6	7.5	7.1	3.3	2.6
Total	111354	3048	66.8	10.3	5.8	4.2	4.5	4.3	2.1	2.0

Table 7.79: Within the past year how often have you smoked marijuana?

Grade	N of	N of	Did				<u> </u>		<u> </u>	Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14648	528	95.8	1.3	0.4	0.3	0.3	0.2	0.3	1.5
7th	17763	507	92.9	1.9	0.9	0.6	0.6	0.7	8.0	1.5
8th	23255	679	85.7	4.0	1.7	1.3	1.3	1.5	1.8	2.6
9th	15868	367	77.9	5.5	2.7	1.8	2.2	2.5	2.9	4.4
10th	16147	386	72.0	6.9	3.9	2.7	2.8	3.1	3.5	5.1
11th	14766	368	67.0	8.0	4.7	3.0	3.2	3.4	4.0	6.6
12th	8920	200	64.5	8.0	4.9	3.5	3.1	3.4	3.9	8.6
Jr Hi	55666	1714	90.7	2.6	1.1	8.0	8.0	0.9	1.1	2.0
Sr Hi	55701	1321	71.2	7.0	3.9	2.7	2.8	3.0	3.5	5.9
Total	111367	3035	80.9	4.8	2.5	1.7	1.8	2.0	2.3	3.9

Table 7.80: Within the past year how often have you used cocaine?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14626	550	97.8	0.4	0.1	0.1	0.2	0.1	0.1	1.2
7th	17781	489	97.7	0.6	0.2	0.2	0.2	0.2	0.2	8.0
8th	23253	681	96.2	1.1	0.4	0.3	0.3	0.4	0.3	1.1
9th	15835	400	94.7	1.3	0.5	0.5	0.5	0.4	0.4	1.6
10th	16172	361	94.1	1.7	0.7	0.6	0.6	0.5	0.4	1.6
11th	14760	374	92.8	2.0	0.9	0.7	0.6	0.5	0.5	1.9
12th	8917	203	90.5	2.6	1.3	1.0	8.0	0.6	0.6	2.6
Jr Hi	55660	1720	97.1	8.0	0.3	0.2	0.2	0.2	0.2	1.0
Sr Hi	55684	1338	93.3	1.8	8.0	0.7	0.6	0.5	0.5	1.8
Total	111344	3058	95.2	1.3	0.5	0.4	0.4	0.4	0.3	1.4

Table 7.81: Within the past year how often have you used uppers?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14534	642	97.7	0.4	0.1	0.2	0.1	0.1	0.1	1.2
7th	17715	555	97.6	0.6	0.2	0.2	0.2	0.2	0.2	0.7
8th	23199	735	96.2	1.0	0.5	0.3	0.3	0.4	0.3	1.0
9th	15842	393	94.3	1.4	8.0	0.6	0.5	0.4	0.5	1.4
10th	16157	376	93.7	1.5	8.0	0.6	0.7	0.6	0.5	1.5
11th	14766	368	92.6	1.6	1.2	0.9	0.7	0.6	0.7	1.8
12th	8911	209	91.4	1.9	1.2	1.0	0.7	0.7	0.7	2.5
Jr Hi	55448	1932	97.0	0.7	0.3	0.2	0.2	0.3	0.2	1.0
Sr Hi	55676	1346	93.2	1.6	1.0	0.7	0.6	0.6	0.6	1.7
Total	111124	3278	95.1	1.2	0.6	0.5	0.4	0.4	0.4	1.3

Table 7.82: Within the past year how often have you used downers?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14514	662	97.5	0.4	0.2	0.3	0.2	0.2	0.1	1.2
7th	17699	571	97.2	0.7	0.3	0.3	0.2	0.3	0.2	8.0
8th	23160	774	95.6	1.1	0.6	0.4	0.4	0.4	0.4	1.1
9th	15833	402	93.2	1.6	1.0	0.7	0.7	0.7	0.5	1.7
10th	16140	393	92.7	1.4	1.1	1.0	8.0	0.7	0.6	1.7
11th	14761	373	91.2	1.8	1.4	1.0	8.0	1.1	8.0	1.9
12th	8919	201	90.4	1.7	1.5	1.2	0.9	1.1	8.0	2.4
Jr Hi	55373	2007	96.6	8.0	0.4	0.3	0.3	0.3	0.3	1.0
Sr Hi	55653	1369	92.1	1.6	1.2	0.9	8.0	0.9	0.6	1.9
Total	111026	3376	94.3	1.2	8.0	0.6	0.5	0.6	0.5	1.5

Table 7.83: Within the past year how often have you used inhalants?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14511	665	95.1	1.8	0.5	0.4	0.2	0.3	0.3	1.4
7th	17722	548	94.6	2.0	0.7	0.5	0.5	0.4	0.4	1.0
8th	23144	790	93.7	2.2	0.9	0.6	0.5	0.5	0.4	1.2
9th	15826	409	93.7	1.8	1.0	0.6	0.6	0.5	0.4	1.5
10th	16123	410	94.4	1.5	8.0	0.6	0.6	0.4	0.3	1.4
11th	14751	383	94.6	1.4	0.7	0.5	0.4	0.4	0.4	1.6
12th	8906	214	94.3	1.2	0.6	0.5	0.5	0.3	0.4	2.2
Jr Hi	55377	2003	94.3	2.0	0.7	0.5	0.4	0.4	0.4	1.2
Sr Hi	55606	1416	94.2	1.5	8.0	0.5	0.5	0.4	0.3	1.6
Total	110983	3419	94.3	1.8	8.0	0.5	0.5	0.4	0.4	1.4

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14481	695	97.8	0.3	0.1	0.2	0.2	0.1	0.1	1.2
7th	17695	575	97.9	0.5	0.2	0.2	0.2	0.2	0.1	0.7
8th	23114	820	96.9	0.7	0.4	0.3	0.4	0.2	0.2	0.9
9th	15815	420	95.4	1.0	0.6	0.6	0.5	0.3	0.3	1.3
10th	16132	401	94.5	1.6	0.7	0.5	0.6	0.3	0.3	1.4
11th	14731	403	93.4	1.8	1.0	0.7	0.6	0.5	0.3	1.6
12th	8899	221	92.0	2.0	1.4	0.9	0.6	0.3	0.4	2.2
Jr Hi	55290	2090	97.4	0.5	0.2	0.3	0.3	0.2	0.2	0.9
Sr Hi	55577	1445	94.1	1.6	0.9	0.6	0.6	0.4	0.3	1.6
Total	110867	3535	95.8	1.0	0.6	0.4	0.4	0.3	0.2	1.2

Table 7.85: Within the past year how often have you used heroin?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14501	675	97.7	0.3	0.2	0.1	0.3	0.1	0.1	1.2
7th	17703	567	98.0	0.4	0.2	0.1	0.2	0.1	0.2	0.7
8th	23125	809	97.3	0.5	0.3	0.2	0.2	0.2	0.2	0.9
9th	15794	441	96.5	0.7	0.4	0.4	0.3	0.3	0.2	1.3
10th	16141	392	96.4	0.6	0.4	0.4	0.3	0.2	0.2	1.3
11th	14729	405	96.1	0.7	0.4	0.3	0.4	0.2	0.3	1.6
12th	8909	211	95.1	8.0	0.6	0.5	0.3	0.3	0.3	2.2
Jr Hi	55329	2051	97.6	0.5	0.3	0.2	0.2	0.2	0.2	0.9
Sr Hi	55573	1449	96.1	0.7	0.4	0.4	0.3	0.2	0.3	1.5
Total	110902	3500	96.9	0.6	0.4	0.3	0.3	0.2	0.2	1.2

Table 7.86: Within the past year how often have you used steroids?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14464	712	97.6	0.4	0.2	0.2	0.2	0.1	0.1	1.2
7th	17654	616	97.9	0.6	0.2	0.2	0.2	0.1	0.1	0.7
8th	23087	847	97.3	0.6	0.3	0.2	0.2	0.2	0.2	1.0
9th	15784	451	96.4	0.7	0.3	0.3	0.3	0.3	0.3	1.3
10th	16128	405	96.5	0.7	0.4	0.4	0.3	0.3	0.2	1.4
11th	14708	426	96.2	0.7	0.3	0.3	0.3	0.3	0.3	1.6
12th	8901	219	95.3	0.7	0.4	0.3	0.2	0.3	0.4	2.3
Jr Hi	55205	2175	97.5	0.6	0.2	0.2	0.2	0.1	0.2	1.0
Sr Hi	55521	1501	96.2	0.7	0.4	0.3	0.3	0.3	0.3	1.6
Total	110726	3676	96.9	0.6	0.3	0.3	0.2	0.2	0.2	1.3

Table 7.87:	Within the	past vear	how often	have vo	u used	ecstasy?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14470	706	97.5	0.5	0.2	0.2	0.2	0.1	0.1	1.2
7th	17646	624	97.7	0.6	0.2	0.1	0.2	0.2	0.2	8.0
8th	23072	862	96.3	1.1	0.4	0.3	0.4	0.2	0.3	1.0
9th	15768	467	94.8	1.5	0.6	0.5	0.5	0.4	0.3	1.4
10th	16115	418	94.4	1.7	0.7	0.6	0.6	0.4	0.2	1.4
11th	14722	412	93.6	2.0	8.0	0.5	0.6	0.3	0.3	1.8
12th	8890	230	92.1	2.4	1.2	0.6	0.5	0.5	0.3	2.3
Jr Hi	55188	2192	97.0	8.0	0.3	0.2	0.3	0.2	0.2	1.0
Sr Hi	55495	1527	93.9	1.8	8.0	0.5	0.5	0.4	0.3	1.7
Total	110683	3719	95.5	1.3	0.5	0.4	0.4	0.3	0.3	1.3

Table 7.88: Within the past year how often have you used OxyContin?

Grade	N of	N of	Did				<u> </u>			Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14407	769	97.5	0.4	0.2	0.2	0.2	0.1	0.0	1.2
7th	17582	688	97.7	0.6	0.2	0.2	0.2	0.2	0.2	0.7
8th	23056	878	96.6	8.0	0.4	0.3	0.3	0.2	0.3	1.1
9th	15750	485	94.7	1.3	0.6	0.5	0.6	0.4	0.4	1.5
10th	16107	426	94.3	1.6	8.0	0.6	0.5	0.4	0.3	1.5
11th	14696	438	92.9	2.0	1.1	0.7	0.6	0.5	0.4	1.9
12th	8887	233	92.7	1.8	1.0	0.7	0.5	0.5	0.5	2.4
Jr Hi	55045	2335	97.2	0.6	0.3	0.2	0.2	0.2	0.2	1.0
Sr Hi	55440	1582	93.8	1.7	0.9	0.6	0.6	0.4	0.4	1.7
Total	110485	3917	95.5	1.1	0.6	0.4	0.4	0.3	0.3	1.4

Table 7.89: Within the past year how often have you used tobacco?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	$1/\mathrm{yr}$	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14831	345	89.0	4.7	1.3	0.7	0.6	0.7	0.9	2.2
7th	17974	296	83.0	6.7	2.2	1.2	1.1	1.2	1.6	3.0
8th	23534	400	74.1	8.5	3.1	1.9	1.8	2.1	2.9	5.7
9th	16001	234	66.6	8.9	4.0	2.3	2.0	2.7	3.8	9.7
10th	16302	231	61.9	9.3	4.9	2.5	2.6	3.0	4.2	11.7
11th	14903	231	56.1	8.2	5.4	2.7	2.8	3.4	4.3	17.1
12th	8989	131	53.4	8.1	5.7	2.8	2.8	3.3	4.5	19.4
Jr Hi	56339	1041	80.8	6.9	2.3	1.4	1.2	1.4	2.0	3.9
Sr Hi	56195	827	60.3	8.7	4.9	2.5	2.5	3.1	4.2	13.8
Total	112534	1868	70.6	7.8	3.6	1.9	1.9	2.3	3.1	8.8

Table 7.90: Within the past year how often have you drunk alcohol?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14784	392	79.2	12.0	2.8	1.3	1.1	0.9	8.0	1.8
7th	17927	343	69.1	15.8	5.3	2.4	2.0	2.1	1.6	1.7
8th	23464	470	55.3	19.1	8.1	4.4	4.2	3.9	2.7	2.3
9th	15969	266	46.2	17.8	10.4	6.1	6.1	6.6	3.7	3.1
10th	16274	259	37.7	17.5	11.9	7.3	8.7	9.2	4.7	3.0
11th	14872	262	33.0	15.4	12.5	7.9	10.0	11.6	6.0	3.5
12th	8973	147	30.2	13.4	12.0	7.9	11.4	13.8	6.9	4.5
Jr Hi	56175	1205	66.0	16.2	5.8	3.0	2.7	2.5	1.9	2.0
Sr Hi	56088	934	37.7	16.3	11.6	7.2	8.8	9.8	5.1	3.4
Total	112263	2139	51.9	16.3	8.7	5.1	5.7	6.2	3.5	2.7

Table 7.91: Within the past year how often have you used illicit drugs?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	14832	344	91.6	2.8	0.9	0.6	8.0	0.5	0.5	2.3
7th	17967	303	88.5	3.7	1.5	1.0	0.9	1.0	1.1	2.4
8th	23534	400	81.7	5.3	2.3	1.6	1.6	1.7	2.1	3.7
9th	16009	226	74.5	6.5	3.1	2.0	2.5	2.7	3.1	5.6
10th	16301	232	69.6	7.1	4.1	2.8	2.9	3.3	3.8	6.4
11th	14901	233	64.7	8.2	4.8	3.1	3.4	3.6	4.3	7.9
12th	8984	136	62.5	7.9	5.1	3.4	3.4	3.8	4.1	10.0
Jr Hi	56333	1047	86.5	4.1	1.7	1.1	1.2	1.2	1.4	2.9
Sr Hi	56195	827	68.6	7.3	4.1	2.8	3.0	3.3	3.8	7.1
Total	112528	1874	77.5	5.7	2.9	1.9	2.1	2.2	2.6	5.0

7.5 At What Age Did You First

Table 7.92: At what age did you first smoke cigarettes?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	14711	465	88.2	3.7	2.0	2.0	2.2	1.2	0.3	0.0	0.0	0.0	0.3
7th	17771	499	81.9	4.3	2.1	2.4	3.2	3.9	1.6	0.3	0.1	0.0	0.2
8th	23261	673	73.2	5.0	2.6	2.8	3.4	5.5	5.3	1.7	0.2	0.0	0.2
9th	15762	473	65.5	5.1	2.5	2.9	3.3	5.2	7.1	5.9	2.0	0.3	0.2
10th	16104	429	60.3	4.8	2.6	2.9	3.1	5.4	6.2	6.8	6.2	1.6	0.3
11th	14654	480	54.2	4.4	2.4	2.9	3.0	5.8	6.3	6.2	7.6	5.7	1.5
12th	8820	300	51.8	4.5	1.9	2.4	2.8	5.6	6.2	6.1	7.0	6.4	5.2
Jr Hi	55743	1637	79.9	4.5	2.3	2.5	3.0	3.8	2.8	8.0	0.1	0.0	0.2
Sr Hi	55340	1682	58.8	4.7	2.4	2.8	3.1	5.5	6.5	6.3	5.5	3.1	1.4
Total	111083	3319	69.4	4.6	2.3	2.7	3.0	4.7	4.6	3.5	2.8	1.5	8.0

Table 7.93: At what age did you first use smokeless tobacco?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	14684	492	95.5	1.7	0.5	0.7	0.7	0.5	0.2	0.0	0.0	0.0	0.2
7th	17750	520	93.4	1.4	0.7	8.0	1.0	1.4	8.0	0.2	0.1	0.1	0.2
8th	23246	688	90.6	2.1	0.9	8.0	1.0	1.6	1.8	0.9	0.1	0.0	0.2
9th	15726	509	86.5	2.3	0.9	0.9	1.0	1.7	2.5	2.5	1.5	0.2	0.2
10th	16050	483	84.5	2.2	0.7	0.9	8.0	1.7	2.1	2.8	2.9	1.2	0.2
11th	14616	518	81.3	2.5	0.9	1.1	8.0	1.9	2.1	2.3	3.4	2.8	0.9
12th	8795	325	81.2	2.5	8.0	8.0	0.9	1.7	1.7	2.3	2.4	3.2	2.6
Jr Hi	55680	1700	92.8	1.8	0.7	8.0	0.9	1.2	1.1	0.4	0.1	0.0	0.2
Sr Hi	55187	1835	83.7	2.3	8.0	0.9	0.9	1.7	2.2	2.5	2.6	1.7	8.0
Total	110867	3535	88.3	2.0	8.0	0.9	0.9	1.5	1.6	1.4	1.3	0.8	0.5

Table 7.94: At what age did you first smoke cigars?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	14679	497	95.1	1.7	0.5	8.0	0.9	0.5	0.2	0.1	0.0	0.0	0.2
7th	17689	581	92.4	1.4	8.0	8.0	1.3	1.7	1.0	0.2	0.1	0.0	0.2
8th	23127	807	88.2	1.7	0.9	1.1	1.4	2.3	2.9	1.2	0.2	0.0	0.2
9th	15652	583	82.1	1.9	0.9	1.2	1.5	2.5	3.6	4.1	1.7	0.2	0.2
10th	15977	556	77.7	1.7	0.9	1.1	1.3	2.3	3.4	4.5	5.2	1.7	0.3
11th	14548	586	72.7	1.8	8.0	1.1	1.3	2.4	3.0	4.1	5.6	5.5	1.6
12th	8759	361	69.9	2.2	0.9	1.0	0.9	2.1	2.9	3.6	5.1	5.9	5.5
Jr Hi	55495	1885	91.4	1.6	8.0	0.9	1.2	1.6	1.6	0.6	0.1	0.0	0.2
Sr Hi	54936	2086	76.4	1.9	0.9	1.1	1.3	2.4	3.3	4.1	4.3	2.9	1.4
Total	110431	3971	83.9	1.7	8.0	1.0	1.3	2.0	2.4	2.3	2.2	1.5	8.0

Table 7.95: At what age did you first drink beer?

Grade	N of	N of	Never	8 or			<u> </u>						17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	14654	522	83.6	6.1	2.3	2.8	3.0	1.5	0.3	0.1	0.0	0.0	0.3
7th	17685	585	75.8	6.3	2.8	3.5	3.9	4.8	2.4	0.2	0.1	0.1	0.2
8th	23183	751	63.6	7.1	3.0	3.6	4.2	7.1	7.8	2.9	0.4	0.0	0.2
9th	15692	543	54.4	6.6	2.5	3.1	3.5	6.1	10.4	9.3	3.5	0.4	0.2
10th	16006	527	45.3	6.4	2.1	2.9	2.8	5.5	8.9	11.8	11.1	2.8	0.4
11th	14565	569	39.3	5.9	1.8	2.2	2.6	5.1	7.5	10.6	13.7	8.9	2.4
12th	8785	335	35.8	6.1	1.6	2.2	2.0	4.3	7.2	9.9	12.0	11.4	7.4
Jr Hi	55522	1858	72.8	6.6	2.8	3.4	3.8	4.9	4.1	1.3	0.2	0.0	0.2
Sr Hi	55048	1974	44.8	6.2	2.0	2.7	2.8	5.4	8.7	10.5	9.8	5.1	2.0
Total	110570	3832	58.8	6.4	2.4	3.0	3.3	5.1	6.4	5.9	5.0	2.6	1.1

Table 7.96: At what age did you first drink wine coolers?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	14633	543	84.2	3.7	2.3	3.2	3.6	2.1	0.5	0.0	0.0	0.0	0.2
7th	17683	587	75.8	3.8	2.8	3.8	4.6	5.6	2.9	0.4	0.1	0.0	0.2
8th	23170	764	63.1	4.9	2.8	4.0	5.0	7.7	8.8	3.1	0.4	0.0	0.2
9th	15692	543	55.8	4.4	2.4	3.0	4.1	6.8	10.3	9.1	3.4	0.5	0.2
10th	16017	516	48.6	4.4	2.0	2.8	3.4	6.3	9.2	10.3	9.7	2.9	0.5
11th	14559	575	44.5	3.9	1.6	2.1	2.7	5.5	7.8	9.7	11.4	8.2	2.4
12th	8763	357	42.1	4.0	1.5	2.3	2.3	4.5	7.2	8.7	10.6	9.8	7.0
Jr Hi	55486	1894	72.7	4.2	2.7	3.7	4.5	5.6	4.7	1.4	0.2	0.0	0.2
Sr Hi	55031	1991	48.5	4.2	1.9	2.6	3.2	6.0	8.8	9.5	8.5	4.7	1.9
Total	110517	3885	60.7	4.2	2.3	3.2	3.9	5.8	6.8	5.5	4.3	2.4	1.1

Table 7.97: At what age did you first drink liquor?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	14653	523	91.7	2.3	1.0	1.5	1.6	1.3	0.2	0.1	0.0	0.0	0.2
7th	17682	588	85.1	2.3	1.3	2.1	2.4	4.0	2.2	0.3	0.1	0.0	0.2
8th	23161	773	73.1	3.0	1.6	2.2	2.9	5.7	7.8	3.1	0.4	0.0	0.2
9th	15673	562	60.7	3.2	1.4	1.7	2.7	5.2	9.7	10.5	4.1	0.5	0.3
10th	15997	536	49.7	3.2	1.2	1.8	2.2	4.4	8.2	11.7	13.1	3.9	0.5
11th	14540	594	41.6	2.9	0.9	1.5	2.0	4.3	6.9	10.2	15.0	11.7	3.1
12th	8771	349	36.7	3.1	1.0	1.3	1.8	3.7	6.6	9.5	13.0	13.6	9.8
Jr Hi	55496	1884	81.8	2.6	1.3	2.0	2.4	4.0	4.0	1.4	0.2	0.0	0.2
Sr Hi	54981	2041	48.6	3.1	1.2	1.6	2.2	4.5	8.0	10.6	11.0	6.5	2.6
Total	110477	3925	65.3	2.8	1.2	1.8	2.3	4.2	6.0	6.0	5.6	3.3	1.4

Table 7.98: At what age did you first smoke marijuana?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	14671	505	96.0	1.1	0.4	0.5	0.7	0.7	0.3	0.1	0.0	0.0	0.2
7th	17733	537	92.9	0.8	0.4	0.7	1.3	1.8	1.4	0.3	0.1	0.0	0.2
8th	23220	714	85.6	1.4	0.5	8.0	1.5	2.9	4.5	2.2	0.3	0.0	0.2
9th	15692	543	77.2	1.5	8.0	0.9	1.5	3.4	5.5	6.0	2.6	0.4	0.3
10th	16003	530	69.8	1.4	0.7	0.9	1.3	2.8	5.4	7.0	7.9	2.6	0.3
11th	14547	587	63.3	1.6	0.6	1.0	1.3	2.8	4.8	6.9	8.8	7.0	1.9
12th	8773	347	59.2	1.9	8.0	0.9	1.3	2.7	4.4	7.1	7.9	8.1	5.9
Jr Hi	55624	1756	90.7	1.1	0.5	0.7	1.2	2.0	2.4	1.0	0.2	0.0	0.2
Sr Hi	55015	2007	68.5	1.6	0.7	0.9	1.4	2.9	5.1	6.7	6.6	4.0	1.6
Total	110639	3763	79.7	1.3	0.6	8.0	1.3	2.5	3.7	3.8	3.4	2.0	0.9

Table 7.99: At what age did you first use cocaine?

Grade	N of	N of	Never	8 or		-							17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	14667	509	98.0	0.9	0.1	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.2
7th	17752	518	97.9	0.4	0.2	0.2	0.2	0.4	0.3	0.1	0.1	0.0	0.2
8th	23252	682	96.5	0.7	0.2	0.2	0.3	0.5	0.9	0.5	0.1	0.0	0.2
9th	15722	513	95.0	0.9	0.3	0.2	0.3	0.4	0.7	1.2	0.6	0.2	0.2
10th	16048	485	94.0	0.9	0.2	0.3	0.2	0.4	0.5	1.0	1.5	8.0	0.3
11th	14581	553	92.4	1.1	0.2	0.3	0.2	0.3	0.5	8.0	1.4	2.0	0.8
12th	8789	331	89.6	1.4	0.3	0.3	0.5	0.3	0.5	8.0	1.3	2.0	3.1
Jr Hi	55671	1709	97.3	0.7	0.2	0.2	0.3	0.4	0.5	0.3	0.1	0.0	0.2
Sr Hi	55140	1882	93.1	1.0	0.3	0.3	0.3	0.4	0.6	1.0	1.2	1.1	8.0
Total	110811	3591	95.3	8.0	0.2	0.2	0.3	0.4	0.5	0.6	0.6	0.6	0.5

Table 7.100: At what age did you first use uppers?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	14584	592	98.0	0.9	0.2	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.2
7th	17722	548	97.9	0.4	0.2	0.2	0.3	0.3	0.3	0.1	0.1	0.0	0.2
8th	23220	714	96.6	0.7	0.2	0.2	0.3	0.5	8.0	0.4	0.1	0.0	0.2
9th	15719	516	94.8	0.9	0.2	0.2	0.3	0.5	8.0	1.2	0.6	0.2	0.2
10th	16059	474	94.0	0.9	0.2	0.3	0.2	0.4	0.7	1.2	1.4	0.6	0.2
11th	14588	546	92.4	1.0	0.2	0.3	0.3	0.4	0.6	1.0	1.5	1.7	0.6
12th	8788	332	90.9	1.3	0.4	0.2	0.3	0.4	0.6	1.0	1.2	1.8	1.9
Jr Hi	55526	1854	97.4	0.7	0.2	0.2	0.3	0.4	0.5	0.2	0.1	0.0	0.2
Sr Hi	55154	1868	93.3	1.0	0.2	0.2	0.3	0.4	0.7	1.1	1.2	1.0	0.6
Total	110680	3722	95.3	8.0	0.2	0.2	0.3	0.4	0.6	0.7	0.6	0.5	0.4

Table 7.101: At what age did you first use downers?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	14563	613	97.8	0.9	0.2	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.2
7th	17707	563	97.6	0.4	0.2	0.2	0.3	0.4	0.4	0.1	0.1	0.1	0.2
8th	23213	721	96.0	0.7	0.2	0.2	0.3	0.6	0.9	0.6	0.1	0.1	0.2
9th	15711	524	93.9	0.9	0.3	0.3	0.4	0.5	1.2	1.5	0.7	0.2	0.2
10th	16050	483	92.9	0.9	0.3	0.2	0.2	0.6	0.9	1.5	1.5	8.0	0.2
11th	14585	549	91.1	1.1	0.2	0.3	0.3	0.6	0.9	1.3	1.9	1.8	0.6
12th	8790	330	90.1	1.4	0.3	0.3	0.3	0.5	8.0	1.1	1.5	2.1	1.7
Jr Hi	55483	1897	97.0	0.7	0.2	0.2	0.3	0.5	0.5	0.3	0.1	0.0	0.2
Sr Hi	55136	1886	92.3	1.0	0.3	0.3	0.3	0.6	1.0	1.4	1.4	1.1	0.5
Total	110619	3783	94.6	0.9	0.2	0.2	0.3	0.5	8.0	8.0	0.7	0.6	0.4

Table 7.102: At what age did you first use inhalants?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	14565	611	95.4	1.9	0.5	0.6	0.7	0.5	0.1	0.0	0.0	0.0	0.2
7th	17704	566	95.1	1.2	0.6	0.6	8.0	0.9	0.4	0.1	0.0	0.0	0.2
8th	23211	723	94.0	1.3	0.5	0.6	0.7	1.0	1.1	0.5	0.1	0.0	0.2
9th	15722	513	94.2	1.4	0.4	0.4	0.5	8.0	0.9	8.0	0.3	0.1	0.2
10th	16035	498	94.3	1.3	0.3	0.3	0.3	0.6	0.7	8.0	8.0	0.3	0.3
11th	14578	556	94.0	1.3	0.3	0.3	0.3	0.6	0.6	0.7	8.0	8.0	0.4
12th	8792	328	93.6	1.6	0.3	0.4	0.3	0.5	0.4	0.5	0.7	0.6	0.9
Jr Hi	55480	1900	94.7	1.4	0.5	0.6	0.7	0.9	0.6	0.3	0.1	0.0	0.2
Sr Hi	55127	1895	94.1	1.4	0.3	0.4	0.4	0.6	0.7	0.7	0.6	0.4	0.4
Total	110607	3795	94.4	1.4	0.4	0.5	0.5	0.7	0.7	0.5	0.3	0.2	0.3

Table 7.103: At what age did you first use hallucinogens?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	14546	630	98.3	8.0	0.2	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.2
7th	17699	571	98.3	0.4	0.1	0.2	0.2	0.3	0.2	0.1	0.0	0.1	0.2
8th	23214	720	97.3	0.6	0.2	0.2	0.2	0.3	0.5	0.3	0.1	0.1	0.2
9th	15714	521	95.9	0.8	0.2	0.2	0.2	0.4	0.6	8.0	0.5	0.2	0.2
10th	16045	488	94.8	0.9	0.2	0.2	0.2	0.4	0.5	8.0	1.2	0.6	0.2
11th	14572	562	93.3	1.0	0.2	0.3	0.2	0.3	0.5	8.0	1.2	1.5	8.0
12th	8782	338	91.9	1.3	0.3	0.3	0.3	0.3	0.5	0.7	1.0	1.5	1.8
Jr Hi	55459	1921	97.9	0.6	0.2	0.2	0.2	0.3	0.3	0.2	0.1	0.1	0.2
Sr Hi	55113	1909	94.3	1.0	0.2	0.2	0.2	0.4	0.5	8.0	1.0	0.9	0.6
Total	110572	3830	96.1	8.0	0.2	0.2	0.2	0.3	0.4	0.5	0.5	0.5	0.4

Table 7.104: At what age did you first use heroin?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	14562	614	98.2	0.9	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.2
7th	17703	567	98.4	0.4	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.0	0.2
8th	23214	720	97.6	0.7	0.1	0.2	0.2	0.3	0.4	0.2	0.1	0.0	0.2
9th	15712	523	96.8	8.0	0.2	0.2	0.2	0.2	0.4	0.5	0.3	0.1	0.2
10th	16058	475	96.5	0.9	0.2	0.2	0.1	0.3	0.3	0.4	0.7	0.3	0.2
11th	14574	560	96.1	1.0	0.2	0.2	0.2	0.3	0.2	0.4	0.5	0.6	0.4
12th	8789	331	95.0	1.4	0.3	0.2	0.2	0.3	0.3	0.5	0.5	0.6	0.8
Jr Hi	55479	1901	98.0	0.6	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.0	0.2
Sr Hi	55133	1889	96.3	1.0	0.2	0.2	0.2	0.3	0.3	0.4	0.5	0.4	0.3
Total	110612	3790	97.1	8.0	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.3

Table 7.105: At what age did you first use steroids?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	14543	633	98.0	1.0	0.2	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.2
7th	17697	573	98.3	0.4	0.2	0.2	0.2	0.2	0.2	0.1	0.0	0.0	0.2
8th	23207	727	97.7	0.7	0.2	0.2	0.1	0.2	0.4	0.3	0.0	0.0	0.2
9th	15708	527	96.8	0.8	0.2	0.2	0.2	0.2	0.4	0.5	0.3	0.2	0.2
10th	16048	485	96.8	0.8	0.2	0.2	0.2	0.2	0.3	0.4	0.5	0.3	0.2
11th	14571	563	96.3	1.0	0.2	0.2	0.2	0.2	0.2	0.3	0.5	0.4	0.4
12th	8782	338	95.3	1.4	0.3	0.2	0.2	0.3	0.3	0.4	0.3	0.5	8.0
Jr Hi	55447	1933	97.9	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.2
Sr Hi	55109	1913	96.4	1.0	0.2	0.2	0.2	0.2	0.3	0.4	0.4	0.3	0.4
Total	110556	3846	97.2	8.0	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.3

Table 7.106: At what age did you first use ecstasy?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	14535	641	98.0	1.0	0.1	0.2	0.2	0.2	0.1	0.1	0.0	0.0	0.2
7th	17669	601	98.0	0.3	0.2	0.2	0.2	0.3	0.3	0.1	0.1	0.0	0.2
8th	23202	732	96.6	0.7	0.2	0.2	0.2	0.5	0.9	0.5	0.1	0.0	0.2
9th	15696	539	94.9	0.9	0.3	0.2	0.3	0.4	8.0	1.1	8.0	0.2	0.2
10th	16043	490	94.5	0.8	0.2	0.2	0.2	0.3	0.6	0.9	1.3	0.6	0.2
11th	14575	559	93.5	1.1	0.2	0.2	0.2	0.3	0.4	0.6	1.1	1.6	0.8
12th	8777	343	91.7	1.3	0.3	0.2	0.2	0.4	0.5	8.0	1.1	1.4	2.2
Jr Hi	55406	1974	97.4	0.6	0.2	0.2	0.2	0.3	0.5	0.3	0.1	0.0	0.2
Sr Hi	55091	1931	93.9	1.0	0.2	0.2	0.2	0.3	0.6	0.9	1.1	0.9	0.7
Total	110497	3905	95.7	8.0	0.2	0.2	0.2	0.3	0.5	0.6	0.6	0.5	0.4

Table 7.107: At what age did you first use OxyContin?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	14515	661	98.0	1.0	0.2	0.1	0.1	0.2	0.1	0.0	0.0	0.0	0.2
7th	17632	638	98.1	0.4	0.2	0.2	0.2	0.4	0.2	0.1	0.0	0.0	0.2
8th	23141	793	96.9	0.7	0.1	0.1	0.2	0.4	0.7	0.5	0.1	0.0	0.2
9th	15674	561	95.1	0.9	0.2	0.1	0.2	0.4	0.7	1.1	8.0	0.2	0.2
10th	16018	515	94.4	0.9	0.1	0.2	0.2	0.4	0.5	8.0	1.3	8.0	0.2
11th	14556	578	92.9	1.1	0.2	0.2	0.2	0.3	0.4	0.7	1.3	1.8	1.0
12th	8770	350	92.5	1.3	0.2	0.2	0.3	0.3	0.4	0.5	0.7	1.7	1.8
Jr Hi	55288	2092	97.6	0.7	0.2	0.1	0.2	0.3	0.4	0.3	0.1	0.0	0.2
Sr Hi	55018	2004	93.9	1.0	0.2	0.2	0.2	0.4	0.5	8.0	1.1	1.0	0.7
Total	110306	4096	95.7	0.8	0.2	0.2	0.2	0.4	0.4	0.5	0.6	0.5	0.5

7.6 Where Do You Use

Table 7.108: Where do you smoke cigarettes?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	86.8	4.0	0.8	1.2	3.4	3.9
7th	18270	0	82.6	6.1	0.7	2.1	6.3	5.9
8th	23934	0	75.3	9.4	1.6	4.5	11.2	9.2
9th	16235	0	70.0	12.5	3.3	8.4	14.5	10.5
10th	16533	0	68.1	13.2	4.4	12.6	15.9	11.7
11th	15134	0	62.9	14.6	5.1	18.3	18.5	13.9
12th	9120	0	61.0	14.6	5.6	20.4	19.4	15.3
Jr Hi	57380	0	80.7	6.9	1.1	2.8	7.6	6.7
Sr Hi	57022	0	66.1	13.6	4.5	14.2	16.8	12.5
Total	114402	0	73.4	10.3	2.8	8.5	12.1	9.6

Table 7.109: Where do you use smokeless tobacco?

				. ,				
Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	91.7	1.7	0.7	0.6	1.2	1.5
7th	18270	0	90.4	2.5	0.7	0.9	2.1	2.3
8th	23934	0	88.2	3.5	1.4	1.4	3.1	3.1
9th	16235	0	84.7	5.0	2.8	2.7	4.6	4.3
10th	16533	0	84.4	5.3	3.1	3.7	5.2	4.6
11th	15134	0	81.9	6.0	4.0	5.3	5.9	5.9
12th	9120	0	81.5	5.8	4.0	5.2	5.8	5.9
Jr Hi	57380	0	89.9	2.7	1.0	1.0	2.3	2.4
Sr Hi	57022	0	83.4	5.5	3.4	4.1	5.3	5.1
Total	114402	0	86.6	4.1	2.2	2.5	3.8	3.7

Table 7.110: Where do you smoke cigars?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	91.1	2.1	0.7	0.7	1.3	1.8
7th	18270	0	89.5	3.0	0.5	0.9	2.3	2.4
8th	23934	0	85.7	4.1	8.0	1.7	4.4	4.0
9th	16235	0	80.8	6.0	1.4	3.4	6.9	5.4
10th	16533	0	78.4	6.5	1.6	5.0	8.6	6.5
11th	15134	0	74.6	6.3	1.8	7.0	9.7	8.0
12th	9120	0	71.7	7.0	2.4	7.8	11.8	9.1
Jr Hi	57380	0	88.3	3.2	0.7	1.2	2.9	2.9
Sr Hi	57022	0	77.0	6.4	1.7	5.5	8.9	7.0
Total	114402	0	82.7	4.8	1.2	3.4	5.9	4.9

Table 7.111: Where do you drink beer?

					,			
Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	83.2	8.0	0.7	1.0	3.1	4.0
7th	18270	0	77.1	11.0	0.7	1.5	6.3	6.8
8th	23934	0	65.9	15.3	1.2	2.7	14.2	10.8
9th	16235	0	57.7	17.2	2.0	4.5	21.8	13.0
10th	16533	0	50.5	19.1	2.1	6.6	30.2	16.3
11th	15134	0	44.5	18.5	2.5	8.9	35.9	19.8
12th	9120	0	41.0	19.7	3.5	9.9	39.7	21.2
Jr Hi	57380	0	74.0	12.0	0.9	1.9	8.7	7.7
Sr Hi	57022	0	49.5	18.5	2.4	7.1	30.9	17.1
Total	114402	0	61.8	15.2	1.6	4.5	19.8	12.4

Table 7.112: Where do you drink wine coolers?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	82.7	8.1	8.0	8.0	3.0	4.3
7th	18270	0	75.6	12.6	0.5	1.4	6.0	6.9
8th	23934	0	64.4	17.9	1.1	2.5	12.5	10.2
9th	16235	0	58.1	19.5	1.7	3.6	17.6	11.9
10th	16533	0	52.7	20.8	1.8	4.6	24.3	13.9
11th	15134	0	49.7	18.8	1.9	5.7	27.1	16.0
12th	9120	0	48.5	18.5	2.5	5.8	29.2	15.9
Jr Hi	57380	0	72.8	13.6	0.8	1.7	7.9	7.6
Sr Hi	57022	0	52.8	19.5	1.9	4.8	23.9	14.2
Total	114402	0	62.8	16.6	1.4	3.2	15.9	10.9

Table 7.113: Where do you drink liquor?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	88.4	3.7	0.7	8.0	2.0	2.5
7th	18270	0	83.3	6.6	0.6	1.1	4.4	4.9
8th	23934	0	72.4	11.0	1.2	2.2	11.4	8.8
9th	16235	0	61.1	14.7	2.0	4.0	19.7	12.1
10th	16533	0	51.9	17.7	2.4	5.7	28.7	15.9
11th	15134	0	44.7	17.3	3.0	8.0	35.2	20.0
12th	9120	0	40.4	19.2	3.7	8.6	38.8	21.8
Jr Hi	57380	0	80.1	7.7	0.9	1.5	6.7	5.9
Sr Hi	57022	0	50.8	17.0	2.7	6.3	29.5	16.9
Total	114402	0	65.5	12.3	1.8	3.9	18.0	11.4

Table 7.114: Where do you smoke marijuana?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	91.7	1.1	0.7	0.7	1.5	1.5
7th	18270	0	89.7	2.0	0.6	1.4	3.1	2.9
8th	23934	0	82.9	4.0	1.2	3.1	7.5	6.0
9th	16235	0	75.7	6.7	2.3	5.8	12.4	8.6
10th	16533	0	70.4	8.6	3.1	9.5	17.2	11.3
11th	15134	0	65.6	9.6	3.9	12.6	20.2	14.0
12th	9120	0	62.9	10.5	4.3	14.9	22.2	14.8
Jr Hi	57380	0	87.4	2.6	0.9	1.9	4.5	3.8
Sr Hi	57022	0	69.4	8.6	3.3	10.1	17.4	11.8
Total	114402	0	78.4	5.6	2.1	6.0	10.9	7.8

Table 7.115: Where do you use cocaine?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	93.1	0.6	0.7	0.5	0.7	0.8
7th	18270	0	93.9	0.5	0.4	0.4	0.7	0.9
8th	23934	0	92.2	0.9	0.7	0.7	1.5	1.2
9th	16235	0	90.3	1.5	1.1	1.1	2.2	1.7
10th	16533	0	90.2	1.7	1.3	1.4	2.5	1.9
11th	15134	0	88.1	2.0	1.5	2.0	3.3	2.6
12th	9120	0	86.0	2.8	2.2	2.7	4.3	3.3
Jr Hi	57380	0	93.0	0.7	0.6	0.5	1.0	1.0
Sr Hi	57022	0	89.0	1.9	1.4	1.7	2.9	2.2
Total	114402	0	91.0	1.3	1.0	1.1	2.0	1.6

Table 7.116: Where do you use uppers?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	92.6	8.0	0.7	0.5	0.6	0.7
7th	18270	0	93.8	0.7	0.5	0.4	0.7	8.0
8th	23934	0	92.2	1.1	0.9	0.6	1.3	1.2
9th	16235	0	90.2	1.8	1.4	1.0	2.0	1.8
10th	16533	0	90.4	1.9	1.8	1.2	2.3	1.7
11th	15134	0	88.2	2.4	2.2	1.7	2.8	2.3
12th	9120	0	87.0	3.0	2.7	1.9	3.3	2.9
Jr Hi	57380	0	92.8	0.9	0.7	0.5	0.9	1.0
Sr Hi	57022	0	89.2	2.2	1.9	1.4	2.5	2.1
Total	114402	0	91.0	1.5	1.3	0.9	1.7	1.5

Table 7.117: Where do you use downers?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	92.5	0.9	0.7	0.5	0.6	0.7
7th	18270	0	93.5	1.0	0.5	0.3	0.7	8.0
8th	23934	0	91.7	1.7	0.9	0.7	1.4	1.2
9th	16235	0	89.4	2.7	1.7	1.2	2.3	1.8
10th	16533	0	89.4	3.0	2.1	1.4	2.6	1.8
11th	15134	0	87.1	3.4	2.6	1.9	3.4	2.7
12th	9120	0	86.2	3.8	2.8	2.1	3.8	3.1
Jr Hi	57380	0	92.5	1.2	0.7	0.5	1.0	1.0
Sr Hi	57022	0	88.3	3.1	2.2	1.6	2.9	2.3
Total	114402	0	90.4	2.2	1.5	1.1	1.9	1.6

Table 7.118: Where do you use inhalants?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
Level	vanu	IVIISS	Use	Home	3011001	Car	House	Other
6th	15176	0	90.7	1.8	2.1	0.7	1.0	1.1
7th	18270	0	91.6	1.9	1.8	0.6	1.3	1.3
8th	23934	0	90.4	2.4	2.0	8.0	1.8	1.6
9th	16235	0	89.9	2.3	1.8	1.0	1.7	1.6
10th	16533	0	91.0	2.0	1.6	1.0	1.6	1.3
11th	15134	0	89.5	1.7	1.6	1.1	1.8	1.6
12th	9120	0	89.5	2.0	1.7	1.2	1.7	1.9
Jr Hi	57380	0	90.9	2.1	2.0	0.7	1.4	1.4
Sr Hi	57022	0	90.0	2.0	1.7	1.1	1.7	1.6
Total	114402	0	90.5	2.1	1.8	0.9	1.6	1.5

Table 7.119: Where do you use hallucinogens?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	92.7	0.6	0.7	0.5	0.5	0.6
7th	18270	0	93.9	0.5	0.4	0.3	0.5	0.7
8th	23934	0	92.5	8.0	0.7	0.5	1.1	1.1
9th	16235	0	90.9	1.3	1.1	0.9	1.7	1.4
10th	16533	0	90.8	1.7	1.2	1.0	2.1	1.7
11th	15134	0	88.4	1.9	1.3	1.4	2.8	2.5
12th	9120	0	87.7	2.4	1.9	1.6	2.9	2.8
Jr Hi	57380	0	93.0	0.7	0.6	0.5	0.7	8.0
Sr Hi	57022	0	89.7	1.8	1.3	1.2	2.3	2.0
Total	114402	0	91.4	1.2	1.0	8.0	1.5	1.4

Table 7.120: Where do you use heroin?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	92.7	0.6	0.7	0.5	0.6	0.6
7th	18270	0	94.0	0.4	0.4	0.3	0.4	0.6
8th	23934	0	93.0	0.6	0.6	0.5	0.9	8.0
9th	16235	0	91.7	1.0	0.9	8.0	1.2	1.2
10th	16533	0	92.3	1.0	1.1	8.0	1.3	1.1
11th	15134	0	90.6	1.0	1.3	1.0	1.3	1.3
12th	9120	0	90.1	1.6	1.8	1.2	1.4	1.7
Jr Hi	57380	0	93.2	0.6	0.6	0.4	0.7	0.7
Sr Hi	57022	0	91.3	1.1	1.2	0.9	1.3	1.3
Total	114402	0	92.3	8.0	0.9	0.7	1.0	1.0

Table 7.121: Where do you use steroids?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	92.3	0.9	0.7	0.5	0.6	0.6
7th	18270	0	93.8	0.5	0.4	0.3	0.4	0.6
8th	23934	0	93.0	8.0	0.7	0.5	0.7	8.0
9th	16235	0	91.6	1.3	1.1	0.7	0.9	1.1
10th	16533	0	92.4	1.2	1.1	8.0	0.9	1.1
11th	15134	0	90.7	1.1	1.2	8.0	1.0	1.2
12th	9120	0	90.1	1.8	1.7	1.0	1.2	1.5
Jr Hi	57380	0	93.1	0.7	0.6	0.4	0.6	0.7
Sr Hi	57022	0	91.3	1.3	1.2	8.0	1.0	1.2
Total	114402	0	92.2	1.0	0.9	0.6	0.8	1.0

Table 7.122: Where do you use ecstasy?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	92.2	0.6	0.7	0.5	0.6	0.7
7th	18270	0	93.4	0.5	0.4	0.3	0.7	8.0
8th	23934	0	92.0	0.8	0.7	0.6	1.4	1.4
9th	16235	0	90.1	1.3	1.2	1.0	2.2	2.0
10th	16533	0	90.4	1.4	1.2	1.1	2.5	2.2
11th	15134	0	88.6	1.4	1.4	1.4	2.7	2.6
12th	9120	0	87.3	2.1	1.8	1.7	3.4	3.3
Jr Hi	57380	0	92.5	0.7	0.6	0.5	1.0	1.0
Sr Hi	57022	0	89.4	1.5	1.3	1.3	2.6	2.4
Total	114402	0	90.9	1.1	1.0	0.9	1.8	1.7

Table 7.123: Where do you use OxyContin?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	92.0	8.0	0.7	0.5	0.6	8.0
7th	18270	0	93.3	0.6	0.4	0.3	0.6	0.7
8th	23934	0	92.0	0.9	0.7	0.5	1.2	1.1
9th	16235	0	90.1	1.7	1.4	1.0	1.9	1.8
10th	16533	0	90.3	1.8	1.5	1.1	2.3	1.9
11th	15134	0	88.0	2.1	1.9	1.6	3.0	2.5
12th	9120	0	87.7	2.5	2.2	1.7	2.8	2.7
Jr Hi	57380	0	92.4	8.0	0.6	0.4	0.8	0.9
Sr Hi	57022	0	89.2	2.0	1.7	1.3	2.4	2.2
Total	114402	0	90.8	1.4	1.1	0.9	1.6	1.5

Table 7.124: Where do you use any tobacco?

Grade	N of	N of	Do Not	Āt	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	93.2	3.0	0.9	1.0	1.9	2.5
7th	18270	0	93.0	4.5	0.9	1.5	3.5	3.7
8th	23934	0	91.5	6.3	1.7	2.6	6.2	5.7
9th	16235	0	88.6	8.8	3.3	5.1	9.3	7.7
10th	16533	0	88.4	9.7	3.9	7.2	11.3	9.0
11th	15134	0	85.8	10.1	4.7	10.2	12.7	10.9
12th	9120	0	84.4	10.3	5.1	10.8	14.3	11.5
Jr Hi	57380	0	92.4	4.9	1.2	1.8	4.2	4.2
Sr Hi	57022	0	87.1	9.6	4.1	8.0	11.6	9.5
Total	114402	0	89.8	7.2	2.7	4.9	7.9	6.9

Table 7.125: Where do you use any alcohol?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	90.9	12.3	1.0	1.5	4.7	6.6
7th	18270	0	87.3	17.7	0.9	2.2	9.2	10.5
8th	23934	0	78.9	23.9	1.8	3.9	18.8	15.7
9th	16235	0	71.7	26.4	2.9	6.2	27.7	18.5
10th	16533	0	65.7	28.5	3.3	8.3	36.7	21.7
11th	15134	0	61.1	26.7	3.9	10.8	42.6	25.4
12th	9120	0	59.3	27.5	5.0	12.0	46.4	26.7
Jr Hi	57380	0	84.8	18.8	1.3	2.7	12.0	11.7
Sr Hi	57022	0	65.2	27.3	3.6	9.0	37.2	22.6
Total	114402	0	75.0	23.0	2.5	5.8	24.6	17.1

Table 7.126: Where do you use any illicit drugs?

				· · · · · ·	· · · · · · · · · · · · · · · · · · ·		0-	
Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	15176	0	94.3	3.5	2.8	1.5	2.7	2.6
7th	18270	0	95.2	4.6	2.7	2.1	4.5	4.3
8th	23934	0	94.7	7.2	3.6	4.1	9.4	7.9
9th	16235	0	93.4	9.8	5.0	7.0	14.2	10.6
10th	16533	0	94.1	11.7	6.0	10.7	19.0	13.2
11th	15134	0	92.7	12.8	7.0	14.0	22.1	16.1
12th	9120	0	92.2	14.0	7.6	16.9	24.6	17.7
Jr Hi	57380	0	94.7	5.4	3.1	2.8	6.1	5.4
Sr Hi	57022	0	93.2	11.8	6.2	11.5	19.4	13.9
Total	114402	0	94.0	8.6	4.7	7.1	12.7	9.6

7.7 When Do You Use

Table 7.127: When do you smoke cigarettes?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	86.3	1.1	8.0	2.5	1.7	5.4
7th	18270	0	82.8	1.8	0.7	4.5	3.2	9.0
8th	23934	0	75.6	3.8	1.3	8.2	6.2	14.0
9th	16235	0	70.4	6.3	2.9	11.4	8.5	17.3
10th	16533	0	68.8	7.9	4.0	12.9	10.3	19.7
11th	15134	0	63.6	11.6	4.9	16.4	13.8	23.0
12th	9120	0	61.6	12.8	6.1	17.6	15.7	25.0
Jr Hi	57380	0	80.7	2.4	1.0	5.5	4.0	10.1
Sr Hi	57022	0	66.7	9.2	4.3	14.2	11.6	20.7
Total	114402	0	73.7	5.8	2.6	9.8	7.8	15.4

Table 7.128: When do you use smokeless tobacco?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	90.3	0.7	0.7	1.3	0.7	2.0
7th	18270	0	89.8	0.9	0.7	1.8	1.3	3.1
8th	23934	0	87.2	1.3	1.3	2.8	2.0	4.5
9th	16235	0	83.6	2.2	2.6	4.5	3.1	6.1
10th	16533	0	83.8	2.6	3.0	4.6	3.6	6.7
11th	15134	0	81.1	3.6	3.7	5.8	4.7	7.5
12th	9120	0	81.1	3.2	4.1	4.9	4.3	7.3
Jr Hi	57380	0	88.9	1.0	0.9	2.1	1.4	3.4
Sr Hi	57022	0	82.6	2.8	3.2	4.9	3.9	6.8
Total	114402	0	85.7	1.9	2.1	3.5	2.6	5.1

Table 7.129: When do you smoke cigars?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	89.9	0.6	0.7	1.2	8.0	2.5
7th	18270	0	89.1	0.7	0.5	1.6	1.2	4.1
8th	23934	0	85.2	1.0	8.0	2.7	2.0	6.4
9th	16235	0	80.7	1.7	1.3	3.8	3.0	9.5
10th	16533	0	78.8	1.8	1.5	4.2	3.7	12.0
11th	15134	0	75.4	2.1	1.8	4.2	4.1	13.9
12th	9120	0	72.9	2.3	2.1	4.7	4.7	15.8
Jr Hi	57380	0	87.7	8.0	0.7	1.9	1.4	4.6
Sr Hi	57022	0	77.5	1.9	1.6	4.2	3.8	12.4
Total	114402	0	82.6	1.3	1.1	3.0	2.6	8.5

Table 7.130: When do you drink beer?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	83.6	0.7	8.0	1.9	2.1	7.9
7th	18270	0	78.5	8.0	0.5	2.8	3.5	13.6
8th	23934	0	67.5	1.2	1.1	4.5	5.2	23.1
9th	16235	0	59.4	1.6	1.5	5.1	6.2	30.2
10th	16533	0	52.5	1.8	1.7	5.7	7.2	38.5
11th	15134	0	46.4	2.3	2.1	6.0	8.5	43.2
12th	9120	0	42.9	2.2	2.4	6.1	10.1	46.3
Jr Hi	57380	0	75.3	0.9	8.0	3.3	3.8	16.0
Sr Hi	57022	0	51.3	1.9	1.9	5.7	7.7	38.6
Total	114402	0	63.3	1.4	1.3	4.5	5.8	27.3

Table 7.131: When do you drink wine coolers?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	82.7	0.7	0.7	1.6	2.0	8.9
7th	18270	0	76.9	8.0	0.5	2.7	3.6	14.8
8th	23934	0	66.1	1.1	0.9	4.2	5.3	24.2
9th	16235	0	59.7	1.5	1.3	4.5	5.8	29.6
10th	16533	0	54.4	1.7	1.5	4.9	6.8	35.9
11th	15134	0	51.6	1.7	1.7	4.4	6.8	37.6
12th	9120	0	50.1	1.7	2.1	4.2	7.4	38.8
Jr Hi	57380	0	73.9	0.9	0.7	3.1	3.9	17.2
Sr Hi	57022	0	54.5	1.6	1.6	4.5	6.6	35.0
Total	114402	0	64.2	1.3	1.1	3.8	5.2	26.1

Table 7.132: When do you drink liquor?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	87.7	0.6	0.7	1.2	1.3	4.4
7th	18270	0	83.3	0.7	0.5	1.9	2.2	9.2
8th	23934	0	72.8	1.1	1.0	3.4	4.0	18.5
9th	16235	0	61.9	1.6	1.6	4.5	5.5	28.0
10th	16533	0	53.0	2.0	1.9	5.1	6.6	38.0
11th	15134	0	46.0	2.3	2.2	5.4	7.8	43.6
12th	9120	0	41.9	2.5	2.7	5.7	9.1	47.1
Jr Hi	57380	0	80.1	0.9	8.0	2.4	2.7	11.8
Sr Hi	57022	0	51.9	2.0	2.0	5.1	7.0	38.1
Total	114402	0	66.0	1.4	1.4	3.7	4.8	24.9

Table 7.133: When do you smoke marijuana?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	90.3	0.6	0.7	0.9	8.0	2.0
7th	18270	0	89.0	1.0	0.6	1.8	1.7	4.0
8th	23934	0	82.5	1.9	1.0	3.6	3.6	9.4
9th	16235	0	75.5	3.4	2.0	5.9	5.8	14.3
10th	16533	0	71.1	4.5	2.9	7.9	8.0	19.5
11th	15134	0	66.6	6.0	3.4	9.5	10.0	22.7
12th	9120	0	64.4	6.5	4.2	10.7	11.7	24.2
Jr Hi	57380	0	86.6	1.2	8.0	2.3	2.3	5.7
Sr Hi	57022	0	70.1	4.9	3.0	8.2	8.5	19.6
Total	114402	0	78.4	3.1	1.9	5.2	5.4	12.6

Table 7.134: When do you use cocaine?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	91.7	0.5	0.7	0.5	0.5	0.7
7th	18270	0	92.8	0.4	0.4	0.5	0.4	1.0
8th	23934	0	91.1	0.6	8.0	8.0	8.0	1.7
9th	16235	0	89.1	0.9	1.1	1.3	1.2	2.5
10th	16533	0	89.3	1.0	1.2	1.3	1.4	2.9
11th	15134	0	87.1	1.3	1.6	1.8	1.7	3.7
12th	9120	0	85.4	1.6	2.0	2.0	2.3	5.0
Jr Hi	57380	0	91.8	0.5	0.6	0.6	0.6	1.2
Sr Hi	57022	0	88.0	1.2	1.4	1.6	1.6	3.3
Total	114402	0	89.9	0.8	1.0	1.1	1.1	2.3

Table 7.135: When do you use uppers?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	91.2	0.5	0.7	0.6	0.6	0.7
7th	18270	0	92.7	0.4	0.5	0.5	0.4	0.9
8th	23934	0	91.1	0.7	8.0	0.9	0.7	1.7
9th	16235	0	88.8	1.1	1.4	1.3	1.3	2.5
10th	16533	0	89.3	1.2	1.7	1.4	1.4	2.8
11th	15134	0	87.1	1.7	2.1	1.9	1.8	3.3
12th	9120	0	86.0	2.0	2.3	2.0	2.1	4.1
Jr Hi	57380	0	91.6	0.6	0.7	0.7	0.6	1.2
Sr Hi	57022	0	88.0	1.4	1.8	1.6	1.6	3.0
Total	114402	0	89.8	1.0	1.2	1.1	1.1	2.1

Table 7.136: When do you use downers?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	91.0	0.6	0.7	0.6	0.5	0.7
7th	18270	0	92.5	0.5	0.5	0.5	0.6	1.0
8th	23934	0	90.7	8.0	8.0	1.0	1.1	1.8
9th	16235	0	88.0	1.5	1.6	1.6	1.7	2.8
10th	16533	0	88.5	1.5	1.9	1.8	1.9	3.1
11th	15134	0	86.3	2.0	2.3	2.3	2.3	3.9
12th	9120	0	85.4	2.0	2.5	2.3	2.5	4.6
Jr Hi	57380	0	91.3	0.7	0.7	8.0	8.0	1.2
Sr Hi	57022	0	87.3	1.7	2.0	2.0	2.1	3.5
Total	114402	0	89.3	1.2	1.3	1.4	1.4	2.4

Table 7.137: When do you use inhalants?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	89.5	0.7	1.9	1.2	0.9	1.3
7th	18270	0	90.8	0.7	1.7	1.3	1.0	1.7
8th	23934	0	89.5	0.7	1.9	1.6	1.4	2.3
9th	16235	0	88.5	1.0	1.8	1.6	1.3	2.3
10th	16533	0	89.9	0.9	1.5	1.4	1.2	2.0
11th	15134	0	88.5	0.9	1.6	1.4	1.2	2.1
12th	9120	0	88.2	1.1	1.7	1.5	1.3	2.3
Jr Hi	57380	0	89.9	0.7	1.8	1.4	1.1	1.8
Sr Hi	57022	0	88.9	1.0	1.6	1.5	1.2	2.2
Total	114402	0	89.4	8.0	1.7	1.4	1.2	2.0

Table 7.138: When do you use hallucinogens?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	91.1	0.4	0.6	0.5	0.4	0.6
7th	18270	0	92.8	0.4	0.4	0.4	0.4	0.7
8th	23934	0	91.4	0.5	0.7	0.6	0.6	1.4
9th	16235	0	89.5	0.9	1.1	1.0	1.0	2.0
10th	16533	0	89.6	1.0	1.0	1.2	1.2	2.6
11th	15134	0	87.5	1.0	1.3	1.3	1.3	3.4
12th	9120	0	86.6	1.2	1.6	1.5	1.6	3.9
Jr Hi	57380	0	91.8	0.4	0.6	0.5	0.5	1.0
Sr Hi	57022	0	88.6	1.0	1.2	1.2	1.2	2.8
Total	114402	0	90.2	0.7	0.9	0.9	0.9	1.9

Table 7.139: When do you use heroin?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	91.2	0.4	0.7	0.5	0.4	0.6
7th	18270	0	92.9	0.4	0.4	0.4	0.3	0.7
8th	23934	0	91.8	0.4	0.6	0.6	0.6	1.1
9th	16235	0	90.1	8.0	1.0	1.0	8.0	1.4
10th	16533	0	90.9	8.0	1.1	1.0	0.9	1.5
11th	15134	0	89.3	0.9	1.2	1.1	0.9	1.7
12th	9120	0	88.6	1.1	1.7	1.3	1.2	2.1
Jr Hi	57380	0	92.0	0.4	0.6	0.5	0.5	0.8
Sr Hi	57022	0	89.9	0.9	1.2	1.1	0.9	1.6
Total	114402	0	90.9	0.6	0.9	8.0	0.7	1.2

Table 7.140: When do you use steroids?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	90.8	0.5	0.6	0.6	0.5	0.6
7th	18270	0	92.7	0.4	0.4	0.4	0.4	0.7
8th	23934	0	91.8	0.5	0.7	0.6	0.6	1.0
9th	16235	0	89.9	8.0	1.1	1.1	0.9	1.4
10th	16533	0	91.0	8.0	1.0	1.1	0.7	1.2
11th	15134	0	89.4	0.9	1.2	1.2	1.0	1.3
12th	9120	0	88.6	1.1	1.5	1.5	1.2	1.6
Jr Hi	57380	0	91.8	0.5	0.6	0.5	0.5	0.8
Sr Hi	57022	0	89.9	0.9	1.2	1.2	0.9	1.3
Total	114402	0	90.9	0.7	0.9	8.0	0.7	1.1

Table 7.141: When do you use ecstasy?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	90.8	0.4	0.6	0.5	0.4	8.0
7th	18270	0	92.3	0.3	0.4	0.4	0.4	0.9
8th	23934	0	90.8	0.5	0.6	0.7	0.7	1.9
9th	16235	0	88.5	1.0	1.1	1.1	1.1	2.7
10th	16533	0	89.3	0.9	1.1	1.0	1.2	2.9
11th	15134	0	87.4	1.0	1.2	1.2	1.3	3.4
12th	9120	0	86.3	1.1	1.6	1.5	1.5	4.4
Jr Hi	57380	0	91.3	0.4	0.5	0.6	0.5	1.3
Sr Hi	57022	0	88.1	1.0	1.2	1.2	1.2	3.2
Total	114402	0	89.7	0.7	0.9	0.9	0.9	2.2

Table 7.142: When do you use OxyContin?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	90.3	0.4	0.7	0.5	0.5	0.8
7th	18270	0	92.1	0.4	0.4	0.4	0.4	8.0
8th	23934	0	90.8	0.5	0.7	0.7	0.7	1.6
9th	16235	0	88.4	1.0	1.3	1.2	1.2	2.4
10th	16533	0	89.1	1.0	1.4	1.3	1.3	2.8
11th	15134	0	86.8	1.3	1.8	1.7	1.8	3.5
12th	9120	0	86.5	1.4	2.2	1.8	1.8	3.8
Jr Hi	57380	0	91.1	0.5	0.6	0.5	0.6	1.1
Sr Hi	57022	0	87.9	1.2	1.6	1.4	1.5	3.0
Total	114402	0	89.5	8.0	1.1	1.0	1.0	2.1

Table 7.143: When do you use any tobacco?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	91.7	0.9	0.9	1.7	1.2	3.5
7th	18270	0	92.1	1.2	0.9	2.8	1.9	5.7
8th	23934	0	90.2	1.8	1.5	4.4	3.2	8.5
9th	16235	0	87.3	3.0	3.0	6.6	4.9	12.1
10th	16533	0	87.5	3.5	3.7	7.2	6.0	14.6
11th	15134	0	85.0	4.6	4.4	8.2	7.2	16.7
12th	9120	0	84.0	4.4	4.8	8.0	7.5	18.1
Jr Hi	57380	0	91.2	1.4	1.2	3.2	2.3	6.3
Sr Hi	57022	0	86.2	3.8	3.9	7.4	6.2	15.0
Total	114402	0	88.7	2.6	2.5	5.3	4.2	10.6

Table 7.144: When do you use any alcohol?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	89.7	1.1	0.9	2.7	3.1	12.2
7th	18270	0	87.0	1.3	8.0	4.0	5.2	19.8
8th	23934	0	78.9	1.8	1.5	6.1	7.6	31.5
9th	16235	0	71.7	2.4	2.2	7.1	8.8	39.3
10th	16533	0	66.0	2.8	2.6	7.6	10.2	48.4
11th	15134	0	61.7	3.2	3.0	7.5	11.2	52.4
12th	9120	0	60.1	3.2	3.5	7.7	12.8	55.7
Jr Hi	57380	0	84.3	1.5	1.1	4.6	5.7	22.7
Sr Hi	57022	0	65.5	2.9	2.7	7.4	10.5	48.1
Total	114402	0	74.9	2.2	1.9	6.0	8.1	35.3

Table 7.145: When do you use any illicit drugs?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	15176	0	92.8	1.6	2.6	2.4	2.0	3.4
7th	18270	0	94.2	1.9	2.4	3.3	3.0	5.8
8th	23934	0	93.4	3.2	3.1	5.6	5.4	11.5
9th	16235	0	91.7	5.0	4.5	7.7	7.5	16.3
10th	16533	0	92.7	6.2	5.5	9.8	9.8	21.5
11th	15134	0	91.2	7.8	6.1	11.4	11.9	25.0
12th	9120	0	90.7	8.7	7.1	12.9	13.8	26.9
Jr Hi	57380	0	93.5	2.4	2.7	4.0	3.7	7.5
Sr Hi	57022	0	91.7	6.7	5.6	10.1	10.4	21.8
Total	114402	0	92.6	4.5	4.2	7.1	7.0	14.6

7.8 While At School Have You

Table 7.146: While at school have you carried a gun?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	14159	1017	97.0	0.9	0.6	1.6
7th	17131	1139	97.2	1.2	0.5	1.1
8th	22448	1486	96.5	1.3	0.7	1.5
9th	15004	1231	96.1	1.2	0.7	2.0
10th	15438	1095	95.9	1.4	0.7	2.0
11th	13979	1155	95.7	1.2	0.7	2.4
12th	8490	630	94.9	1.4	8.0	2.9
Jr Hi	53738	3642	96.9	1.1	0.6	1.4
Sr Hi	52911	4111	95.8	1.3	0.7	2.2
Total	106649	7753	96.3	1.2	0.7	1.8

Table 7.147: While at school have you carried a knife, club or other weapon?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	14148	1028	92.2	4.0	1.5	2.4
7th	17132	1138	89.1	6.1	2.3	2.5
8th	22431	1503	86.1	6.9	3.3	3.6
9th	15001	1234	83.1	7.4	4.3	5.2
10th	15432	1101	81.7	7.3	4.5	6.6
11th	13991	1143	80.9	6.5	4.6	8.0
12th	8488	632	81.7	5.6	4.2	8.5
Jr Hi	53711	3669	88.7	5.9	2.5	2.9
Sr Hi	52912	4110	81.9	6.8	4.4	6.9
Total	106623	7779	85.3	6.4	3.4	4.9

Table 7.148: While at school have you threatened a student with a gun, knife or club?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	14069	1107	96.4	1.5	0.7	1.4
7th	17025	1245	95.8	2.1	1.0	1.1
8th	22319	1615	94.3	2.5	1.4	1.8
9th	14937	1298	93.4	2.5	1.7	2.4
10th	15351	1182	92.9	2.8	1.8	2.5
11th	13931	1203	93.4	2.2	1.7	2.7
12th	8459	661	93.1	2.2	1.5	3.1
Jr Hi	53413	3967	95.3	2.1	1.1	1.5
Sr Hi	52678	4344	93.2	2.5	1.7	2.6
Total	106091	8311	94.3	2.3	1.4	2.0

Table 7.149: While at school have you threatened to hurt a student by hitting, slapping or kicking?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	14116	1060	72.1	10.7	8.4	8.8
7th	17083	1187	65.9	11.0	10.9	12.2
8th	22378	1556	59.5	12.0	13.3	15.2
9th	14975	1260	60.7	10.6	13.7	15.1
10th	15398	1135	60.6	10.7	14.3	14.4
11th	13955	1179	64.4	9.1	13.4	13.1
12th	8464	656	68.9	8.5	11.4	11.2
Jr Hi	53577	3803	64.9	11.3	11.3	12.6
Sr Hi	52792	4230	62.9	9.9	13.4	13.8
Total	106369	8033	63.9	10.6	12.3	13.1

Table 7.150: While at school have you hurt a student by using a gun, knife or club?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	14080	1096	97.5	0.7	0.5	1.3
7th	17059	1211	97.6	1.0	0.5	0.9
8th	22342	1592	96.6	1.3	8.0	1.3
9th	14928	1307	95.6	1.6	1.0	1.8
10th	15370	1163	95.7	1.5	1.0	1.8
11th	13941	1193	95.7	1.3	1.1	1.8
12th	8464	656	95.1	1.5	0.9	2.5
Jr Hi	53481	3899	97.2	1.1	0.6	1.1
Sr Hi	52703	4319	95.6	1.5	1.0	1.9
Total	106184	8218	96.4	1.3	8.0	1.5

Table 7.151: While at school have you hurt a student by hitting, slapping or kicking?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	14068	1108	74.5	11.3	7.2	7.1
7th	17048	1222	68.7	12.3	10.3	8.7
8th	22349	1585	64.5	12.8	12.1	10.6
9th	14949	1286	66.8	11.0	12.0	10.2
10th	15366	1167	67.9	11.5	11.5	9.1
11th	13919	1215	71.9	9.8	10.3	8.0
12th	8466	654	76.0	8.7	8.2	7.0
Jr Hi	53465	3915	68.5	12.2	10.2	9.1
Sr Hi	52700	4322	69.9	10.5	10.8	8.8
Total	106165	8237	69.2	11.4	10.5	8.9

Table 7.152: While at school have you been threatened with a gun, knife or club by a student?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	14046	1130	90.6	4.8	2.3	2.3
7th	17017	1253	89.7	5.4	2.8	2.1
8th	22313	1621	87.5	6.8	3.2	2.5
9th	14916	1319	87.0	6.4	3.7	2.9
10th	15360	1173	86.8	6.6	3.8	2.9
11th	13892	1242	88.2	5.4	3.5	2.8
12th	8454	666	89.5	4.3	3.0	3.2
Jr Hi	53376	4004	89.0	5.8	2.8	2.3
Sr Hi	52622	4400	87.7	5.9	3.6	2.9
Total	105998	8404	88.3	5.8	3.2	2.6

Table 7.153: While at school have you had a student threaten to hit, slap or kick you?

	NI C	<u> </u>				
Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	14085	1091	62.5	14.5	12.0	10.9
7th	17033	1237	60.4	14.3	14.0	11.3
8th	22332	1602	57.7	15.2	14.9	12.2
9th	14940	1295	60.3	14.1	14.1	11.5
10th	15364	1169	60.2	14.6	14.9	10.4
11th	13905	1229	64.1	13.0	13.2	9.7
12th	8445	675	68.8	11.7	11.5	8.0
Jr Hi	53450	3930	59.8	14.7	13.8	11.6
Sr Hi	52654	4368	62.6	13.6	13.7	10.1
Total	106104	8298	61.2	14.2	13.7	10.9

Table 7.154: While at school have you been afraid a student may hurt you?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	14066	1110	74.0	13.2	7.0	5.9
7th	17024	1246	75.2	12.9	6.8	5.2
8th	22291	1643	75.2	12.8	6.9	5.1
9th	14932	1303	76.7	12.4	6.4	4.5
10th	15361	1172	76.8	12.8	6.5	3.9
11th	13911	1223	79.9	11.3	5.0	3.7
12th	8451	669	82.1	9.6	4.8	3.5
Jr Hi	53381	3999	74.8	12.9	6.9	5.3
Sr Hi	52655	4367	78.5	11.8	5.8	4.0
Total	106036	8366	76.6	12.4	6.3	4.7

Table 7.155: While at school have you been hurt by a student using a gun, knife or club?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	14042	1134	96.9	1.2	0.6	1.2
7th	17000	1270	97.1	1.3	0.7	0.9
8th	22299	1635	96.4	1.5	0.7	1.3
9th	14902	1333	95.7	1.9	0.8	1.6
10th	15348	1185	95.8	1.8	0.9	1.5
11th	13891	1243	95.8	1.6	0.9	1.8
12th	8440	680	95.2	1.7	1.0	2.1
Jr Hi	53341	4039	96.8	1.4	0.7	1.2
Sr Hi	52581	4441	95.7	1.7	0.9	1.7
Total	105922	8480	96.2	1.6	0.8	1.4

Table 7.156: While at school have you been hurt by a student who hit, slapped or kicked you?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	14069	1107	75.0	12.3	7.4	5.2
7th	17024	1246	75.9	11.3	7.4	5.4
8th	22293	1641	76.9	11.0	7.2	4.9
9th	14914	1321	80.4	9.2	6.2	4.2
10th	15343	1190	82.3	8.7	5.1	3.9
11th	13888	1246	85.1	7.2	4.2	3.5
12th	8427	693	87.1	6.3	3.5	3.1
Jr Hi	53386	3994	76.1	11.5	7.3	5.1
Sr Hi	52572	4450	83.3	8.1	4.9	3.8
Total	105958	8444	79.6	9.8	6.1	4.5

Table 7.157: While at school have you been helped by a school security officer?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	13993	1183	93.6	3.4	1.4	1.6
7th	16963	1307	93.7	3.9	1.3	1.1
8th	22259	1675	93.6	3.9	1.4	1.2
9th	14900	1335	92.3	4.7	1.5	1.5
10th	15323	1210	92.2	4.6	1.6	1.6
11th	13875	1259	92.1	4.7	1.4	1.8
12th	8441	679	91.2	4.5	2.2	2.2
Jr Hi	53215	4165	93.6	3.8	1.4	1.3
Sr Hi	52539	4483	92.0	4.6	1.6	1.7
Total	105754	8648	92.8	4.2	1.5	1.5

Table 7.158: While at school have you been in trouble with school security officer?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	13939	1237	94.8	2.5	1.0	1.7
7th	16915	1355	93.4	3.4	1.6	1.5
8th	22179	1755	91.0	4.4	2.5	2.1
9th	14864	1371	89.4	4.7	3.1	2.7
10th	15299	1234	89.8	4.9	2.8	2.6
11th	13823	1311	91.2	4.1	2.3	2.5
12th	8423	697	91.3	4.0	2.1	2.6
Jr Hi	53033	4347	92.8	3.6	1.8	1.8
Sr Hi	52409	4613	90.3	4.5	2.7	2.6
Total	105442	8960	91.5	4.0	2.2	2.2

7.9 What Effect Do You Most Often Get When You Use

Table 7.159: What effect do you most often get when you smoke cigarettes?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	${\sf Stoned}$
6th	14264	912	90.6	6.9	1.2	0.5	0.8
7th	17327	943	85.7	11.7	1.7	0.5	0.5
8th	22602	1332	78.6	17.7	2.4	0.4	0.9
9th	15267	968	72.8	21.7	3.5	0.9	1.1
10th	15682	851	70.3	23.7	4.3	0.7	1.1
11th	14165	969	65.7	26.5	5.5	0.9	1.4
12th	8541	579	63.6	28.2	5.5	0.7	2.1
Jr Hi	54193	3187	84.0	12.9	1.8	0.5	0.8
Sr Hi	53655	3367	68.7	24.6	4.6	8.0	1.3
Total	107848	6554	76.4	18.7	3.2	0.6	1.0

Table 7.160: What effect do you most often get when you use smokeless tobacco?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	14266	910	95.5	2.5	0.7	0.5	0.8
7th	17304	966	93.8	4.2	1.0	0.5	0.5
8th	22582	1352	91.6	5.9	1.4	0.5	0.7
9th	15255	980	87.8	8.0	2.3	0.9	0.9
10th	15663	870	87.3	8.1	2.8	0.7	1.1
11th	14162	972	85.1	9.3	3.3	1.0	1.3
12th	8533	587	84.8	8.8	3.6	1.0	1.8
Jr Hi	54152	3228	93.3	4.5	1.1	0.5	0.7
Sr Hi	53613	3409	86.4	8.5	2.9	0.9	1.2
Total	107765	6637	89.9	6.5	2.0	0.7	0.9

Table 7.161: What effect do you most often get when you smoke cigars?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	14253	923	95.0	2.8	0.8	0.5	0.9
7th	17284	986	92.9	4.8	1.1	0.6	0.5
8th	22543	1391	89.1	7.5	1.9	0.6	0.8
9th	15203	1032	84.4	10.7	2.9	0.9	1.2
10th	15630	903	81.3	13.0	3.6	8.0	1.3
11th	14129	1005	78.6	14.9	3.9	1.0	1.6
12th	8509	611	75.7	16.6	4.4	1.1	2.1
Jr Hi	54080	3300	91.9	5.4	1.4	0.6	0.7
Sr Hi	53471	3551	80.6	13.4	3.6	0.9	1.5
Total	107551	6851	86.3	9.4	2.5	0.8	1.1

Table 7.162: What effect do you most often get when you drink beer?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	14217	959	87.5	8.1	2.3	0.9	1.3
7th	17254	1016	80.5	11.9	4.6	1.5	1.4
8th	22527	1407	69.4	15.4	9.3	3.2	2.7
9th	15188	1047	61.0	14.9	13.5	5.7	4.9
10th	15607	926	53.0	14.6	16.8	8.5	7.0
11th	14115	1019	47.4	12.4	18.7	11.4	10.0
12th	8504	616	44.0	11.8	19.6	13.0	11.6
Jr Hi	53998	3382	77.7	12.4	5.9	2.0	1.9
Sr Hi	53414	3608	52.4	13.7	16.8	9.2	7.9
Total	107412	6990	65.1	13.0	11.4	5.6	4.9

Table 7.163: What effect do you most often get when you drink wine coolers?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	14239	937	86.8	9.5	1.8	8.0	1.2
7th	17249	1021	79.4	14.7	3.8	1.1	1.0
8th	22539	1395	68.4	20.5	7.4	1.7	1.9
9th	15218	1017	61.5	21.4	11.3	2.9	2.9
10th	15622	911	55.2	22.4	14.7	4.1	3.6
11th	14106	1028	52.8	21.0	16.5	5.1	4.6
12th	8505	615	51.2	19.8	18.3	5.4	5.4
Jr Hi	54027	3353	76.8	15.7	4.8	1.3	1.4
Sr Hi	53451	3571	55.7	21.3	14.8	4.2	3.9
Total	107478	6924	66.3	18.5	9.7	2.7	2.7

T II 7 1 C A	11/1 1 ((1 1	. (, , ,	ר יוויו
Inhia / In/i	What Attact do v	IOU MOST OFFEN GET WHEN	VALL drink lighter/
Table 1.104.	vviiat ellect do	ou most often get when	vou utilik liuuot:

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	14221	955	92.4	3.7	1.6	1.1	1.2
7th	17235	1035	86.9	6.4	3.2	1.9	1.5
8th	22506	1428	75.7	9.4	6.5	4.6	3.8
9th	15206	1029	64.3	9.9	10.0	8.6	7.2
10th	15611	922	54.4	10.3	12.2	12.1	11.0
11th	14083	1051	47.4	9.2	12.8	15.0	15.7
12th	8503	617	43.0	9.4	13.9	16.6	17.2
Jr Hi	53962	3418	83.7	7.0	4.2	2.8	2.3
Sr Hi	53403	3619	53.6	9.8	12.0	12.6	12.1
Total	107365	7037	68.7	8.3	8.0	7.7	7.2

Table 7.165: What effect do you most often get when you smoke marijuana?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
						•	,
Level	Valid	Miss	Use	High	High	High	Stoned
6th	14226	950	95.6	0.7	0.7	1.4	1.6
7th	17259	1011	92.8	0.7	1.3	2.3	2.9
8th	22516	1418	86.1	8.0	2.5	4.4	6.3
9th	15215	1020	78.9	1.2	3.4	6.7	9.8
10th	15621	912	73.0	1.4	4.6	8.1	12.8
11th	14090	1044	68.5	1.4	5.6	9.2	15.4
12th	8490	630	65.5	1.7	6.6	10.2	16.0
Jr Hi	54001	3379	90.7	0.7	1.6	2.9	4.0
Sr Hi	53416	3606	72.3	1.4	4.9	8.3	13.1
Total	107417	6985	81.6	1.1	3.2	5.6	8.5

Table 7.166: What effect do you most often get when you use cocaine?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	14224	952	97.2	0.6	0.3	0.7	1.2
7th	17260	1010	97.5	0.4	0.4	0.7	0.9
8th	22528	1406	96.0	0.5	0.6	1.1	1.9
9th	15226	1009	94.4	0.6	0.8	1.7	2.6
10th	15646	887	93.9	0.7	0.9	1.5	3.0
11th	14127	1007	92.4	0.7	1.0	2.1	3.8
12th	8504	616	90.3	1.1	1.5	2.6	4.5
Jr Hi	54012	3368	96.8	0.5	0.5	0.9	1.4
Sr Hi	53503	3519	93.1	0.7	1.0	1.9	3.3
Total	107515	6887	94.9	0.6	0.7	1.4	2.4

Table 7.167:	What effect do	vou most often get v	when you use uppers?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	14143	1033	97.3	0.5	0.4	8.0	1.0
7th	17236	1034	97.5	0.5	0.5	0.7	0.8
8th	22510	1424	96.1	0.6	0.7	1.0	1.6
9th	15251	984	94.1	0.6	1.1	2.0	2.3
10th	15622	911	94.1	8.0	1.0	1.7	2.5
11th	14138	996	92.5	0.7	1.5	2.4	2.9
12th	8507	613	91.4	1.1	1.8	2.2	3.6
Jr Hi	53889	3491	96.9	0.5	0.5	8.0	1.2
Sr Hi	53518	3504	93.3	0.7	1.3	2.0	2.7
Total	107407	6995	95.1	0.6	0.9	1.4	2.0

Table 7.168: What effect do you most often get when you use downers?

Cuada					Λ I :++1-	_	Danahad /
Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	14138	1038	97.2	0.8	0.4	0.7	0.9
7th	17240	1030	97.2	0.7	0.6	0.7	0.7
8th	22503	1431	95.7	1.0	0.9	1.0	1.4
9th	15237	998	93.3	1.2	1.5	2.0	2.0
10th	15615	918	93.2	1.1	1.6	1.8	2.3
11th	14122	1012	91.5	1.0	2.0	2.5	3.0
12th	8497	623	90.3	1.3	2.5	2.4	3.4
Jr Hi	53881	3499	96.6	8.0	0.7	8.0	1.1
Sr Hi	53471	3551	92.3	1.1	1.8	2.1	2.6
Total	107352	7050	94.5	1.0	1.3	1.5	1.8

Table 7.169: What effect do you most often get when you use inhalants?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	14148	1028	95.0	1.5	1.4	0.9	1.1
7th	17230	1040	95.1	1.4	1.7	1.0	0.8
8th	22498	1436	94.1	1.4	2.0	1.1	1.4
9th	15236	999	93.8	1.1	1.9	1.5	1.7
10th	15614	919	94.6	1.0	1.5	1.1	1.8
11th	14114	1020	94.1	0.8	1.4	1.4	2.2
12th	8501	619	93.7	0.9	1.6	1.3	2.5
Jr Hi	53876	3504	94.7	1.4	1.7	1.0	1.1
Sr Hi	53465	3557	94.1	1.0	1.6	1.3	2.0
Total	107341	7061	94.4	1.2	1.7	1.2	1.6

Table 7.170: What effect do you most often get when you use hallucinogens?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	14111	1065	97.5	0.5	0.3	0.7	1.1
7th	17215	1055	97.8	0.4	0.3	0.6	0.9
8th	22502	1432	96.6	0.4	0.5	8.0	1.7
9th	15208	1027	95.1	0.5	0.6	1.4	2.3
10th	15617	916	94.7	0.6	0.6	1.3	2.8
11th	14101	1033	93.2	0.6	0.7	1.5	4.0
12th	8498	622	92.1	8.0	8.0	1.4	4.8
Jr Hi	53828	3552	97.2	0.4	0.4	0.7	1.3
Sr Hi	53424	3598	94.0	0.6	0.7	1.4	3.3
Total	107252	7150	95.6	0.5	0.5	1.1	2.3

Table 7.171: What effect do you most often get when you use heroin?

			J			<u> </u>	
Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	14140	1036	97.4	0.5	0.3	0.7	1.2
7th	17224	1046	97.9	0.4	0.3	0.5	0.8
8th	22511	1423	97.0	0.4	0.4	0.7	1.5
9th	15229	1006	95.8	0.5	0.5	1.2	2.0
10th	15617	916	96.1	0.6	0.4	0.9	2.0
11th	14099	1035	95.4	0.5	0.5	1.0	2.6
12th	8491	629	94.3	0.9	0.8	1.0	3.0
Jr Hi	53875	3505	97.4	0.4	0.3	0.6	1.2
Sr Hi	53436	3586	95.5	0.6	0.5	1.0	2.3
Total	107311	7091	96.5	0.5	0.4	8.0	1.8

Table 7.172: What effect do you most often get when you use steroids?

			,		0	,	
Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	14131	1045	97.3	0.7	0.3	0.7	1.0
7th	17227	1043	97.8	0.6	0.4	0.6	0.6
8th	22481	1453	97.1	8.0	0.5	0.6	1.0
9th	15230	1005	95.8	1.0	0.6	1.2	1.4
10th	15614	919	96.2	1.0	0.6	0.7	1.4
11th	14097	1037	95.7	1.0	0.6	1.0	1.7
12th	8492	628	94.4	1.3	1.0	1.1	2.2
Jr Hi	53839	3541	97.4	0.7	0.4	0.6	0.9
Sr Hi	53433	3589	95.7	1.1	0.7	1.0	1.6
Total	107272	7130	96.5	0.9	0.5	8.0	1.3

Table 7.173: What effect do you most often get when you use ecstasy?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	14116	1060	97.3	0.5	0.4	0.7	1.2
7th	17188	1082	97.5	0.4	0.4	0.7	0.9
8th	22472	1462	96.1	0.4	0.6	1.0	1.9
9th	15246	989	94.0	0.6	0.6	1.8	3.0
10th	15600	933	94.3	0.6	0.6	1.5	2.9
11th	14118	1016	93.1	0.5	8.0	1.9	3.7
12th	8488	632	91.5	1.0	1.1	1.8	4.6
Jr Hi	53776	3604	96.9	0.5	0.5	8.0	1.4
Sr Hi	53452	3570	93.4	0.7	0.7	1.7	3.4
Total	107228	7174	95.2	0.6	0.6	1.3	2.4

Table 7.174: What effect do you most often get when you use OxyContin?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	14072	1104	97.4	0.6	0.3	0.7	1.1
7th	17129	1141	97.6	0.5	0.4	0.6	0.9
8th	22390	1544	96.4	0.5	0.5	0.9	1.7
9th	15177	1058	94.3	0.6	8.0	1.8	2.5
10th	15582	951	94.3	8.0	0.9	1.5	2.6
11th	14076	1058	92.7	0.7	1.1	2.1	3.4
12th	8479	641	92.4	1.0	1.2	1.7	3.7
Jr Hi	53591	3789	97.1	0.5	0.4	8.0	1.3
Sr Hi	53314	3708	93.5	8.0	1.0	1.8	3.0
Total	106905	7497	95.3	0.6	0.7	1.3	2.1

7.10 How Easy Is It To Get

Table 7.175: How easy is it to get cigarettes?

					0		
Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	13886	1290	70.1	4.5	4.6	7.8	12.9
7th	16888	1382	57.1	4.7	6.5	13.3	18.4
8th	22125	1809	45.1	3.9	6.6	17.4	27.1
9th	15016	1219	33.9	2.7	5.4	20.4	37.6
10th	15427	1106	26.2	1.9	4.9	21.8	45.2
11th	13997	1137	20.4	1.3	3.6	20.3	54.4
12th	8444	676	15.0	1.3	2.0	15.1	66.6
Jr Hi	52899	4481	55.5	4.3	6.0	13.6	20.6
Sr Hi	52884	4138	25.1	1.9	4.2	20.0	48.9
Total	105783	8619	40.3	3.1	5.1	16.8	34.7

Table 7.176: How easy is it to get smokeless tobacco?

Grade	Naf	NI of	Cannat	\/am.	Falid.	اران ا	1/000
Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	13851	1325	79.6	4.1	3.7	5.3	7.3
7th	16811	1459	69.0	5.0	6.5	8.9	10.6
8th	22003	1931	59.1	4.5	7.4	12.0	16.9
9th	14901	1334	45.4	3.4	6.9	16.9	27.4
10th	15286	1247	36.4	2.7	7.1	19.5	34.2
11th	13878	1256	28.9	2.0	5.4	19.0	44.6
12th	8356	764	22.5	1.8	3.7	16.0	56.1
Jr Hi	52665	4715	67.7	4.6	6.1	9.3	12.4
Sr Hi	52421	4601	34.8	2.6	6.1	18.1	38.5
Total	105086	9316	51.3	3.6	6.1	13.7	25.4

Table 7.177: How easy is it to get cigars?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	13834	1342	78.5	4.6	3.9	5.3	7.7
7th	16821	1449	68.4	5.7	6.7	8.7	10.6
8th	21942	1992	58.3	5.4	8.3	11.9	16.2
9th	14911	1324	44.0	4.7	8.8	17.2	25.3
10th	15304	1229	34.3	3.7	9.3	19.8	33.0
11th	13891	1243	27.1	2.7	7.1	19.9	43.2
12th	8352	768	20.6	1.7	5.1	16.4	56.3
Jr Hi	52597	4783	66.8	5.3	6.6	9.1	12.2
Sr Hi	52458	4564	33.0	3.4	7.9	18.6	37.2
Total	105055	9347	49.9	4.3	7.2	13.8	24.7

Table 7.178: How easy is it to get beer?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	13823	1353	68.5	5.3	4.8	8.1	13.4
7th	16865	1405	55.4	5.5	7.4	12.7	19.0
8th	22051	1883	42.3	4.6	8.1	17.4	27.6
9th	14983	1252	31.1	3.7	7.8	21.4	35.9
10th	15389	1144	23.2	3.0	7.2	23.3	43.4
11th	13950	1184	18.9	2.2	7.0	24.6	47.4
12th	8422	698	16.4	1.8	6.5	25.2	50.1
Jr Hi	52739	4641	53.4	5.0	7.0	13.4	21.1
Sr Hi	52744	4278	23.2	2.8	7.2	23.4	43.4
Total	105483	8919	38.3	3.9	7.1	18.4	32.3

Table 7.179: How easy is it to get wine coolers?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	13822	1354	71.8	5.2	5.0	7.3	10.8
7th	16827	1443	58.6	5.6	7.4	11.8	16.6
8th	21995	1939	44.5	5.0	8.4	16.6	25.5
9th	14939	1296	32.8	4.2	8.3	20.6	34.0
10th	15344	1189	24.4	3.2	8.2	23.2	41.1
11th	13928	1206	20.0	2.2	7.6	24.1	46.1
12th	8412	708	17.1	2.1	6.9	24.9	49.0
Jr Hi	52644	4736	56.2	5.2	7.2	12.6	18.8
Sr Hi	52623	4399	24.4	3.0	7.9	23.0	41.7
Total	105267	9135	40.3	4.1	7.5	17.8	30.2

Table 7.180: How easy is it to get liquor?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	13818	1358	77.0	4.9	3.9	5.3	8.9
7th	16808	1462	64.5	5.9	6.5	9.3	13.7
8th	21959	1975	50.4	5.4	8.2	13.8	22.1
9th	14937	1298	35.6	4.5	8.5	19.3	32.1
10th	15347	1186	25.5	4.0	8.7	22.4	39.3
11th	13935	1199	20.1	3.0	8.5	24.2	44.3
12th	8418	702	17.0	2.9	8.3	25.3	46.6
Jr Hi	52585	4795	61.9	5.5	6.5	10.1	15.9
Sr Hi	52637	4385	25.6	3.7	8.5	22.4	39.7
Total	105222	9180	43.7	4.6	7.5	16.3	27.9

Table 7.181: How easy is it to get marijuana?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	13818	1358	83.6	5.2	2.7	3.1	5.4
7th	16823	1447	74.2	6.0	5.2	5.7	8.8
8th	21965	1969	60.7	6.3	7.3	9.9	15.9
9th	14893	1342	44.5	5.1	8.6	15.0	26.8
10th	15267	1266	33.4	4.3	8.5	18.3	35.4
11th	13871	1263	27.4	3.3	7.9	20.3	41.0
12th	8356	764	23.1	3.2	8.2	21.4	44.0
Jr Hi	52606	4774	71.0	5.9	5.4	6.8	10.9
Sr Hi	52387	4635	33.3	4.1	8.3	18.4	35.8
Total	104993	9409	52.2	5.0	6.9	12.6	23.3

Table 7.182: How easy is it to get cocaine?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	13816	1360	85.9	4.7	2.6	2.5	4.3
7th	16778	1492	79.9	6.4	4.6	3.6	5.5
8th	21909	2025	71.1	7.6	7.0	6.0	8.2
9th	14828	1407	58.5	8.5	10.6	9.7	12.7
10th	15157	1376	49.5	9.5	13.7	12.3	15.1
11th	13741	1393	43.7	9.4	14.5	14.6	17.9
12th	8245	875	38.9	9.3	15.3	15.7	20.8
Jr Hi	52503	4877	77.8	6.5	5.1	4.3	6.3
Sr Hi	51971	5051	48.9	9.1	13.3	12.7	16.0
Total	104474	9928	63.4	7.8	9.2	8.5	11.2

Table 7.183: How easy is it to get uppers?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	13722	1454	86.4	4.4	2.5	2.5	4.2
7th	16720	1550	80.8	6.0	4.4	3.7	5.1
8th	21880	2054	72.7	7.3	6.5	5.6	7.8
9th	14810	1425	59.8	8.5	10.1	9.3	12.3
10th	15153	1380	51.7	9.8	12.7	11.7	14.1
11th	13714	1420	45.4	9.1	14.1	14.0	17.3
12th	8210	910	41.3	9.8	14.7	14.8	19.3
Jr Hi	52322	5058	78.9	6.1	4.8	4.2	6.0
Sr Hi	51887	5135	50.7	9.2	12.7	12.1	15.3
Total	104209	10193	64.9	7.7	8.7	8.1	10.6

Table 7.184: How easy is it to get downers?

					et downers		
Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	13710	1466	86.0	4.2	2.7	2.7	4.5
7th	16703	1567	80.3	5.5	4.5	3.9	5.7
8th	21864	2070	72.2	6.8	6.5	6.0	8.6
9th	14809	1426	59.0	7.7	9.6	10.0	13.7
10th	15138	1395	50.7	8.8	12.2	12.9	15.4
11th	13695	1439	44.4	8.2	13.1	15.5	18.8
12th	8213	907	40.7	9.0	13.6	16.2	20.5
Jr Hi	52277	5103	78.4	5.7	4.9	4.5	6.6
Sr Hi	51855	5167	49.8	8.4	11.9	13.3	16.6
Total	104132	10270	64.2	7.0	8.4	8.9	11.6

Table 7.185: How easy is it to get inhalants?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	13698	1478	80.2	3.0	2.2	3.3	11.3
7th	16725	1545	73.4	3.9	3.1	4.5	15.0
8th	21881	2053	66.1	4.4	4.1	6.1	19.2
9th	14798	1437	55.2	5.1	6.2	9.3	24.2
10th	15151	1382	47.1	5.5	7.9	10.6	28.9
11th	13689	1445	42.4	5.5	8.2	12.5	31.4
12th	8211	909	39.1	6.3	8.6	12.8	33.2
Jr Hi	52304	5076	72.1	3.9	3.3	4.9	15.8
Sr Hi	51849	5173	46.9	5.5	7.6	11.1	28.9
Total	104153	10249	59.6	4.7	5.4	8.0	22.3

Table 7.186: How easy is it to get hallucinogens?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	13654	1522	87.0	4.1	2.4	2.4	4.1
7th	16681	1589	81.8	6.0	4.2	3.4	4.7
8th	21836	2098	74.3	7.4	6.3	5.0	7.0
9th	14775	1460	61.4	9.0	9.9	8.5	11.2
10th	15120	1413	52.9	10.9	13.0	10.2	13.1
11th	13714	1420	46.9	10.9	14.2	12.4	15.6
12th	8199	921	42.9	12.0	15.0	13.1	17.0
Jr Hi	52171	5209	80.1	6.1	4.6	3.8	5.5
Sr Hi	51808	5214	52.1	10.5	12.7	10.7	13.8
Total	103979	10423	66.2	8.3	8.7	7.2	9.7

Table 7.187: How easy is it to get heroin?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	13688	1488	86.9	4.4	2.2	2.4	4.0
7th	16716	1554	82.3	6.2	4.0	3.0	4.6
8th	21855	2079	74.9	7.8	6.1	4.5	6.8
9th	14787	1448	62.9	9.7	9.2	7.7	10.5
10th	15128	1405	54.9	12.5	11.8	8.8	12.0
11th	13684	1450	49.3	12.7	13.4	10.3	14.2
12th	8201	919	45.7	13.7	14.4	10.6	15.6
Jr Hi	52259	5121	80.4	6.4	4.4	3.5	5.3
Sr Hi	51800	5222	54.2	12.0	11.9	9.2	12.7
Total	104059	10343	67.4	9.2	8.1	6.3	9.0

Table 7.188: How easy is it to get steroids?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	13689	1487	86.4	4.2	2.5	2.7	4.2
7th	16697	1573	81.6	5.6	4.2	3.7	4.9
8th	21857	2077	74.4	7.2	6.3	5.1	7.1
9th	14761	1474	61.7	8.2	9.6	9.0	11.6
10th	15118	1415	53.3	10.5	12.0	10.7	13.5
11th	13689	1445	48.0	10.4	12.9	12.7	16.1
12th	8208	912	43.9	10.9	14.2	13.0	18.0
Jr Hi	52243	5137	79.8	5.9	4.6	4.0	5.6
Sr Hi	51776	5246	52.8	9.9	11.9	11.1	14.3
Total	104019	10383	66.4	7.9	8.2	7.5	10.0

Table 7.189: How easy is it to get ecstasy?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	13672	1504	87.0	4.4	2.3	2.2	4.1
7th	16674	1596	81.8	5.9	4.1	3.3	4.9
8th	21842	2092	74.0	7.6	5.9	5.3	7.3
9th	14785	1450	60.5	8.9	9.2	9.4	12.1
10th	15134	1399	52.1	10.7	12.1	11.0	14.2
11th	13700	1434	46.3	10.4	13.3	12.9	17.1
12th	8214	906	41.8	10.7	14.0	13.8	19.7
Jr Hi	52188	5192	79.9	6.2	4.4	3.8	5.7
Sr Hi	51833	5189	51.3	10.1	11.9	11.5	15.2
Total	104021	10381	65.7	8.1	8.1	7.6	10.4

Table 7.190: How easy is it to get OxyContin?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	13634	1542	87.0	4.1	2.2	2.5	4.3
7th	16618	1652	82.2	5.7	3.7	3.4	5.0
8th	21725	2209	75.2	7.2	5.5	4.7	7.3
9th	14706	1529	61.8	8.7	9.0	8.6	12.0
10th	15071	1462	54.7	10.6	11.0	9.9	13.7
11th	13678	1456	47.7	10.3	12.2	12.5	17.2
12th	8195	925	44.6	11.1	13.2	12.8	18.4
Jr Hi	51977	5403	80.5	5.9	4.1	3.7	5.8
Sr Hi	51650	5372	53.3	10.1	11.1	10.7	14.9
Total	103627	10775	66.9	8.0	7.6	7.2	10.3

7.11 In My School, I Feel Safe...

Table 7.191: In my school, I feel safe in the classroom?

Grade	N of	N of	<u> </u>				Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14101	1075	9.2	3.7	10.3	15.8	61.1
7th	17057	1213	9.6	4.5	12.3	18.5	55.0
8th	22287	1647	10.2	4.4	12.3	20.4	52.7
9th	15001	1234	11.3	4.6	13.0	22.8	48.3
10th	15410	1123	10.5	4.2	12.3	23.5	49.5
11th	13911	1223	9.7	3.6	10.7	23.8	52.3
12th	8448	672	9.1	3.0	8.9	20.8	58.2
Jr Hi	53445	3935	9.8	4.3	11.8	18.6	55.6
Sr Hi	52770	4252	10.3	4.0	11.5	22.9	51.3
Total	106215	8187	10.0	4.1	11.6	20.8	53.5

Table 7.192: In my school, I feel safe in the cafeteria?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14062	1114	12.0	5.7	12.6	17.5	52.2
7th	17075	1195	12.3	6.1	13.8	20.2	47.6
8th	22305	1629	12.0	6.0	13.6	21.4	47.0
9th	14992	1243	12.8	6.5	15.1	23.3	42.3
10th	15406	1127	11.8	6.0	15.4	23.4	43.5
11th	13914	1220	10.7	5.2	12.8	24.0	47.2
12th	8425	695	10.0	4.3	10.8	21.5	53.4
Jr Hi	53442	3938	12.1	5.9	13.4	20.0	48.6
Sr Hi	52737	4285	11.5	5.6	13.9	23.2	45.7
Total	106179	8223	11.8	5.8	13.7	21.6	47.2

Table 7.193: In my school, I feel safe in the halls?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	14061	1115	15.8	8.6	14.6	17.7	43.3
7th	17011	1259	14.7	8.5	16.3	19.2	41.3
8th	22265	1669	14.2	7.3	16.3	20.3	41.8
9th	14972	1263	14.2	7.5	17.2	22.8	38.3
10th	15369	1164	12.7	7.1	16.5	22.9	40.9
11th	13903	1231	11.4	5.7	14.2	23.7	44.9
12th	8428	692	10.0	4.7	12.2	21.5	51.6
Jr Hi	53337	4043	14.8	8.0	15.9	19.3	42.1
Sr Hi	52672	4350	12.3	6.4	15.4	22.9	42.9
Total	106009	8393	13.6	7.2	15.6	21.1	42.5

Table 7.194: In my school, I feel safe in the bathroom?

			,	.,			
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	13993	1183	17.6	8.8	13.6	15.6	44.3
7th	16998	1272	16.5	8.9	14.4	18.4	41.8
8th	22234	1700	15.6	7.6	14.9	19.3	42.5
9th	14957	1278	15.7	8.0	16.0	21.8	38.5
10th	15374	1159	13.7	7.1	15.3	22.3	41.7
11th	13904	1230	12.2	5.7	13.6	23.1	45.4
12th	8424	696	10.6	4.9	11.4	20.8	52.3
Jr Hi	53225	4155	16.4	8.3	14.4	18.0	42.8
Sr Hi	52659	4363	13.4	6.6	14.4	22.1	43.4
Total	105884	8518	14.9	7.5	14.4	20.1	43.1

Table 7.195: In my school, I feel safe in the gym?

Grade	N of	N of		,	<u> </u>	<i>y</i>	Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	13978	1198	12.7	6.0	11.1	16.0	54.1
7th	16991	1279	12.4	6.0	12.6	18.9	50.2
8th	22202	1732	12.5	5.6	12.6	20.2	49.1
9th	14936	1299	12.9	5.9	13.8	22.9	44.4
10th	15329	1204	11.7	5.3	13.5	23.2	46.3
11th	13842	1292	10.7	4.4	11.9	23.8	49.2
12th	8421	699	9.9	4.0	10.0	21.2	54.9
Jr Hi	53171	4209	12.5	5.8	12.2	18.7	50.7
Sr Hi	52528	4494	11.5	5.0	12.6	22.9	47.9
Total	105699	8703	12.0	5.4	12.4	20.8	49.3

Table 7.196: In my school, I feel safe on the school bus?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	13560	1616	20.3	8.5	14.2	15.7	41.3
7th	16646	1624	18.6	8.7	14.9	18.0	39.8
8th	21887	2047	16.4	7.7	14.9	19.5	41.5
9th	14760	1475	16.5	7.5	15.0	21.6	39.5
10th	15181	1352	15.2	6.9	14.8	21.5	41.6
11th	13723	1411	13.9	5.9	13.5	22.2	44.5
12th	8273	847	12.6	5.1	12.0	20.1	50.3
Jr Hi	52093	5287	18.1	8.2	14.7	18.0	40.9
Sr Hi	51937	5085	14.8	6.5	14.1	21.5	43.2
Total	104030	10372	16.5	7.4	14.4	19.8	42.0

Table 7.197: In my school, I feel safe at school events?

		• • • • • • •	.,	.,			
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	13890	1286	16.1	6.4	12.6	16.3	48.7
7th	16916	1354	15.0	6.8	13.6	19.2	45.4
8th	22134	1800	14.2	6.3	13.8	20.3	45.4
9th	14906	1329	14.3	6.2	14.5	23.7	41.2
10th	15331	1202	13.0	5.8	14.9	23.0	43.4
11th	13871	1263	11.4	5.1	13.8	23.9	45.7
12th	8411	709	10.3	4.5	11.8	21.9	51.4
Jr Hi	52940	4440	14.9	6.5	13.4	18.9	46.2
Sr Hi	52519	4503	12.5	5.5	14.0	23.3	44.7
Total	105459	8943	13.7	6.0	13.7	21.1	45.5

Table 7.198: In my school, I feel safe on the playground?

Grade	N of	N of	· · · · · · · ·				А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	13789	1387	18.6	7.3	12.8	15.5	45.8
7th	16557	1713	18.7	7.0	13.2	17.2	44.0
8th	21788	2146	17.2	6.4	13.0	18.8	44.6
9th	14554	1681	17.6	6.0	13.4	21.0	41.9
10th	15059	1474	15.7	5.7	12.9	21.1	44.5
11th	13609	1525	13.9	4.7	11.6	22.0	47.7
12th	8237	883	12.3	4.2	10.2	19.7	53.6
Jr Hi	52134	5246	18.0	6.8	13.0	17.4	44.7
Sr Hi	51459	5563	15.2	5.3	12.3	21.1	46.1
Total	103593	10809	16.6	6.1	12.6	19.3	45.4

Table 7.199: In my school, I feel safe in the parking lot?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	13875	1301	24.4	10.0	13.9	14.7	36.9
7th	16892	1378	20.9	9.5	15.3	17.0	37.3
8th	22105	1829	18.1	8.3	15.0	18.7	39.9
9th	14897	1338	17.1	7.9	16.3	21.3	37.4
10th	15336	1197	14.7	7.0	16.0	22.3	40.0
11th	13836	1298	12.5	6.1	14.8	23.3	43.2
12th	8402	718	11.4	5.2	12.7	21.1	49.6
Jr Hi	52872	4508	20.7	9.1	14.8	17.1	38.3
Sr Hi	52471	4551	14.3	6.7	15.2	22.1	41.7
Total	105343	9059	17.5	7.9	15.0	19.6	40.0

Table 7.200: In my school, I feel safe in all school areas?

			,	,			
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	13897	1279	14.8	7.0	15.2	18.2	44.8
7th	16890	1380	14.6	7.3	15.7	20.1	42.3
8th	22100	1834	13.9	6.5	16.2	20.7	42.7
9th	14883	1352	14.5	6.7	16.9	23.1	38.8
10th	15276	1257	13.0	5.8	16.3	23.3	41.5
11th	13823	1311	11.4	5.2	14.4	24.3	44.6
12th	8392	728	10.2	4.3	12.4	22.1	51.0
Jr Hi	52887	4493	14.4	6.9	15.8	19.8	43.1
Sr Hi	52374	4648	12.6	5.7	15.3	23.3	43.1
Total	105261	9141	13.5	6.3	15.6	21.6	43.1

7.12 In My Neighborhood, I Feel Safe...

Table 7.201: In my neighborhood, I feel safe where I live?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	13858	1318	7.2	2.4	6.5	10.2	73.7
7th	16838	1432	6.5	2.6	7.0	11.9	71.9
8th	22092	1842	6.5	2.6	7.7	14.7	68.5
9th	14839	1396	7.2	2.7	7.7	15.8	66.6
10th	15263	1270	6.2	2.6	7.4	16.8	67.0
11th	13802	1332	5.8	2.3	7.0	16.8	68.1
12th	8396	724	5.7	1.8	6.6	16.1	69.7
Jr Hi	52788	4592	6.7	2.5	7.2	12.7	70.9
Sr Hi	52300	4722	6.3	2.4	7.3	16.4	67.6
Total	105088	9314	6.5	2.5	7.2	14.5	69.3

Table 7.202: In my neighborhood, I feel safe in the streets?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	13747	1429	24.8	8.9	16.2	17.0	33.1
7th	16779	1491	18.4	8.7	15.8	18.6	38.5
8th	22017	1917	15.4	7.3	16.1	20.5	40.8
9th	14811	1424	13.4	7.0	14.7	20.9	43.9
10th	15262	1271	11.3	6.3	15.2	21.3	46.0
11th	13770	1364	10.1	5.3	13.8	21.4	49.4
12th	8386	734	8.9	4.7	12.8	20.1	53.5
Jr Hi	52543	4837	18.8	8.2	16.0	19.0	38.1
Sr Hi	52229	4793	11.2	6.0	14.3	21.0	47.5
Total	104772	9630	15.0	7.1	15.2	20.0	42.8

Table 7.203: In my neighborhood, I feel safe at the movies?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	13767	1409	13.9	7.2	16.7	20.2	42.0
7th	16754	1516	11.5	6.6	17.2	22.1	42.6
8th	21997	1937	10.2	5.8	16.3	23.2	44.6
9th	14798	1437	10.1	5.2	15.4	25.2	44.1
10th	15237	1296	8.9	4.7	15.3	25.2	46.0
11th	13769	1365	8.2	3.6	13.5	24.6	50.1
12th	8378	742	7.4	3.5	12.2	22.6	54.1
Jr Hi	52518	4862	11.6	6.4	16.7	22.1	43.3
Sr Hi	52182	4840	8.8	4.4	14.3	24.6	47.8
Total	104700	9702	10.2	5.4	15.5	23.3	45.6

Table 7.204: In my neighborhood, I feel safe on the playground?

Grade	N of	N of	8	,) 6	А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	13670	1506	18.3	8.0	15.3	17.5	40.9
7th	16594	1676	15.8	7.4	15.3	18.6	42.9
8th	21816	2118	14.2	6.7	15.1	20.5	43.5
9th	14687	1548	13.6	6.1	14.4	21.6	44.3
10th	15100	1433	11.7	5.8	14.5	22.2	45.8
11th	13668	1466	10.6	4.8	12.8	22.5	49.2
12th	8329	791	9.2	4.1	12.0	21.1	53.5
Jr Hi	52080	5300	15.8	7.3	15.2	19.1	42.6
Sr Hi	51784	5238	11.5	5.4	13.6	21.9	47.5
Total	103864	10538	13.7	6.3	14.4	20.5	45.1

Table 7.205: In my neighborhood, I feel safe at my friend's house?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	13758	1418	8.5	3.8	8.9	16.1	62.6
7th	16765	1505	7.4	3.3	8.7	17.9	62.7
8th	22002	1932	7.1	2.9	8.7	19.0	62.4
9th	14792	1443	7.6	2.6	8.4	19.9	61.5
10th	15191	1342	6.5	2.3	7.9	20.5	62.8
11th	13756	1378	5.9	1.9	7.6	20.0	64.6
12th	8381	739	5.9	1.9	6.5	18.9	66.8
Jr Hi	52525	4855	7.6	3.3	8.8	17.9	62.5
Sr Hi	52120	4902	6.6	2.2	7.7	19.9	63.6
Total	104645	9757	7.1	2.8	8.2	18.9	63.0

Table 7.206: In my neighborhood, I feel safe at the mall?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	13742	1434	16.6	8.5	17.4	20.4	37.2
7th	16734	1536	12.7	7.8	17.4	22.3	39.8
8th	21938	1996	11.4	6.0	16.2	23.9	42.4
9th	14763	1472	11.2	5.0	15.4	25.3	43.1
10th	15155	1378	9.4	4.8	15.5	25.3	45.0
11th	13703	1431	8.7	4.4	13.4	25.3	48.1
12th	8382	738	7.8	3.8	13.2	23.0	52.1
Jr Hi	52414	4966	13.2	7.3	16.9	22.5	40.2
Sr Hi	52003	5019	9.5	4.6	14.6	24.9	46.4
Total	104417	9985	11.3	5.9	15.7	23.7	43.3

7.13 Would Your Parents Disapprove Of You

Table 7.207: Would you parents disapprove of you using tobacco?

Grade	N of	N of	Don't	о црр. ото от у	Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	13718	1458	13.9	10.1	68.2	7.8
7th	16889	1381	10.5	9.7	71.4	8.4
8th	22141	1793	9.6	12.2	69.4	8.8
9th	14831	1404	10.3	14.7	65.7	9.3
10th	15326	1207	9.7	17.2	64.6	8.5
11th	13807	1327	11.7	20.1	59.4	8.7
12th	8362	758	12.9	22.2	56.6	8.4
Jr Hi	52748	4632	11.0	10.9	69.8	8.4
Sr Hi	52326	4696	10.9	18.0	62.3	8.8
Total	105074	9328	11.0	14.4	66.0	8.6

Table 7.208: Would you parents disapprove of you using alcohol?

				11 7		
Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	13718	1458	14.4	11.7	65.9	8.0
7th	16866	1404	11.5	12.6	67.4	8.5
8th	22098	1836	11.4	16.4	62.8	9.4
9th	14821	1414	12.4	19.7	57.9	10.1
10th	15315	1218	12.7	22.7	55.2	9.4
11th	13782	1352	14.5	25.7	50.4	9.4
12th	8355	765	18.1	27.9	45.6	8.5
Jr Hi	52682	4698	12.2	14.0	65.1	8.7
Sr Hi	52273	4749	13.9	23.4	53.2	9.4
Total	104955	9447	13.1	18.7	59.1	9.1

T 11 7 000	1 A 7 T T T			1.	_				~
Table 7.209:	NOUIL	VOII	narents	disapprove	ΩŤ	VOII	lising	mariillan.	a 🖊

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	13709	1467	13.8	8.1	71.1	6.9
7th	16849	1421	10.0	7.2	75.6	7.2
8th	22099	1835	8.7	8.6	75.3	7.4
9th	14822	1413	8.7	10.0	73.1	8.2
10th	15292	1241	7.5	11.0	74.0	7.6
11th	13761	1373	8.0	12.7	71.7	7.6
12th	8343	777	8.7	14.0	70.4	7.0
Jr Hi	52657	4723	10.5	8.0	74.3	7.2
Sr Hi	52218	4804	8.2	11.6	72.5	7.7
Total	104875	9527	9.3	9.8	73.4	7.4

Table 7.210: Would you parents disapprove of you using other illicit drugs?

Crada	N of	N of	Don't			
Grade			Don t		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	13638	1538	13.7	8.2	71.0	7.1
7th	16801	1469	9.8	7.0	76.0	7.2
8th	22022	1912	8.2	7.9	76.5	7.4
9th	14768	1467	7.8	8.5	75.9	7.8
10th	15220	1313	6.1	8.4	78.8	6.8
11th	13724	1410	6.3	8.7	78.0	7.0
12th	8321	799	6.4	9.5	77.3	6.8
Jr Hi	52461	4919	10.2	7.7	74.9	7.2
Sr Hi	52033	4989	6.7	8.7	77.5	7.1
Total	104494	9908	8.4	8.2	76.2	7.2

Table 7.211: Would you parents disapprove of you fighting with a student?

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	13645	1531	17.5	18.7	54.0	9.8
7th	16802	1468	15.9	21.0	52.6	10.5
8th	22011	1923	16.5	24.2	47.8	11.5
9th	14798	1437	16.3	26.2	46.5	10.9
10th	15239	1294	15.4	28.7	45.6	10.3
11th	13756	1378	15.0	30.3	44.7	10.0
12th	8329	791	13.4	29.5	47.9	9.2
Jr Hi	52458	4922	16.6	21.7	51.0	10.7
Sr Hi	52122	4900	15.2	28.5	46.0	10.2
Total	104580	9822	15.9	25.1	48.5	10.5

Table 7.212: Would you parents disapprove of you carrying a weapon to school?

	Grade	N of	${\sf N}$ of	Don't		Strongly	Don't
	Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
•	6th	13658	1518	13.8	8.3	71.0	6.9
	7th	16809	1461	9.9	7.6	75.9	6.6
	8th	22022	1912	8.5	8.6	76.0	6.8
	9th	14796	1439	7.8	9.9	75.4	7.0
	10th	15232	1301	6.4	9.8	77.8	6.0
	11th	13741	1393	6.7	10.4	76.9	6.0
_	12th	8322	798	6.4	10.4	77.1	6.0
	Jr Hi	52489	4891	10.3	8.2	74.7	6.8
	Sr Hi	52091	4931	6.9	10.1	76.8	6.3
	Total	104580	9822	8.6	9.2	75.7	6.5

Table 7.213: Would you parents disapprove of you threatening a student?

	rubie 1.216. Would you parents disapprove of you threatening a stadent.							
Grade	N of	${\sf N}$ of	Don't		Strongly	Don't		
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know		
6th	13647	1529	14.5	13.0	64.1	8.4		
7th	16813	1457	11.4	13.8	66.2	8.6		
8th	22041	1893	10.6	16.4	64.0	9.0		
9th	14788	1447	10.4	18.5	62.0	9.0		
10th	15227	1306	8.9	20.0	62.7	8.4		
11th	13735	1399	9.1	21.0	61.8	8.1		
12th	8327	793	8.9	20.3	62.9	7.9		
Jr Hi	52501	4879	11.9	14.7	64.7	8.7		
Sr Hi	52077	4945	9.4	19.9	62.3	8.4		
Total	104578	9824	10.6	17.3	63.5	8.6		

Table 7.214: Would you parents disapprove of you joining a gang?

Grade	N of	N of	Don't	,,	Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	13584	1592	14.0	9.4	68.2	8.4
7th	16740	1530	10.1	8.5	73.0	8.3
8th	21907	2027	8.8	9.1	73.5	8.5
9th	14724	1511	8.0	9.2	75.0	7.8
10th	15173	1360	6.3	9.0	77.9	6.7
11th	13676	1458	6.4	9.3	77.7	6.6
12th	8306	814	6.5	9.1	78.1	6.3
Jr Hi	52231	5149	10.6	9.0	72.0	8.4
Sr Hi	51879	5143	6.9	9.2	77.0	6.9
Total	104110	10292	8.7	9.1	74.5	7.7

7.14 Would Your Friends Disapprove Of You

Table 7.215: Would you friends disapprove of you using tobacco?

				11 7	U	
Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	13487	1689	17.3	18.1	44.8	19.8
7th	16628	1642	18.9	19.8	40.4	20.9
8th	21823	2111	25.2	20.5	32.6	21.7
9th	14724	1511	32.3	22.0	26.7	19.0
10th	15197	1336	37.7	22.0	23.5	16.8
11th	13751	1383	43.4	20.9	20.7	15.1
12th	8302	818	45.0	20.3	20.2	14.5
Jr Hi	51938	5442	21.2	19.6	38.3	20.9
Sr Hi	51974	5048	38.8	21.4	23.1	16.6
Total	103912	10490	30.0	20.5	30.7	18.8

Table 7.216: Would you friends disapprove of you using alcohol?

				· · · · · · · · · · · · · · · · ·		
Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	13477	1699	18.0	18.2	43.9	19.9
7th	16656	1614	20.9	19.6	38.7	20.8
8th	21810	2124	30.7	18.9	28.9	21.5
9th	14706	1529	41.8	18.2	21.8	18.3
10th	15205	1328	50.6	16.6	17.1	15.7
11th	13759	1375	56.1	14.5	15.3	14.1
12th	8314	806	58.9	12.9	14.6	13.6
Jr Hi	51943	5437	24.3	18.9	35.9	20.9
Sr Hi	51984	5038	50.9	15.9	17.5	15.7
Total	103927	10475	37.6	17.4	26.7	18.3

T 7 017	14 / 11	_		1.	_				
Table 7.217:	NOUIL	vou tr	iends	disapprove	ot v	VOII	lising	mariii	⊔ana⊄

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	13449	1727	15.9	16.0	49.4	18.7
7th	16624	1646	16.2	17.3	46.7	19.7
8th	21779	2155	21.9	18.4	39.6	20.0
9th	14688	1547	27.9	20.3	34.1	17.6
10th	15175	1358	34.0	20.7	29.9	15.5
11th	13719	1415	38.1	19.9	27.8	14.2
12th	8298	822	38.8	20.0	27.5	13.7
Jr Hi	51852	5528	18.5	17.4	44.4	19.6
Sr Hi	51880	5142	34.1	20.3	30.1	15.5
Total	103732	10670	26.3	18.9	37.3	17.5

Table 7.218: Would you friends disapprove of you using other illicit drugs?

Grade	N of	N of	Don't	, , , , , , , , , , , , , , , , , , ,	Strongly	Don't
				D:		
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	13428	1748	15.7	16.1	49.2	19.0
7th	16598	1672	14.7	17.5	47.4	20.4
8th	21739	2195	17.4	19.1	42.4	21.0
9th	14654	1581	19.9	21.2	39.9	19.0
10th	15157	1376	20.2	23.0	39.7	17.0
11th	13690	1444	21.4	23.5	39.5	15.5
12th	8274	846	20.3	23.7	41.2	14.8
Jr Hi	51765	5615	16.1	17.8	45.8	20.3
Sr Hi	51775	5247	20.5	22.8	40.0	16.8
Total	103540	10862	18.3	20.3	42.9	18.6

Table 7.219: Would you friends disapprove of you fighting with a student?

		,		, ,	U	
Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	13403	1773	24.3	19.0	35.5	21.2
7th	16594	1676	28.5	18.8	30.2	22.6
8th	21748	2186	36.2	17.6	23.8	22.5
9th	14690	1545	40.8	18.0	21.2	20.0
10th	15167	1366	43.6	19.2	18.8	18.5
11th	13717	1417	43.2	19.7	19.1	17.9
12th	8286	834	40.4	20.8	21.4	17.4
Jr Hi	51745	5635	30.6	18.3	28.8	22.2
Sr Hi	51860	5162	42.2	19.2	20.0	18.6
Total	103605	10797	36.4	18.8	24.4	20.4

Table 7.220: Would you friends disapprove of you carrying a weapon to school?

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	13437	1739	16.0	16.0	49.0	19.0
7th	16620	1650	15.1	17.5	47.5	19.9
8th	21773	2161	17.2	18.9	43.2	20.7
9th	14663	1572	19.5	20.7	41.1	18.7
10th	15163	1370	18.5	22.6	42.2	16.7
11th	13697	1437	18.0	23.0	43.3	15.8
12th	8286	834	16.7	22.1	45.9	15.2
Jr Hi	51830	5550	16.2	17.7	46.1	20.0
Sr Hi	51809	5213	18.4	22.1	42.8	16.8
Total	103639	10763	17.3	19.9	44.4	18.4

Table 7.221: Would you friends disapprove of you threatening a student?

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	13408	1768	19.6	18.2	41.8	20.5
7th	16573	1697	21.5	18.7	37.9	21.9
8th	21764	2170	27.0	19.4	31.0	22.6
9th	14644	1591	31.0	20.2	28.4	20.4
10th	15152	1381	32.6	22.6	26.0	18.8
11th	13687	1447	32.5	22.5	27.2	17.8
12th	8276	844	30.2	22.2	30.2	17.3
Jr Hi	51745	5635	23.3	18.9	36.0	21.8
Sr Hi	51759	5263	31.7	21.8	27.7	18.8
Total	103504	10898	27.5	20.3	31.8	20.3

Table 7.222: Would you friends disapprove of you joining a gang?

Grade	N of	N of	Don't	.,	Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	13379	1797	17.4	15.5	46.5	20.7
7th	16524	1746	16.4	16.6	45.2	21.8
8th	21650	2284	18.9	17.3	41.3	22.5
9th	14585	1650	18.8	19.6	41.6	20.0
10th	15100	1433	18.3	20.0	43.8	18.0
11th	13631	1503	17.0	20.7	45.8	16.6
12th	8246	874	15.3	19.7	49.1	15.9
Jr Hi	51553	5827	17.7	16.6	43.9	21.8
Sr Hi	51562	5460	17.6	20.0	44.5	17.8
Total	103115	11287	17.7	18.3	44.2	19.8

7.15 Frequency of Use

Table 7.223: Frequency of Use – Cigarettes?

Grade	N of	N of	1 ,			
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14759	417	1.8	3.2	4.2	9.1
7th	17899	371	2.4	4.9	6.8	14.4
8th	23427	507	4.7	9.1	12.3	22.2
9th	15942	293	8.1	13.6	17.1	28.2
10th	16241	292	9.7	15.9	19.9	31.5
11th	14848	286	14.1	20.9	25.5	37.1
12th	8962	158	16.7	23.3	28.0	39.3
Jr Hi	56085	1295	3.2	6.2	8.4	16.2
Sr Hi	55993	1029	11.5	17.7	21.9	33.3
Total	112078	2324	7.4	12.0	15.2	24.8

Table 7.224: Frequency of Use – Smokeless Tobacco?

			- ,			
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	${\sf Monthly}$	Annual
6th	14729	447	1.4	1.9	2.5	4.4
7th	17864	406	1.3	2.2	3.0	5.8
8th	23368	566	2.0	3.5	4.6	8.3
9th	15901	334	3.2	5.6	7.4	11.8
10th	16215	318	3.4	5.6	7.7	12.8
11th	14823	311	5.2	7.5	9.5	15.0
12th	8945	175	5.0	7.5	9.6	15.0
Jr Hi	55961	1419	1.6	2.7	3.5	6.5
Sr Hi	55884	1138	4.1	6.4	8.4	13.5
Total	111845	2557	2.8	4.5	6.0	10.0

Table 7.225: Frequency of Use – Cigars?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14686	490	1.3	1.8	2.4	4.7
7th	17800	470	0.9	1.9	3.0	6.7
8th	23268	666	1.3	2.9	4.9	10.9
9th	15859	376	1.7	4.4	7.7	16.0
10th	16168	365	2.0	4.9	9.1	19.2
11th	14769	365	2.4	6.2	11.8	23.7
12th	8930	190	3.4	7.3	13.8	26.7
Jr Hi	55754	1626	1.2	2.3	3.6	7.9
Sr Hi	55726	1296	2.3	5.5	10.2	20.7
Total	111480	2922	1.7	3.9	6.9	14.3

Table 7.226: Frequency of Use – Beer?

		1.220.		icy 01 030	200.	
Grade	N of	${\sf N}$ of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14661	515	1.5	2.7	4.3	13.8
7th	17805	465	1.3	3.7	7.1	21.2
8th	23290	644	1.7	6.3	13.1	32.5
9th	15861	374	2.3	10.3	20.1	40.4
10th	16168	365	2.4	13.5	26.9	48.3
11th	14754	380	2.7	17.9	33.0	54.2
12th	8925	195	3.9	21.8	38.1	57.3
Jr Hi	55756	1624	1.5	4.5	8.9	24.0
Sr Hi	55708	1314	2.7	15.0	28.4	49.0
Total	111464	2938	2.1	9.8	18.6	36.5

Table 7.227: Frequency of Use – Wine Coolers?

Cuada	N -£		u.cey	. 000	THE COOLER	
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14640	536	1.5	2.7	4.4	14.9
7th	17779	491	1.3	3.8	7.1	22.7
8th	23266	668	1.8	6.0	12.4	34.3
9th	15868	367	2.1	7.8	16.8	39.7
10th	16180	353	2.0	8.7	19.8	44.9
11th	14763	371	2.0	9.1	21.0	46.5
12th	8916	204	2.8	9.7	22.5	46.3
Jr Hi	55685	1695	1.5	4.4	8.6	25.5
Sr Hi	55727	1295	2.2	8.7	19.7	44.1
Total	111412	2990	1.9	6.6	14.2	34.8

Table 7.228:	Frequency	of Use	– Liquor?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14655	521	1.4	2.2	3.2	8.1
7th	17788	482	1.1	2.9	5.4	14.6
8th	23248	686	1.6	5.6	11.0	26.1
9th	15848	387	2.3	9.3	18.7	37.5
10th	16148	385	2.3	12.2	25.7	47.8
11th	14762	372	2.7	15.0	31.8	55.0
12th	8905	215	3.4	17.3	36.4	59.2
Jr Hi	55691	1689	1.4	3.8	7.1	17.7
Sr Hi	55663	1359	2.6	12.9	27.0	48.6
Total	111354	3048	2.0	8.4	17.1	33.2

Table 7.229: Frequency of Use – Marijuana?

			94400	0. 000		
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14648	528	1.5	2.0	2.6	4.2
7th	17763	507	1.5	3.0	4.2	7.1
8th	23255	679	2.6	6.0	8.6	14.3
9th	15868	367	4.4	9.8	13.9	22.1
10th	16147	386	5.1	11.7	17.2	28.0
11th	14766	368	6.6	14.0	20.2	33.0
12th	8920	200	8.6	15.9	22.6	35.5
Jr Hi	55666	1714	2.0	4.0	5.6	9.3
Sr Hi	55701	1321	5.9	12.5	17.9	28.8
Total	111367	3035	3.9	8.2	11.8	19.1

Table 7.230: Frequency of Use – Cocaine?

	Tubic I	00	equene	y 01 03C	cocume.	
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14626	550	1.2	1.4	1.7	2.2
7th	17781	489	8.0	1.2	1.5	2.3
8th	23253	681	1.1	1.7	2.3	3.8
9th	15835	400	1.6	2.4	3.4	5.3
10th	16172	361	1.6	2.5	3.6	5.9
11th	14760	374	1.9	3.0	4.3	7.2
12th	8917	203	2.6	3.8	5.7	9.5
Jr Hi	55660	1720	1.0	1.4	1.9	2.9
Sr Hi	55684	1338	1.8	2.8	4.1	6.7
Total	111344	3058	1.4	2.1	3.0	4.8

Table 7.231: Frequency of Use – Uppers?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14534	642	1.2	1.5	1.8	2.3
7th	17715	555	0.7	1.1	1.6	2.4
8th	23199	735	1.0	1.7	2.3	3.8
9th	15842	393	1.4	2.4	3.5	5.7
10th	16157	376	1.5	2.7	3.9	6.3
11th	14766	368	1.8	3.1	4.6	7.4
12th	8911	209	2.5	3.9	5.6	8.6
Jr Hi	55448	1932	1.0	1.5	1.9	3.0
Sr Hi	55676	1346	1.7	2.9	4.2	6.8
Total	111124	3278	1.3	2.2	3.1	4.9

Table 7.232: Frequency of Use – Downers?

			- 1			
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14514	662	1.2	1.5	1.9	2.5
7th	17699	571	8.0	1.3	1.8	2.8
8th	23160	774	1.1	1.9	2.7	4.4
9th	15833	402	1.7	2.8	4.3	6.8
10th	16140	393	1.7	3.0	4.8	7.3
11th	14761	373	1.9	3.8	5.7	8.8
12th	8919	201	2.4	4.3	6.4	9.6
Jr Hi	55373	2007	1.0	1.6	2.2	3.4
Sr Hi	55653	1369	1.9	3.4	5.1	7.9
Total	111026	3376	1.5	2.5	3.7	5.7

Table 7.233: Frequency of Use – Inhalants?

	Tubic 1.		equency	0. 050	mmarantes.	
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14511	665	1.4	1.9	2.6	4.9
7th	17722	548	1.0	1.8	2.8	5.4
8th	23144	790	1.2	2.1	3.2	6.3
9th	15826	409	1.5	2.3	3.5	6.3
10th	16123	410	1.4	2.2	3.3	5.6
11th	14751	383	1.6	2.4	3.3	5.4
12th	8906	214	2.2	2.9	3.9	5.7
Jr Hi	55377	2003	1.2	1.9	2.9	5.7
Sr Hi	55606	1416	1.6	2.4	3.4	5.8
Total	110983	3419	1.4	2.1	3.2	5.7

Table 7.234: Frequency of Use – Hallucinogens?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14481	695	1.2	1.3	1.8	2.2
7th	17695	575	0.7	1.1	1.5	2.1
8th	23114	820	0.9	1.4	2.0	3.1
9th	15815	420	1.3	1.9	3.0	4.6
10th	16132	401	1.4	2.0	3.2	5.5
11th	14731	403	1.6	2.5	3.8	6.6
12th	8899	221	2.2	3.0	4.5	8.0
Jr Hi	55290	2090	0.9	1.3	1.8	2.6
Sr Hi	55577	1445	1.6	2.3	3.5	5.9
Total	110867	3535	1.2	1.8	2.6	4.2

Table 7.235: Frequency of Use – Heroin?

			. 09 0	,		
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14501	675	1.2	1.4	1.7	2.3
7th	17703	567	0.7	1.0	1.3	2.0
8th	23125	809	0.9	1.4	1.8	2.7
9th	15794	441	1.3	1.8	2.4	3.5
10th	16141	392	1.3	1.8	2.5	3.6
11th	14729	405	1.6	2.1	2.8	3.9
12th	8909	211	2.2	2.7	3.5	4.9
Jr Hi	55329	2051	0.9	1.2	1.6	2.4
Sr Hi	55573	1449	1.5	2.0	2.7	3.9
Total	110902	3500	1.2	1.6	2.2	3.1

Table 7.236: Frequency of Use – Steroids?

		00	9945.10	,	010.0.00.	
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14464	712	1.2	1.4	1.8	2.4
7th	17654	616	0.7	1.0	1.4	2.1
8th	23087	847	1.0	1.4	1.8	2.7
9th	15784	451	1.3	1.9	2.5	3.6
10th	16128	405	1.4	1.8	2.5	3.5
11th	14708	426	1.6	2.2	2.7	3.8
12th	8901	219	2.3	3.1	3.5	4.7
Jr Hi	55205	2175	1.0	1.3	1.7	2.5
Sr Hi	55521	1501	1.6	2.1	2.7	3.8
Total	110726	3676	1.3	1.7	2.2	3.1

Table 7.237: Frequency of Use – Ecstasy?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14470	706	1.2	1.4	1.8	2.5
7th	17646	624	8.0	1.1	1.5	2.3
8th	23072	862	1.0	1.5	2.2	3.7
9th	15768	467	1.4	2.2	3.1	5.2
10th	16115	418	1.4	2.1	3.2	5.6
11th	14722	412	1.8	2.4	3.5	6.4
12th	8890	230	2.3	3.1	4.3	7.9
Jr Hi	55188	2192	1.0	1.4	1.9	3.0
Sr Hi	55495	1527	1.7	2.4	3.4	6.1
Total	110683	3719	1.3	1.9	2.7	4.5

Table 7.238: Frequency of Use – OxyContin?

	10010 112		quency	0. 000	ony contini.	
Grade	N of	${\sf N}$ of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14407	769	1.2	1.4	1.9	2.5
7th	17582	688	0.7	1.1	1.5	2.3
8th	23056	878	1.1	1.6	2.2	3.4
9th	15750	485	1.5	2.3	3.3	5.3
10th	16107	426	1.5	2.2	3.4	5.7
11th	14696	438	1.9	2.8	4.1	7.1
12th	8887	233	2.4	3.3	4.5	7.3
Jr Hi	55045	2335	1.0	1.4	1.9	2.8
Sr Hi	55440	1582	1.7	2.5	3.7	6.2
Total	110485	3917	1.4	2.0	2.8	4.5

Table 7.239: Frequency of Use – Any Tobacco?

Grade	N of	N of	dericy c	000 / 1	ny robacco	
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14831	345	2.2	3.8	5.1	11.0
7th	17974	296	3.0	5.8	8.2	17.0
8th	23534	400	5.7	10.7	14.3	25.9
9th	16001	234	9.7	16.2	20.5	33.4
10th	16302	231	11.7	18.9	23.9	38.1
11th	14903	231	17.1	24.8	30.3	43.9
12th	8989	131	19.4	27.2	32.8	46.6
Jr Hi	56339	1041	3.9	7.3	9.9	19.2
Sr Hi	56195	827	13.8	21.0	26.1	39.7
Total	112534	1868	8.8	14.2	18.0	29.4

Table 7.240: Frequency of Use – Any Alcohol?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14784	392	1.8	3.6	6.0	20.8
7th	17927	343	1.7	5.4	9.8	30.9
8th	23464	470	2.3	8.8	17.4	44.7
9th	15969	266	3.1	13.4	25.6	53.8
10th	16274	259	3.0	16.9	32.9	62.3
11th	14872	262	3.5	21.2	39.1	67.0
12th	8973	147	4.5	25.2	44.5	69.8
Jr Hi	56175	1205	2.0	6.4	12.0	34.0
Sr Hi	56088	934	3.4	18.4	34.3	62.3
Total	112263	2139	2.7	12.4	23.1	48.1

Table 7.241: Frequency of Use – Any Illicit Drugs?

					,	0-
Grade	N of	N of				-
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	14832	344	2.3	3.3	4.6	8.4
7th	17967	303	2.4	4.5	6.4	11.5
8th	23534	400	3.7	7.6	10.7	18.3
9th	16009	226	5.6	11.4	15.9	25.5
10th	16301	232	6.4	13.5	19.2	30.4
11th	14901	233	7.9	15.8	22.3	35.3
12th	8984	136	10.0	17.8	24.6	37.5
Jr Hi	56333	1047	2.9	5.5	7.7	13.5
Sr Hi	56195	827	7.1	14.2	20.0	31.4
Total	112528	1874	5.0	9.8	13.8	22.5