PRIDE Questionnaire Report for Grades 6 thru 12

2004-05 Alabama Statewide Survey

June 16, 2005

Contents

1	Intre	oductio	on			1
	1.1	Drug l	Use Summary			3
	1.2	Cigaret	ette Use			3
	1.3	Beer U	Use			3
	1.4	Mariju	Jana Use			4
	1.5		ne Use			5
	1.6	Halluci	cinogen Use			5
2	Star	ndard G	Graphics			7
_	2.1		ency of Use			8
	2.2		e Do You Use			14
	2.3		Do You Use			23
	2.4		fulness to Health			32
	2.5		bility			41
	2.6		ls Use			50
2						F 4
3			Graphics			54 55
	3.1		of Use By Students Who Use Drugs			
	3.2		ency of Use by Sex			
	3.3	IIICIT L	Drug Ose by Risk & Protective Factors	• •	·	09
4	Sum	imary S	Statistics			93
	4.1	Guns				
	4.2		;			95
	4.3	Suicide	le			
	4.4		tening Behaviors			
	4.5		le With The Police			
	4.6		nal Safety			99
	4.7		and Protective Factors			99
		4.7.1	Community - Risk Factors			
		4.7.2	Community - Protective Factors			
		4.7.3	School - Risk Factors			
		4.7.4	School - Protective Factors			
		4.7.5	Family - Risk Factors			
		4.7.6	Family - Protective Factors			
		4.7.7	Individual - Risk Factors			
		4.7.8	Individual - Protective Factors			104

5	Narr	rative Report	105
	5.1	Introduction	. 105
		5.1.1 The PRIDE Surveys Questionnaire	. 106
		5.1.2 The Report	. 106
	5.2	Gateway Drugs	. 107
		5.2.1 Tobacco	. 107
		5.2.2 Alcohol	. 109
		5.2.3 Marijuana	. 115
	5.3	Other Illicit Drugs	. 120
		5.3.1 Cocaine, Uppers, and Downers	. 120
		5.3.2 Inhalants, Hallucinogens, Heroin, and Steroids	. 126
	5.4	The Media and Data Presentation	. 130
		5.4.1 Community Awareness	. 130
		5.4.2 The Media	. 131
		5.4.3 Presentations to School/Community Groups	. 134
		5.4.4 Sample Press Release	. 137
6	Dru	g-Free Communities Support Program	139
	6.1	Monthly Use	
	6.2	Perception of Risk	
	6.3	Perception of Disapproval	
	6.4	Age of First Use	
	6.5	Availability	. 150
7	Perc	centage Tables	155
÷.	7.1	Personal & Family Information	
	7.2	Student Characteristics	
	7.3	Harmful To Health	
	7.4	Within The Past Year How Often Have You Used	
	7.5	At What Age Did You First	
	7.6	Where Do You Use	
	7.7	When Do You Use	
	7.8	While At School Have You	
	7.9	What Effect Do You Most Often Get When You Use	
	7.10	How Easy Is It To Get	
		In My School, I Feel Safe	
		In My Neighborhood, I Feel Safe	
		Would Your Parents Disapprove Of You	
		Would Your Friends Disapprove Of You	
		Frequency of Use	
8	Year	r-to-Year Graphics	248
	8.1	Annual & Monthly Frequency of Use Across Years	
	8.2	Availability Across Years	
	8.3	Effect of Use Across Years	. 284

List of Tables

5.1	Reported Times of Cigarette Smoking For Your Students	108
5.2	Reported Times of Smokeless Tobacco Use For Your Students	109
5.3	Reported Times of Cigar Smoking For Your Students	109
5.4	Percent of Junior and Senior High Alcohol-Using Students Who Get Very High or Bombed	
	When Using	111
5.5	Percent of Junior and Senior High Reporting Gateway Drugs As Readily Available	114
5.6	Percent of Cocaine-, Upper- and Downer-Using Students Who Get Very High or em	
	Bombed When Using	123
5.7	Time of Cocaine, Uppers, Downers, Inhalants, Hallucinogens, Heroin & Steroids Use	
	Reported by Senior High Students	124
5.8	Percent of Students Reporting Cocaine, Uppers and Downers as Readily Available	125
5.9	Percent of Students Who Get Very High or Bombed When Using Inhalants, Hallucino-	
	gens, Heroin & Steroids	129
5.10	Percent of Students Reporting Inhalants, Hallucinogens, Heroin and Steroids as Readily	
	Available	130
~ ~		
6.1	Monthly Use of Alcohol	
6.2	Monthly Use of Tobacco	
6.3	Monthly Use of Marijuana	
6.4	Perception of Risk of Alcohol	
6.5	Perception of Risk of Tobacco	
6.6	Perception of Risk of Marijuana	
6.7	Perception of Parents Disapproval of Tobacco	
6.8	Perception of Parents Disapproval of Alcohol	
6.9	Perception of Parents Disapproval of Marijuana	
	Perception of Friends Disapproval of Tobacco	
	Perception of Friends Disapproval of Alcohol	
	Perception of Friends Disapproval of Marijuana	
	When did you first use any alcohol?	
	When did you first use any tobacco?	
	When did you first use marijuana?	
	Availability of Alcohol	
	Availability of Tobacco	
	Availability of Marijuana	
	Outcomes Measures by Grade	
	Outcomes Measures by Gender	
6.21	Outcomes Measures by Race	154

7.1	Ethnic Origin	. 157
7.2	Sex	. 157
7.3	Age	. 158
7.4	Do you live with:	. 158
7.5	Do you have a job?	
7.6	Does your father have a job?	. 159
7.7	Does your mother have a job?	. 159
7.8	What is the educational level of your father?	. 159
7.9	What is the educational level of your mother?	. 160
7.10	Do you make good grades?	. 161
7.11	Do you get into trouble at school?	. 161
7.12	Do you take part in school sports teams?	. 162
7.13	Do you take part in school activities such as band, clubs, etc?	. 162
7.14	Do you take part in community activities such as scouts, rec. teams, youth clubs, etc?	. 162
7.15	Do you attend church, synagogue, etc.?	. 163
7.16	Have you threatened to harm a teacher?	. 163
7.17	Have you threatened to harm one or both of your parents, guardians, etc.?	. 163
7.18	Do your parents talk with you about the problems of tobacco use?	. 164
7.19	Do your parents talk with you about the problems of alcohol use?	. 164
7.20	Do your parents talk with you about the problems of drug use?	. 164
7.21	Do your teachers talk with you about the problems of alcohol use?	. 165
7.22	Do your teachers talk with you about the problems of drug use?	. 165
7.23	Does your school set clear rules on bringing a gun to school?	. 165
7.24	Does your school set clear rules on using drugs at school?	. 166
7.25	Does your school set clear rules on bullying or threatening other students at school? .	. 166
7.26	Does your school punish you when you break the rules?	. 166
	Do your parents set clear rules for you?	
7.28	Do your parents punish you when you break the rules?	. 167
7.29	Have you been in trouble with the police?	. 167
7.30	Do you take part in gang activities?	. 168
7.31	Have you thought about committing suicide?	. 169
7.32	While NOT at school have you carried a gun for protection or as a weapon?	. 169
7.33	Have you received treatment or counseling for alcohol and/or drug use?	. 169
7.34	Have you been caught using alcohol?	. 170
7.35	Have you been caught using drugs?	. 170
7.36	Do you have an adult, other than your parent or guardian, that you talk to about problem	ns?170
7.37	Do you buy or sell drugs at school?	. 171
7.38	Do you buy or sell drugs when NOT at school?	. 171
	Do your friends use tobacco? (cigarettes, cigars, etc)?	
7.40	Do your friends use alcohol? (beer, liquor, etc)?	. 172
7.41	Do your friends use drugs? (marijuana, cocaine, etc)?	. 172
7.42	Do your parents set clear rules about violent TV, movies and video games?	. 172
	Have you had 5 or more glasses of beer, wine or liquor within a few hours?	
	Have you driven a car after or while drinking alcohol??	
7.45	Do you surf the internet for fun?	. 173
7.46	Have you skipped school in the past year?	. 174
	Have you seen ads on TV that encourage NO drug use?	

7.48	Does your school have a security officer?	174
7.49	Do you think your school needs a security officer?	175
7.50	Does your school have a drug screening program?	175
7.51	Does your school's drug screening program include all students?	175
	If your school does not screen all students, do you participate in an activity that is part	
	of the drug screening program?	176
7.53	Have you been screened for drugs at school?	176
7.54	Does you school have a student assistance program?	176
	Have you participated in the student assistance program?	
	If you particiated, was the student assistance program helpful?	
	Do you feel that using cigarettes is harmful to your health?	
	Do you feel that using smokeless tobacco is harmful to your health?	
	Do you feel that using cigars is harmful to your health?	
	Do you feel that using beer is harmful to your health?	
7.61	Do you feel that using wine coolers is harmful to your health?	179
	Do you feel that using liquor is harmful to your health?	
	Do you feel that using marijuana is harmful to your health?	
	Do you feel that using cocaine is harmful to your health?	
	Do you feel that using uppers is harmful to your health?	
	Do you feel that using downers is harmful to your health?	
	Do you feel that using inhalants is harmful to your health?	
	Do you feel that using hallucinogens is harmful to your health?	
	Do you feel that using heroin is harmful to your health?	
	Do you feel that using steroids is harmful to your health?	
	Do you feel that using OxyContin is harmful to your health?	
	Within the past year how often have you smoked cigarettes?	
	Within the past year how often have you used smokeless tobacco?	
	Within the past year how often have you used smokeless tobaccos	
	Within the past year how often have you drunk beer?	
	Within the past year how often have you drunk wine coolers?	
	Within the past year how often have you drunk liquor?	
	Within the past year how often have you smoked marijuana?	
	Within the past year how often have you used cocaine?	
	Within the past year how often have you used uppers?	
	Within the past year how often have you used downers?	
	Within the past year how often have you used inhalants?	
7.84	Within the past year how often have you used hallucinogens?	188
7.85	Within the past year how often have you used heroin?	188
7.86	Within the past year how often have you used steroids?	188
7.87	Within the past year how often have you used ecstasy?	189
7.88	Within the past year how often have you used OxyContin?	189
	Within the past year how often have you used tobacco?	
7.90	Within the past year how often have you drunk alcohol?	190
	Within the past year how often have you used illicit drugs?	
	At what age did you first smoke cigarettes?	
7.93	At what age did you first use smokeless tobacco?	191

7.94 At what age did you first smoke cigars?
7.95 At what age did you first drink beer?
7.96 At what age did you first drink wine coolers?
7.97 At what age did you first drink liquor?
7.98 At what age did you first smoke marijuana?
7.99 At what age did you first use cocaine?
7.100At what age did you first use uppers?
7.101At what age did you first use downers?
7.102At what age did you first use inhalants?
7.103At what age did you first use hallucinogens?
7.104At what age did you first use heroin?
7.105At what age did you first use steroids?
7.106At what age did you first use ecstasy?
7.107At what age did you first use OxyContin?
7.108Where do you smoke cigarettes?
7.109Where do you use smokeless tobacco?
7.110Where do you smoke cigars?
7.111Where do you drink beer?
7.112Where do you drink wine coolers?
7.113Where do you drink liquor?
7.114Where do you smoke marijuana?
7.115Where do you use cocaine?
7.116Where do you use uppers?
7.117Where do you use downers?
7.118Where do you use inhalants?
7.119Where do you use hallucinogens?
7.120Where do you use heroin?
7.121Where do you use steroids?
7.122Where do you use ecstasy?
7.123Where do you use OxyContin?
7.124Where do you use any tobacco?
7.125Where do you use any alcohol?
7.126Where do you use any illicit drugs?
7.127When do you smoke cigarettes?
7.128When do you use smokeless tobacco?
7.129When do you smoke cigars?
7.130When do you drink beer?
7.131When do you drink wine coolers?
7.132When do you drink liquor?
7.133When do you smoke marijuana?
7.134When do you use cocaine?
7.135When do you use uppers?
7.136When do you use downers?
7.137When do you use inhalants?
7.138When do you use hallucinogens?
7.139When do you use heroin?
7.140When do you use steroids?

7.141When do you use ecstasy?	. 209
7.142When do you use OxyContin?	. 209
7.143When do you use any tobacco?	. 209
7.144When do you use any alcohol?	. 210
7.145When do you use any illicit drugs?	. 210
7.146While at school have you carried a gun?	. 211
7.147While at school have you carried a knife, club or other weapon?	. 211
7.148While at school have you threatened a student with a gun, knife or club?	. 212
7.149While at school have you threatened to hurt a student by hitting, slapping or kicking?	. 212
7.150While at school have you hurt a student by using a gun, knife or club?	. 212
7.151While at school have you hurt a student by hitting, slapping or kicking?	. 213
7.152While at school have you been threatened with a gun, knife or club by a student?	. 213
7.153While at school have you had a student threaten to hit, slap or kick you?	. 213
7.154While at school have you been afraid a student may hurt you?	. 214
7.155While at school have you been hurt by a student using a gun, knife or club?	. 214
7.156While at school have you been hurt by a student who hit, slapped or kicked you?	. 214
7.157While at school have you been helped by a school security officer?	. 215
7.158While at school have you been in trouble with school security officer?	
7.159What effect do you most often get when you smoke cigarettes?	. 216
7.160What effect do you most often get when you use smokeless tobacco?	. 216
7.161What effect do you most often get when you smoke cigars?	
7.162What effect do you most often get when you drink beer?	
7.163What effect do you most often get when you drink wine coolers?	
7.164What effect do you most often get when you drink liquor?	
7.165What effect do you most often get when you smoke marijuana?	
7.166What effect do you most often get when you use cocaine?	
7.167What effect do you most often get when you use uppers?	. 219
7.168What effect do you most often get when you use downers?	
7.169What effect do you most often get when you use inhalants?	
7.170What effect do you most often get when you use hallucinogens?	
7.171What effect do you most often get when you use heroin?	
7.172What effect do you most often get when you use steroids?	
7.173What effect do you most often get when you use ecstasy?	
7.174What effect do you most often get when you use OxyContin?	
7.175How easy is it to get cigarettes?	
7.176How easy is it to get smokeless tobacco?	
7.178How easy is it to get beer?	
7.179How easy is it to get wine coolers?	
7.180How easy is it to get liquor?	
7.181How easy is it to get marijuana?	
7.182How easy is it to get cocaine?	
7.183How easy is it to get uppers?	
7.184How easy is it to get downers?	
7.185How easy is it to get inhalants?	
7.186How easy is it to get hallucinogens?	
7.187How easy is it to get heroin?	

7.188How easy is it to get steroids?	. 226
7.189How easy is it to get ecstasy?	. 227
7.190How easy is it to get OxyContin?	
7.191In my school, I feel safe in the classroom?	. 228
7.192In my school, I feel safe in the cafeteria?	
7.193In my school, I feel safe in the halls?	
7.194In my school, I feel safe in the bathroom?	
7.195In my school, I feel safe in the gym?	
7.196In my school, I feel safe on the school bus?	
7.197In my school, I feel safe at school events?	
7.198In my school, I feel safe on the playground?	
7.199In my school, I feel safe in the parking lot?	
7.200In my school, I feel safe in all school areas?	
7.201In my neighborhood, I feel safe where I live?	
7.202In my neighborhood, I feel safe in the streets?	
7.203In my neighborhood, I feel safe at the movies?	
7.204ln my neighborhood, I feel safe on the playground?	
7.205ln my neighborhood, I feel safe at my friend's house?	
7.206In my neighborhood, I feel safe at the mall?	
7.207Would you parents disapprove of you using tobacco?	
7.208Would you parents disapprove of you using alcohol?	
7.209Would you parents disapprove of you using marijuana?	
7.210Would you parents disapprove of you using other illicit drugs?	
7.211Would you parents disapprove of you fighting with a student?	
7.212Would you parents disapprove of you carrying a weapon to school?	
7.213Would you parents disapprove of you threatening a student?	
7.214Would you parents disapprove of you joining a gang?	
7.215Would you friends disapprove of you using tobacco?	
7.216Would you friends disapprove of you using alcohol?	
7.218Would you friends disapprove of you using other illicit drugs?	
7.219Would you friends disapprove of you fighting with a student?	
7.220Would you friends disapprove of you carrying a weapon to school?	
7.221Would you friends disapprove of you threatening a student?	
7.222Would you friends disapprove of you joining a gang?	
7.223Frequency of Use – Cigarettes?	
7.224Frequency of Use – Smokeless Tobacco?	
7.225Frequency of Use – Cigars?	
7.226Frequency of Use – Beer?	
7.227Frequency of Use – Wine Coolers?	
7.228Frequency of Use – Liquor?	
7.229Frequency of Use – Marijuana?	
7.230Frequency of Use – Cocaine?	
7.231Frequency of Use – Uppers?	
7.232Frequency of Use – Downers?	
7.233Frequency of Use – Inhalants?	
7.234Frequency of Use – Hallucinogens?	

7.235Frequency of Use – Heroin?
7.236Frequency of Use – Steroids?
7.237Frequency of Use – Ecstasy?
7.238Frequency of Use – OxyContin?
7.239Frequency of Use – Any Tobacco?
7.240Frequency of Use – Any Alcohol?
7.241Frequency of Use – Any Illicit Drugs?

List of Figures

2.1	% Students Who Use Cigarettes, Smokeless Tobacco & Cigars	9
2.2	% Students Who Use Beer, Wine Coolers, Liquor & Marijuana	10
2.3	% Students Who Use Cocaine, Uppers, Downers & Inhalants	11
2.4	% Students Who Use Hallucinogens, Heroin & Steroids	12
2.5	% Students Who Use Ecstasy & OxyContin	13
2.6	Where Do You Use Beer	15
2.7	Where Do You Use Liquor	16
2.8	Where Do You Use Marijuana	17
2.9		18
2.10	Where Do You Use Inhalants	19
2.11	Where Do You Use Hallucinogens	20
2.12	Where Do You Use Ecstasy	21
2.13	Where Do You Use OxyContin	22
2.14	When Do You Use Beer	24
2.15	When Do You Use Liquor	25
		26
2.17	When Do You Use Cocaine	27
2.18	When Do You Use Inhalants	28
2.19	When Do You Use Hallucinogens	29
2.20	When Do You Use Ecstasy	30
2.21	When Do You Use OxyContin	31
2.22	Is It Harmful To Use Beer	33
2.23	Is It Harmful To Use Liquor	34
2.24	Is It Harmful To Use Marijuana	35
2.25	Is It Harmful To Use Cocaine	36
2.26	Is It Harmful To Use Inhalants	37
2.27	Is It Harmful To Use Hallucinogens	38
2.28	Is It Harmful To Use Ecstasy	39
		40
2.30	How Easy Is It To Get Beer	42
2.31	How Easy Is It To Get Liquor	43
2.32	How Easy Is It To Get Marijuana	44
2.33	How Easy Is It To Get Cocaine	45
2.34	How Easy Is It To Get Inhalants	46
2.35	How Easy Is It To Get Hallucinogens	47
		48
2.37	How Easy Is It To Get OxyContin	49

	Friends Use of Tobacco	51
2.39	Friends Use of Alcohol	52
2.40	Friends Use of Illicit Drugs	53
2.1		БC
3.1	% Students Who Get Very High or Bombed When Using Beer, Wine Coolers or Liquor	56
3.2	% Students Who Get Very High or Bombed When Using Marijuana, Cocaine or Uppers .	57
3.3	% Students Who Get Very High or Bombed When Using Downers, Inhalants or Hallu-	
	cinogens	58
3.4	% Students Who Get Very High or Bombed When Using Heroin, Steroids, Ecstasy or	
	OxyContin	59
3.5	% Students Who Use Beer by Sex	61
3.6	% Students Who Use Liquor by Sex	62
3.7	% Students Who Use Marijuana by Sex	63
3.8	% Students Who Use Cocaine by Sex	64
3.9	% Students Who Use Inhalants by Sex	65
3.10	% Students Who Use Hallucinogens by Sex	66
3.11	% Students Who Use Ecstasy by Sex	67
3.12	% Students Who Use OxyContin by Sex	68
3.13	% Students Who Use Illicit Drugs by Attend Church, Synagogue, etc.	70
	% Students Who Use Illicit Drugs by Take Part in Community Activities	71
3.15	% Students Who Use Illicit Drugs by Make Good Grades	72
	% Students Who Use Illicit Drugs by Take Part in Sports Teams	73
	% Students Who Use Illicit Drugs by Take Part in School Activities	74
	% Students Who Use Illicit Drugs by Get Into Trouble at School	75
	% Students Who Use Illicit Drugs by Parents Talk About Dangers of Drugs	76
	% Students Who Use Illicit Drugs by Parents Set Clear Rules	77
	% Students Who Use Illicit Drugs by Parents Punish for Breaking Rules	78
	% Students Who Use Illicit Drugs by School Sets Clear Rules on Guns at School	79
	% Students Who Use Illicit Drugs by School Sets Clear Rules on Drugs at School	80
	% Students Who Use Illicit Drugs by School Sets Clear Rules on Bullying at School	81
	% Students Who Use Illicit Drugs by School Punishes for Breaking Rules	82
	% Students Who Use Illicit Drugs by Received Treatment for Alcohol/Drug Use	83
	% Students Who Use Illicit Drugs by Received Treatment for Alcohol	84
	% Students Who Use Illicit Drugs by Been Caught Using Drugs	85
	% Students Who Use Illicit Drugs by Buy/Sell Drugs at School	86
	% Students Who Use Illicit Drugs by Buy/Sell Drugs While NOT at School	87
		88
		89
		90
	% Students Who Use Illicit Drugs by Drinking 5 or More Glasses of Alcohol	91
3.35	% Students Who Use Illicit Drugs by Skipped School	92
4.1	Drug Use of Students Who Carry Guns vs Students Who Do Not	94
4.2	Drug Use of Students In Gangs vs Students Not In Gangs	95
4.3	Drug Use of Students Who Think of Suicide	96
4.4	Drug Use of Students Who Threaten vs Students Who Do Not	97
4.5	Drug Use of Students Who Get In Trouble With Police vs Those Who Do Not	98
		50

5.1	Local Alcohol Use vs 2003-2004 PRIDE National Summary - Junior High	. 110
5.2	Local Alcohol Use vs 2003-2004 PRIDE National Summary - Senior High	. 111
5.3	Time of Alcohol Use by Junior High	. 112
5.4	Time of Alcohol Use by Senior High	. 113
5.5	Local Marijuana Use vs 2003-2004 PRIDE National Summary	. 116
5.6	Time of Marijuana Use by Junior and Senior High Students	. 117
5.7	Friends' Use of Illicit Drugs by Junior & Senior High Students	. 118
5.8	First Use of Marijuana by Junior & Senior High Students	. 118
5.9	Cocaine, Uppers and Downers Use for Junior and Senior High Students	. 123
5.10	Inhalants, Hallucinogen, Heroin & Steroid Use for Junior and Senior High Students	. 129
8.1	Annual Use of Cigarettes	250
8.2	Monthly Use of Cigarettes	
8.3	Annual Use of Beer	
8.4	Monthly Use of Beer	
8.5	Annual Use of Wine Coolers	
8.6	Monthly Use of Wine Coolers	
8.7	Annual Use of Liquor	
8.8	Monthly Use of Liquor	
8.9	Annual Use of Marijuana	
	Monthly Use of Marijuana	
	Annual Use of Cocaine	
	Monthly Use of Cocaine	
	Annual Use of Uppers	
	Monthly Use of Uppers	
	Annual Use of Downers	
	Monthly Use of Downers	
	Annual Use of Inhalants	
	Monthly Use of Inhalants	
	Annual Use of Hallucinogens	
	Monthly Use of Hallucinogens	
	Annual Use of Alcohol	
8.22	Monthly Use of Alcohol	. 271
8.23	Annual Use of Illicit Drugs	. 272
8.24	Monthly Use of Illicit Drugs	. 273
8.25	Availability of Beer	. 275
8.26	Availability of Wine Coolers	. 276
8.27	Availability of Liquor	. 277
8.28	Availability of Marijuana	. 278
8.29	Availability of Cocaine	. 279
8.30	Availability of Uppers	. 280
8.31	Availability of Downers	. 281
8.32	Availability of Inhalants	. 282
8.33	Availability of Hallucinogens	. 283
	Effect of Use of Beer	
	Effect of Use of Wine Coolers	
8.36	Effect of Use of Liquor	. 287

8.37	Effect of Use of Marijuana				 									. 2	288
8.38	Effect of Use of Cocaine .				 									. 2	<u>289</u>
8.39	Effect of Use of Uppers .				 									. 2	290
8.40	Effect of Use of Downers				 									. 2	291
8.41	Effect of Use of Inhalants				 									. 2	292
8.42	Effect of Use of Hallucinog	ens			 									. 2	<u>293</u>

Chapter 1

Introduction

The following graphs, summary and tables are compiled from data collected in your school(s) using the **PRIDE Surveys Questionnaire**. These data reflect prevalence and patterns of drug and alcohol use, violence, gang activity and suicide. It is important that this report be utilized as part of your drug abuse and violence awareness and prevention programs. We strongly suggest that you:

COPY THE FOLLOWING PAGES, (which highlight and graphically summarize drug use and violent behavior by students in your school)

DISTRIBUTE THEM TO YOUR FACULTY

AND SHARE THIS INFORMATION WITH PARENTS.

Most of all, we strongly encourage a parent meeting at your school to share this information!

NOTE: Most drug use occurs at nights and weekends when school is not in session. You will find statistics in this report which support these findings.

FOR GREATEST SUCCESS IN DECREASING DRUG USE, FACULTY, STUDENTS AND PARENTS MUST WORK TOGETHER TOWARD A DRUG-FREE LIFESTYLE.

If you have questions about this report or if you wish to have information on other **PRIDE Surveys** services and products, please call the **PRIDE Surveys** Office or write to the following address:

PRIDE Surveys

Janie Pitcock 160 Vanderbilt Court Bowling Green, KY 42103 1-800-279-6361 1-270-746-9596 www.pridesurveys.com

The following information is for **PRIDE Surveys** internal use only.

- Data Files: us049801
- Filter:

1.1 Drug Use Summary

- Number of 6th grade students surveyed: 46814
- Number of 7th grade students surveyed: 45718
- Number of 8th grade students surveyed: 43208
- Number of 9th grade students surveyed: 40803
- Number of 10th grade students surveyed: 35458
- Number of 11th grade students surveyed: 29659
- Number of 12th grade students surveyed: 22284
- Number of students surveyed: 263944

1.2 Cigarette Use

11.0 percent of your 6th grade students said they used cigarettes within the past year (2003-2004 PRIDE National Avg = 9.1%). **19.9** percent of your 7th grade students said they used cigarettes within the past year (2003-2004 PRIDE National Avg = 14.4%). **26.3** percent of your 8th grade students said they used cigarettes within the past year (2003-2004 PRIDE National Avg = 22.2%). **30.7** percent of your 9th grade students said they used cigarettes within the past year (2003-2004 PRIDE National Avg = 28.2%). **32.0** percent of your 10th grade students said they used cigarettes within the past year (2003-2004 PRIDE National Avg = 31.5%). **34.2** percent of your 11th grade students said they used cigarettes within the past year (2003-2004 PRIDE National Avg = 37.1%). **37.5** percent of your 12th grade students said they used cigarettes within the past year (2003-2004 PRIDE National Avg = 39.3%).

1.3 Beer Use

16.0 percent of your 6th grade students said they used beer within the past year (2003-2004 PRIDE National Avg = 13.8%). **24.9** percent of your 7th grade students said they used beer within the past year (2003-2004 PRIDE National Avg = 21.2%). **34.4** percent of your 8th grade students said they used beer within the past year (2003-2004 PRIDE National Avg = 32.5%). **40.6** percent of your 9th grade students said they used beer within the past year (2003-2004 PRIDE National Avg = 40.4%). **43.4** percent of your 10th grade students said they used beer within the past year (2003-2004 PRIDE National Avg = 48.3%). **46.5** percent of your 11th grade students said they used beer within the past year (2003-2004 PRIDE National Avg = 54.2%). **50.7** percent of your 12th grade students said they used beer within the past year (2003-2004 PRIDE National Avg = 57.3%).

Of those 6th grade students who reported using beer, **15.9** percent of them reported getting *very high* or *bombed* when they used. Of those 7th grade students who reported using beer, **16.2** percent of

them reported getting very high or bombed when they used. Of those 8th grade students who reported using beer, **20.4** percent of them reported getting very high or bombed when they used. Of those 9th grade students who reported using beer, **25.9** percent of them reported getting very high or bombed when they used. Of those 10th grade students who reported using beer, **30.6** percent of them reported getting very high or bombed when they used. Of those 10th grade students who reported using beer, **30.6** percent of them reported getting very high or bombed when they used. Of those 11th grade students who reported using beer, **34.1** percent of them reported getting very high or bombed when they used. Of those 12th grade students who reported using beer, **39.8** percent of them reported getting very high or bombed when they used.

1.4 Marijuana Use

4.5 percent of your 6th grade students said they used marijuana within the past year (2003-2004 PRIDE National Avg = 4.2%). **10.2** percent of your 7th grade students said they used marijuana within the past year (2003-2004 PRIDE National Avg = 7.1%). **16.4** percent of your 8th grade students said they used marijuana within the past year (2003-2004 PRIDE National Avg = 14.3%). **21.8** percent of your 9th grade students said they used marijuana within the past year (2003-2004 PRIDE National Avg = 22.1%). **25.2** percent of your 10th grade students said they used marijuana within the past year (2003-2004 PRIDE National Avg = 28.0%). **27.2** percent of your 11th grade students said they used marijuana within the past year (2003-2004 PRIDE National Avg = 33.0%). **29.4** percent of your 12th grade students said they used marijuana within the past year (2003-2004 PRIDE National Avg = 35.5%).

Of those 6th grade students who reported using marijuana, **67.7** percent of them reported getting *very high* or *bombed* when they used. Of those 7th grade students who reported using marijuana, **73.3** percent of them reported getting *very high* or *bombed* when they used. Of those 8th grade students who reported using marijuana, **76.0** percent of them reported getting *very high* or *bombed* when they used. Of those 9th grade students who reported using marijuana, **76.0** percent of them reported getting *very high* or *bombed* when they used. Of those 9th grade students who reported using marijuana, **76.7** percent of them reported getting *very high* or *bombed* when they used. Of those 10th grade students who reported using marijuana, **77.4** percent of them reported getting *very high* or *bombed* when they used. Of those 11th grade students who reported using marijuana, **76.3** percent of them reported getting *very high* or *bombed* when they used. Of those 12th grade students who reported using marijuana, **75.7** percent of them reported getting *very high* or *bombed* when they used.

2.2 percent of your 6th grade students reported they used marijuana on weekends vs. 0.8 percent who reported use during school. 6.1 percent of your 7th grade students reported they used marijuana on weekends vs. 0.9 percent who reported use during school. 10.6 percent of your 8th grade students reported they used marijuana on weekends vs. 1.4 percent who reported use during school. 14.0 percent of your 9th grade students reported they used marijuana on weekends vs. 2.5 percent who reported use during school. 16.1 percent of your 10th grade students reported they used marijuana on weekends vs. 2.6 percent who reported use during school. 17.1 percent of your 11th grade students reported they used marijuana on weekends vs. 2.7 percent who reported use during school. 18.1 percent of your 12th grade students reported they used marijuana on weekends vs. 3.7 percent who reported use during school.

1.5 Cocaine Use

2.3 percent of your 6th grade students said they used cocaine within the past year (2003-2004 PRIDE National Avg = 2.2%). **3.3** percent of your 7th grade students said they used cocaine within the past year (2003-2004 PRIDE National Avg = 2.3%). **4.4** percent of your 8th grade students said they used cocaine within the past year (2003-2004 PRIDE National Avg = 3.8%). **5.6** percent of your 9th grade students said they used cocaine within the past year (2003-2004 PRIDE National Avg = 3.8%). **5.6** percent of your 9th grade students said they used cocaine within the past year (2003-2004 PRIDE National Avg = 5.3%). **6.2** percent of your 10th grade students said they used cocaine within the past year (2003-2004 PRIDE National Avg = 5.9%). **7.0** percent of your 11th grade students said they used cocaine within the past year (2003-2004 PRIDE National Avg = 7.2%). **9.2** percent of your 12th grade students said they used cocaine within the past year (2003-2004 PRIDE National Avg = 9.5%).

Of those 6th grade students who reported using cocaine, **70.4** percent of them reported getting *very high* or *bombed* when they used. Of those 7th grade students who reported using cocaine, **66.9** percent of them reported getting *very high* or *bombed* when they used. Of those 8th grade students who reported using cocaine, **69.7** percent of them reported getting *very high* or *bombed* when they used. Of those 9th grade students who reported using cocaine, **70.6** percent of them reported getting *very high* or *bombed* when they used. Of those 9th grade students who reported using cocaine, **70.6** percent of them reported getting *very high* or *bombed* when they used. Of those 10th grade students who reported using cocaine, **70.3** percent of them reported getting *very high* or *bombed* when they used. Of those 12th grade students who reported using cocaine, **70.2** percent of them reported getting *very high* or *bombed* when they used. Of those 12th grade students who reported using cocaine, **70.2** percent of them reported getting *very high* or *bombed* when they used.

1.6 Hallucinogen Use

2.3 percent of your 6th grade students said they used hallucinogens within the past year (2003-2004 PRIDE National Avg = 2.2%). **2.9** percent of your 7th grade students said they used hallucinogens within the past year (2003-2004 PRIDE National Avg = 2.1%). **3.9** percent of your 8th grade students said they used hallucinogens within the past year (2003-2004 PRIDE National Avg = 3.1%). **5.0** percent of your 9th grade students said they used hallucinogens within the past year (2003-2004 PRIDE National Avg = 4.6%). **5.5** percent of your 10th grade students said they used hallucinogens within the past year (2003-2004 PRIDE National Avg = 4.6%). **5.5** percent of your 10th grade students said they used hallucinogens within the past year (2003-2004 PRIDE National Avg = 5.5%). **5.9** percent of your 11th grade students said they used hallucinogens within the past year (2003-2004 PRIDE National Avg = 6.6%). **7.8** percent of your 12th grade students said they used hallucinogens within the past year (2003-2004 PRIDE National Avg = 8.0%).

Of those 6th grade students who reported using hallucinogens, **64.6** percent of them reported getting *very high* or *bombed* when they used. Of those 7th grade students who reported using hallucinogens, **63.9** percent of them reported getting *very high* or *bombed* when they used. Of those 8th grade students who reported using hallucinogens, **68.4** percent of them reported getting *very high* or *bombed* when they used. Of those 9th grade students who reported using hallucinogens, **70.0** percent of them reported getting *very high* or *bombed* when they used. Of those 10th grade students who reported using hallucinogens, **74.5** percent of them reported getting *very high* or *bombed* when they used. Of those 11th grade students who reported using hallucinogens, **73.5** percent of them reported getting *very* high or bombed who reported using hallucinogens, **73.5** percent of them reported getting *very* high or bombed who reported using hallucinogens, **73.5** percent of them reported getting *very* high or bombed who reported using hallucinogens, **73.5** percent of them reported getting *very* high or bombed who reported using hallucinogens, **73.5** percent of them reported getting *very* high or bombed who reported using hallucinogens, **74.5** percent of them reported getting *very* high or bombed who reported using hallucinogens, **73.5** percent of them reported getting *very* high or bombed who reported getting *very* high or bombed who reported getting *very* high or bombed who reported getting *very* high or bombed when they used. Of those 11th grade students who reported using hallucinogens, **73.5** percent of them reported getting *very* high or bombed when they used.

high or *bombed* when they used. Of those 12th grade students who reported using hallucinogens, **73.6** percent of them reported getting *very high* or *bombed* when they used.

Chapter 2

Standard Graphics

The following graphs will assist you in understanding the relationship of student behavior to alcohol and other drug usage. You are encouraged to make overheads or slides from the graphs for presentations to school faculty, parents, media, and other audiences in the community.

The *Location* and *Time* of drug use graphs will be helpful in understanding the need for a commitment to drug abuse prevention by parents and the larger community - not just by schools. Student alcohol and other drug use occurs most often outside the school and at times when school is not in session.

The *Perceived Harm* of alcohol and other drugs will assist with understanding how the false assumptions concerning harm are related to drug use. When drugs are perceived as harmless, the probability of use increases.

Research indicates that easy access, *Availability*, to drugs increases the probability of use. Availability of alcohol and other drugs normally increases at higher grade levels.

2.1 Frequency of Use




Figure 2.1: % Students Who Use Cigarettes, Smokeless Tobacco & Cigars

% Students Who Use Cigarettes, Smokeless Tobacco & Cigars




Figure 2.2: % Students Who Use Beer, Wine Coolers, Liquor & Marijuana




Figure 2.3: % Students Who Use Cocaine, Uppers, Downers & Inhalants




Figure 2.4: % Students Who Use Hallucinogens, Heroin & Steroids

% Students Who Use Hallucinogens, Heroin & Steroids






Figure 2.5: % Students Who Use Ecstasy & OxyContin

% Students Who Use Ecstasy & OxyContin


2.2 Where Do You Use




Where Do You Use Beer








Where Do You Use Marijuana





Where Do You Use Cocaine




Figure 2.10: Where Do You Use Inhalants




Figure 2.11: Where Do You Use Hallucinogens







Figure 2.12: Where Do You Use Ecstasy







2.3 When Do You Use




When Do You Use Beer



When Do You Use Liquor




1.4





When Do You Use Cocaine








Figure 2.19: When Do You Use Hallucinogens







Figure 2.20: When Do You Use Ecstasy






2.4 Harmfulness to Health














Figure 2.24: Is It Harmful To Use Marijuana


Source: PRIDE Surveys




Is It Harmful To Use Cocaine




Is It Harmful To Use Inhalants



Is It Harmful To Use Hallucinogens





Is It Harmful To Use Ecstasy



Is It Harmful To Use OxyContin

2.5 Availability





How Easy Is It To Get Beer




Figure 2.31: How Easy Is It To Get Liquor

How Easy Is It To Get Liquor




Figure 2.32: How Easy Is It To Get Marijuana

How Easy Is It To Get Marijuana




Figure 2.33: How Easy Is It To Get Cocaine




Figure 2.34: How Easy Is It To Get Inhalants

How Easy Is It To Get Inhalants




Figure 2.35: How Easy Is It To Get Hallucinogens




Figure 2.36: How Easy Is It To Get Ecstasy




Figure 2.37: How Easy Is It To Get OxyContin

2.6 Friends Use






Figure 2.38: Friends Use of Tobacco

Friends Use of Tobacco








Figure 2.40: Friends Use of Illicit Drugs

Friends Use of Illicit Drugs

Chapter 3

Advanced Graphics

The following graphs will assist you in understanding the relationship of student behavior to alcohol and other drug usage. You are encouraged to make presentations to school faculty, parents, media, and other audiences in the community.

The graphs on effect of use present data on how intoxicated students become when they use particular drugs. These figures are calculated by looking at the question *What Effect Do You Most Often Get When You* ... The percentage is calculated as follows; Of those students who reported some use (i.e. all students whose response to the question was other than *Do Not Use*), the percentage of students who responded either *Very High* or *Bombed*. Typically, even though use of most illicit drugs may not seem very high, when they are used by students a high percentage of those students become very intoxicated. This would indicate that there is very little *casual* use of illicit drugs. Students tend to take these drugs in order to become intoxicated.

The graphs on frequency of use by sex present data on gateway and illicit drug use broken down by male and female students.

The graphs on illicit drug use by risk & protective factors show for each category of a risk or protective factor question the percentage of students who report using illicit drugs. For example, on the question of taking part in school activities, if the bar labeled NEVER was 40%, this means that of those students who responded NEVER to the question 40% reported using an illicit drug.

3.1 Effect of Use By Students Who Use Drugs




Figure 3.1: % Students Who Get Very High or Bombed When Using Beer, Wine Coolers or Liquor




Figure 3.2: % Students Who Get Very High or Bombed When Using Marijuana, Cocaine or Uppers




Figure 3.3: % Students Who Get Very High or Bombed When Using Downers, Inhalants or Hallucinogens





Figure 3.4: % Students Who Get Very High or Bombed When Using Heroin, Steroids, Ecstasy or OxyContin


3.2 Frequency of Use by Sex



% Students Who Use Beer by Sex

Source: PRIDE Surveys








Figure 3.7: % Students Who Use Marijuana by Sex






Figure 3.8: % Students Who Use Cocaine by Sex

% Students Who Use Cocaine by Sex

Source: PRIDE Surveys




Figure 3.9: % Students Who Use Inhalants by Sex




Figure 3.10: % Students Who Use Hallucinogens by Sex

% Students Who Use Hallucinogens by Sex

Source: PRIDE Surveys




Figure 3.11: % Students Who Use Ecstasy by Sex

Source: PRIDE Surveys

% Students Who Use Ecstasy by Sex




Figure 3.12: % Students Who Use OxyContin by Sex

3.3 Illicit Drug Use by Risk & Protective Factors




Figure 3.13: % Students Who Use Illicit Drugs by Attend Church, Synagogue, etc.




Figure 3.14: % Students Who Use Illicit Drugs by Take Part in Community Activities




Figure 3.15: % Students Who Use Illicit Drugs by Make Good Grades




Figure 3.16: % Students Who Use Illicit Drugs by Take Part in Sports Teams




Figure 3.17: % Students Who Use Illicit Drugs by Take Part in School Activities




Figure 3.18: % Students Who Use Illicit Drugs by Get Into Trouble at School





Figure 3.19: % Students Who Use Illicit Drugs by Parents Talk About Dangers of Drugs








Figure 3.21: % Students Who Use Illicit Drugs by Parents Punish for Breaking Rules




Figure 3.22: % Students Who Use Illicit Drugs by School Sets Clear Rules on Guns at School




Figure 3.23: % Students Who Use Illicit Drugs by School Sets Clear Rules on Drugs at School






Figure 3.24: % Students Who Use Illicit Drugs by School Sets Clear Rules on Bullying at School








Figure 3.26: % Students Who Use Illicit Drugs by Received Treatment for Alcohol/Drug Use




Figure 3.27: % Students Who Use Illicit Drugs by Been Caught Using Alcohol




Figure 3.28: % Students Who Use Illicit Drugs by Been Caught Using Drugs




Figure 3.29: % Students Who Use Illicit Drugs by Buy/Sell Drugs at School




Figure 3.30: % Students Who Use Illicit Drugs by Buy/Sell Drugs While NOT at School






Figure 3.31: % Students Who Use Illicit Drugs by Friends Use Alcohol








Figure 3.33: % Students Who Use Illicit Drugs by Parents Set Rules About TV, Movies, etc.




Figure 3.34: % Students Who Use Illicit Drugs by Drinking 5 or More Glasses of Alcohol




Figure 3.35: % Students Who Use Illicit Drugs by Skipped School

Chapter 4

Summary Statistics

The following graphs and tables summarize some of the *Student Information* questions in regards to drug use. These data are calculated by examining specific subsets of your population. For example, a percentage is calculated for students who report carrying a gun and their liquor use. This percentage is calculated as follows:

Number of those reporting carrying a gun to school and claiming to use liquor Number of those reporting carrying a gun and validly responding to the question *How Often Do You Use Liquor*

The *Ratio* describes the relationship between the groups examined on each graph. For example, in looking at Guns vs No Guns if the cocaine ratio were 5.3 this would mean the percentage of students who report cocaine use was 5.3 times higher for students who report bringing a gun to school compared to those who don't.

4.1 Guns

Total number of students surveyed = 263944

11808 students report carrying a gun to school. (4.8% of total responding)

Of the 11808 students who report carrying a gun to school,


8103 report using liquor (71.3%)

7622 report using marijuana (67.0%).

4671 report using inhalants (41.3%).

4745 report using cocaine (41.8%).

Figure 4.1: Drug Use of Students Who Carry Guns vs Students Who Do Not Drug Use of Students Who Carry Guns vs Students Who Do Not



Drug	Guns	No Guns	Ratio
Liquor	71.3%	26.7%	2.7
Marijuana	67.0%	14.5%	4.6
Cocaine	41.8%	2.9%	14.4
Inhalants	41.3%	4.3%	9.6
N of Students	11808	232148	

4.2 Gangs

Total number of students surveyed = 263944

31836 students report taking part in gang activities, (12.3% of total responding)

Of the 31836 students who report taking part in gang activities,


16745 report using liquor (55.2%)

15150 report using marijuana (49.9%).

7404 report using inhalants (24.5%).

6945 report using cocaine (22.9%).

Figure 4.2: Drug Use of Students In Gangs vs Students Not In Gangs Drug Use of Students In Gangs vs Students Not In Gangs



Drug	Gangs	No Gangs	Ratio
Liquor	55.2%	25.7%	2.1
Marijuana	49.9%	13.0%	3.8
Cocaine	22.9%	2.5%	9.2
Inhalants	24.5%	3.7%	6.6
N of Students	31836	227035	

4.3 Suicide

Total number of students surveyed = 263944

19036 students report thinking Often or A Lot about committing suicide. (7.3% of total responding)

Of the 19036 students thinking Often or A Lot about committing suicide,

10155 report using liquor (55.4%)


8220 report using marijuana (44.8%).


5133 report using inhalants (28.1%).

4292 report using cocaine (23.4%).

Figure 4.3: Drug Use of Students Who Think of Suicide







Source: PRIDE Surveys

Drug	Suicide	No Suicide	Ratio
Liquor	55.4%	27.2%	2.0
Marijuana	44.8%	15.3%	2.9
Cocaine	23.4%	3.5%	6.7
Inhalants	28.1%	4.5%	6.2
N of Students	19036	240159	

4.4 Threatening Behaviors

Total number of students surveyed = 263944

92666 students report threatening to harm another student. (37.9% of total responding)

Of the 92666 students who report threatening to harm,

9903 report carrying a gun to school (10.8%)


38166 report using liquor (41.9%)

25313 report using marijuana (27.8%).

10681 report using inhalants (11.8%).

8143 report using cocaine (8.9%).

Figure 4.4: Drug Use of Students Who Threaten vs Students Who Do Not Drug Use of Students Who Threaten vs Students Who Do Not



Drug	Threat	No Threat	Ratio
Liquor	41.9%	20.9%	2.0
Marijuana	27.8%	10.4%	2.7
Cocaine	8.9%	2.2%	4.0
Inhalants	11.8%	2.6%	4.5
N of Students	92666	152011	

4.5 Trouble With The Police

Total number of students surveyed = 263944

60905 students report getting in trouble with the police. (23.6% of total responding)

Of the 60905 students who report getting in trouble with the police,


31584 report using liquor (54.0%)

24999 report using marijuana (42.8%).

9259 report using inhalants (15.9%).

8774 report using cocaine (15.0%).

Figure 4.5: Drug Use of Students Who Get In Trouble With Police vs Those Who Do Not



Drug Use of Students Who Get In	
Trouble With Police vs Those Who Do Not	

Source: PRIDE Surveys

Drug	Police	No Police	Ratio
Liquor	54.0%	21.7%	2.5
Marijuana	42.8%	9.8%	4.4
Cocaine	15.0%	1.9%	7.9
Inhalants	15.9%	3.3%	4.8
N of Students	60905	197176	

4.6 Personal Safety

Total number of students surveyed = 263944

52577 students report being afraid another student will hurt them at school. (21.7% of total responding)

Of these 52577 students, 5589 report carrying a gun to school (10.7%).

50628 students report getting hurt at school. (20.8% of total responding)

Of these 50628 students, 6791 report carrying a gun to school (13.5%).

4.7 Risk and Protective Factors

A *risk factor* is any characteristic which researchers have linked to a higher incidence of drug use. A *protective factor* is any characteristic which has been linked to a lower incidence of drug use. The following analysis of local risk and protective factors does not consider any cause and effect, only a *relationship* between student characteristics and drug use. Community, School, Family and Individual risk and protective factors are grouped accordingly and discussed.

FACTOR	% AT RISK
Join in community activities (<i>Never/Seldom</i>)	56.9%
Attend church or synagogue (<i>Never/Seldom</i>)	18.7%
Take part in gangs (<i>Seldom/Some/Often/A Lot</i>)	12.3%
Substance Availability (<i>Fairly/Very Easy</i> to get)	
Cigarettes	48.7%
Smokeless Tobacco	39.0%
Cigars	36.6%
Beer	47.3%
Wine Coolers	45.4%
Liquor	40.3%
Marijuana	32.4%
Cocaine	19.3%
Uppers	18.6%
Downers	19.9%
Inhalants	27.1%
Hallucinogens	16.7%
Heroin	15.6%
Steroids	17.4%
Ecstasy	17.5%
OxyContin	17.8%

4.7.1 Community - Risk Factors

The above survey results show community risk factors. These factors include *low neighborhood attachment* (never or seldom participate in community activities, church or synagogue); *community disorganization and norms favorable toward drug use* (student participation in gangs); and *availability of alcohol and other drugs* (fairly or very easy to get alcohol and other drugs). Note that a higher risk factor indicates an increased probability of involvement in drug use.

FACTOR	% PROTECTED
Join in community activities (Often/A Lot)	26.4%
Attend church or synagogue (<i>Often/A Lot</i>)	62.6%
Take part in gangs (<i>Never</i>)	87.7%
Substance Availability (Cannot Get)	
Cigarettes	44.1%
Smokeless Tobacco	53.5%
Cigars	53.7%
Beer	42.8%
Wine Coolers	44.3%
Liquor	49.4%
Marijuana	56.9%
Cocaine	66.9%
Uppers	68.2%
Downers	67.5%
Inhalants	63.9%
Hallucinogens	69.4%
Heroin	70.2%
Steroids	69.4%
Ecstasy	69.1%
OxyContin	69.3%

4.7.2 Community - Protective Factors

The above survey results show community protective factors. These factors include *supportive networks and social bonds* (participate in community activities, church or synagogue often or a lot); *community organization and norms favorable to support non-use among youth* (never participate in gangs); and *limited availability of alcohol and other drugs* (cannot get alcohol and other drugs). Note that a higher protective factor indicates a decreased probability of involvement in drug use.

4.7.3 School - Risk Factors

FACTOR	% AT RISK
Make good grades (<i>Never/Seldom</i>)	4.6%
Play on school sports teams (<i>Never/Seldom</i>)	46.5%
Join in school activities (<i>Never/Seldom</i>)	45.7%
Trouble at school (<i>Often/A Lot</i>)	9.4%

The above survey results show school risk factors. These factors include *academic failure* (never or seldom make good grades); *low commitment to school* (never or seldom join in school activities or sports teams); and *early anti-social behavior* (get into trouble at school often or a lot).

4.7.4 School - Protective Factors

FACTOR	% PROTECTED
Make good grades (<i>Often/A Lot</i>)	64.4%
Play on school sports teams (<i>Often/A Lot</i>)	38.6%
Join in school activities (Often/A Lot)	38.3%
Trouble at school (<i>Never/Seldom</i>)	69.0%

The above survey results show school protective factors. These factors include *high academic expectations, goal setting and mastery* (make good grades often or a lot); *active involvement in extracurricular activities sponsored by the school* (join in school activities or sports teams often or a lot); and *pro-social development* (never or seldom get into trouble at school).

4.7.5 Family - Risk Factors

FACTOR	% AT RISK
Parents talk about tobacco (<i>Never/Seldom</i>)	39.7%
Parents talk about alcohol (<i>Never/Seldom</i>)	39.3%
Parents talk about drugs (<i>Never/Seldom</i>)	35.2%
Parents set clear rules (<i>Never/Seldom</i>)	10.3%
Parents enforce rules (<i>Never/Seldom</i>)	16.5%

The above survey results show family risk factors. These factors include *weak parental attitudes towards use* (parents never or seldom talk to their children about the harmful effects of using drugs); and *family management problems* (parents never or seldom set clear rules and never or seldom enforce those rules).

4.7.6 Family - Protective Factors

FACTOR	% PROTECTED
Parents talk about tobacco (Often/A Lot)	33.9%
Parents talk about alcohol (<i>Often/A Lot</i>)	34.8%
Parents talk about drugs (<i>Often/A Lot</i>)	39.9%
Parents set clear rules (<i>Often/A Lot</i>)	74.3%
Parents enforce rules (<i>Often/A Lot</i>)	62.0%

The above survey results show family protective factors. These factors include *strong parental attitudes against adolescent drug use* (parents talk to their children about the harmful effects of using drugs often or a lot); *parents' clear expectations of their children* (parents set clear rules often or a lot); and *discipline* (parents punish their children often or a lot when they break the rules).

FACTOR % AT RISK Threaten students (One or more times) 37.9% Trouble with police (*Seldom/Sometimes/Often/A Lot*) 23.6% Think about suicide (Often/A Lot) 7.3% Harmful to health (*No/Some Harm*) Cigarettes 21.6% Smokeless Tobacco 26.3% 28.2% Cigars 40.7% Beer Wine Coolers 53.9% Liquor 29.3% Marijuana 19.7% Cocaine 6.9% Uppers 8.4% Downers 13.0% Inhalants 16.5% Hallucinogens 9.3% 7.6% Heroin Steroids 13.1% Ecstasy 9.4% OxyContin 10.6%

4.7.7 Individual - Risk Factors

The above survey results show individual risk factors. These include *anti-social behavior in early adolescence and rebelliousness* (threaten to harm others and get in trouble with the police); *alienation* (think about suicide often or a lot); and *favorable attitudes towards drug use* (feel drugs are not harmful, sometimes harmful).

FACTOR	% PROTECTED
Threaten students (<i>Never</i>)	62.1%
Trouble with police (<i>Never</i>)	76.4%
Think about suicide (<i>Never/Seldom</i>)	85.3%
Harmful to health (Very Much)	
Cigarettes	46.7%
Smokeless Tobacco	43.9%
Cigars	41.1%
Beer	33.4%
Wine Coolers	26.6%
Liquor	41.8%
Marijuana	64.2%
Cocaine	82.8%
Uppers	78.9%
Downers	67.9%
Inhalants	63.6%
Hallucinogens	75.8%
Heroin	80.5%
Steroids	66.4%
Ecstasy	76.7%
OxyContin	74.9%

4.7.8 Individual - Protective Factors

The above survey results show individual protective factors. These include *respect for authority* (never threaten to harm students or teachers and never get into trouble with the police); *feeling of belonging, higher respect for self* (think about suicide never or seldom); and *unfavorable attitudes towards drug use* (feel drugs are very much harmful).

Chapter 5

Narrative Report

5.1 Introduction

Alcohol and drug abuse continues to be the number one problem facing the youth of America. The use of mind altering chemicals has proven to be especially harmful to the adolescent growth and development process. Psychoactive drugs interfere with physical, social, and emotional growth during the critical years of adolescent development.

An adolescent who uses intoxicants is not only at high risk of becoming drug dependent but is also at an increased risk of dropping out of school, getting involved in crime, attempting suicide, or becoming involved in an assortment of dangerous behaviors.

The prevention of adolescent drug and alcohol abuse is most likely to occur when parents, teachers, faith leaders and other individuals who are part of the child's friendship circle...

- are well informed of the harmful effects of drugs,
- recognize behavioral changes that accompany drug use,
- and understand how drug use is encouraged and accepted in the social world of the child.

Another key to successful prevention programming is the direct involvement of youth in planning and implementing programs.

This report will help parents, school personnel, students, and other "youth care givers" understand the extent of drug use and related behaviors in your community. Materials are available from PRIDE to assist in programs for parents, teachers, students, and other interested community leaders.

Your questions concerning this report or information on other reports and services of **PRIDE Surveys** may be obtained by calling the **PRIDE Surveys** office at 1-800-279-6361.

5.1.1 The PRIDE Surveys Questionnaire

As with any type of meaningful survey, it is important that the data collected are of high quality and utility. The **PRIDE Surveys Questionnaire** was developed to provide accurate, reliable and useful information about students through their reported drug use, behavior, perceptions and living environments. The PRIDE Questionnaire forms and administration procedures have undergone extensive reviews by independent evaluators over the years. The survey provides users with data of high quality and practical application. For more technical information about the development of the questionnaire, see the *PRIDE Technical Report: The PRIDE Questionnaire for Grades 6-12 Developmental Study.* These studies are available on the PRIDE Surveys website at www.pridesurveys.com.

Each school year, responses to *The PRIDE Questionnaire for Grades 4-6 and 6-12* are summarized in an annual report and made available to communities conducting PRIDE school surveys. To date, students from 49 states have completed over 7.5 million PRIDE Questionnaires. In addition, variations of the PRIDE Questionnaire have been used in seven other countries.

5.1.2 The Report

This report was prepared to be used as part of a community-wide prevention program. For maximum use of your school drug and violence survey, we suggest that you review each section carefully, share the information with school officials, teachers, students and parents, and prepare a press release to inform your community of the results.

This report contains five sections, including the introductory Section 5.1. Section 5.2 contains information on *Gateway Drugs* (tobacco, alcohol, and marijuana). Section 5.3 contains information on *Other Illicit Drugs* (cocaine, uppers, downers, inhalants, hallucinogens, heroin and steroids). The following information on each drug category has been selected for analysis in this report:

- harmful effects of use,
- frequency and effect of drug use reported by students,
- when students reported using drugs,
- friends' use of drugs,
- first use of drugs
- availability of drugs as reported by students.

Section 5.4 contains suggestions for community awareness activities utilizing the media and presentations of survey findings to various audiences. Note that all statistics compiled from your survey results are highlighted in **bold**.

The 2003-2004 PRIDE National Summary for Grades 6-12 is provided separately for a nominal fee. This national data can be compared to local data contained in your tabular report.

It is important that your school survey is viewed as part of an ongoing process that provides needed information about the prevalence and patterns of tobacco, alcohol and other drug use by students in your community. By using the PRIDE Questionnaires in your assessment process, you can be confident of high quality, consistent, and reliable information to assist you in your drug prevention efforts. For additional assistance with questionnaire data, call the PRIDE Surveys Office at 1-800-279-6361 For additional information about the health impact of drugs visit the PRIDE Surveys website at www.pridesurveys.com.

5.2 Gateway Drugs

The gateway drugs are defined in this report as tobacco, alcohol, and marijuana. In most states alcohol and tobacco products are illegal when used by minors, but are legal when used by adults. Nevertheless, they are generally easy to obtain and are widely used by students. Use of alcohol and cigarettes at early ages has been linked to later use of illicit drugs, thus the term gateway drugs. Marijuana is the illicit drug most widely used by the adolescent population. Although marijuana is itself a dangerous illicit drug, it is also a strong predictor for use of other addictive drugs. In this section, harmful effects, prevalence, and patterns of tobacco products (cigarettes, smokeless tobacco, and cigars), alcohol (beer, wine coolers, and liquor), and marijuana use are reported.

5.2.1 Tobacco

Harmful Effects of Tobacco Products

The use of tobacco products was not always considered to be drug use. However, cigarette smoke contains more than 1,200 chemicals, none of which are beneficial to man. When cigarette smoke is absorbed into the body, it decreases the oxygen-carrying capacity of the blood and increases the clotting rate. This reaction, combined with hardening of the arteries associated with smoking, can cause a heart attack. Using tobacco products is a major cause of emphysema, chronic bronchitis, lung cancer, heart disease and cancer of the mouth.

Researchers have been aware for more than a decade that mothers who smoke during pregnancy may damage the unborn child. Women who take birth control pills should not smoke because of increased risk of blood clots, stroke, heart attack and liver tumors.

It is important that students know the health consequences of tobacco use, but they may be influenced more by the social stigma and the unattractive appearance using tobacco can cause. For example, young people may choose not to smoke because cigarette smoke makes their hair smell bad, turns their teeth and fingers yellow, and causes bad breath. These are important considerations for adolescents who are usually concerned about their appearance.

Frequency and Effects of Tobacco Use

While millions of people in this country have quit smoking cigarettes, there are still millions that continue to smoke despite warnings of detrimental health effects. It is important to examine the use of cigarettes by students, for they are engaging in an unhealthy practice. Also, students who start smoking tobacco early are more prone to try other drugs, particularly marijuana, than students who do not smoke tobacco.

Of the high school students (grades 9 through 12) in your survey who responded to the PRIDE Questionnaire, **33.0** percent reported smoking cigarettes within the past year, **16.0** percent reported using smokeless tobacco and **20.4** percent reported smoking cigars. For junior high students (grades 6 through 8) who responded to the PRIDE Questionnaire, **18.9** percent reported smoking cigarettes within the past year, **9.5** percent reported using smokeless tobacco and **9.8** percent reported smoking cigars. Additional information about frequency of cigarette smoking by your students may be found in the Percentage Tables chapter of your PRIDE report.

Times of Tobacco Use

A knowledge of the patterns of adolescent tobacco use is important when planning and implementing prevention programs. One of the most important questions that was asked on the PRIDE Questionnaire was *When* various drugs are used. Students were asked to respond to various times they used tobacco products. Time of use responses consisted of *Before School, During School, After School, Week Nights* and *Weekends*. This information is important in providing insight into the use patterns of tobacco products by your students.

Although there was some variation, students who smoked cigarettes reported smoking at most locations and times. This finding may be explained by the highly addictive nature of the nicotine in tobbacco, the non-intoxicating effects of smoking tobacco (as opposed to the intoxicating effects of alcohol), and adult tolerance for possession and use of tobacco products by minors. However, as explained earlier, cigarette smoking does present health hazards for the users and for those around them.

<i>T</i> ·		
Time	Junior High	Senior High
Before School	2.8	8.9
During School	1.2	3.8
After School	6.2	13.2
Weeknight	4.5	10.8
Weekend	12.2	20.3

Table 5.1:	Reported	Times of	Cigarette	Smoking	For	Your Students
			- 0	0		

Time	Junior High	Senior High
Before School	1.5	3.9
During School	1.6	4.3
After School	3.2	6.1
Weeknight	2.2	4.8
Weekend	5.3	8.1

Table 5.2: Reported Times of Smokeless Tobacco Use For Your Students

Table 5.3: Reported Times of Cigar Smoking For Your Students

Time	Junior High	Senior High
Before School	1.1	2.4
During School	0.9	2.1
After School	2.4	4.6
Weeknight	1.8	3.8
Weekend	6.0	11.9

5.2.2 Alcohol

Harmful Effects of Alcohol

Alcohol is a central nervous system depressant, which relaxes the inhibiting and controlling mechanisms of the brain. The effects of drinking alcohol depend on the amount consumed, body size, food intake, age, genetic susceptibility, and tolerance. Alcohol is metabolized at the rate of about 1/2 ounce per hour, and coffee, tea, or cold showers will not speed up this process. The effects of drinking alcohol can range from mild intoxication, to mental confusion, to aggression, to respiratory depression and death. Repeated or chronic use of alcohol may cause damage to the liver, brain, stomach, skin, and other systems of the body.

The sources of alcohol most available to youth for consumption are beer, wine or wine coolers, and various forms of liquor. It is important for youth and adults to understand that sources with lower percentages of alcohol, such as beer and wine coolers, are equally as capable of causing intoxication and dependency as liquor. However, there appears to be a progression of alcohol use that begins with beer or wine coolers and on to liquor. Drinking liquor produces higher levels of intoxication, probably due to its higher concentration of alcohol.

Since the human body builds a tolerance to alcohol, there is a potential addiction for those who drink. This risk of addiction is greater for the developing adolescent than for mature adults. Junior and senior high students who use alcohol run the risk of delaying or retarding their normal physical, mental and social development. Drinking and driving is a popular practice among teenagers, and alcohol-related accidents are a major cause of death among 15- to 19-year-olds.

Frequency and Effects of Alcohol Use

Although drinking alcoholic beverages is illegal for minors, beer, wine coolers, and liquor are popular intoxicants for students. Figures 5.1 and 5.2 contain percentage data from your junior and senior high students regarding use of beer, wine coolers and liquor within the past year as contrasted to the PRIDE National Summary Data. It can be seen from the first figure that **24.8** percent of junior high students reported drinking beer and **26.6** percent reported drinking wine coolers. Alcohol was the drug most used by your students.

Many adolescents drink alcohol to reach high levels of intoxication. Table 5.3 contains the percentages of junior and senior high school students who reported getting *Very High* or *Bombed* on beer, wine coolers, and liquor. Remember that these percentages are based on those students who reported drinking the alcoholic beverage. Percentages of all students responding to this item are contained in the Percentage Tables chapter of your PRIDE Report.

It should be kept in mind that these data are from 12- to 18-year-old students. Not only are they minors under the law, and therefore violating the law when using alcohol, but they are also young adolescents who are abusing alcohol at a dangerous level as indicated by reporting high levels of intoxication.

Figure 5.1: Local Alcohol Use vs 2003-2004 PRIDE National Summary - Junior High Local Alcohol Use vs 2003-2004 PRIDE National Summary - Junior High




Figure 5.2: Local Alcohol Use vs 2003-2004 PRIDE National Summary - Senior High Local Alcohol Use vs 2003-2004 PRIDE National Summary - Senior High




Table 5.4: Percent of Junior and Senior High Alcohol-Using Students Who Get Very High or Bombed When Using

Drug	Junior High	Senior High
Beer	18.0	31.9
Wine Coolers	11.9	18.3
Liquor	33.6	50.5

Figures based on percentage of students who use.

YOUR NOTES:


Times of Alcohol Use

Drinking alcoholic beverages can produce a mind-altered or intoxicated state. Given the impairment in thinking and judgement produced by alcohol intoxication, time of use is an important consideration for targeting prevention activities. Figures 5-3 through 5-4 contain percentage data for the times of alcohol use as reported by junior and senior high students in your community.

Another very important finding was the relatively small percentage of students reporting alcohol use during school hours. Only 2.3 percent of the students reported using beer, 2.0 percent reported using wine coolers, and 2.3 percent reported using liquor during school.

Most of the students who reported using alcohol say they use during weekends. For example, Figure 5-4 indicates that **33.1** percent of the senior high students reported using beer on weekends as compared to **2.2** percent before school, **2.3** percent during school, or **5.3** percent after school. The times of most reported use, weekends and weeknights, are times where parents or guardians have responsibility for student actions. These data strongly support the concept of parent involvement in reducing alcohol use by youth.

Figure 5.3: Time of Alcohol Use by Junior High Time of Alcohol Use by Junior High






Figure 5.4: Time of Alcohol Use by Senior High Time of Alcohol Use by Senior High

Availability of Tobacco Products & Alcohol

The question of availability of tobacco products has been included on the PRIDE Questionnaire. Tobacco products are readily available with little control in most states. Indeed, in most communities cigarettes may be purchased by minors from vending machines in many public places without fear of reprisal but recent efforts to limit availability should decrease availability in the coming years.

Students were asked to report how easy it was for them to get alcohol, specifically in the forms of beer, wine coolers, and liquor. Students could respond that they *Cannot Get* alcohol, or that alcohol was *Very Difficult, Fairly Difficult, Fairly Easy*, or *Very Easy* to get. Table 5.5 provides the percentages of junior and senior high students who responded to the *Fairly Easy* or *Very Easy* categories for obtaining tobacco products as well as beer, wine coolers, liquor, and marijuana.

Use of tobacco products & alcohol by minors is illegal, yet they are readily available to students. Popular culture condones and often encourages the use of tobacco, alcohol and, to a lesser extent, other drugs through movies, music, television programs, advertisements, comic books, t-shirts, etc. Until recently there have been few anti-drug messages to counter these strong influences. While it is important to discourage the illegal use of tobacco and alcohol through formal education and community prevention programs, it is also important to reduce the ease by which students may obtain tobacco products and alcohol, whether from home or a neighbor's home, or from uncaring or greedy merchants that sell alcoholic beverages to minors. Cooperation of parents, students, and educators with local, state, and federal law enforcement agencies should play an important role in reducing the availability of gateway drugs to students.

Drug	Junior High	Senior High
Cigarettes	33.2	65.3
Smokeless Tobacco	23.1	56.2
Cigars	20.8	53.5
Beer	32.1	63.7
Wine Coolers	29.9	62.0
Liquor	23.4	58.5

Table 5.5: Percent of Junior and Senior High Reporting Gateway Drugs As Readily Available

Figures based on percentage who report Fairly Easy or Very Easy to get.

YOUR NOTES:

5.2.3 Marijuana

Harmful Effects of Marijuana

Marijuana is a crude drug made from the *cannabis sativa* plant, and it contains more than 400 known chemicals. Seventy of these chemicals, called "cannabinoids," are found only in the cannabis plant, and in recent years we have learned much about their effect on the human body. One of the cannabinoids, THC (delta-9-tetrahydrocannabinol), is the major mind-altering chemical in marijuana.

Street names for marijuana include *pot*, *grass*, and *weed*. Smoking pot became popular with college age students during the late 60's and early 70's. By the middle 70's the age of users had dropped to junior high and even elementary school levels. Use declined throughout much of the 80's. However, reports show adolescent marijuana use increased in the nineties.

The marijuana used in the 1960's was often quite low in THC content, ranging from .25 to 1 percent, and few health hazards were documented during that period. In the early 1970's, the Mexican marijuana coming into the country averaged 1 to 2 percent THC content. After 1975, Colombian marijuana became more prominent, and it ranged from 3 to 6 percent in THC content. Presently, we have marijuana (a variety called *Sinsemilla*) being grown in the U.S. with THC levels of up to 24 percent. Because of the stronger, more potent varieties now available, the intoxicating and health effects of smoking marijuana have increased dramatically.

The THC and other cannabinoids are fat-soluble chemicals and accumulate in the fatty linings of cells. They are metabolized very slowly, and may stay in the body four to six weeks. Thus, the students who smoke pot *only on weekends* will gradually accumulate THC content in their body cells. This build-up of THC is unlike the effect of alcohol, which is water-soluble and metabolized out of the body much more quickly (usually within 24 hours).

Accumulation of THC in the body effects those areas where there is an accumulation of fatty cells, such as the brain, heart, lungs and reproductive systems. The effect of this drug is even more severe on developing adolescents in junior and senior high school. Not surprisingly, recent research indicates that regular marijuana use reduces the mental efficiency of students and may increase their susceptability to infection and disease, by interfering with their immune system.


Frequency and Effects of Marijuana Use

Production and use of marijuana is illegal in the United States and all other countries around the world. Often marijuana is not thought of as an addictive drug. According to Dr. Schuster, the past director of the National Institute on Drug Abuse (NIDA), marijuana is an addictive drug. It is the most widely used illicit drug among American adolescents.

Percentage data represented in Figure 5-5 indicate that **44574** students reported use of marijuana. For junior high students, **10.2** percent reported using marijuana within the past year. This increased to **25.3** percent for senior high students. In addition, when students smoke marijuana, they do so to

get highly intoxicated. Of the senior high students who indicated that they smoked marijuana, **76.6** indicated getting *Very High* or *Stoned*. See the Percentage Tables chapter of your PRIDE Report for more information about marijuana use by your students.

Figure 5.5: Local Marijuana Use vs 2003-2004 PRIDE National Summary Local Marijuana Use vs 2003-2004 PRIDE National Summary



Time of Marijuana Use

Time of marijuana use followed a similar pattern to that of alcohol use, although the percentage of students who reported smoking marijuana was considerably less than the percentage that reported drinking alcohol. Figure 5-6 presents percentage data on times of marijuana use by your students.

Weekends were the most popular time for smoking marijuana. For example, **16.0** percent of the high school students reported smoking marijuana on weekends as compared to **6.7** percent for week nights, **6.3** percent before school, **2.8** percent during school, and **4.1** percent after school.




Figure 5.6: Time of Marijuana Use by Junior and Senior High Students Time of Marijuana Use by Junior and Senior High Students

Friends' Use & First Use of Marijuana

Often, marijuana and other illicit drug use will occur within a friendship circle and those who report use among friends are more likely to use. Past analysis shows that marijuana is by far the most commonly used of illicit drugs. Figure 5-7 presents percentage data on friends' use of your students.




Figure 5.7: Friends' Use of Illicit Drugs by Junior & Senior High Students Friends' Use of Illicit Drugs by Junior & Senior High Students

It is important to remember that early use is an indicator of increased risk for addiction. Figure 5-8 presents data on age of first use of marijuana for your students.




Figure 5.8: First Use of Marijuana by Junior & Senior High Students First Use of Marijuana by Junior & Senior High Students

YOUR NOTES:

5.3 Other Illicit Drugs

As stated in the previous section, marijuana is the illicit drug most used by junior and senior high students. However, many marijuana users become multiple drug users. Knowledge of the nature and extent of such illicit drug use is very important in gaining a perspective on the overall adolescent drug problem in your community. It will also provide you with information on the percentages of your students who are drug-dependent or who are at high risk of becoming drug dependent and in need of professional help.

The other illicit drug categories included in The PRIDE Questionnaire for Grades 6-12 are as follows:

Cocaine	including crack,
Uppers	stimulants,
Downers	depressants,
Inhalants	such as glue or solvents
Hallucinogens	including LSD and PCP
Heroin	opiates
Steroids	•

Additional information on all categories of drugs obtained from your survey may be found in the tabular report.

5.3.1 Cocaine, Uppers, and Downers

Harmful Effects of Cocaine, Uppers, and Downers

Use of illicit drugs by adolescents is extremely dangerous. The illicit drugs discussed in this section are highly toxic, addictive, and often cause dramatic and unpredictable changes in behavior. Where gateway drugs may require a period of months or years to cause physical or psychological damage, these more toxic drugs may cause addiction, permanent damage, or even death with their early use. Since most of these drugs are produced and distributed illegally, their purity and chemical content are unknown. They are often contaminated with dangerous chemicals.

Much evidence suggests that drug abuse and addiction is a progressive process that begins with gateway drugs (for example: tobacco products, beer, wine coolers, liquor, and marijuana) and continues into the more unpredictable forms of illicit drugs such as cocaine (including crack) and hallucinogens, such as PCP and LSD. In the 2003-2004 PRIDE data, **23.4** percent of high school students who used marijuana in the past year also used cocaine, while only **0.3** percent of the students who did not use marijuana in the past year tried cocaine. Adolescents frequently use an assortment of drugs such as alcohol, marijuana and cocaine, creating an even more dangerous and unpredictable effect. Students who use these illicit drugs or combinations of drugs are at very high risk of dependency and are in need of professional help. If left untreated, they are likely to suffer permanent physical damage to body systems and cause continued stress on the family unit.

In addition to the detrimental health and social effects, use of illicit drugs is related to local criminal activity and a major contributor to organized crime and terrorism in the U.S. and abroad. Illicit drug use should not be tolerated. One example of social movement against a drug is the growing intolerance of cigarette and tobacco use. We should adopt this attitude and apply it to illicit drugs as well.

Harmful Effects of Cocaine

Cocaine is an alkaloid extracted from the leaf of the coca bush, which is cultivated at high altitudes in the Andes Mountains of South America. The alkaloid is a powerful stimulant to the central nervous system with mind-altering and energy-producing characteristics. Coca leaves contain only a small amount of the mind-altering chemical, but the extraction and purification of cocaine produces a new and immensely more powerful drug.

Cocaine, sometimes called *coke* or *snow*, is usually snorted or inhaled through a special pipe. An inexpensive form of cocaine called *crack* has become very popular. Crack cocaine can be smoked and produces a more immediate and powerful *high* than snorting. Cocaine acts directly on the limbic system or *old brain* where the chemical centers for instinctive pleasure are located. Use of cocaine produces a surge of energy, pleasure and sense of confidence. After about a twenty-minute high, the drug withdraws rapidly from the brain, making the user feel depressed, irritable and fatigued – a condition called the *coke crash*.

Cocaine is both psychologically and physically addictive. In the early 70's, the small supply and low purity of cocaine available in the U.S. led many so-called experts to claim that cocaine was non-addictive. Today, cocaine has proven to be one of the most addictive drugs, if not **the** most addictive. The *crack* form of the drug speeds up the process of addiction or dependence.

Harmful Effects of Uppers

The term "uppers" refers to a category of drugs broadly defined as central nervous system stimulants. The stronger stimulants are drugs such as amphetamines with street names like *speed*, *bennies*, *dexies*, *white crosses* and *crystal*. They are usually taken in capsule form, but may be sniffed or injected. Recently, a smokable form of methamphatamine refered to as *Ice* (because of its clear crystal form) has spread across the U.S. It causes cocaine-like effects for up to 15 hours with many dangerous side effects. Milder forms of stimulants are caffeine, ephedrine and phenylpropanolamine. Common over-the-counter and prescription forms of stimulants are diet pills and stay-awake pills.

Uppers increase heart rate, breathing rate and blood pressure; dilate pupils; and decrease appetite. The user can also experience headache, sweating, blurred vision, dizziness, sleeplessness, and anxiety. People who use large amounts of amphetamines over a long period of time also develop hallucinations, delusions, and paranoia. They exhibit bizarre and sometimes violent behavior. Withdrawal produces fatigue, irritability, paranoia, and depression. Use of uppers, particularly amphetamines, can lead to physical and psychological dependency.

Harmful Effects of Downers

Downers refer to a category of drugs commonly known as depressants. These drugs depress or slow down the body's functions and when abused (i.e., their non-medical use) can cause slurred speech, staggering, poor judgement, and slow or uncertain reflexes (reactions similar to alcohol intoxication). Downers include barbiturates, such as secobarbital or phenobarbital; benzodiazepines, such as Valium, Librium and other drugs that have similar properties. Sleeping pills, tranquilizers, and muscle relaxants are examples of downers.

Mixing alcohol and downers poses a particularly dangerous drug use combination. For example, the use of barbiturates and other depressants, such as alcohol, multiplies the effects and increases the chance of alcoholism and drug dependency. Moreover, combined use greatly increases the risk of death by overdose, whether accidental or deliberate.

Frequency and Effects of Cocaine, Uppers and Downers

The illicit drugs in this section have been grouped for convenience and efficiency of discussion. Cocaine, uppers and downers will be discussed together and inhalants, hallucinogens, heroin and steroids will be discussed together. Although these drugs have differing effects (see preceding discussion), they are often similar in their patterns of use.

Although there is much media coverage about the use of cocaine (especially "crack" cocaine), the percentage of students who reported using cocaine is low in comparison to the gateway drugs. For example, the 2003-2004 PRIDE Questionnaire National Summary results of 114402 responses indicated that 2.9 percent of the junior high students and 6.7 percent of the senior high students reported using cocaine within the past year. These percentages should not be taken lightly. 5325 students in the national data set are involved with one of the most addictive drugs known to man.

Percentage data from the 2003-2004 PRIDE Questionnaire National Summary indicated that use of uppers was higher than that of cocaine at 3.0 percent for junior high students and 6.8 percent for senior high students. Use of downers was closer to that reported for cocaine (3.4 percent for junior high students and 7.9 percent for senior high students).

The percentage data for students who reported using cocaine, uppers and downers within the past year is contained in Figure 5.9. The expected pattern of higher drug use by senior high students than by junior high students is evident from the tables in the tabular report. For more detailed data on frequency of use of cocaine, uppers, and downers by your students, refer to the Percentage Tables chapter of your PRIDE Report.

It is important to understand the intoxicating effects reported by students when using cocaine, uppers and downers. For example, **70.9** percent of your cocaine using senior high students reported getting *Very High* or *Bombed/Stoned* when they used cocaine. The PRIDE National data indicated 75.2 percent of senior high cocaine users reported reaching similar levels of intoxication. However, the PRIDE National Data suggested that only 70.1 percent of those students who reported using uppers reached high intoxication levels when using uppers. This does not mean that non-prescribed use of

uppers and downers should be taken lightly. These drugs should be considered dangerous when used for any non-medical purpose. Percentage data for reported intoxicating effects of cocaine, uppers and downers by your students who use these drugs is contained in Table 5.6. Additional information on the intoxicating effects of these drugs may be found in the Percentage Tables chapter of your PRIDE Report.

Figure 5.9: Cocaine, Uppers and Downers Use for Junior and Senior High Students Cocaine, Uppers and Downers Use for Junior and Senior High Students




Table 5.6: Percent of Cocaine-, Upper- and Downer-Using Students Who Get *Very High* or em Bombed When Using

Drug	Junior High	Senior High
Cocaine	69.0	70.9
Uppers	66.6	68.0
Downers	56.3	60.2

Figures based on percentage of students who use.

YOUR NOTES:

Time of Cocaine, Uppers and Downers Use

Knowing the times of illicit drug use provides parents, school officials, and others in the community with information useful in implementing effective drug abuse prevention programs. Time of use response choices were the same as those for the gateway drugs.

Students were allowed to mark as many locations and times of use that applied to them. Of course, a *Do Not Use* category was also included.

Using the 2003-2004 PRIDE Questionnaire National Summary as indicative of general student responses, the percentage of junior high students reporting illicit drug use was small; therefore, responses to questions of when these drugs were used had few responses per category. However, for senior high students, a more meaningful response set can be found. Table 5.7 contains percentage data for times of use for your students and the 2003-2004 PRIDE national data.

The following projections are based on results from the 2003-2004 PRIDE Questionnaire National Summary findings (your data may follow a similar pattern): High school students who reported using cocaine, uppers or downers most often used on Weekends.

	Before School	During School	After School	Week Night	Weekend
LOCAL					
Cocaine	1.3	1.8	1.6	1.4	3.1
Uppers	1.4	2.0	1.6	1.4	2.9
Downers	1.8	2.2	1.9	2.0	3.5
Inhalants	1.1	2.0	1.5	1.3	2.4
Hallucinogens	1.1	1.5	1.2	1.2	2.4
Heroin	1.0	1.6	1.2	1.0	1.8
Steroids	1.0	1.6	1.3	1.0	1.6
2003-2004 Na	tional Summar	у			
Cocaine	1.2	1.4	1.6	1.6	3.3
Uppers	1.4	1.8	1.6	1.6	3.0
Downers	1.7	2.0	2.0	2.1	3.5
Inhalants	1.0	1.6	1.5	1.2	2.2
Hallucinogens	1.0	1.2	1.2	1.2	2.8
Heroin	0.9	1.2	1.1	0.9	1.6
Steroids	0.9	1.2	1.2	0.9	1.3

Table 5.7: Time of Cocaine, Uppers, Downers, Inhalants, Hallucinogens, Heroin & Steroids Use Reported by Senior High Students

Availability of Cocaine, Uppers, and Downers

Students were asked to respond to the question, *How easy is it to get* illicit drugs. Students could respond that they *Cannot Get* illicit drugs, or that illicit drugs were *Very Difficult, Fairly Diffucult, Fairly Easy*, or *Very Easy* to get. Student responses to the two categories of *Fairly Easy* and *Very Easy*" were combined to provide a measure of the availability of illicit drugs in your community.

Cocaine, uppers, and downers are dangerous illicit drugs, subject to criminal charges for possession, use, distribution, and sales. Under such conditions, one would assume these drugs to be virtually unavailable to students. However, the 2003-2004 PRIDE Questionnaire National Summary suggests that many students report having access to these drugs. For example, 10.6 percent of junior high students and 28.7 percent of senior high students reported cocaine as readily available. An even higher percentage of students reported access to uppers (10.2 percent of junior high and 27.4 percent of senior high students) and downers (11.1 percent of junior high and 29.9 percent of senior high students).

Percentages of your students reporting cocaine, uppers, and downers as *Fairly Easy* or *Very Easy* to get are contained in Table 5.8. It should be remembered that availability is a major factor in drug use - students are more likely to use drugs if they are readily available. The fact that tobacco and alcohol are the most available and the most widely used drugs is evidence of this point.

Cent	of Students	Reporting Cocame,	Oppers and Downers as	Reading
	Drug	Junior High	Senior High	
	Cocaine	10.3	29.0	
	Uppers	9.7	28.3	
	Downers	10.5	30.0	

Table 5.8: Percent of Students Reporting Cocaine, Uppers and Downers as Readily Available

Students reporting Fairly Easy or Very Easy to get.

YOUR NOTES:

5.3.2 Inhalants, Hallucinogens, Heroin, and Steroids

Harmful Effects of Inhalants

Inhalants are substances which give off vapors that produce a mind-altered state or *high* when inhaled. Young people are particularly vulnerable to inhalants due to their easy accessibility. Often inhalants are not *drugs* as we normally think of them, but are common household or industrial materials such as glue, gasoline, solvents, and cleaners. Amyl nitrite (legitimately used for heart patients) or butyl nitrite produce a rush or high that may last a few seconds or several minutes.

Inhalants are particularly dangerous because one-time use can cause permanent damage to body organs, including the brain, or even death. Deep breathing of the vapors, or using a concentrated amount over a short period of time, may result in losing touch with one's surroundings, loss of self-control, violent behavior, unconsciousness or death. For example, sniffing highly concentrated amounts of solvents or aerosol sprays can produce heart failure and instant death. High concentrations of inhalants cause death from suffocation by displacing the oxygen in the lungs. Long-term use can cause permanent damage to the nervous system, greatly reducing physical and mental capabilities.

Harmful Effects of Hallucinogens

Hallucinogens, sometimes called psychedelic drugs, are drugs that effect a person's perceptions, sensations, thinking, self-awareness and emotions. Some hallucinogens come from natural sources, such as mescaline from the peyote cactus and psilocybin from certain mushrooms; others, such as LSD, are synthetic or manufactured. The effects of hallucinogens are unpredictable. About 30 to 90 minutes after taking the drug, the user may feel several different emotions at once or swing rapidly from one emotion to another; his or her perception of time and self changes. Physical effects may include dilated pupils, higher body temperature, increased heart rate and blood pressure, sweating, loss of appetite, sleeplessness, and tremors.

While PCP does not easily fit into any category of drugs, it is often considered a hallucinogen because it has some of the same effects. PCP (phencyclidine), often called *angel dust*," is available in white powder, tablet, or capsule form. It can be swallowed, smoked, sniffed, or injected, and is sometimes sprinkled on marijuana and smoked. Although PCP is illegal, it is easily manufactured.

Harmful Effects of Heroin

Heroin is a member of the opiate family of drugs. Derived directly from morphine, it is never found in nature, but was synthesized by scientists searching for a non-addictive substitute for morphine. The result, ironically, was a drug with four times the analgesic effect of morphine and several times the addictive potential. The potential for abuse is so great the manufacture and importation of heroin is forbidden by Federal statute.

Heroin is known by the street names of junk, H, Harry, powder, horse, white stuff, sugar, smack

and *scag*. It was traditionally taken by injection into a vein – this is known as mainlining. It may also be injected under the skin *(skin popping)* or taken orally. When smoked it is referred to as *chasing the dragon*. The effects from heroin usually last two to four hours.

There are some who believe that small doses of heroin can be used safely. Known as *chipping*, this practice is a dangerous experiment.

Heroin is not a drug that incapacitates its victims. The heroin addict is able to perform, but he is often content to sit and dream in his euphoric trance. He is in danger of malnutrition, dehydration, disease from contaminated syringes, AIDS and poverty because of the expense of heroin and criminal involvement.

If use of heroin is discontinued, definite withdrawal symptoms occur. These include watery eyes, runny nose, shakes, tremors and sometime convulsions. Heroin users who are withdrawing should seek medical help.

Overdose is characterized by stupor and death. The potency of street heroin is rarely known and most certainly is not pure. Therefore, overdoses are frequent.

Harmful Effects of Steroids

The anabolic steroids that are being abused today are actually anabolic-androgen steroids. Anabolic refers to the drugs' bodybuilding capability while androgenic means that steroids have a masculinizing effect.

Anabolic steroids are a synthetic form of the male sex hormone – testosterone. Because they stimulate the building of muscle mass, anabolic steroids are sometimes prescribed by physicians for treatment of muscle diseases, various gynecologic disorders, some forms of cancer, for severe burns, some forms of anemia, and for some forms of birth defects. They are taken orally or by injection.

While the use of many street drugs, such as crack, speed and marijuana, is associated with pleasure seeking, the illegal use of anabolic steroids is usually associated with goal-oriented athletes, or by people who want to improve their physical appearance, improve their strength and endurance or build muscle mass.

The popularity of steroids may have less to do with their actual effectiveness than with the perception among users that they work. Many athletes, including junior high and high school athletes, believe that their competitors are using steroids. They feel that if they don't use drugs, they will lose the competitive edge.

Recent studies show that long-term, high dose steroid use can lead to severe physical and mental health disorders, including addiction and sometimes death. Heart disease, stroke, liver damage and cancer are among the diseases associated with steroid use. Steroids can also produce manic episodes of aggressive behavoir and personality changes referred to as *roid rage*, psychotic or near psychotic symptoms, and major depression. Steroid use has led some individuals to commit homicide or suicide.

Ironically, adolescents who take steroids to get bigger may end up being smaller. Steroids can stunt growth. Teenagers may develop bigger muscles initially, but steroids can cause the growth-plates at the end of bones to close prematurely, causing the users to stop growing before they reach their genetically intended height.

Frequency and Effects of Inhalant, Hallucinogen, Heroin, and Steroid Use

The pattern of inhalant use is somewhat different from that of other illicit drugs. The percentages of junior high students and senior high students reporting inhalant use are more similar than for other drug categories. For example, from the 2003-2004 PRIDE Questionnaire National Summary findings, 5.7 percent of junior high and 5.8 percent of the senior high students reported using inhalants. For your students, the comparison was **6.2** percent for junior high and **6.3** percent for senior high students.

Reported hallucinogen use among your students was **3.0** percent for junior high students and **5.8** percent for senior high students. The 2003-2004 PRIDE Questionnaire National Summary data reported hallucinogen use at 2.6 percent for junior high students and 5.9 percent for senior high students. Again, while these percentages are relatively small, they represent students who are involved in very dangerous drug use and are at extreme risk. Figure 5.10 contains the percentages of your students who reported inhalant and hallucinogen use within the past year.

In the National Summary, 5.9 percent of the senior high students reported using hallucinogens. Those students who used hallucinogens reported much higher intoxication levels, with 78.7 percent reporting reaching high levels of intoxication when using these drugs. These findings are consistent with the known mind altering potential of hallucinogens and their effect on the brain. Table 5.9 contains the levels of intoxication data for your students.

Figure 5.10: Inhalants, Hallucinogen, Heroin & Steroid Use for Junior and Senior High Students Inhalants, Hallucinogen, Heroin & Steroid Use for Junior and Senior High Students




 Table 5.9: Percent of Students Who Get Very High or Bombed When Using Inhalants, Hallucinogens,

 Heroin & Steroids

Drug	Junior High	Senior High
Inhalants	40.8	53.8
Hallucinogens	65.9	72.8
Heroin	67.5	70.1
Steroids	55.0	56.9

Figures based on percentage of students who use.

YOUR NOTES:

Availability of Inhalants, Hallucinogens, Heroin and Steroids

Inhalants are easier to obtain than other drugs since they usually are not illegal substances, but common items such as glue, solvents, etc., that when sniffed produce a *high*. Hallucinogens are illicit drugs and would not be as readily available. The 2003-2004 PRIDE National Summary supported this contention with 20.7 percent of junior high students and 40.0 percent of senior high students reporting inhalants were easy to obtain. By comparison, 9.3, percent of junior high students and 24.6 percent of senior high students reported hallucinogens as easy to obtain and 8.8 percent of junior high student and 21.9 percent of senior high students reported heroin as easy to obtain. Table 5.10 contains the percentage of responses to availability of inhalants and hallucinogens for your junior and senior high students.

 Table 5.10: Percent of Students Reporting Inhalants, Hallucinogens, Heroin and Steroids as Readily

 Available

Drug	Junior High	Senior High
Inhalants	17.9	37.1
Hallucinogens	8.9	25.1
Heroin	8.6	23.2
Steroids	9.5	26.0
C. I		1/ 5

Students reporting Fairly Easy or Very Easy to get.

The 2003-2004 PRIDE National Summary also revealed that most students could not get or did not know if they could get illicit drugs. Such data are encouraging and should be shared with the public. However, the percentage of students who responded that they do have access to these drugs should alert parents and teachers that dangerous drugs are present in the community.

5.4 The Media and Data Presentation

Your school-based survey results can be utilized in many ways to promote and support drug and alcohol abuse prevention in your community. PRIDE publications such as *The PRIDE Parent/School Team* and *Using The PRIDE Questionnaires for Evaluating and Monitoring Student Drug Use* can assist you in gaining the maximum use of these data. However, the results of this survey should be made available to the public in a timely fashion. Therefore, Section 4 of this chapter is devoted to assisting you in utilizing your survey findings to make the community more aware of the extent and nature of adolescent alcohol and other drug use.

5.4.1 Community Awareness

Community awareness that a drug problem exists is important when mobilizing the various components of a community in a planned, systematic process to reduce alcohol and other drug use by youth. Unless the community is convinced that the problem is serious, real, and local – i.e., a threat to their children, families and friends – it is doubtful that meaningful community involvement or support will occur.

Community awareness involves informing as many people as possible of the extent and nature of the adolescent drug problem. Information collected by your survey of student drug use is very important in community awareness. It is also important for members of the community to understand the harmful nature of drug use. Both information about the harmful effects of drug use and the extent of local drug use is contained in Sections 2 and 3 of this chapter.

Two of the most effective means of conducting community awareness is through electronic and print media and through presentations to community groups such as parent and school groups, civic and business organizations, and church groups. Section 4 is designed to assist you in these activities. Section 4.2. contains information about how you can work with the media in releasing your survey data and Section 4.3. contains information to assist you with presentations to various groups in your community. Of course these are suggestions and you may want to change or modify the suggestions. For example, as you monitor the drug problem through multiple annual surveys, these data can be added to your press releases and presentations.

5.4.2 The Media

What is generally referred to as *The Media* includes the traditional print media (such as, newspapers, magazines, and newsletters), and electronic media (such as, television, radio, wire services, and computer networks). Non-traditional sources may include billboards, t-shirts, posters, pay-roll stuffers, grocery bags, hand bills, etc. The most common of these media used to communicate survey results have been local newspaper news articles and editorials, local television and radio news casts, talk-shows, and interviews.

HOW TO GET STARTED!

You can set a date for the announcement of your school data. Choose a *slow news day* when nothing major is scheduled in the community. Mid-morning on Tuesday may be a good time, giving the reporters time to prepare their stories for an afternoon or early morning edition of the newspaper, or an early evening broadcast or telecast.

Develop a local news media profile, showing the names, addresses, phone numbers and contact persons for each newspaper, station and type of program. Keep up with times you contact each one, news releases or other materials you provide them, and what the next steps will be toward giving your topic coverage. Good sources for help in developing your news media profile are the yellow pages, locally-published media directories, or media profiles already available from communications/public relations professionals.

HOW TO WRITE A NEWS RELEASE

Your next step is to prepare a news release on the survey results. A sample news release is included in Appendix B. The following guidelines may assist you in preparing a news release:

1. Use standard-size 8 1/2 by 11 white paper, and type or computer print the release double spaced on one side only. The first page should contain the name and address of your school/organization

(letterhead is fine). If special News Release paper is available, use it.

- 2. Name a contact person and his/her office and home phone numbers in the upper right hand corner of the first page. Ideally, this is the person who prepared the news release. Make sure the contact person has agreed to handle possible follow-up calls from the media.
- 3. Write FOR IMMEDIATE RELEASE in the upper left hand corner of the first page unless you have planned a certain day and time to announce the survey results, perhaps at a news conference or some other event. If that is the case, write FOR RELEASE (DATE and TIME). The media are accustomed to respecting your release time.
- 4. Give the news release a brief two or three line title, centered in all caps and bold for emphasis.
- 5. Be brief with what you write one to three pages, double spaced. Most releases do not exceed two pages, but questionnaire data are hard to summarize and may take an additional page.
- 6. Write in the active voice and use short sentences and paragraphs.
- 7. Write MORE at the bottom of each page except the last one to let the reporter know there is more than one page to the release. Type -30- or ### in the center of the page below the last paragraph.
- 8. Proofread carefully. Reporters are wary of releases that contain typographical errors, misspellings, or crossouts.

TIPS FOR WRITING YOUR NEWS RELEASE

- 1. Traditionally, news releases are written in the "inverted pyramid style." This means that the more important information comes first in case the reporter doesn't have space or time for the entire release and wants to "cut" it from the bottom.
- 2. Include at least two of the five W's (Who, What, Where, When, and Why) in the lead (first) paragraph. Your lead paragraph should grab the reporter's attention and make him/her want to read and report the news the release contains.
- 3. The second paragraph should answer the other W's.
- 4. Identify your spokesperson no later than the third paragraph.
- 5. Use quotes to make an emotional point or state an opinion. A good news release contains two to four quotes. Remember to obtain the quoted person's permission, and let him/her know when the news will be released so that he/she can be prepared to respond to any media calls for additional details.
- 6. The last paragraph should include background information on your school or organization a "commercial" for the work you are doing. Include purpose, size, non-profit status or other pertinent information.
- 7. Double-check names, dates, places, numbers, and quotes for accuracy. Your credibility as a source of information is jeopardized when details of a news release are inaccurate.

Send an original copy of the news release to all appropriate names on your media list. Follow-up by phone is important to make sure the release arrived, answer any questions, provide more information, and offer spokespeople to be interviewed by phone or in person.

End your conversation by thanking the reporter or editor for his/her time and interest. And, when the story appears in print or on the air, phone or write the reporter/editor a brief but sincere "thank you." Remember, a well written news release containing valid and interesting data should receive wide distribution in the news media.

SPECIALIZED PUBLICATIONS AND NEWS CONFERENCES

In addition to the news media in your community, there will be a number of specialized publications that will be interested in your survey data. They include school and school system newsletters and other publications, community magazines, club and organization newsletters, and church bulletins. Don't forget to send them an original copy of your news release.

A News Conference gives your group the opportunity to release important information to all the news media at once. Here are some tips for setting up a news conference:

- Schedule the news conference for a *slow news time*. You will be more likely to get a good turnout of reporters.
- Select a location appropriate for your announcement. In the case of a student drug use report that has implications for the entire community, you may want to consider the school, City Hall, or some youth oriented site in the community.
- Develop a good presentation. Include your key spokespeople, but also include parents and young people who represent the populations affected by the survey announcement.
- Develop a Media Alert to let reporters/editors know about the conference, and notify them two to three weeks in advance.
- Phone the media to remind them to schedule the news conference on their calendars.
- Develop an information packet to distribute to the media at the conference and to others who are unable to attend. Include your news release, fact sheets and brochures, and recent news clippings on the drug problem. You may want to provide biographies of your leaders and/or spokespeople.

EDITORIALS, LETTERS TO THE EDITOR, AND PUBLIC SERVICE ANNOUNCEMENTS

Editorials in newspapers and on radio and television express definite opinions on important issues that face the community. Editorials may be produced by the media from materials you provide to them, or you may be asked to read your own editorial on radio or television as a "community comment." Opinion pages in newspapers and letters to the editor are other good ways to express your viewpoint on the problem of early adolescent alcohol and drug use in the community.

Radio and television make time available to local nonprofit groups for free announcements that benefit the community by providing needed information or linking individuals with services. Your student

drug use report will be of interest to Public Service Directors of radio and television who may decide to air public service announcements (PSA's) to heighten the community awareness about prevalence and patterns of elementary school students' use of gateway drugs.

5.4.3 Presentations to School/Community Groups

An excellent means of reaching the community leadership is through presentations to school, parent, civic, business, and religious groups. These groups are concerned with community issues, particularly those related to the safety and welfare of youth. Often these organizations will invite prevention leaders to speak at their meetings. While media coverage will help to make known your prevention efforts, you will want to contact appropriate groups and organizations in your community to offer a program on student drug and alcohol abuse and strategies for combating it.

The interests, needs, and abilities of your audience should be kept in mind when preparing your presentation. For example, parents are concerned about drug use that may effect their children and their children's friends; business leaders are mindful of the need for a drug-free work force that includes workers' children and future workers.

Select a poised, articulate spokesperson who is thoroughly familiar with the student data. The graphs, tables, and narrative discussion of the data in this report should assist the speaker in presenting pertinent and meaningful information. Such presentations are easy to prepare and deliver, and will make the presentation more interesting and informative to the audience. Necessary arrangements should be made with the organization's program chairman. Background information (perhaps a news release) could help the group to promote your presentation among its membership.

GUIDELINES FOR PRESENTATION OF STUDENT DRUG USE RESULTS

Length of Presentation

An important consideration in preparing a presentation is the length of time you are expected to address the group. Usually civic and business groups have a limited time available for a program – as little as 5 or 10 minutes in some cases. This means only a fraction of the information may be presented. Once again, concentrate on the type of audience and what you think they will be interested in and need to hear. It is more important to leave the audience wanting to know more than having them feeling uncomfortable by exceeding your allotted time. If possible, leave a few minutes for questions at the end of your presentation, and always promise to provide additional information through print materials or a return appearance.

Matching Survey Results to the Audience

In structuring your presentation, keep in mind your audience. If the presentation is to teachers and administrators, you may want to emphasize students' perceptions of the harmful effects of gateway drug use. Teachers and administrators will be interested in how often students say they talk to teachers about the harmful effects of drug use. Elementary students' perceptions of where and how they get gateway drugs are important to determine if such perceptions are realistic.

If the presentation is targeted to parents frequency of use and availability of drugs are important data to share. Help parents to realize their responsibility for their child's actions regarding gateway drug use and the importance of becoming involved in community drug prevention programs. Civic and business groups, law enforcement officers, and court officials will be particularly interested in the current use and availability of gateway drugs to minors.

Organizing Survey Results

Graphs are very effective in communicating the meaning of data. They enable audiences to "see" the relationship you are explaining. Bar graphs located in this report can be utilized in describing gateway drug use. However, you can lose the audience's attention with too many graphs. Tables are also effective if they are kept simple.

Short sentences or phrases called *bullets* are an excellent way to communicate your findings. Bullets can stand alone, be included in a list of findings, or accompany a graph or table. The following are examples of *bullets* that can be used in presentations:

- ONE IN FIVE STUDENTS IN GRADES SEVEN AND EIGHT REPORTED USING BEER AND/OR WINE COOLERS WITHIN THE PAST YEAR
- ONLY ONE PERCENT OF (-YOUR SCHOOL NAME-) STUDENTS IN GRADES FOUR THROUGH SIX REPORTED USING MARIJUANA WITHIN THE PAST YEAR
- OVER ONE-THIRD OF STUDENTS IN UPPER ELEMENTARY SCHOOL REPORTED THAT BEER AND WINE COOLERS WERE EASY TO GET BY THEIR PEERS AND NEARLY ONE-FOURTH INDICATED LIQUOR WAS EASY TO GET
- ONE-FOURTH OF SEVENTH GRADE STUDENTS IN –YOUR SCHOOL NAME– REPORTED MARIJUANA AS EASILY ACCESSIBLE TO THEIR PEERS

A combination of graphics, tables and bullets are suggested in a presentation to add variety and keep audience attention. It should be kept in mind that a good presentation is:

- straightforward
- easy to understand
- relevant to the interests of the audience
- supportive of local drug efforts.

Using Visual Aids

When presenting statistical data it is advisable to use some visual aids. These may range from a simple handout to more elaborate aids, depending upon the resources and time available to the school or other organizations concerned with drug abuse prevention. A single visual aid may be used, or

combination aids may be chosen when preparing for a presentation. Often the time parameters may determine what and how many visual aids can be used. However, you should be cautious not to use too many visual aids or rely too heavily on the aids so that the information presented and flow of the presentation is diminished.

The following are types of presentation aids that you may want to consider:

- 1. **PowerPoint Presentations** have become popular, but require special equipment, (i.e. laptop computer with projector). One of the advantages of a PowerPoint Presentation is that handouts can be generated directly from the presentation without the need to prepare them separately.
- 2. **Handouts** are useful in addition to other types of aids and are easy to transport, and provide a *take-home* product, but can be expensive to produce, may be difficult to utilize with large audiences, and may distract attention from your presentation;
- 3. **Overhead transparencies** are easy and inexpensive to make, can be viewed by large audiences, but can be cumbersome to use and require an on-site projector and screen;
- 4. Flip charts and poster boards are easy to use, fairly easy to transport, and require no special equipment, but are sometimes expensive and time consuming to make and can only be viewed by a relatively small audience;
- 5. **Slides** are easy to use and can be viewed by large audiences, but are difficult and expensive to make, and require on-site projector and screen;
- 6. Video tapes provide a *canned*, consistent approach to a topic, utilize *expertise* of presenter(s) on tape, and are easy to use, but are very time consuming and expensive to make, require technical expertise for quality product, require on-site play-back equipment, and may be difficult to use with large audiences.

YOUR NOTES:

5.4.4 Sample Press Release

FOR RELEASE 08:00 a.m. January 5, 2002

Doug Hall, V.P. PRIDE Surveys 1-800-279-6361

MOST DRUG AND ALCOHOL USE OCCURS OUTSIDE SCHOOL ENVIRONMENT

<u>(City)</u>, <u>(State)</u>, <u>(Date)</u> – Students in grades _ in <u>(Name of School System)</u> use drugs and alcohol at nights and weekends, but few of them report ever taking drugs or alcohol during school hours.

"The results of our survey indicates that we have a community drug problem in <u>(Locality)</u>, not just a school drug problem," said (Name & Title of School Official).

More than (approximate # students surveyed) students were surveyed in grades _ through _ to determine the extent and nature of drug use by adolescents in this community. Nationally, PRIDE Surveys, the research group that developed the Questionnaire used in this survey, found that students report drug use primarily at two specific times: "Week Nights" and "Weekends". Very little use is reported during school.

Although few drugs are consumed during school hours, the survey detected both drug and alcohol use outside of school, according to (Last Name of School Official).

Alcohol remained the "drug of choice" of the young people surveyed in (Locality).

_ percent of the senior high students (grades __) drank beer in the past year;

*** MORE ***

* _ percent reported liquor use;

* _ percent drank wine coolers.

In junior high (grades __), _ percent drank beer; _ percent drank liquor; and _ percent drank wine coolers.

Cocaine and Marijuana

Local students reported less use of cocaine than marijuana, but drug prevention specialists like Dr. Thomas J. Gleaton, Jr., president of PRIDE Surveys cautions that any use of cocaine is disturbing, particularly at young ages.

Marijuana use during the past year was reported by _ percent of the students in senior high, and _ percent in junior high. Cocaine was reported by _ percent of the senior high students, and _ percent of the junior high students.

When

The most popular times for marijuana use were: weekends, _ percent; week nights, _ percent; and after school, _ percent.

The PRIDE Questionnaire

The PRIDE Questionnaire has undergone continous development since 1982 and provides reliable and accurate information for monitoring adolescent drug use. PRIDE Surveys is America's largest survey of adolescent drug use. It is based in Bowling Green, Ky (1-800-279-6361). For additional information on national trends, visit the PRIDE Surveys website at www.pridesurveys.com.

###

Chapter 6

Drug-Free Communities Support Program

The following tables contain data that is requested by the Office of Juvenile Justice and Drug Prevention on the Drug-Free Communities Support Program form and by other federal agencies. Some of the wording of questions asked by the OJJDP differ somewhat from those asked by the **PRIDE Surveys Questionnaire**. The following is a list of the OJJDP requested statistics and their **PRIDE Surveys** equivalant. The **PRIDE Surveys Questionnaire** can be used to reliably measure and monitor change in all of these areas. The drug categories measured are tobacco, alcohol and marijuana. A *Combined* drug category has been created for all of these areas except for *Age of Onset*.

- **30-Day Use** The question *How often do you use* is used to measure this statistic by reporting the percentage of students who report using *Once a Month* or more often.
- **Perception of Risk** The question *Do you feel the following drugs are harmful to your health* is used to measure this statistic by reporting the percentage of students who report that using the drug is *Harmful* or *Very Harmful* to their health.
- **Perception of Disapproval** The question *Would your parents disapprove of you...* and *Would your friends disapprove of you...* are used to measure this statistic by reporting the percentage of students who report that parents/friends would *Disapprove* or *Strongly Disapprove* of using tobacco, alcohol and marijuana.
- **Age of Onset** The question *At what age did you first use...* is used to measure this statistic. The possible responses to this question range from *8 or Under* to *17 or Older*. The table shows the age range that represents the average category score for this question of those students who answered the question with a response other than *Never Used*.
- **Availability** The question *How easy is it to get...* is used to measure this statistic by reporting the percentage of students who report that the drug is *Fairly Easy* or *Very Easy* to get.

Friends Use The question *Do your friends use...* is used to measure this statistic by reporting the percetage of students who report that their friends *Never* use tobacco or illicit drugs and *Never* or *Seldom* use alcohol.

6.1 Monthly Use

Table 6	Table 6.1: Monthly Use of Alcohol						
Grade	N of	N of	Percent				
Level	Valid	Miss	of Use				
6th	45824	990	7.4				
7th	44690	1028	14.2				
8th	42302	906	21.4				
9th	39540	1263	27.6				
10th	34466	992	30.3				
11th	28739	920	34.2				
12th	21529	755	39.7				
Jr Hi	132816	2924	14.1				
Sr Hi	124274	3930	32.0				
Total	257090	6854	22.8				

Table	e 6.2:	Mon	thly	Us	e o	f Toł	bacco
_			6		~	5	

Grade	NL of	N of	Deveent
Grade	N of	IN OT	Percent
Level	Valid	Miss	of Use
6th	45912	902	6.4
7th	44820	898	13.3
8th	42420	788	19.1
9th	39660	1143	24.0
10th	34551	907	25.8
11th	28808	851	28.5
12th	21577	707	31.8
Jr Hi	133152	2588	12.8
Sr Hi	124596	3608	26.9
Total	257748	6196	19.6

able 0.3:	iviontniy	Use of	iviarijuana
Grade	N of	N of	Percent
Level	Valid	Miss	of Use
6th	45388	1426	3.0
7th	44276	1442	6.5
8th	41905	1303	10.4
9th	39067	1736	14.1
10th	34122	1336	15.8
11th	28471	1188	17.0
12th	21284	1000	18.2
Jr Hi	131569	4171	6.5
Sr Hi	122944	5260	16.0
Total	254513	9431	11.1

Table 6.3: Monthly Use of Marijuana

6.2 Perception of Risk

Table 6.4: Perception of Risk of Alcohol						
Grade	N of	N of	Harmful or			
Level	Valid	Miss	Very Harmful			
6th	45808	1006	85.0			
7th	44670	1048	79.0			
8th	42293	915	73.1			
9th	39550	1253	68.9			
10th	34428	1030	70.2			
11th	28731	928	68.1			
12th	21456	828	65.4			
Jr Hi	132771	2969	79.2			
Sr Hi	124165	4039	68.5			
Total	256936	7008	74.0			

Table 6.5	: Percep [*]	tion of	Risk of Tobacco
Grade	N of	N of	Harmful or
Level	Valid	Miss	Very Harmful
6th	45891	923	91.2
7th	44736	982	86.5
8th	42342	866	82.9
9th	39642	1161	81.6
10th	34482	976	83.9
11th	28792	867	84.1
12th	21510	774	83.4
Jr Hi	132969	2771	87.0
Sr Hi	124426	3778	83.1
Total	257395	6549	85.1

Table 0.0. Ferception of Risk of Marijuan						
Grade	N of	N of	Harmful or			
Level	Valid	Miss	Very Harmful			
6th	45311	1503	91.4			
7th	44333	1385	86.7			
8th	41989	1219	81.6			
9th	39219	1584	76.1			
10th	34171	1287	74.2			
11th	28547	1112	71.9			
12th	21313	971	69.9			
Jr Hi	131633	4107	86.7			
Sr Hi	123250	4954	73.5			
Total	254883	9061	80.3			

Table 6.6: Perception of Risk of Marijuana

6.3 Perception of Disapproval

Tab	Table 6.7: Perception of Parents Disapproval of Tobacco						
	Grade	N of	N of	Disapprove or			
	Level	Valid	Miss	Strongly Disapprove			
	6th	42580	4234	75.5			
	7th	41371	4347	76.5			
	8th	39577	3631	76.8			
	9th	36360	4443	76.6			
	10th	31609	3849	77.8			
	11th	26378	3281	78.6			
	12th	19827	2457	76.0			
	Jr Hi	123528	12212	76.2			
	Sr Hi	114174	14030	77.3			
	Total	237702	26242	76.7			

Table 6.8: Perception of Parents Disapproval of Alcohol

Grade	N of	N of	Disapprove or
Level	Valid	Miss	Strongly Disapprove
6th	42501	4313	75.4
7th	41320	4398	75.8
8th	39513	3695	75.2
9th	36331	4472	75.0
10th	31567	3891	76.3
11th	26389	3270	76.6
12th	19809	2475	73.4
Jr Hi	123334	12406	75.5
Sr Hi	114096	14108	75.5
Total	237430	26514	75.5

Grade	N of	N of	Disapprove or
Level	Valid	Miss	Strongly Disapprove
6th	42454	4360	77.3
7th	41256	4462	78.9
8th	39537	3671	80.1
9th	36260	4543	80.5
10th	31544	3914	81.9
11th	26332	3327	83.3
12th	19793	2491	82.1
Jr Hi	123247	12493	78.7
Sr Hi	113929	14275	81.8
Total	237176	26768	80.2

Table 6.9: Perception of Parents Disapproval of Marijuana

Table 6.10: Perception of Friends Disapproval of Tobacco

Grade	N of	N of	Disapprove or
Level	Valid	Miss	Strongly Disapprove
6th	41423	5391	58.3
7th	40439	5279	54.0
8th	38880	4328	48.4
9th	35680	5123	45.0
10th	31088	4370	44.2
11th	25946	3713	42.6
12th	19496	2788	39.7
Jr Hi	120742	14998	53.7
Sr Hi	112210	15994	43.3
Total	232952	30992	48.7

Table 6.11: Perception of Friends Disapproval of Alcohol

Grade	N of	N of	Disapprove or
Level	Valid	Miss	Strongly Disapprove
6th	41376	5438	58.2
7th	40351	5367	52.4
8th	38845	4363	44.8
9th	35663	5140	39.5
10th	31060	4398	37.3
11th	25919	3740	35.3
12th	19463	2821	32.5
Jr Hi	120572	15168	51.9
Sr Hi	112105	16099	36.7
Total	232677	31267	44.6

Grade	N of	N of	Disapprove or
Level	Valid	Miss	Strongly Disapprove
6th	41311	5503	62.2
7th	40303	5415	59.2
8th	38777	4431	55.4
9th	35589	5214	53.1
10th	30996	4462	52.8
11th	25890	3769	53.1
12th	19444	2840	52.7
Jr Hi	120391	15349	59.0
Sr Hi	111919	16285	53.0
Total	232310	31634	56.1

Table 6.12: Perception of Friends Disapproval of Marijuana

6.4 Age of First Use

Ta	ble 6.13:	When d	lid you first	use any alco	ohol?
Grade	N of	N of	Avg Cat	Rounded	Avg
Level	Valid	Miss	Score	Cat Score	Age Cat
6th	45265	1189	3.860	4	10
7th	44049	1377	4.499	4	10
8th	41789	1192	5.076	5	11
9th	38928	1654	5.818	6	12
10th	33743	1533	6.486	6	12
11th	28110	1409	7.154	7	13
12th	21065	1125	7.688	8	14
Jr Hi	131103	3758	4.584	5	11
Sr Hi	121846	5721	6.678	7	13
Total	252949	9479	5.838	6	12

Table 6.14: When did you first use any tobacco?

Ia	ble 6.14: V	/vhen d	id you first	use any tob	acco?
Grade	N of	N of	Avg Cat	Rounded	Avg
Level	Valid	Miss	Score	Cat Score	Age Cat
6th	45339	1127	3.897	4	10
7th	44128	1282	4.509	5	11
8th	41816	1121	4.994	5	11
9th	38950	1567	5.619	6	12
10th	33778	1459	6.158	6	12
11th	28143	1341	6.685	7	13
12th	21070	1084	7.085	7	13
Jr Hi	131283	3530	4.584	5	11
Sr Hi	121941	5451	6.304	6	12
Total	253224	8981	5.637	6	12

	able 0.15.	when c	nu you msi	. use manjua	IId !
Grade	N of	N of	Avg Cat	Rounded	Avg
Level	Valid	Miss	Score	Cat Score	Age Cat
6th	45436	1378	4.801	5	11
7th	44135	1583	5.531	6	12
8th	41785	1423	6.102	6	12
9th	38844	1959	6.713	7	13
10th	33698	1760	7.399	7	13
11th	28041	1618	7.895	8	14
12th	20987	1297	8.198	8	14
Jr Hi	131356	4384	5.719	6	12
Sr Hi	121570	6634	7.515	8	14
Total	252926	11018	7.005	7	13

Table 6.15: When did you first use marijuana?

6.5 Availability

Та	able 6.16:	Availabil	ity of Alcohol
Grade	N of	N of	Fairly Easy or
Level	Valid	Miss	Very Easy to Get
6th	42800	4014	26.2
7th	41672	4046	36.7
8th	40071	3137	50.2
9th	36885	3918	60.3
10th	32058	3400	67.5
11th	26731	2928	72.5
12th	20049	2235	75.9
Jr Hi	124543	11197	37.4
Sr Hi	115723	12481	67.8
Total	240266	23678	52.1

Ta	ble 6.17: .	Availabili	ity of Tobacco
Grade	N of	N of	Fairly Easy or
Level	Valid	Miss	Very Easy to Get
6th	42962	3852	25.3
7th	41813	3905	36.2
8th	40175	3033	49.3
9th	36969	3834	60.2
10th	32150	3308	66.8
11th	26781	2878	72.3
12th	20065	2219	77.0
Jr Hi	124950	10790	36.7
Sr Hi	115965	12239	67.7
Total	240915	23029	51.6

Tat	DIE 0.18: P	Availabilit	cy of Marijuana
Grade	N of	N of	Fairly Easy or
Level	Valid	Miss	Very Easy to Get
6th	42417	4397	8.9
7th	41254	4464	15.6
8th	39655	3553	26.1
9th	36418	4385	39.1
10th	31679	3779	48.8
11th	26430	3229	56.0
12th	19798	2486	60.1
Jr Hi	123326	12414	16.7
Sr Hi	114325	13879	49.3
Total	237651	26293	32.4

Table 6.18: Availability of Marijuana

СНА	PTER		Ø,	ঞ্	<u>م</u> ا آيرا	₽₽E	Eg	ଜୁନ	hh/	β	ा <u>स्</u> र्व	g	ક્ષ	₽ 27	Ø₽	57	Rec	GR.	4 <u>1</u> ∕∕	10	04	99	15	51	77	029	620	33	<u>ក្រ</u> ្ភរ
	Combined Grades	۲ ۲	257090	25774	254518)	258173	256936	25739	25488	25763	237430	237700	23717	239474	252943	253224	25292	23267£	23295	232310	234904	240266	240915	237651	241677	256670	256979	255233	258555
	U U U	%	22.8	19.6	11.1	28.8	74.0	85.1	80.3	92.2	75.5	76.7	80.2	82.5	12	12	13	44.6	48.7	56.1	59.0	52.1	51.6	32.4	59.4	55.5	43.7	60.8	68.1
	Grade 12	۲	21529	21577	21284	21620	21456	21510	21313	21530	19809	19827	19793	19997	21065	21070	20987	19463	19496	19444	19652	20049	20065	19798	20166	21532	21574	21466	21693
	Grac	%	39.7	31.8	18.2	46.6	65.4	83.4	6.69	89.6	73.4	76.0	82.1	84.6	14	13	14	32.5	39.7	52.7	55.8	75.9	77.0	60.1	81.5	29.2	23.0	40.1	46.4
	Grade 11	ч	28739	28808	28471	28857	28731	28792	28547	28815	26389	26378	26332	26566	28110	28143	28041	25919	25946	25890	26155	26731	26781	26430	26873	28822	28867	28717	29017
	Grac	%	34.2	28.5	17.0	41.7	68.1	84.1	71.9	90.6	76.6	78.6	83.3	86.0	13	13	14	35.3	42.6	53.1	56.7	72.5	72.3	56.0	78.2	32.3	25.3	41.5	48.9
	Grade 10	۲	34466	34551	34122	34597	34428	34482	34171	34513	31567	31609	31544	31843	33743	33778	33698	31060	31088	30996	31328	32058	32150	31679	32258	34442	34459	34258	34663
Grade	Grad	%	30.3	25.8	15.8	38.1	70.2	83.9	74.2	90.9	76.3	77.8	81.9	84.5	12	12	13	37.3	44.2	52.8	56.5	67.5	66.8	48.8	74.1	37.1	28.1	44.5	53.0
es by Gr	de 9	۲	39540	39660	39067	39744	39550	39642	39219	39683	36331	36360	36260	36645	38928	38950	38844	35663	35680	35589	36014	36885	36969	36418	37103	39625	39696	39420	39927
Measur	Grade	%	27.6	24.0	14.1	34.8	68.9	81.6	76.1	90.2	75.0	76.6	80.5	83.1	12	12	13	39.5	45.0	53.1	56.5	60.3	60.2	39.1	68.6	44.6	32.5	50.9	59.5
Outcomes Measures by	le 8	۲	42302	42420	41905	42471	42293	42342	41989	42381	39513	39577	39537	39871	41789	41816	41785	38845	38880	38777	39193	40071	40175	39655	40290	42221	42231	41984	42493
6.19: Ou	Grade	%	21.4	19.1	10.4	28.1	73.1	82.9	81.6	92.1	75.2	76.8	80.1	82.4	11	11	12	44.8	48.4	55.4	58.5	50.2	49.3	26.1	59.0	58.1	42.7	62.0	71.0
Table 6.	de 7	۲	44690	44820	44276	44884	44670	44736	44333	44772	41320	41371	41256	41679	44049	44128	44135	40351	40439	40303	40806	41672	41813	41254	41920	44503	44591	44228	44871
	Grade	%	14.2	13.3	6.5	19.2	79.0	86.5	86.7	93.8	75.8	76.5	78.9	81.0	10	11	12	52.4	54.0	59.2	61.7	36.7	36.2	15.6	45.1	73.3	57.3	75.6	82.8
	Grade 6	۲	45824	45912	45388	45999	45808	45891	45311	45938	42501	42580	42454	42873	45265	45339	45436	41376	41423	41311	41756	42800	42962	42417	43067	45525	45561	45160	45889
	Grae	%	7.4	6.4	3.0	10.0	85.0	91.2	91.4	95.6	75.4	75.5	77.3	79.0	10	10	11	58.2	58.3	62.2	64.0	26.2	25.3	8.9	32.8	86.2	74.1	88.5	92.5
	Substance		Alcohol	Tobacco	Marijuana	Combined	Alcohol	Tobacco	Marijuana	Combined	Alcohol	Tobacco	Marijuana	Combined	Alcohol	Tobacco	Marijuana	Alcohol	Tobacco	Marijuana	Combined	Alcohol	Tobacco	Marijuana	Combined	Alcohol	Tobacco	Illicit	Combined
	Outcomes			30-Day Use			Perception	of	Risk		Perception	of Parental	Disapproval			Age of Onset		Perception	of Peer	Disapproval			Availability			Perception	of	Peer Use	

	Table 6.20:		Outcomes Mea	Measures h	by Gender		
Outcomes	Substance	2	Male	Ę	Female	Gon Ge	Combined Genders
		%	۲	%	ч	%	ч
	Alcohol	24.4	116894	20.5	125763	22.4	242657
30-Day Use	Tobacco	23.6	117277	15.3	125986	19.3	243263
	Marijuana	13.5	115465	8.3	124838	10.8	240303
	Combined	31.9	117504	25.1	126133	28.4	243637
Perception	Alcohol	71.3	117069	76.9	125418	74.2	242487
of	Tobacco	82.8	117320	87.7	125590	85.3	242910
Risk	Marijuana	76.5	115992	84.5	124633	80.7	240625
	Combined	90.4	117436	94.3	125681	92.4	243117
Perception	Alcohol	72.6	106533	78.8	118067	75.9	224600
of Parental	Tobacco	72.6	106639	81.5	118243	77.2	224882
Disapproval	Marijuana	76.9	106446	84.1	117937	80.7	224383
	Combined	79.4	107626	86.2	118847	82.9	226473
	Alcohol	12	114724	12	124139	12	238863
Age of Onset	Tobacco	11	114839	12	124288	12	239127
	Marijuana	13	114641	13	124236	13	238877
Perception	Alcohol	40.4	104124	48.9	116212	44.9	220336
of Peer	Tobacco	41.6	104238	55.7	116326	49.0	220564
Disapproval	Marijuana	50.1	103941	62.2	116046	56.5	219987
	Combined	52.8	105267	65.3	117079	59.4	222346
	Alcohol	49.5	108280	54.3	118834	52.0	227114
Availability	Tobacco	52.1	108628	51.2	119072	51.6	227700
	Marijuana	32.5	107093	31.9	117586	32.2	224679
	Combined	58.5	109003	60.2	119403	59.4	228406
Perception	Alcohol	56.6	116604	54.9	125678	55.7	242282
of	Tobacco	41.7	116792	45.8	125753	43.8	242545
Peer Use	Illicit	60.3	115967	61.8	124965	61.1	240932
	Combined	68.3	117633	68.4	126362	68.3	243995

Geno
þ
Measures
Outcomes
6.20:

	Native Combined	American Other Races	и % I и % I и %	26.6 3494 29.8 7703 22.7 253866	24.9 3502 24.6 7713 19.6 254498	14.3 3444 19.9 7607 11.0 251355	33.6 3507 35.4 7736 28.7 254900	73.8 3503 68.8 7718 74.1 253682	80.5 3509 81.3 7726 85.2 254125	77.5 3480 70.6 7652 80.4 251701	89.6 3511 86.9 7746 92.3 254344	68.2 3205 67.1 6997 75.6 234667	67.4 3201 69.4 6990 76.9 234943	72.6 3199 71.8 6983 80.4 234413	75.7 3238 74.9 7066 82.7 236655	11 3429 11 7537 12 249821	11 3426 11 7559 12 250086	12 3430 12 7537 13 249805	42.1 3100 38.2 6800 44.7 230050	42.9 3108 41.9 6807 48.8 230320	52.0 3099 45.6 6793 56.2 229692	55.3 3137 49.7 6880 59.2 23222	49.5 3252 56.4 7108 52.1 237389	52.0 3269 53.9 7135 51.7 238029	31.7 3213 40.3 7020 32.4 234847	58.6 3279 62.8 7160 59.5 238765	56.3 3487 51.4 7661 55.4 253455	42.1 3496 40.2 7679 43.6 253744	62.6 3459 51.9 7628 60.8 252045	69.1 3519 60.7 7738 68.1 255279
es by Race	Asian-	American	u %	23.8 3029 2	19.4 3046 2	16.8 3006 1	26.5 3056 3	70.1 3039 7	3041	76.4 3008 7	86.3 3047 8	70.0 2796 6	71.6 2808 6	2796	75.7 2821 7	12 2993	3004	12 2990	47.8 2768 4	52.3 2776 4	54.9 2763 5	58.1 2794 5	9 2853	2865	29.5 2820 3	54.5 2875 5	59.7 3040 5	51.3 3041 4	2 3031	69.2 3062 6
Outcomes Measures by Race		Hispanic /	м И	5905 23	5925 19	5860 16	5937 26	5911 70	5934 81.7	5869 76	5939 86	5380 70	5376 71	5365 73.7	5416 75	5842 1:	5851 11	5848 1	5224 47	5217 52	5216 54	5270 58	5517 49.	5529 47.7		5548 54	5926 59	5932 51	5893 62.	5963 69
			%	76 21.7	13 17.0	64 13.0	62 25.1	03 69.6	68 77.1	40 74.8	59 84.1	66 62.4	37 63.4	59 66.2	82 68.5	60 11	33 11	23 12	13 41.1	41 43.8	40 47.5	48 51.1	65 45.4	28 43.1	38 28.7	91 50.8	52 60.4	04 49.7	62 63.8	93 71.2
Table 6.21	African-	American	u %	21.3 76776	12.5 77013	11.5 75964	25.4 77162	77.2 77103	87.5 77268	77.7 76340	92.9 77359	68.2 68866	70.1 68937	70.9 68859	73.8 69582	11 74860	12 75033	13 74923	40.7 66713	45.2 66741	45.5 66640	50.6 67448	46.4 70365	39.4 70528	30.1 69638	51.8 70791	60.3 76852	52.0 76904	60.8 76362	71.5 77493
	Caucasian-	ierican	۲	156959	157299	155474	157502	156408	156647	155352	156742	147423	147631	147211	148532	155160	155213	155077	145445	145671	145181	146693	148294	148703	146705	149112	156489	156692	155672	157504
	Cau	Ame	%	23.0	22.8	10.1	30.1	73.0	84.7	82.7	92.7	80.2	81.2	86.0	88.0	12	12	13	46.9	50.9	62.1	63.9	55.0	57.9	33.3	63.5	53.0	39.3	61.1	66.6
		Substance		Alcohol	Tobacco	Marijuana	Combined	Alcohol	Tobacco	Marijuana	Combined	Alcohol	Tobacco	Marijuana	Combined	Alcohol	Tobacco	Marijuana	Alcohol	Tobacco	Marijuana	Combined	Alcohol	Tobacco	Marijuana	Combined	Alcohol	Tobacco	Illicit	Combined
		Outcomes			30-Day Use			Perception	of	Risk		Perception	of Parental	Disapproval			Age of Onset		Perception	of Peer	Disapproval			Availability			Perception	of	Peer Use	

Chapter 7

Percentage Tables

This chapter contains your school survey results in tabular form. Each table corresponds to an item on the questionnaire. The tables contain percentage data by grade level, *Junior High* (grades 6 through 8), *Senior High* (grades 9 through 12), and *Total*. The *N* of *Valid* column contains the number of students responding to the item and the *N* of *Missing* column contains the number of students not responding to the item. The remaining columns contain the percentages of students responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the questionnaire. The Table of Contents contains the percentage tables by section and gives the page number where each section is located. The List of Tables contains the location of each individual table.

The last section of tables presents the frequency of drug use *How Often Do You Use* data with the categories *collapsed* as follows:

Daily Use	-	Every Day
Weekly Use	-	Once/Week + 3 Times/Week + Every Day
Monthly Use	-	Once/Month + Twice/Month + Once/Week + 3 Times/Week
		+ Every Day
Annual Use	-	Once/Year + 6 Times/Year + Once/Month + Twice/Month +
		Once/Week + 3 Times/Week + Every Day

Three additional drug use categories have been created for the question *How Often Do You Use* by combining the existing data. A *Tobacco Use* category was created by looking at the responses on each questionnaire on the tobacco categories and taking the highest value as the value for *Tobacco Use*. The *Alcohol Use* category was created by looking at the responses on each questionnaire on the alcohol categories. The category of *Illicit Drug Use* was created in the same way by looking at the illicit drug

categories. Therefore, the *Tobacco Use* category represents any tobacco use regardless of the type of tobacco, the *Alcohol Use* category represents any alcohol use regardless of the type of alcohol and the *Illicit Drug Use* category represents any illicit drug use regardless of the type of drug.

7.1 Personal & Family Information

	Table 7.1: Ethnic Origin								
Grade	N of	N of		African	Hispanic	Asian	Native	Mixed	
Level	Valid	Miss	White	American	Latino	PaclsIndr	American	Origin	Other
6th	46051	763	58.9	32.3	2.7	1.0	1.7	2.3	1.1
7th	45010	708	60.2	31.7	2.6	1.1	1.6	2.0	0.8
8th	42536	672	60.7	31.4	2.4	1.1	1.4	2.3	0.8
9th	40280	523	61.4	30.6	2.4	1.2	1.2	2.3	0.9
10th	35063	395	62.0	30.5	2.2	1.2	1.2	2.0	0.9
11th	29366	293	63.3	29.4	1.8	1.3	1.1	2.0	1.0
12th	22056	228	65.9	26.1	2.0	1.7	1.2	1.8	1.3
Jr Hi	133597	2143	59.9	31.8	2.6	1.1	1.6	2.2	0.9
Sr Hi	126765	1439	62.8	29.5	2.1	1.3	1.2	2.1	1.0
Total	260362	3582	61.3	30.7	2.4	1.2	1.4	2.1	0.9

Table 7.2: Sex N of Grade N of Valid Level Miss Male Female 6th 44856 1958 50.2 49.8 49.6 7th 43254 2464 50.4 40637 2571 48.7 8th 51.3 48.3 9th 38115 2688 51.7 2227 10th 33231 47.1 52.9 11th 27847 1812 46.6 53.4 12th 20808 1476 47.3 52.7 50.5 Jr Hi 128747 49.5 6993

8203

15196

47.4

48.5

52.6

51.5

Sr Hi

Total

120001

248748

						0 -					
N of	N of										
Valid	Miss	-10	11	12	13	14	15	16	17	18	19+
46482	332	0.3	21.8	61.3	14.1	1.3	0.1	0.1	0.1	0.1	0.8
45387	331	0.0	0.1	19.9	61.8	15.5	2.2	0.2	0.1	0.0	0.2
42832	376	0.0	0.0	0.1	21.1	61.8	15.0	1.6	0.1	0.1	0.2
40588	215	0.1	0.0	0.0	0.1	21.6	62.9	13.2	1.6	0.2	0.3
35313	145	0.1	0.0	0.0	0.0	0.1	24.5	63.0	11.1	0.9	0.2
29541	118	0.1	0.1	0.0	0.0	0.0	0.1	26.5	63.1	9.2	0.9
22213	71	0.8	0.1	0.1	0.0	0.1	0.1	0.3	27.2	62.5	8.8
134701	1039	0.2	7.6	27.9	32.4	25.3	5.6	0.6	0.1	0.1	0.4
127655	549	0.2	0.0	0.0	0.1	6.9	26.8	27.8	22.9	13.3	1.9
262356	1588	0.2	3.9	14.3	16.6	16.4	15.9	13.8	11.2	6.5	1.1
	Valid 46482 45387 42832 40588 35313 29541 22213 134701 127655	ValidMiss46482332453873314283237640588215353131452954111822213711347011039127655549	ValidMiss-10464823320.3453873310.0428323760.0405882150.1353131450.1295411180.122213710.813470110390.21276555490.2	ValidMiss-1011464823320.321.8453873310.00.1428323760.00.0405882150.10.0353131450.10.0295411180.10.12213710.80.113470110390.27.61276555490.20.0	ValidMiss-101112464823320.321.861.3453873310.00.119.9428323760.00.00.1405882150.10.00.0353131450.10.00.0295411180.10.10.02213710.80.10.113470110390.27.627.91276555490.20.00.0	N of N of Valid Miss -10 11 12 13 46482 332 0.3 21.8 61.3 14.1 45387 331 0.0 0.1 19.9 61.8 42832 376 0.0 0.0 0.1 21.1 40588 215 0.1 0.0 0.0 0.1 35313 145 0.1 0.0 0.0 0.0 29541 118 0.1 0.1 0.0 0.0 22213 71 0.8 0.1 0.1 0.0 134701 1039 0.2 7.6 27.9 32.4 127655 549 0.2 0.0 0.0 0.1	N of Valid N of Miss -10 11 12 13 14 46482 332 0.3 21.8 61.3 14.1 1.3 45387 331 0.0 0.1 19.9 61.8 15.5 42832 376 0.0 0.0 0.1 21.1 61.8 40588 215 0.1 0.0 0.0 0.1 21.6 35313 145 0.1 0.0 0.0 0.1 21.6 35313 145 0.1 0.0 0.0 0.1 21.6 35313 145 0.1 0.0 0.0 0.1 21.6 35313 145 0.1 0.0 0.0 0.1 21.6 29541 118 0.1 0.1 0.0 0.0 0.1 22213 71 0.8 0.1 0.1 0.0 0.1 134701 1039 0.2 7.6 27.9 32.4 25.3	N of Valid N of Miss -10 11 12 13 14 15 46482 332 0.3 21.8 61.3 14.1 1.3 0.1 45387 331 0.0 0.1 19.9 61.8 15.5 2.2 42832 376 0.0 0.0 0.1 21.1 61.8 15.0 40588 215 0.1 0.0 0.0 0.1 21.6 62.9 35313 145 0.1 0.0 0.0 0.1 24.5 29541 118 0.1 0.1 0.0 0.0 0.1 24.5 29541 118 0.1 0.1 0.0 0.0 0.1 0.1 22213 71 0.8 0.1 0.1 0.0 0.1 0.1 134701 1039 0.2 7.6 27.9 32.4 25.3 5.6 127655 549 0.2 0.0 0.0 0.1 6.	N of Valid N of Miss -10 11 12 13 14 15 16 46482 332 0.3 21.8 61.3 14.1 1.3 0.1 0.1 45387 331 0.0 0.1 19.9 61.8 15.5 2.2 0.2 42832 376 0.0 0.0 0.1 21.1 61.8 15.0 1.6 40588 215 0.1 0.0 0.0 0.1 21.6 62.9 13.2 35313 145 0.1 0.0 0.0 0.1 24.5 63.0 29541 118 0.1 0.1 0.0 0.0 0.1 26.5 22213 71 0.8 0.1 0.1 0.0 0.1 0.3 134701 1039 0.2 7.6 27.9 32.4 25.3 5.6 0.6 127655 549 0.2 0.0 0.0 0.1 6.9 26.8	N of Valid N of Miss -10 11 12 13 14 15 16 17 46482 332 0.3 21.8 61.3 14.1 1.3 0.1 0.1 0.1 45387 331 0.0 0.1 19.9 61.8 15.5 2.2 0.2 0.1 42832 376 0.0 0.0 0.1 21.1 61.8 15.0 1.6 0.1 40588 215 0.1 0.0 0.0 0.1 21.6 62.9 13.2 1.6 35313 145 0.1 0.0 0.0 0.1 24.5 63.0 11.1 29541 118 0.1 0.1 0.0 0.0 0.1 26.5 63.1 22213 71 0.8 0.1 0.1 0.0 0.1 0.3 27.2 134701 1039 0.2 7.6 27.9 32.4 25.3 5.6 0.6 0.1	N of Valid N of Miss -10 11 12 13 14 15 16 17 18 46482 332 0.3 21.8 61.3 14.1 1.3 0.1 0.1 0.1 0.1 45387 331 0.0 0.1 19.9 61.8 15.5 2.2 0.2 0.1 0.0 42832 376 0.0 0.0 0.1 21.1 61.8 15.0 1.6 0.1 0.1 40588 215 0.1 0.0 0.0 0.1 21.6 62.9 13.2 1.6 0.2 35313 145 0.1 0.0 0.0 0.1 24.5 63.0 11.1 0.9 29541 118 0.1 0.1 0.0 0.0 0.1 26.5 63.1 9.2 22213 71 0.8 0.1 0.1 0.0 0.1 0.1 0.3 27.2 62.5 134701 1039

Table 7.3: Age

Table 7.4: Do you live with:

Grade	N of	N of	Both	Mother	Father	Mother &	Father &	
Level	Valid	Miss	Parents	Only	Only	Stepfather	Stepmother	Other
6th	46190	624	49.3	21.0	2.6	16.1	3.0	8.1
7th	45172	546	47.6	21.9	3.0	16.7	3.4	7.4
8th	42670	538	47.1	22.1	3.1	16.8	3.6	7.4
9th	40421	382	47.7	22.3	3.3	15.8	3.7	7.2
10th	35189	269	48.9	21.7	3.5	15.1	3.6	7.2
11th	29475	184	49.8	22.1	3.5	13.7	3.6	7.4
12th	22139	145	50.9	20.4	3.5	12.7	3.3	9.3
Jr Hi	134032	1708	48.0	21.6	2.9	16.5	3.3	7.6
Sr Hi	127224	980	49.1	21.8	3.4	14.6	3.6	7.6
Total	261256	2688	48.5	21.7	3.1	15.6	3.5	7.6

Table 7.5: Do you have a job?

Grade	N of	N of	Yes,	Yes,	
Level	Valid	Miss	Full-time	Part-time	No
6th	45406	1408	1.5	11.7	86.8
7th	44163	1555	1.3	13.2	85.6
8th	41558	1650	1.2	14.8	83.9
9th	39354	1449	1.4	16.4	82.2
10th	34254	1204	2.0	27.3	70.6
11th	28601	1058	2.6	42.6	54.8
12th	21397	887	5.0	51.1	43.9
Jr Hi	131127	4613	1.3	13.2	85.5
Sr Hi	123606	4598	2.5	31.5	66.0
Total	254733	9211	1.9	22.1	76.0

	Table 7.0	: Does ye	our father h	ave a job?	
Grade	N of	N of	Yes,	Yes,	
Level	Valid	Miss	Full-time	Part-time	No
6th	42201	4613	76.3	14.4	9.2
7th	41021	4697	79.3	11.6	9.1
8th	39055	4153	81.5	9.0	9.5
9th	36916	3887	83.3	6.9	9.8
10th	32355	3103	84.8	5.1	10.0
11th	27182	2477	85.7	4.0	10.3
12th	20686	1598	84.7	3.5	11.9
Jr Hi	122277	13463	79.0	11.7	9.3
Sr Hi	117139	11065	84.5	5.1	10.4
Total	239416	24528	81.7	8.5	9.8

Table 7.6: Does your father have a job?

Table 7.7: Does your mother have a job?	other have a job?	our mother	Table 7.7: Does
---	-------------------	------------	-----------------

		5		J	
Grade	N of	N of	Yes,	Yes,	
Level	Valid	Miss	Full-time	Part-time	No
6th	43074	3740	55.9	21.8	22.3
7th	42244	3474	58.1	19.6	22.3
8th	40123	3085	61.3	17.4	21.2
9th	37824	2979	63.2	15.1	21.7
10th	33105	2353	65.4	13.4	21.2
11th	27770	1889	67.6	11.9	20.6
12th	20902	1382	66.8	11.0	22.2
Jr Hi	125441	10299	58.4	19.7	21.9
Sr Hi	119601	8603	65.4	13.2	21.4
Total	245042	18902	61.8	16.5	21.7

Table 7.8: What is the educational level of your father?

Grade	N of	N of	Some High	High School	Some	College
Level	Valid	Miss	School	Graduate	College	Graduate
6th	38034	8780	17.7	32.1	14.8	35.3
7th	37963	7755	18.1	32.9	15.5	33.5
8th	36648	6560	18.2	34.6	16.6	30.6
9th	34749	6054	18.1	34.1	16.2	31.7
10th	30700	4758	16.9	34.4	17.0	31.7
11th	25905	3754	15.6	34.1	17.9	32.3
12th	19758	2526	16.8	32.8	17.6	32.8
Jr Hi	112645	23095	18.0	33.2	15.6	33.2
Sr Hi	111112	17092	17.0	33.9	17.0	32.1
Total	223757	40187	17.5	33.6	16.3	32.6

	Table 7.9. What is the educational level of your mother?						
Grade	N of	N of	Some High	High School	Some	College	
Level	Valid	Miss	School	Graduate	College	Graduate	
6th	40217	6597	14.5	26.7	18.7	40.0	
7th	40149	5569	14.7	27.7	19.8	37.8	
8th	38697	4511	14.9	28.2	21.4	35.6	
9th	36859	3944	14.5	28.4	21.1	36.1	
10th	32423	3035	13.2	28.7	22.5	35.6	
11th	27243	2416	12.8	28.5	22.4	36.3	
12th	20497	1787	13.2	28.2	22.2	36.4	
Jr Hi	119063	16677	14.7	27.5	20.0	37.8	
Sr Hi	117022	11182	13.5	28.5	22.0	36.0	
Total	236085	27859	14.1	28.0	21.0	36.9	

Table 7.9: What is the educational level of your mother?

7.2 Student Characteristics

			0. 20).		oou graues:		
Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	46568	246	1.3	2.4	33.2	32.2	30.9
7th	45513	205	1.4	3.5	34.0	32.3	28.8
8th	43017	191	1.5	3.5	32.1	33.9	29.0
9th	40579	224	1.9	3.7	31.6	34.9	27.9
10th	35273	185	1.7	2.9	29.2	36.5	29.7
11th	29519	140	1.5	2.5	27.3	38.1	30.6
12th	22120	164	2.1	2.4	24.2	37.1	34.3
Jr Hi	135098	642	1.4	3.1	33.1	32.8	29.6
Sr Hi	127491	713	1.8	3.0	28.7	36.5	30.1
Total	262589	1355	1.6	3.0	30.9	34.6	29.9

Table 7.10: Do you make good grades?

Table 7.11: Do you get into trouble at school?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	46422	392	24.6	33.2	30.1	7.0	5.2
7th	45375	343	25.7	35.3	26.6	7.3	5.1
8th	42939	269	25.4	38.0	25.0	7.1	4.5
9th	40438	365	32.8	39.2	19.6	4.9	3.6
10th	35167	291	39.2	38.4	16.0	3.7	2.8
11th	29431	228	45.6	36.3	13.1	3.0	2.1
12th	22073	211	51.2	32.6	10.9	2.2	3.1
Jr Hi	134736	1004	25.2	35.4	27.3	7.1	4.9
Sr Hi	127109	1095	40.7	37.1	15.6	3.7	2.9
Total	261845	2099	32.7	36.3	21.6	5.4	4.0

	Table 7.12. Do you take part in school sports teams!								
Grade	N of	N of					А		
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot		
6th	44898	1916	39.0	8.8	15.1	12.0	25.0		
7th	44338	1380	31.5	11.8	16.0	13.3	27.4		
8th	42078	1130	30.3	13.0	15.4	13.2	28.1		
9th	39588	1215	31.9	13.1	14.7	12.7	27.6		
10th	34360	1098	34.5	13.5	14.1	11.7	26.1		
11th	28860	799	37.0	13.2	13.4	11.4	25.0		
12th	21660	624	38.6	13.5	13.9	11.3	22.7		
Jr Hi	131314	4426	33.7	11.2	15.5	12.8	26.8		
Sr Hi	124468	3736	34.9	13.3	14.1	11.9	25.7		
Total	255782	8162	34.3	12.2	14.8	12.4	26.3		

Table 7.12: Do you take part in school sports teams?

Table 7.13: Do you take part in school activities such as band, clubs, etc?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	46121	693	40.8	8.8	12.8	12.2	25.4
7th	45323	395	36.8	11.2	13.8	13.4	24.8
8th	42847	361	34.6	13.2	15.7	14.0	22.5
9th	40414	389	33.5	14.1	17.1	14.4	21.0
10th	35089	369	30.4	13.1	17.4	15.6	23.4
11th	29388	271	27.0	12.7	18.8	16.2	25.3
12th	22009	275	24.8	12.4	19.7	17.5	25.7
Jr Hi	134291	1449	37.5	11.0	14.1	13.2	24.3
Sr Hi	126900	1304	29.6	13.2	18.0	15.7	23.5
Total	261191	2753	33.7	12.1	16.0	14.4	23.9

Table 7.14: Do you take part in community activities such as scouts, rec. teams, youth clubs, etc?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45917	897	43.0	11.1	13.8	11.7	20.4
7th	45050	668	43.4	14.2	15.2	11.6	15.5
8th	42644	564	42.5	16.3	16.4	11.3	13.5
9th	40186	617	41.1	17.5	17.3	11.9	12.2
10th	34948	510	39.7	17.9	18.3	12.1	11.9
11th	29286	373	37.2	18.5	19.2	12.5	12.7
12th	21925	359	35.7	18.6	20.0	12.6	13.1
Jr Hi	133611	2129	43.0	13.8	15.1	11.5	16.6
Sr Hi	126345	1859	38.9	18.1	18.5	12.2	12.4
Total	259956	3988	41.0	15.9	16.8	11.9	14.5

	Table 7.	15. D0	you alle		i, synagogue,	elC.!	
Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45722	1092	7.1	6.9	17.5	18.2	50.3
7th	44874	844	7.2	8.5	17.8	19.4	47.1
8th	42485	723	8.0	9.8	18.5	19.5	44.1
9th	40011	792	9.2	10.7	19.3	19.1	41.7
10th	34732	726	10.0	11.3	19.0	19.1	40.5
11th	29110	549	10.5	12.2	19.6	18.9	38.7
12th	21848	436	11.9	13.1	20.4	18.8	35.8
Jr Hi	133081	2659	7.4	8.4	17.9	19.0	47.2
Sr Hi	125701	2503	10.2	11.7	19.5	19.0	39.6
Total	258782	5162	8.8	10.0	18.7	19.0	43.5

Table 7.15: Do you attend church, synagogue, etc.?

Table 7.16: Have you threatened to harm a teacher?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45614	1200	93.7	2.6	1.5	0.7	1.5
7th	44608	1110	91.2	4.2	2.1	1.0	1.5
8th	42239	969	89.5	5.2	2.5	1.1	1.6
9th	39675	1128	88.8	5.5	2.8	1.0	1.9
10th	34437	1021	89.2	5.2	2.6	1.1	2.0
11th	28905	754	89.6	4.8	2.7	1.1	1.7
12th	21643	641	88.9	4.1	2.9	1.3	2.8
Jr Hi	132461	3279	91.5	4.0	2.0	0.9	1.5
Sr Hi	124660	3544	89.1	5.0	2.7	1.1	2.0
Total	257121	6823	90.4	4.5	2.4	1.0	1.8

Table 7.17: Have you threatened to harm one or both of your parents, guardians, etc.?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	46286	528	93.4	3.0	1.6	0.6	1.3
7th	45259	459	91.8	4.1	2.0	0.9	1.2
8th	42814	394	89.2	5.7	2.6	1.0	1.4
9th	40323	480	87.9	6.2	3.1	1.2	1.6
10th	35048	410	88.0	6.2	3.0	1.1	1.7
11th	29333	326	88.5	5.9	2.9	1.0	1.6
12th	21981	303	88.7	4.7	2.8	1.3	2.5
Jr Hi	134359	1381	91.5	4.2	2.1	0.8	1.3
Sr Hi	126685	1519	88.2	5.9	3.0	1.1	1.8
Total	261044	2900	89.9	5.0	2.5	1.0	1.5

	j			5			
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	46159	655	16.8	13.1	25.4	18.9	25.8
7th	45200	518	18.1	15.7	25.3	18.4	22.5
8th	42743	465	20.3	18.9	26.5	16.9	17.4
9th	40318	485	22.1	20.3	27.0	15.8	14.9
10th	35043	415	23.1	22.1	27.1	14.9	12.8
11th	29306	353	24.7	22.5	27.5	13.7	11.5
12th	21956	328	27.1	22.8	26.5	12.7	10.9
Jr Hi	134102	1638	18.3	15.8	25.7	18.1	22.0
Sr Hi	126623	1581	23.8	21.7	27.1	14.5	12.8
Total	260725	3219	21.0	18.7	26.4	16.4	17.6

Table 7.18: Do your parents talk with you about the problems of tobacco use?

Table 7.19: Do your parents talk with you about the problems of alcohol use?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	46289	525	16.5	13.5	24.2	19.5	26.2
7th	45260	458	18.2	16.4	24.3	18.6	22.6
8th	42815	393	20.8	18.9	25.8	17.0	17.5
9th	40300	503	21.7	20.4	26.4	16.0	15.4
10th	35019	439	22.3	21.7	26.9	15.3	13.7
11th	29310	349	23.0	22.1	28.0	14.7	12.2
12th	21945	339	24.7	22.3	27.5	13.8	11.7
Jr Hi	134364	1376	18.4	16.2	24.8	18.4	22.2
Sr Hi	126574	1630	22.7	21.5	27.1	15.1	13.6
Total	260938	3006	20.5	18.8	25.9	16.8	18.0

Table 7.20: Do your parents talk with you about the problems of drug use?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	46179	635	13.9	11.7	22.6	19.7	32.1
7th	45183	535	15.2	14.3	23.2	19.5	27.8
8th	42677	531	17.7	17.0	25.0	18.4	22.0
9th	40206	597	19.2	18.5	25.6	17.4	19.2
10th	34969	489	20.3	20.2	26.3	16.6	16.5
11th	29259	400	21.7	20.6	27.3	15.7	14.7
12th	21903	381	24.1	21.2	26.1	14.8	13.9
Jr Hi	134039	1701	15.6	14.3	23.6	19.2	27.4
Sr Hi	126337	1867	20.9	19.9	26.3	16.4	16.5
Total	260376	3568	18.2	17.0	24.9	17.8	22.1

				,			
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45978	836	14.3	16.2	26.9	21.1	21.5
7th	45042	676	16.7	19.6	28.4	19.1	16.3
8th	42625	583	18.9	23.2	28.9	16.4	12.5
9th	40129	674	24.0	26.4	27.5	12.7	9.3
10th	34913	545	22.9	26.8	29.2	12.7	8.3
11th	29202	457	26.5	29.0	27.8	9.9	6.8
12th	21886	398	28.5	29.2	26.6	8.9	6.8
Jr Hi	133645	2095	16.6	19.6	28.1	18.9	16.9
Sr Hi	126130	2074	25.1	27.6	27.9	11.4	8.0
Total	259775	4169	20.7	23.5	28.0	15.3	12.6

Table 7.21: Do your teachers talk with you about the problems of alcohol use?

Table 7.22: Do your teachers talk with you about the problems of drug use?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	46034	780	13.0	15.4	26.8	21.5	23.2
7th	45063	655	14.8	19.0	28.7	19.5	18.0
8th	42625	583	16.7	22.2	29.5	17.4	14.2
9th	40086	717	22.0	26.0	28.0	13.5	10.5
10th	34902	556	21.1	26.3	29.7	13.6	9.3
11th	29192	467	24.4	29.1	28.5	10.5	7.5
12th	21893	391	26.8	29.1	27.0	9.7	7.5
Jr Hi	133722	2018	14.8	18.8	28.3	19.5	18.6
Sr Hi	126073	2131	23.1	27.3	28.4	12.2	8.9
Total	259795	4149	18.8	22.9	28.4	16.0	13.9

Table 7.23: Does your school set clear rules on bringing a gun to school?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	46036	778	5.6	4.1	6.6	12.3	71.5
7th	45055	663	6.1	5.7	9.3	16.1	62.7
8th	42623	585	7.1	7.5	11.5	18.4	55.6
9th	40104	699	8.3	8.7	13.6	20.3	49.1
10th	34885	573	8.4	9.0	13.9	20.8	47.9
11th	29171	488	8.5	9.1	13.7	20.7	48.0
12th	21847	437	9.0	8.3	13.6	20.6	48.6
Jr Hi	133714	2026	6.3	5.7	9.1	15.5	63.5
Sr Hi	126007	2197	8.5	8.8	13.7	20.6	48.4
Total	259721	4223	7.3	7.2	11.3	18.0	56.2

	Table 1.21. Does your school set clear rules on using drugs at school.						
Grade	N of	N of					A
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45870	944	5.2	3.7	6.9	13.3	70.9
7th	44892	826	5.7	5.3	9.7	17.2	62.1
8th	42467	741	6.4	6.9	11.9	19.6	55.1
9th	39953	850	7.4	8.3	14.4	21.6	48.4
10th	34735	723	7.3	8.4	14.6	22.5	47.2
11th	29079	580	7.3	8.4	14.7	22.1	47.6
12th	21761	523	7.8	7.5	14.3	21.9	48.6
Jr Hi	133229	2511	5.7	5.3	9.5	16.6	62.9
Sr Hi	125528	2676	7.4	8.2	14.5	22.0	47.9
Total	258757	5187	6.5	6.7	11.9	19.2	55.6

Table 7.24: Does your school set clear rules on using drugs at school?

Table 7.25: Does your school set clear rules on bullying or threatening other students at school?

Grade	N of	N of					A
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	46134	680	5.8	5.5	11.7	21.3	55.7
7th	45106	612	7.7	8.9	16.3	23.4	43.6
8th	42677	531	9.0	11.4	19.3	23.4	36.9
9th	40118	685	11.8	14.9	23.2	22.5	27.6
10th	34881	577	12.2	15.8	24.0	22.0	26.0
11th	29186	473	12.1	15.7	23.5	21.9	26.8
12th	21848	436	12.3	14.0	23.2	21.8	28.6
Jr Hi	133917	1823	7.5	8.5	15.7	22.7	45.6
Sr Hi	126033	2171	12.1	15.2	23.5	22.1	27.2
Total	259950	3994	9.7	11.7	19.5	22.4	36.7

Table 7.26: Does your school punish you when you break the rules?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45978	836	2.9	2.6	10.3	19.5	64.7
7th	44905	813	3.1	3.8	11.8	22.1	59.2
8th	42428	780	3.4	4.7	14.8	24.1	53.0
9th	39877	926	4.2	5.9	17.8	27.2	44.9
10th	34721	737	4.3	6.3	19.5	28.0	41.8
11th	29016	643	4.3	6.6	19.9	28.2	41.0
12th	21746	538	5.7	7.1	20.0	27.3	39.8
Jr Hi	133311	2429	3.1	3.7	12.2	21.8	59.1
Sr Hi	125360	2844	4.5	6.4	19.2	27.7	42.2
Total	258671	5273	3.8	5.0	15.6	24.7	50.9

	Table 1.21. Do your parents set clear rules for you?							
Grade	N of	N of					А	
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot	
6th	45652	1162	3.1	3.2	10.0	17.0	66.7	
7th	44431	1287	3.5	4.6	12.4	19.9	59.6	
8th	41977	1231	4.2	6.2	15.5	22.4	51.7	
9th	39369	1434	4.8	6.9	17.3	25.0	45.9	
10th	34243	1215	4.9	7.0	18.2	26.4	43.6	
11th	28671	988	4.9	7.5	19.4	26.6	41.6	
12th	21461	823	7.1	8.2	20.1	26.6	38.0	
Jr Hi	132060	3680	3.6	4.6	12.5	19.7	59.5	
Sr Hi	123744	4460	5.3	7.3	18.5	26.0	42.9	
Total	255804	8140	4.4	5.9	15.4	22.8	51.5	

Table 7.27: Do your parents set clear rules for you?

Table 7.28: Do your parents punish you when you break the rules?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	46035	779	5.2	5.5	17.0	22.2	50.0
7th	44985	733	5.7	7.4	18.6	23.4	44.9
8th	42503	705	6.8	9.7	21.5	23.4	38.7
9th	39971	832	7.3	11.0	23.2	24.4	34.0
10th	34735	723	8.0	11.3	23.9	25.1	31.8
11th	29038	621	8.3	11.5	24.7	25.0	30.4
12th	21749	535	11.2	12.7	25.4	23.9	26.7
Jr Hi	133523	2217	5.9	7.5	19.0	23.0	44.7
Sr Hi	125493	2711	8.4	11.5	24.1	24.7	31.3
Total	259016	4928	7.1	9.4	21.4	23.8	38.2

Table 7.29: Have you been in trouble with the police?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45863	951	83.8	7.9	3.7	1.8	2.8
7th	44717	1001	78.3	10.8	5.3	2.5	3.1
8th	42370	838	74.0	13.1	6.5	2.9	3.6
9th	39837	966	72.9	13.9	6.6	2.9	3.7
10th	34608	850	74.6	13.4	6.5	2.3	3.2
11th	28991	668	74.1	14.2	6.4	2.4	2.8
12th	21695	589	73.9	13.5	6.4	2.3	3.9
Jr Hi	132950	2790	78.8	10.5	5.1	2.4	3.1
Sr Hi	125131	3073	73.8	13.8	6.5	2.5	3.4
Total	258081	5863	76.4	12.1	5.8	2.4	3.3

	Table	1.30. D	o you ta	ke part m	gang activitie	:5 !	
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45931	883	89.2	3.6	2.9	1.4	2.8
7th	44894	824	87.2	4.6	3.4	1.6	3.2
8th	42455	753	85.8	5.0	3.6	2.0	3.6
9th	39965	838	86.7	4.4	3.4	1.7	3.8
10th	34769	689	88.1	3.6	3.1	1.6	3.5
11th	29087	572	89.2	3.1	3.0	1.5	3.2
12th	21770	514	88.4	2.7	3.1	1.6	4.3
Jr Hi	133280	2460	87.4	4.4	3.3	1.7	3.2
Sr Hi	125591	2613	88.0	3.6	3.2	1.6	3.7
Total	258871	5073	87.7	4.0	3.2	1.6	3.4

Table 7.30: Do you take part in gang activities?

Table 7.51. Have you thought about committing suicide!								
Grade	N of	N of					Α	
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot	
6th	45847	967	81.7	8.0	5.1	1.9	3.2	
7th	44992	726	76.8	9.8	6.5	2.5	4.4	
8th	42595	613	72.2	11.5	7.6	3.5	5.2	
9th	40003	800	71.2	11.9	8.4	3.5	5.0	
10th	34834	624	70.3	13.2	8.6	3.4	4.5	
11th	29138	521	70.7	13.3	8.7	3.1	4.2	
12th	21786	498	71.7	12.9	8.0	2.7	4.7	
Jr Hi	133434	2306	77.0	9.8	6.4	2.6	4.3	
Sr Hi	125761	2443	70.9	12.8	8.5	3.2	4.6	
Total	259195	4749	74.0	11.2	7.4	2.9	4.4	

Table 7.31: Have you thought about committing suicide?

Table 7.32: While NOT at school have you carried a gun for protection or as a weapon?

Gra	de Nof	N of					А
Lev	el Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	46056	758	87.9	4.1	3.5	1.7	2.8
7th	44930	788	84.5	5.6	4.4	2.3	3.3
8th	42473	735	82.5	6.4	5.0	2.5	3.6
9th	39922	881	81.9	6.3	5.1	2.7	4.0
10t	h 34625	833	82.3	6.0	5.2	2.5	4.0
11t	h 28943	716	82.4	6.0	5.2	2.5	3.9
12t	h 21627	657	81.7	5.6	5.4	2.5	4.8
Jr ł	li 133459	2281	85.0	5.3	4.3	2.1	3.2
Sr I	Hi 125117	3087	82.1	6.0	5.2	2.5	4.1
Tot	al 258576	5368	83.6	5.7	4.7	2.3	3.6

Table 7.33: Have you received treatment or counseling for alcohol and/or drug use?

						,	
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45715	1099	91.7	2.3	2.3	1.5	2.1
7th	44824	894	92.9	2.5	2.0	1.2	1.4
8th	42462	746	93.1	2.6	1.9	1.0	1.3
9th	39913	890	92.7	2.7	2.2	1.0	1.4
10th	34666	792	92.9	2.6	2.1	0.9	1.4
11th	29000	659	92.6	2.7	2.3	1.0	1.4
12th	21695	589	91.7	2.5	2.7	1.0	2.1
Jr Hi	133001	2739	92.6	2.5	2.1	1.3	1.6
Sr Hi	125274	2930	92.6	2.6	2.3	1.0	1.5
Total	258275	5669	92.6	2.6	2.2	1.1	1.6

	Table 7.54. Thave you been caught using alcohor:							
Grade	N of	N of					Α	
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot	
6th	45793	1021	94.0	2.6	1.5	0.7	1.3	
7th	44724	994	89.9	4.6	2.7	1.2	1.6	
8th	42342	866	85.2	6.4	4.3	1.8	2.4	
9th	39819	984	81.3	7.7	5.7	2.4	3.0	
10th	34580	878	78.8	8.9	6.6	2.5	3.2	
11th	28942	717	75.5	10.1	7.8	3.1	3.5	
12th	21637	647	71.7	10.6	9.5	3.4	4.9	
Jr Hi	132859	2881	89.8	4.5	2.8	1.2	1.7	
Sr Hi	124978	3226	77.6	9.1	7.1	2.8	3.5	
Total	257837	6107	83.9	6.7	4.9	2.0	2.6	

Table 7.34: Have you been caught using alcohol?

Table 7.35: Have you been caught using drugs?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45456	1358	96.2	1.5	0.7	0.4	1.2
7th	44430	1288	93.7	2.7	1.4	0.8	1.4
8th	42083	1125	91.1	3.5	2.3	1.2	1.8
9th	39602	1201	89.0	4.3	2.9	1.4	2.3
10th	34418	1040	88.0	4.8	3.3	1.5	2.4
11th	28803	856	87.0	5.4	3.5	1.6	2.5
12th	21559	725	85.7	5.2	4.1	1.6	3.4
Jr Hi	131969	3771	93.8	2.5	1.5	0.8	1.4
Sr Hi	124382	3822	87.7	4.8	3.4	1.5	2.6
Total	256351	7593	90.8	3.7	2.4	1.2	2.0

Table 7.36: Do you have an adult, other than your parent or guardian, that you talk to about problems?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45799	1015	23.4	12.0	21.5	14.7	28.4
7th	44721	997	24.8	13.2	21.5	14.7	25.7
8th	42396	812	24.5	13.9	22.4	15.1	24.1
9th	39824	979	25.1	13.8	23.0	15.6	22.5
10th	34572	886	24.3	13.9	23.3	15.9	22.6
11th	28908	751	24.2	13.8	23.5	16.3	22.2
12th	21607	677	25.5	13.5	23.6	16.6	20.8
Jr Hi	132916	2824	24.2	13.0	21.8	14.8	26.2
Sr Hi	124911	3293	24.7	13.8	23.3	16.0	22.2
Total	257827	6117	24.4	13.4	22.5	15.4	24.2

	Table 7.57. Do you buy of sell drugs at school?								
Grade	N of	N of					Α		
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot		
6th	45873	941	97.4	0.6	0.5	0.4	1.1		
7th	44770	948	95.1	1.6	1.3	0.6	1.4		
8th	42333	875	92.9	2.4	1.8	0.9	1.9		
9th	39769	1034	89.9	3.3	2.8	1.2	2.7		
10th	34501	957	89.0	3.7	3.0	1.4	2.8		
11th	28888	771	89.2	3.7	3.0	1.4	2.8		
12th	21587	697	88.0	3.5	3.3	1.4	3.8		
Jr Hi	132976	2764	95.2	1.5	1.2	0.6	1.5		
Sr Hi	124745	3459	89.2	3.6	3.0	1.3	2.9		
Total	257721	6223	92.3	2.5	2.1	1.0	2.2		

Table 7.37: Do you buy or sell drugs at school?

Table 7.38: Do you buy or sell drugs when NOT at school?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45819	995	96.5	0.9	0.8	0.5	1.3
7th	44682	1036	92.2	2.4	2.1	1.1	2.2
8th	42229	979	88.2	3.6	3.3	1.9	3.1
9th	39604	1199	84.7	4.4	4.6	2.3	4.0
10th	34380	1078	82.9	5.0	5.2	2.7	4.2
11th	28785	874	81.7	5.3	5.5	2.9	4.6
12th	21512	772	80.2	5.2	5.7	3.2	5.7
Jr Hi	132730	3010	92.4	2.3	2.0	1.1	2.2
Sr Hi	124281	3923	82.7	4.9	5.1	2.7	4.5
Total	257011	6933	87.7	3.5	3.5	1.9	3.3

Table 7.39: Do your friends use tobacco? (cigarettes, cigars, etc...)?

		5			(0	0	,
Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45561	1253	74.1	8.4	7.9	3.6	6.0
7th	44591	1127	57.3	11.9	13.2	6.9	10.7
8th	42231	977	42.7	13.9	17.9	10.1	15.3
9th	39696	1107	32.5	13.1	20.6	12.9	20.8
10th	34459	999	28.1	12.3	22.0	14.8	22.9
11th	28867	792	25.3	11.4	22.3	15.4	25.7
12th	21574	710	23.0	10.6	21.6	16.6	28.2
Jr Hi	132383	3357	58.4	11.3	12.9	6.8	10.6
Sr Hi	124596	3608	28.0	12.1	21.6	14.6	23.8
Total	256979	6965	43.7	11.7	17.1	10.6	17.0

Tai	ble 7.40: L	Jo your	inenas i	use alcono	i (beer, lique	or, etc)!
Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45525	1289	78.1	8.2	6.3	2.9	4.6
7th	44503	1215	60.1	13.2	12.1	6.0	8.6
8th	42221	987	42.4	15.8	18.3	10.1	13.5
9th	39625	1178	29.8	14.8	22.0	13.8	19.6
10th	34442	1016	23.6	13.5	23.9	16.9	22.2
11th	28822	837	20.5	11.8	24.4	18.1	25.2
12th	21532	752	18.8	10.4	23.9	18.5	28.4
Jr Hi	132249	3491	60.6	12.3	12.1	6.3	8.8
Sr Hi	124421	3783	24.0	13.0	23.4	16.5	23.1
Total	256670	7274	42.9	12.6	17.6	11.2	15.7

Table 7.40: Do your friends use alcohol? (beer, liquor, etc...)?

Table 7.41: Do your friends use drugs? (marijuana, cocaine, etc...)?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45160	1654	88.5	3.8	2.8	1.6	3.3
7th	44228	1490	75.6	7.7	6.6	3.7	6.4
8th	41984	1224	62.0	11.7	10.4	5.8	10.1
9th	39420	1383	50.9	14.0	13.5	8.1	13.6
10th	34258	1200	44.5	15.0	16.2	9.3	15.0
11th	28717	942	41.5	15.3	17.6	10.2	15.4
12th	21466	818	40.1	15.5	17.9	10.1	16.4
Jr Hi	131372	4368	75.7	7.6	6.5	3.7	6.5
Sr Hi	123861	4343	45.1	14.8	15.9	9.3	14.9
Total	255233	8711	60.8	11.1	11.1	6.4	10.6

Table 7.42: Do your parents set clear rules about violent TV, movies and video games?

Grade	N of	N of					A
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45926	888	28.2	15.9	21.2	13.9	20.9
7th	44826	892	37.4	18.3	19.7	11.5	13.1
8th	42442	766	46.7	19.0	16.8	9.0	8.4
9th	39801	1002	53.0	19.2	14.8	6.8	6.3
10th	34548	910	56.8	19.4	13.2	5.5	5.1
11th	28925	734	61.7	17.6	11.2	4.9	4.5
12th	21608	676	64.3	16.3	10.6	4.1	4.7
Jr Hi	133194	2546	37.2	17.7	19.3	11.5	14.3
Sr Hi	124882	3322	58.0	18.4	12.8	5.5	5.3
Total	258076	5868	47.3	18.0	16.2	8.6	9.9

Grade	N of	N of	0				Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45796	1018	93.2	2.5	1.6	0.8	2.0
7th	44756	962	86.9	4.8	3.3	1.7	3.3
8th	42330	878	79.1	7.0	5.5	2.9	5.4
9th	39712	1091	72.3	8.1	7.6	4.3	7.6
10th	34491	967	68.0	8.9	9.2	5.3	8.7
11th	28854	805	63.6	9.4	11.0	6.1	9.9
12th	21559	725	58.5	10.0	12.3	6.6	12.6
Jr Hi	132882	2858	86.6	4.7	3.4	1.8	3.5
Sr Hi	124616	3588	66.7	9.0	9.6	5.4	9.3
Total	257498	6446	77.0	6.8	6.4	3.5	6.3

Table 7.43: Have you had 5 or more glasses of beer, wine or liquor within a few hours?

Table 7.44: Have you driven a car after or while drinking alcohol??

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45608	1206	96.9	0.8	0.7	0.4	1.2
7th	44587	1131	94.9	2.0	1.2	0.6	1.4
8th	42213	995	92.5	2.8	1.8	1.0	1.9
9th	39582	1221	89.2	4.1	2.9	1.3	2.5
10th	34392	1066	84.4	6.7	3.9	1.9	3.1
11th	28775	884	75.9	11.0	6.2	2.8	4.1
12th	21514	770	67.7	14.4	8.4	3.4	6.1
Jr Hi	132408	3332	94.8	1.8	1.2	0.7	1.5
Sr Hi	124263	3941	81.1	8.2	4.9	2.2	3.7
Total	256671	7273	88.2	4.9	3.0	1.4	2.6

Table 7.45: Do you surf the internet for fun?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45400	1414	29.2	12.1	20.3	11.9	26.5
7th	44493	1225	25.4	13.0	20.6	12.9	28.0
8th	42223	985	21.0	12.8	21.6	14.3	30.3
9th	39576	1227	20.4	13.1	23.0	15.1	28.5
10th	34386	1072	20.9	14.7	24.1	14.7	25.6
11th	28784	875	21.8	16.0	24.2	14.6	23.4
12th	21497	787	22.5	16.1	24.3	14.4	22.7
Jr Hi	132116	3624	25.3	12.6	20.8	13.0	28.2
Sr Hi	124243	3961	21.2	14.7	23.8	14.8	25.5
Total	256359	7585	23.3	13.7	22.3	13.8	26.9

	Table 7.4	O. Hav	e you ski	pped scho	or in the past	year!	
Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45536	1278	85.0	7.6	3.6	1.4	2.4
7th	44487	1231	79.1	10.0	5.2	2.1	3.5
8th	42105	1103	72.4	12.6	7.3	2.8	4.9
9th	39514	1289	65.7	14.6	9.4	3.7	6.6
10th	34300	1158	59.3	16.6	11.7	4.8	7.7
11th	28712	947	52.1	18.2	14.2	6.1	9.4
12th	21486	798	40.1	19.9	18.2	8.4	13.4
Jr Hi	132128	3612	79.0	10.0	5.3	2.1	3.6
Sr Hi	124012	4192	56.3	16.9	12.7	5.4	8.7
Total	256140	7804	68.0	13.3	8.9	3.7	6.1

Table 7.46: Have you skipped school in the past year?

Table 7.47: Have you seen ads on TV that encourage NO drug use?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	45437	1377	15.7	12.3	19.9	16.3	35.9
7th	44444	1274	14.8	13.2	20.7	17.6	33.6
8th	42120	1088	14.2	13.5	22.1	19.2	30.9
9th	39491	1312	13.5	12.3	23.0	20.7	30.5
10th	34313	1145	12.4	12.8	24.0	22.2	28.5
11th	28721	938	11.8	11.7	25.2	23.1	28.2
12th	21447	837	12.6	11.5	25.9	23.0	27.0
Jr Hi	132001	3739	14.9	13.0	20.9	17.7	33.5
Sr Hi	123972	4232	12.7	12.1	24.3	22.1	28.8
Total	255973	7971	13.8	12.6	22.5	19.8	31.2

Table 7.48: Does your school have a security officer?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	45014	1800	49.8	50.2
7th	43986	1732	55.6	44.4
8th	41702	1506	55.1	44.9
9th	39181	1622	66.9	33.1
10th	34102	1356	67.4	32.6
11th	28587	1072	67.8	32.2
12th	21379	905	66.4	33.6
Jr Hi	130702	5038	53.4	46.6
Sr Hi	123249	4955	67.2	32.8
Total	253951	9993	60.1	39.9

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	44913	1901	64.9	35.1
7th	43960	1758	61.7	38.3
8th	41642	1566	55.3	44.7
9th	39088	1715	59.0	41.0
10th	34035	1423	57.4	42.6
11th	28539	1120	55.8	44.2
12th	21319	965	53.3	46.7
Jr Hi	130515	5225	60.7	39.3
Sr Hi	122981	5223	56.8	43.2
Total	253496	10448	58.8	41.2

Table 7.49: Do you think your school needs a security officer?

Table 7.50: Does your school have a drug screening program?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	43244	3570	30.7	69.3
7th	42734	2984	35.5	64.5
8th	40799	2409	33.2	66.8
9th	38161	2642	35.8	64.2
10th	33401	2057	34.5	65.5
11th	28061	1598	34.0	66.0
12th	21091	1193	36.6	63.4
Jr Hi	126777	8963	33.1	66.9
Sr Hi	120714	7490	35.2	64.8
Total	247491	16453	34.1	65.9

Table 7.51: Does your school's drug screening program include all students?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	41204	5610	25.5	74.5
7th	41170	4548	26.5	73.5
8th	39624	3584	21.5	78.5
9th	37118	3685	18.8	81.2
10th	32672	2786	15.3	84.7
11th	27467	2192	13.9	86.1
12th	20598	1686	13.9	86.1
Jr Hi	121998	13742	24.5	75.5
Sr Hi	117855	10349	15.8	84.2
Total	239853	24091	20.2	79.8

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	41612	5202	23.4	76.6
7th	41407	4311	26.1	73.9
8th	39861	3347	23.2	76.8
9th	37458	3345	23.2	76.8
10th	32967	2491	22.8	77.2
11th	27710	1949	22.5	77.5
12th	20794	1490	24.1	75.9
Jr Hi	122880	12860	24.3	75.7
Sr Hi	118929	9275	23.1	76.9
Total	241809	22135	23.7	76.3

Table 7.52: If your school does not screen all students, do you participate in an activity that is part of the drug screening program?

Table 7.53: Have you been screened for drugs at school?

	5			
Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	43598	3216	8.8	91.2
7th	43083	2635	13.3	86.7
8th	41056	2152	14.9	85.1
9th	38535	2268	15.5	84.5
10th	33707	1751	15.5	84.5
11th	28262	1397	16.7	83.3
12th	21176	1108	19.5	80.5
Jr Hi	127737	8003	12.3	87.7
Sr Hi	121680	6524	16.5	83.5
Total	249417	14527	14.3	85.7

Table 7.54: Does you school have a student assistance program?

3				
Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	41869	4945	48.7	51.3
7th	41678	4040	49.7	50.3
8th	40051	3157	46.7	53.3
9th	37398	3405	48.0	52.0
10th	32927	2531	44.3	55.7
11th	27704	1955	40.5	59.5
12th	20732	1552	37.8	62.2
Jr Hi	123598	12142	48.4	51.6
Sr Hi	118761	9443	43.4	56.6
Total	242359	21585	46.0	54.0

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	42010	4804	16.2	83.8
7th	41847	3871	14.1	85.9
8th	40117	3091	12.9	87.1
9th	37532	3271	10.6	89.4
10th	33013	2445	9.7	90.3
11th	27752	1907	9.7	90.3
12th	20797	1487	10.6	89.4
Jr Hi	123974	11766	14.4	85.6
Sr Hi	119094	9110	10.2	89.8
Total	243068	20876	12.3	87.7

Table 7.55: Have you participated in the student assistance program?

Table 7.56: If you particiated, was the student assistance program helpful?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	37125	9689	30.7	69.3
7th	37052	8666	24.1	75.9
8th	35878	7330	18.7	81.3
9th	32865	7938	15.8	84.2
10th	29088	6370	13.5	86.5
11th	24680	4979	12.7	87.3
12th	18360	3924	13.2	86.8
Jr Hi	110055	25685	24.6	75.4
Sr Hi	104993	23211	14.0	86.0
Total	215048	48896	19.4	80.6

7.3 Harmful To Health

abi	e 7.57:	Do you lee	er that	using cig	arelles	is narmiul	to your near	un
	Grade	N of	N of	No	Some		Very	
	Level	Valid	Miss	Harm	Harm	Harmful	Harmful	
	6th	45636	1178	4.8	10.8	32.5	51.9	
	7th	44557	1161	5.8	15.7	32.6	46.0	
	8th	42200	1008	6.4	18.4	32.7	42.4	
	9th	39483	1320	6.9	18.7	31.4	43.0	
	10th	34384	1074	5.9	16.2	30.5	47.4	
	11th	28716	943	5.5	15.6	30.2	48.6	
	12th	21438	846	6.3	15.1	30.3	48.4	
	Jr Hi	132393	3347	5.7	14.8	32.6	46.9	
	Sr Hi	124021	4183	6.2	16.7	30.7	46.5	
_	Total	256414	7530	5.9	15.7	31.7	46.7	

Table 7.57: Do you feel that using cigarettes is harmful to your health?

Table 7.58: Do you feel that using smokeless tobacco is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	45506	1308	6.2	13.9	29.3	50.6
7th	44453	1265	7.2	18.3	29.3	45.2
8th	42122	1086	8.2	21.6	30.1	40.2
9th	39376	1427	8.3	22.7	29.4	39.6
10th	34293	1165	6.8	20.0	30.1	43.1
11th	28664	995	6.2	19.6	30.3	43.9
12th	21401	883	6.9	18.9	31.2	43.0
Jr Hi	132081	3659	7.1	17.9	29.6	45.4
Sr Hi	123734	4470	7.1	20.6	30.1	42.2
Total	255815	8129	7.1	19.2	29.8	43.9

			8	0		j
Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	45334	1480	6.0	15.5	31.4	47.1
7th	44317	1401	7.5	19.9	31.0	41.6
8th	41998	1210	8.3	23.4	31.0	37.3
9th	39291	1512	8.7	23.9	30.2	37.3
10th	34208	1250	7.2	21.5	30.2	41.1
11th	28587	1072	6.7	21.4	30.3	41.6
12th	21366	918	7.3	20.8	30.5	41.3
Jr Hi	131649	4091	7.3	19.5	31.1	42.1
Sr Hi	123452	4752	7.6	22.1	30.3	40.0
Total	255101	8843	7.4	20.8	30.7	41.1

Table 7.59: Do you feel that using cigars is harmful to your health?

Table 7.60: Do you feel that using beer is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	45445	1369	8.6	23.0	27.8	40.6
7th	44370	1348	10.9	26.6	26.9	35.5
8th	42056	1152	12.6	30.0	26.0	31.4
9th	39278	1525	13.6	31.7	24.8	29.9
10th	34235	1223	11.7	31.1	25.4	31.7
11th	28592	1067	11.8	32.2	24.7	31.3
12th	21350	934	12.7	33.4	24.1	29.8
Jr Hi	131871	3869	10.7	26.5	26.9	35.9
Sr Hi	123455	4749	12.5	31.9	24.8	30.7
Total	255326	8618	11.6	29.1	25.9	33.4

Table 7.61: Do you feel that using wine coolers is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	45163	1651	15.9	27.2	23.6	33.3
7th	44235	1483	21.0	29.6	21.0	28.4
8th	41983	1225	24.1	32.9	18.7	24.3
9th	39227	1576	25.7	34.0	17.2	23.1
10th	34199	1259	22.3	34.7	18.3	24.7
11th	28552	1107	22.1	35.4	17.6	24.9
12th	21310	974	21.2	36.2	17.8	24.8
Jr Hi	131381	4359	20.2	29.8	21.2	28.8
Sr Hi	123288	4916	23.1	34.9	17.7	24.3
Total	254669	9275	21.6	32.3	19.5	26.6

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	45212	1602	5.9	12.7	28.1	53.3
7th	44226	1492	7.8	16.7	29.5	45.9
8th	41937	1271	9.4	21.0	30.0	39.6
9th	39205	1598	10.9	23.7	28.8	36.6
10th	34174	1284	9.7	23.1	28.9	38.3
11th	28547	1112	9.9	24.9	28.3	36.9
12th	21313	971	11.1	26.5	27.7	34.8
Jr Hi	131375	4365	7.6	16.7	29.2	46.5
Sr Hi	123239	4965	10.4	24.3	28.5	36.8
Total	254614	9330	9.0	20.4	28.9	41.8

Table 7.62: Do you feel that using liquor is harmful to your health?

Table 7.63: Do you feel that using marijuana is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	45311	1503	5.2	3.3	10.2	81.2
7th	44333	1385	7.4	5.9	12.8	73.9
8th	41989	1219	9.4	9.0	16.3	65.3
9th	39219	1584	12.1	11.9	18.1	57.9
10th	34171	1287	11.9	13.8	19.2	55.1
11th	28547	1112	12.3	15.8	20.3	51.7
12th	21313	971	13.4	16.7	21.3	48.6
Jr Hi	131633	4107	7.3	6.0	13.0	73.7
Sr Hi	123250	4954	12.3	14.2	19.5	54.1
Total	254883	9061	9.7	9.9	16.1	64.2

Table 7.64: Do you feel that using cocaine is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	45336	1478	3.9	1.9	7.8	86.4
7th	44326	1392	4.1	2.4	9.4	84.1
8th	41987	1221	4.0	3.1	11.2	81.8
9th	39223	1580	4.6	3.2	11.9	80.3
10th	34201	1257	4.0	2.9	11.0	82.0
11th	28537	1122	3.9	2.9	10.7	82.4
12th	21313	971	5.1	3.2	11.0	80.7
Jr Hi	131649	4091	4.0	2.4	9.4	84.2
Sr Hi	123274	4930	4.4	3.1	11.2	81.3
Total	254923	9021	4.2	2.7	10.3	82.8

	,		0			,
Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	44499	2315	5.0	4.4	14.0	76.5
7th	44033	1685	4.5	3.9	12.6	79.0
8th	41867	1341	4.4	4.1	13.1	78.4
9th	39141	1662	4.6	4.0	13.0	78.4
10th	34142	1316	4.3	3.5	11.6	80.6
11th	28525	1134	4.0	3.5	11.3	81.2
12th	21289	995	5.0	3.3	11.6	80.1
Jr Hi	130399	5341	4.6	4.1	13.2	78.0
Sr Hi	123097	5107	4.5	3.6	12.0	80.0
Total	253496	10448	4.5	3.9	12.6	78.9

Table 7.65: Do you feel that using uppers is harmful to your health?

Table 7.66: Do you feel that using downers is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	44182	2632	6.2	9.1	22.5	62.3
7th	43890	1828	5.5	7.8	19.7	67.0
8th	41813	1395	5.2	7.6	19.0	68.2
9th	39077	1726	5.7	7.8	18.5	67.9
10th	34111	1347	4.9	6.8	17.2	71.1
11th	28481	1178	4.7	6.6	17.3	71.4
12th	21286	998	5.7	6.3	16.5	71.4
Jr Hi	129885	5855	5.6	8.2	20.4	65.8
Sr Hi	122955	5249	5.2	7.0	17.5	70.2
Total	252840	11104	5.4	7.6	19.0	67.9

Table 7.67: Do you feel that using inhalants is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	44581	2233	7.8	13.3	22.5	56.5
7th	44012	1706	7.1	11.7	21.4	59.9
8th	41822	1386	6.3	11.4	20.7	61.5
9th	39082	1721	6.3	10.5	19.6	63.6
10th	34103	1355	4.9	7.8	18.5	68.7
11th	28482	1177	4.6	7.2	16.8	71.4
12th	21238	1046	5.4	6.0	16.4	72.2
Jr Hi	130415	5325	7.1	12.1	21.5	59.2
Sr Hi	122905	5299	5.4	8.2	18.1	68.3
Total	253320	10624	6.2	10.2	19.9	63.6

	2		0	0		5
Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	43533	3281	5.1	5.4	18.0	71.6
7th	43621	2097	4.7	5.0	16.0	74.3
8th	41654	1554	4.4	4.9	15.8	74.8
9th	38952	1851	4.9	4.7	14.9	75.5
10th	34055	1403	4.4	3.8	13.0	78.8
11th	28454	1205	4.2	3.7	12.0	80.1
12th	21263	1021	5.3	3.6	11.9	79.1
Jr Hi	128808	6932	4.7	5.1	16.6	73.5
Sr Hi	122724	5480	4.6	4.0	13.2	78.1
Total	251532	12412	4.7	4.6	14.9	75.8

Table 7.68: Do you feel that using hallucinogens is harmful to your health?

Table 7.69: Do you feel that using heroin is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	43995	2819	4.7	4.3	15.0	76.0
7th	43850	1868	4.3	3.7	13.0	78.9
8th	41738	1470	4.2	3.5	12.5	79.8
9th	38985	1818	4.5	3.1	11.7	80.8
10th	34073	1385	4.0	2.4	10.1	83.5
11th	28459	1200	3.9	2.5	9.0	84.6
12th	21260	1024	4.9	2.5	8.9	83.7
Jr Hi	129583	6157	4.4	3.8	13.5	78.2
Sr Hi	122777	5427	4.3	2.7	10.1	82.9
Total	252360	11584	4.4	3.3	11.9	80.5

Table 7.70: Do you feel that using steroids is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	44333	2481	5.9	9.0	21.8	63.3
7th	43833	1885	5.6	8.1	21.1	65.2
8th	41709	1499	5.0	8.4	20.8	65.9
9th	38936	1867	5.2	8.2	20.9	65.7
10th	34059	1399	4.6	7.1	19.7	68.7
11th	28443	1216	4.5	6.8	18.9	69.8
12th	21222	1062	5.4	6.8	17.9	69.9
Jr Hi	129875	5865	5.5	8.5	21.2	64.8
Sr Hi	122660	5544	4.9	7.3	19.6	68.2
Total	252535	11409	5.2	7.9	20.4	66.4

	5		0			J
Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	43567	3247	5.1	5.5	17.3	72.1
7th	43633	2085	4.9	4.7	14.9	75.5
8th	41617	1591	4.6	4.6	13.9	76.9
9th	38931	1872	5.1	4.6	13.2	77.1
10th	34045	1413	4.6	3.9	12.1	79.5
11th	28425	1234	4.4	3.8	11.8	80.0
12th	21235	1049	5.4	3.8	11.7	79.0
Jr Hi	128817	6923	4.9	4.9	15.4	74.8
Sr Hi	122636	5568	4.8	4.1	12.3	78.8
Total	251453	12491	4.9	4.5	13.9	76.7

Table 7.71: Do you feel that using ecstasy is harmful to your health?

Table 7.72: Do you feel that using OxyContin is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	43642	3172	6.2	6.7	17.3	69.8
7th	43591	2127	5.5	5.5	15.2	73.9
8th	41570	1638	5.1	5.3	14.9	74.7
9th	38866	1937	5.5	4.9	14.2	75.4
10th	33977	1481	4.7	4.5	13.0	77.8
11th	28392	1267	4.6	4.5	12.8	78.1
12th	21198	1086	5.6	4.4	12.5	77.5
Jr Hi	128803	6937	5.6	5.8	15.8	72.8
Sr Hi	122433	5771	5.1	4.6	13.2	77.1
Total	251236	12708	5.3	5.2	14.6	74.9

7.4 Within The Past Year How Often Have You Used

<u> </u>				yeur r			you shio	ited eige	arettes.	
Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	45704	1110	89.0	4.8	1.3	0.8	0.5	0.8	0.9	2.0
7th	44594	1124	80.1	7.0	2.4	1.5	1.2	1.7	2.2	4.0
8th	42213	995	73.7	7.7	3.3	1.9	1.8	2.2	3.2	6.2
9th	39445	1358	69.3	7.4	3.7	2.2	1.9	2.6	3.6	9.3
10th	34396	1062	68.0	6.8	3.8	2.1	1.9	2.5	3.7	11.0
11th	28691	968	65.8	6.4	3.9	2.1	2.1	2.5	3.8	13.4
12th	21481	803	62.5	6.2	4.2	2.3	2.1	2.5	3.9	16.3
Jr Hi	132511	3229	81.1	6.5	2.3	1.4	1.1	1.5	2.1	4.0
Sr Hi	124013	4191	67.0	6.8	3.9	2.2	2.0	2.5	3.7	11.9
Total	256524	7420	74.3	6.6	3.1	1.8	1.5	2.0	2.9	7.8

Table 7.73: Within the past year how often have you smoked cigarettes?

Table 7.74: Within the past year how often have you used smokeless tobacco?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	$1/{ m mo}$	2/mo	1/wk	3/wk	Day
6th	45634	1180	94.1	2.2	0.6	0.4	0.3	0.4	0.5	1.6
7th	44505	1213	90.4	2.9	1.0	0.7	0.6	0.8	1.1	2.4
8th	42122	1086	86.6	3.5	1.6	1.0	0.9	1.3	1.6	3.6
9th	39297	1506	84.3	3.8	1.6	1.1	1.0	1.3	1.8	5.1
10th	34315	1143	84.6	3.5	1.8	1.2	0.9	1.1	1.6	5.3
11th	28590	1069	84.0	3.4	1.9	1.1	1.1	1.1	1.6	5.9
12th	21411	873	82.4	3.7	1.7	1.1	1.0	1.2	1.7	7.3
Jr Hi	132261	3479	90.5	2.8	1.1	0.7	0.6	0.8	1.0	2.5
Sr Hi	123613	4591	84.0	3.6	1.7	1.1	1.0	1.2	1.7	5.7
Total	255874	8070	87.3	3.2	1.4	0.9	0.8	1.0	1.4	4.0

	Tuble I	.15. 11	itilli the pa	ist year	11000 0		c you si	loncu ci	5 ⁰¹⁵ .	
Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	45487	1327	94.3	2.3	0.6	0.4	0.3	0.4	0.3	1.3
7th	44348	1370	90.1	3.8	1.1	1.0	0.8	0.9	0.9	1.5
8th	41978	1230	85.8	4.9	2.0	1.5	1.2	1.3	1.1	2.0
9th	39138	1665	82.4	5.4	2.7	2.0	1.7	1.8	1.3	2.6
10th	34194	1264	80.6	5.4	3.4	2.4	2.0	2.0	1.4	2.7
11th	28506	1153	78.1	5.9	4.1	2.7	2.2	2.3	1.7	3.0
12th	21350	934	74.7	6.6	4.7	3.3	2.6	2.3	1.7	4.2
Jr Hi	131813	3927	90.2	3.6	1.2	1.0	0.8	0.8	0.7	1.6
Sr Hi	123188	5016	79.6	5.8	3.6	2.5	2.1	2.1	1.5	3.0
Total	255001	8943	85.1	4.7	2.4	1.7	1.4	1.4	1.1	2.3

Table 7.75: Within the past year how often have you smoked cigars?

Table 7.76: Within the past year how often have you drunk beer?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	$1/{ m mo}$	2/mo	1/wk	3/wk	Day
6th	45442	1372	84.0	8.7	2.0	1.2	0.8	0.9	0.8	1.5
7th	44295	1423	75.1	11.0	3.8	2.4	2.1	2.1	1.6	1.9
8th	41968	1240	65.6	12.3	5.8	3.8	3.7	3.7	2.5	2.6
9th	39167	1636	59.4	11.9	7.0	4.7	5.0	5.7	3.2	3.0
10th	34200	1258	56.6	11.4	7.4	5.3	6.0	6.7	3.5	3.1
11th	28517	1142	53.5	10.3	8.1	5.8	6.7	7.9	4.3	3.3
12th	21366	918	49.3	9.3	7.9	6.4	7.4	9.6	5.3	4.7
Jr Hi	131705	4035	75.2	10.6	3.8	2.4	2.2	2.2	1.6	2.0
Sr Hi	123250	4954	55.5	10.9	7.5	5.5	6.1	7.2	3.9	3.4
Total	254955	8989	65.7	10.8	5.6	3.9	4.1	4.6	2.7	2.7

Table 7.77: Within the past year how often have you drunk wine coolers?

Grade	N of	N of	Did			-				Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	45385	1429	82.9	9.4	2.1	1.2	1.0	1.0	0.8	1.6
7th	44266	1452	72.8	12.3	4.2	2.6	2.1	2.1	1.7	2.1
8th	41914	1294	63.9	13.7	6.7	3.9	3.5	3.4	2.4	2.7
9th	39126	1677	59.6	13.8	7.3	4.7	4.7	4.5	2.6	2.8
10th	34182	1276	58.2	13.5	8.6	5.0	5.2	4.6	2.3	2.7
11th	28496	1163	57.5	12.7	8.8	5.6	5.6	4.8	2.2	2.8
12th	21329	955	57.1	11.7	9.0	5.9	5.9	4.8	1.9	3.8
Jr Hi	131565	4175	73.4	11.8	4.3	2.5	2.2	2.1	1.6	2.1
Sr Hi	123133	5071	58.3	13.1	8.3	5.2	5.2	4.6	2.3	2.9
Total	254698	9246	66.1	12.4	6.2	3.8	3.6	3.3	1.9	2.5

	Tuble	1.10. 1	nunn the p	ust yee			ve you a	in unity ing	uor .	
Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	$1/{ m mo}$	2/mo	1/wk	3/wk	Day
6th	45436	1378	91.8	3.7	1.0	0.7	0.5	0.6	0.4	1.4
7th	44245	1473	83.8	6.5	2.3	1.6	1.4	1.6	1.1	1.6
8th	41854	1354	73.2	9.3	4.3	3.1	2.9	3.0	1.9	2.4
9th	39074	1729	64.4	10.2	5.9	4.3	4.6	4.9	2.7	3.0
10th	34153	1305	58.4	10.9	7.6	5.3	5.9	6.0	2.9	3.0
11th	28476	1183	53.9	10.7	8.7	6.2	7.0	7.1	3.3	3.1
12th	21317	967	47.9	10.6	9.2	7.2	8.6	8.7	3.4	4.3
Jr Hi	131535	4205	83.2	6.5	2.5	1.8	1.6	1.7	1.1	1.8
Sr Hi	123020	5184	57.5	10.6	7.6	5.5	6.2	6.4	3.0	3.3
Total	254555	9389	70.7	8.4	4.9	3.6	3.8	4.0	2.0	2.5

Table 7.78: Within the past year how often have you drunk liquor?

Table 7.79: Within the past year how often have you smoked marijuana?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	$1/{ m mo}$	2/mo	1/wk	3/wk	Day
6th	45388	1426	95.5	1.2	0.4	0.4	0.3	0.4	0.4	1.5
7th	44276	1442	89.8	2.6	1.1	0.8	0.9	1.0	1.5	2.3
8th	41905	1303	83.6	4.2	1.8	1.3	1.5	1.8	2.2	3.6
9th	39067	1736	78.2	5.2	2.5	1.9	2.0	2.3	2.9	4.9
10th	34122	1336	74.8	6.1	3.3	2.2	2.5	2.5	3.3	5.3
11th	28471	1188	72.8	6.3	3.9	2.5	2.5	2.6	3.4	6.0
12th	21284	1000	70.6	7.1	4.0	2.4	2.5	2.7	3.3	7.3
Jr Hi	131569	4171	89.8	2.6	1.1	0.8	0.9	1.0	1.4	2.4
Sr Hi	122944	5260	74.7	6.1	3.3	2.2	2.3	2.5	3.2	5.7
Total	254513	9431	82.5	4.3	2.2	1.5	1.6	1.7	2.2	4.0

Table 7.80: Within the past year how often have you used cocaine?

Grade	N of	N of	Did	-			y			Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	45360	1454	97.7	0.4	0.2	0.2	0.1	0.1	0.1	1.2
7th	44227	1491	96.7	0.7	0.3	0.3	0.2	0.3	0.3	1.2
8th	41859	1349	95.6	1.0	0.4	0.4	0.3	0.4	0.3	1.5
9th	38981	1822	94.4	1.2	0.6	0.5	0.4	0.5	0.4	1.9
10th	34112	1346	93.8	1.4	0.7	0.6	0.5	0.5	0.5	2.1
11th	28426	1233	93.0	1.7	0.8	0.7	0.6	0.6	0.5	2.2
12th	21271	1013	90.8	1.8	1.2	0.8	0.7	0.7	0.6	3.4
Jr Hi	131446	4294	96.7	0.7	0.3	0.3	0.2	0.3	0.3	1.3
Sr Hi	122790	5414	93.3	1.5	0.8	0.6	0.5	0.6	0.5	2.3
Total	254236	9708	95.0	1.1	0.5	0.5	0.4	0.4	0.4	1.8

Grade	N of	N of	Did							Every
				1 /	C /	1 /	o /	1/1	2/1	5
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	45127	1687	97.7	0.4	0.2	0.2	0.2	0.2	0.1	1.1
7th	44166	1552	96.7	0.7	0.4	0.3	0.2	0.3	0.3	1.0
8th	41803	1405	95.4	1.0	0.5	0.5	0.4	0.4	0.4	1.5
9th	38918	1885	93.9	1.2	0.7	0.6	0.6	0.6	0.6	1.9
10th	34090	1368	93.4	1.3	0.8	0.7	0.6	0.6	0.6	2.0
11th	28413	1246	92.9	1.4	0.9	0.7	0.8	0.6	0.6	2.0
12th	21252	1032	91.3	1.6	1.0	0.8	0.7	0.7	0.8	3.2
Jr Hi	131096	4644	96.6	0.7	0.3	0.3	0.3	0.3	0.3	1.2
Sr Hi	122673	5531	93.1	1.3	0.8	0.7	0.6	0.6	0.6	2.2
Total	253769	10175	94.9	1.0	0.6	0.5	0.5	0.4	0.5	1.7

Table 7.81: Within the past year how often have you used uppers?

Table 7.82: Within the past year how often have you used downers?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	45020	1794	97.4	0.5	0.2	0.2	0.2	0.2	0.2	1.2
7th	44067	1651	96.3	0.8	0.4	0.4	0.3	0.3	0.3	1.2
8th	41773	1435	94.8	1.0	0.7	0.6	0.4	0.5	0.4	1.6
9th	38911	1892	92.9	1.3	1.0	0.8	0.8	0.7	0.6	1.9
10th	34046	1412	91.9	1.4	1.2	1.1	0.8	0.9	0.6	2.1
11th	28376	1283	91.2	1.5	1.3	1.1	1.0	1.0	0.7	2.2
12th	21242	1042	89.5	1.6	1.5	1.2	1.0	1.3	0.6	3.2
Jr Hi	130860	4880	96.2	0.8	0.4	0.4	0.3	0.4	0.3	1.3
Sr Hi	122575	5629	91.7	1.4	1.2	1.0	0.9	0.9	0.6	2.2
Total	253435	10509	94.0	1.1	0.8	0.7	0.6	0.6	0.5	1.8

Table 7.83: Within the past year how often have you used inhalants?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	45074	1740	94.9	1.8	0.6	0.4	0.3	0.3	0.3	1.4
7th	44048	1670	93.7	1.9	0.9	0.6	0.5	0.5	0.5	1.3
8th	41745	1463	92.9	1.9	1.0	0.7	0.6	0.6	0.5	1.7
9th	38883	1920	93.2	1.7	0.9	0.7	0.6	0.6	0.4	1.8
10th	34018	1440	94.0	1.3	0.8	0.7	0.6	0.5	0.3	1.8
11th	28384	1275	94.3	1.2	0.7	0.5	0.5	0.4	0.3	1.9
12th	21233	1051	93.2	1.0	0.7	0.6	0.6	0.5	0.4	3.0
Jr Hi	130867	4873	93.8	1.9	0.8	0.6	0.5	0.5	0.4	1.5
Sr Hi	122518	5686	93.7	1.3	0.8	0.6	0.6	0.5	0.4	2.1
Total	253385	10559	93.8	1.6	0.8	0.6	0.5	0.5	0.4	1.7

	10010 110		ii the past	<i>J</i> ea			04 4004			
Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	44925	1889	97.7	0.3	0.2	0.2	0.2	0.1	0.1	1.1
7th	43980	1738	97.1	0.5	0.3	0.3	0.3	0.2	0.2	1.0
8th	41682	1526	96.1	0.7	0.4	0.5	0.4	0.3	0.3	1.4
9th	38813	1990	95.0	0.9	0.6	0.6	0.5	0.4	0.4	1.7
10th	33988	1470	94.5	1.0	0.6	0.8	0.5	0.4	0.4	1.8
11th	28360	1299	94.1	1.1	0.8	0.7	0.6	0.4	0.3	2.0
12th	21212	1072	92.2	1.4	1.1	0.8	0.7	0.4	0.4	3.0
Jr Hi	130587	5153	97.0	0.5	0.3	0.3	0.3	0.2	0.2	1.2
Sr Hi	122373	5831	94.2	1.1	0.7	0.7	0.6	0.4	0.3	2.0
Total	252960	10984	95.6	0.8	0.5	0.5	0.4	0.3	0.3	1.6

Table 7.84: Within the past year how often have you used hallucinogens?

Table 7.85: Within the past year how often have you used heroin?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	44947	1867	97.9	0.3	0.1	0.2	0.2	0.1	0.1	1.1
7th	43972	1746	97.3	0.5	0.3	0.3	0.2	0.2	0.2	1.0
8th	41658	1550	96.6	0.6	0.4	0.3	0.3	0.3	0.2	1.4
9th	38807	1996	95.9	0.6	0.4	0.5	0.4	0.4	0.3	1.7
10th	33977	1481	95.7	0.6	0.5	0.4	0.4	0.3	0.3	1.8
11th	28327	1332	95.4	0.6	0.5	0.4	0.4	0.4	0.4	1.9
12th	21192	1092	93.8	0.7	0.7	0.5	0.5	0.5	0.3	3.0
Jr Hi	130577	5163	97.3	0.4	0.3	0.3	0.2	0.2	0.2	1.1
Sr Hi	122303	5901	95.3	0.6	0.5	0.4	0.4	0.4	0.3	2.0
Total	252880	11064	96.3	0.5	0.4	0.3	0.3	0.3	0.2	1.6

Table 7.86: Within the past year how often have you used steroids?

Grade	N of	N of	Did	-						Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	44943	1871	97.5	0.5	0.2	0.2	0.2	0.1	0.1	1.1
7th	43939	1779	97.1	0.6	0.3	0.2	0.2	0.2	0.3	1.0
8th	41625	1583	96.5	0.7	0.3	0.3	0.2	0.3	0.3	1.4
9th	38725	2078	95.8	0.8	0.4	0.3	0.3	0.3	0.3	1.7
10th	33939	1519	95.8	0.7	0.4	0.4	0.3	0.3	0.3	1.8
11th	28307	1352	95.4	0.7	0.5	0.4	0.3	0.4	0.4	2.0
12th	21182	1102	93.7	0.9	0.5	0.4	0.5	0.5	0.6	3.0
Jr Hi	130507	5233	97.0	0.6	0.3	0.2	0.2	0.2	0.2	1.2
Sr Hi	122153	6051	95.3	0.8	0.4	0.4	0.3	0.4	0.4	2.0
Total	252660	11284	96.2	0.7	0.3	0.3	0.3	0.3	0.3	1.6

	Tuble	1.01. 11	tinn the pa	Joe year	non o	neen nav	e yeu us		10 <i>y</i> .	
Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	44811	2003	97.7	0.4	0.2	0.2	0.2	0.2	0.1	1.1
7th	43861	1857	96.8	0.7	0.3	0.3	0.2	0.3	0.2	1.1
8th	41557	1651	95.5	1.1	0.5	0.4	0.4	0.3	0.3	1.5
9th	38708	2095	94.4	1.3	0.6	0.5	0.5	0.5	0.4	1.8
10th	33946	1512	94.1	1.4	0.7	0.6	0.5	0.4	0.4	2.0
11th	28306	1353	93.3	1.8	0.8	0.6	0.6	0.6	0.4	2.0
12th	21194	1090	91.8	1.9	1.0	0.7	0.7	0.6	0.4	3.1
Jr Hi	130229	5511	96.7	0.7	0.3	0.3	0.3	0.2	0.2	1.2
Sr Hi	122154	6050	93.6	1.5	0.7	0.6	0.5	0.5	0.4	2.1
Total	252383	11561	95.2	1.1	0.5	0.4	0.4	0.4	0.3	1.6

Table 7.87: Within the past year how often have you used ecstasy?

Table 7.88: Within the past year how often have you used OxyContin?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	$1/{ m mo}$	2/mo	1/wk	3/wk	Day
6th	44664	2150	97.5	0.5	0.2	0.2	0.1	0.1	0.2	1.2
7th	43807	1911	96.6	0.9	0.3	0.3	0.3	0.2	0.3	1.1
8th	41513	1695	95.3	1.2	0.5	0.4	0.3	0.3	0.4	1.5
9th	38622	2181	94.2	1.3	0.6	0.6	0.5	0.5	0.4	1.9
10th	33877	1581	93.9	1.5	0.7	0.6	0.4	0.5	0.4	2.0
11th	28242	1417	93.6	1.5	0.8	0.6	0.5	0.4	0.5	2.1
12th	21126	1158	92.1	1.7	0.9	0.6	0.6	0.4	0.5	3.2
Jr Hi	129984	5756	96.5	0.8	0.3	0.3	0.2	0.2	0.3	1.3
Sr Hi	121867	6337	93.6	1.5	0.7	0.6	0.5	0.5	0.4	2.2
Total	251851	12093	95.1	1.2	0.5	0.4	0.4	0.4	0.3	1.7

Table 7.89: Within the past year how often have you used tobacco?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	$1/{ m mo}$	2/mo	1/wk	3/wk	Day
6th	45912	902	86.1	5.9	1.6	0.9	0.7	1.0	1.2	2.5
7th	44820	898	76.0	7.8	2.9	1.8	1.4	2.1	2.8	5.3
8th	42420	788	68.2	8.6	4.1	2.1	2.1	2.8	3.9	8.2
9th	39660	1143	63.1	8.3	4.5	2.4	2.3	3.0	4.2	12.1
10th	34551	907	61.7	7.7	4.7	2.5	2.4	2.9	4.2	13.9
11th	28808	851	59.4	7.3	4.9	2.3	2.4	2.8	4.3	16.6
12th	21577	707	56.3	6.8	5.1	2.5	2.4	2.7	4.2	20.0
Jr Hi	133152	2588	77.0	7.4	2.8	1.6	1.4	1.9	2.6	5.2
Sr Hi	124596	3608	60.7	7.7	4.8	2.4	2.4	2.9	4.2	15.0
Total	257748	6196	69.1	7.5	3.8	2.0	1.9	2.4	3.4	10.0

Table 7.90. Within the past year now often have you drunk alcohor:												
Grade	N of	N of	Did							Every		
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	1/mo	2/mo	1/wk	3/wk	Day		
6th	45824	990	76.6	13.1	3.0	1.6	1.2	1.4	1.2	2.0		
7th	44690	1028	64.9	15.5	5.4	3.2	2.9	2.9	2.4	2.7		
8th	42302	906	53.7	16.5	8.3	4.7	4.7	4.9	3.5	3.5		
9th	39540	1263	47.1	15.9	9.4	5.8	6.4	7.1	4.4	3.9		
10th	34466	992	43.6	15.1	10.9	6.4	7.4	8.3	4.5	3.8		
11th	28739	920	40.6	13.9	11.3	7.0	8.6	9.5	5.2	4.0		
12th	21529	755	37.0	12.0	11.4	7.5	9.2	11.4	6.1	5.5		
Jr Hi	132816	2924	65.4	15.0	5.5	3.1	2.9	3.0	2.3	2.7		
Sr Hi	124274	3930	42.9	14.6	10.6	6.5	7.7	8.7	4.9	4.2		
Total	257090	6854	54.5	14.8	8.0	4.8	5.2	5.8	3.6	3.4		

Table 7.90: Within the past year how often have you drunk alcohol?

Table 7.91: Within the past year how often have you used illicit drugs?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	$1/{ m yr}$	6/yr	$1/{ m mo}$	2/mo	1/wk	3/wk	Day
6th	45879	935	91.2	3.0	0.9	0.5	0.5	0.6	0.7	2.5
7th	44753	965	85.6	3.9	1.6	1.1	1.0	1.4	1.8	3.6
8th	42373	835	79.7	5.2	2.4	1.6	1.6	2.0	2.5	5.0
9th	39584	1219	75.2	5.7	2.8	1.9	2.1	2.6	3.1	6.4
10th	34508	950	72.4	6.4	3.4	2.3	2.6	2.7	3.5	6.8
11th	28784	875	70.5	6.4	4.0	2.5	2.6	2.9	3.6	7.4
12th	21559	725	68.8	6.9	4.0	2.3	2.6	2.9	3.5	9.0
Jr Hi	133005	2735	85.6	4.0	1.6	1.1	1.0	1.3	1.7	3.6
Sr Hi	124435	3769	72.2	6.3	3.5	2.2	2.5	2.8	3.4	7.2
Total	257440	6504	79.2	5.1	2.5	1.6	1.7	2.0	2.5	5.4

7.5 At What Age Did You First

		Table	1.92. AL	. what ag	ge ala	you i	IISL SI	noke	Igarei	lles!			
Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	45461	1353	85.4	4.4	2.2	2.3	3.0	1.9	0.5	0.1	0.0	0.0	0.3
7th	44234	1484	75.6	5.2	2.8	3.2	3.9	5.4	2.8	0.6	0.1	0.0	0.3
8th	41913	1295	67.7	6.1	3.3	3.4	3.8	5.9	6.5	2.5	0.5	0.1	0.3
9th	39033	1770	62.4	5.8	2.7	3.2	3.5	6.0	6.6	6.5	2.5	0.4	0.3
10th	33873	1585	59.9	5.2	2.6	2.9	3.0	5.6	5.8	6.3	6.1	2.1	0.5
11th	28198	1461	56.8	4.7	2.2	2.6	2.9	5.5	5.4	5.7	6.5	5.6	2.0
12th	21117	1167	53.6	5.1	1.9	2.2	2.4	5.0	5.4	5.4	6.6	6.6	5.8
Jr Hi	131608	4132	76.5	5.2	2.7	3.0	3.5	4.3	3.2	1.0	0.2	0.0	0.3
Sr Hi	122221	5983	58.9	5.2	2.4	2.8	3.0	5.6	5.9	6.1	5.1	3.2	1.7
Total	253829	10115	68.0	5.2	2.6	2.9	3.3	5.0	4.5	3.5	2.6	1.5	1.0

Table 7.92: At what age did you first smoke cigarettes?

T I 7 00	At what age	1.1	· ·	1 1	
Inhia / Uk		did vou	tirct lico	cmakalacc	tohaccol
	הו איוומו מצכ	ulu vou	III SL USC	SILIUNCICSS	LUDALLU:

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	45441	1373	93.5	1.9	0.7	0.9	1.3	1.0	0.3	0.1	0.0	0.0	0.2
7th	44170	1548	89.3	2.2	1.1	1.2	1.3	2.4	1.8	0.3	0.1	0.1	0.2
8th	41853	1355	85.0	2.7	1.1	1.3	1.5	2.5	3.5	1.8	0.4	0.1	0.2
9th	38937	1866	82.0	3.0	1.2	1.2	1.4	2.4	2.9	3.7	1.7	0.4	0.2
10th	33775	1683	81.5	2.8	0.9	1.1	1.1	2.2	2.3	3.2	3.3	1.2	0.4
11th	28143	1516	79.9	2.8	0.9	1.0	1.2	2.2	2.4	2.8	3.0	2.6	1.2
12th	21033	1251	77.8	3.6	1.0	1.0	1.1	2.1	2.4	2.7	2.7	2.9	2.6
Jr Hi	131464	4276	89.4	2.2	0.9	1.1	1.4	1.9	1.8	0.7	0.1	0.1	0.2
Sr Hi	121888	6316	80.6	3.0	1.0	1.1	1.2	2.2	2.5	3.2	2.6	1.5	0.9
Total	253352	10592	85.2	2.6	1.0	1.1	1.3	2.1	2.2	1.9	1.3	0.8	0.6

		100	IC 1.51.		age u	iu you	mot	3111010		5.			
Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	45388	1426	93.8	1.7	0.8	1.0	1.1	0.9	0.3	0.1	0.1	0.0	0.2
7th	44041	1677	89.0	1.9	1.1	1.3	1.7	2.4	1.7	0.5	0.1	0.0	0.2
8th	41703	1505	84.1	2.3	1.3	1.5	1.7	2.8	3.7	2.0	0.4	0.1	0.2
9th	38815	1988	80.0	2.4	1.2	1.3	1.6	2.7	3.8	4.4	2.1	0.4	0.3
10th	33625	1833	77.7	2.1	1.1	1.3	1.3	2.4	3.3	4.0	4.6	1.8	0.4
11th	28032	1627	74.1	2.2	1.1	1.1	1.2	2.6	3.2	3.8	4.8	4.4	1.6
12th	20981	1303	70.4	2.8	1.2	1.1	1.2	2.3	2.7	3.5	4.6	5.4	4.9
Jr Hi	131132	4608	89.1	2.0	1.0	1.3	1.5	2.0	1.8	0.8	0.2	0.0	0.2
Sr Hi	121453	6751	76.3	2.3	1.1	1.2	1.3	2.6	3.3	4.0	3.8	2.5	1.4
Total	252585	11359	83.0	2.1	1.1	1.2	1.4	2.3	2.6	2.3	1.9	1.2	0.8

Table 7.94: At what age did you first smoke cigars?

Table 7.95: At what age did you first drink beer?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	45303	1511	80.4	7.1	2.8	2.9	3.3	2.4	0.6	0.1	0.0	0.1	0.3
7th	44005	1713	71.0	7.9	3.2	3.4	4.1	5.7	3.4	0.9	0.1	0.0	0.3
8th	41735	1473	60.4	9.0	3.1	3.8	4.2	6.6	8.0	3.8	0.7	0.1	0.3
9th	38856	1947	53.5	8.1	2.7	3.3	3.4	6.1	8.9	9.2	3.8	0.7	0.3
10th	33696	1762	49.7	7.5	2.2	3.0	2.6	5.2	7.3	9.1	9.5	3.3	0.6
11th	28057	1602	45.7	6.3	1.8	2.3	2.4	4.6	6.4	8.3	10.9	8.3	2.9
12th	21013	1271	41.9	6.3	1.7	2.0	1.8	3.8	5.4	7.4	10.8	11.0	8.0
Jr Hi	131043	4697	70.9	8.0	3.0	3.3	3.8	4.8	3.9	1.6	0.3	0.1	0.3
Sr Hi	121622	6582	48.7	7.2	2.2	2.8	2.7	5.1	7.3	8.7	8.2	4.9	2.3
Total	252665	11279	60.2	7.6	2.6	3.1	3.3	5.0	5.5	5.0	4.1	2.4	1.3

Table 7.96: At what age did you first drink wine coolers?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	45270	1544	81.5	4.1	2.5	3.2	4.2	3.1	0.8	0.1	0.0	0.1	0.3
7th	44012	1706	70.5	4.8	3.2	3.6	5.0	7.0	4.4	1.0	0.1	0.1	0.3
8th	41710	1498	60.3	6.0	3.1	3.8	4.9	7.6	8.9	4.2	0.8	0.1	0.3
9th	38853	1950	54.7	5.4	2.5	3.4	3.9	6.8	9.2	9.1	3.9	0.8	0.3
10th	33655	1803	51.6	4.8	2.1	2.9	3.1	5.8	7.7	9.0	9.2	3.2	0.6
11th	28036	1623	48.5	4.2	1.7	2.2	2.9	5.0	6.5	8.5	10.3	7.3	2.8
12th	20997	1287	46.5	4.4	1.3	1.7	2.2	4.0	5.4	7.3	10.1	9.9	7.2
Jr Hi	130992	4748	71.1	5.0	2.9	3.5	4.7	5.9	4.6	1.7	0.3	0.1	0.3
Sr Hi	121541	6663	51.0	4.8	2.0	2.7	3.1	5.6	7.5	8.6	7.9	4.5	2.2
Total	252533	11411	61.4	4.9	2.5	3.1	3.9	5.7	6.0	5.0	4.0	2.2	1.2

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	45361	1453	91.4	2.2	1.0	1.4	1.7	1.5	0.4	0.1	0.1	0.0	0.2
7th	44058	1660	83.2	2.7	1.4	1.9	2.4	4.3	3.0	0.8	0.1	0.0	0.3
8th	41723	1485	72.0	3.6	1.6	2.1	2.7	5.2	7.5	4.1	0.7	0.1	0.3
9th	38796	2007	62.3	3.6	1.4	2.1	2.5	5.1	7.8	9.7	4.5	0.7	0.3
10th	33658	1800	55.4	3.4	1.1	1.7	2.1	4.4	6.5	9.5	11.1	4.1	0.7
11th	28043	1616	49.1	2.9	1.0	1.4	1.8	4.0	5.8	8.3	12.0	10.2	3.5
12th	21000	1284	43.5	3.5	1.0	1.2	1.2	3.5	4.8	7.0	11.2	12.8	10.1
Jr Hi	131142	4598	82.5	2.8	1.3	1.8	2.3	3.6	3.5	1.6	0.3	0.1	0.3
Sr Hi	121497	6707	54.1	3.4	1.2	1.7	2.0	4.4	6.5	8.9	9.3	5.9	2.8
Total	252639	11305	68.8	3.1	1.2	1.7	2.1	4.0	4.9	5.1	4.6	2.9	1.5

Table 7.97: At what age did you first drink liquor?

Table 7.98: At what age did you first smoke marijuana?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	45436	1378	95.6	1.1	0.4	0.5	0.7	0.8	0.4	0.1	0.0	0.0	0.2
7th	44135	1583	89.8	1.2	0.7	1.0	1.5	2.5	2.2	0.7	0.1	0.0	0.3
8th	41785	1423	83.3	1.6	0.8	1.0	1.5	3.1	4.8	2.9	0.7	0.1	0.2
9th	38844	1959	77.0	1.9	0.8	1.1	1.4	3.1	4.6	6.1	3.2	0.5	0.3
10th	33698	1760	72.7	1.7	0.7	1.0	1.4	2.4	4.0	5.7	6.8	2.9	0.6
11th	28041	1618	69.1	1.8	0.6	0.8	1.2	2.5	3.7	4.9	6.9	6.0	2.4
12th	20987	1297	65.6	2.6	0.6	0.7	1.1	2.1	3.3	4.4	6.2	7.1	6.3
Jr Hi	131356	4384	89.7	1.3	0.6	0.8	1.2	2.1	2.4	1.2	0.3	0.1	0.2
Sr Hi	121570	6634	72.0	1.9	0.7	1.0	1.3	2.6	4.0	5.4	5.6	3.6	1.9
Total	252926	11018	81.2	1.6	0.6	0.9	1.3	2.4	3.2	3.2	2.8	1.8	1.0

Table 7.99: At what age did you first use cocaine?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	45456	1358	98.0	0.8	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.2
7th	44155	1563	96.9	0.7	0.2	0.3	0.3	0.5	0.6	0.2	0.1	0.0	0.2
8th	41827	1381	95.9	0.9	0.2	0.3	0.3	0.5	0.7	0.7	0.2	0.1	0.2
9th	38890	1913	94.5	1.1	0.3	0.3	0.4	0.4	0.7	1.2	0.8	0.2	0.2
10th	33734	1724	93.8	1.2	0.2	0.3	0.3	0.3	0.5	1.0	1.3	0.7	0.3
11th	28089	1570	92.4	1.3	0.3	0.3	0.3	0.4	0.5	0.8	1.2	1.6	0.9
12th	21022	1262	90.1	2.1	0.4	0.4	0.4	0.4	0.4	0.9	1.1	1.5	2.4
Jr Hi	131438	4302	97.0	0.8	0.2	0.2	0.2	0.4	0.5	0.3	0.1	0.0	0.2
Sr Hi	121735	6469	93.0	1.3	0.3	0.3	0.3	0.4	0.5	1.0	1.1	0.9	0.8
Total	253173	10771	95.1	1.1	0.2	0.3	0.3	0.4	0.5	0.7	0.6	0.4	0.5

		100	10 1.100		Lage	ulu y	Ju III J	t use	upper	5.			
Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	45306	1508	98.0	0.8	0.1	0.2	0.2	0.2	0.1	0.0	0.1	0.0	0.2
7th	44145	1573	97.0	0.7	0.3	0.2	0.3	0.5	0.5	0.2	0.1	0.0	0.2
8th	41847	1361	95.8	0.8	0.3	0.2	0.3	0.5	0.9	0.6	0.3	0.1	0.2
9th	38894	1909	94.1	1.1	0.3	0.3	0.4	0.5	0.8	1.2	0.9	0.2	0.2
10th	33734	1724	93.6	1.1	0.3	0.3	0.3	0.4	0.6	0.9	1.4	0.6	0.3
11th	28103	1556	92.5	1.2	0.3	0.3	0.3	0.5	0.6	1.0	1.4	1.3	0.7
12th	21035	1249	90.8	2.0	0.4	0.3	0.3	0.4	0.5	0.9	1.3	1.4	1.7
Jr Hi	131298	4442	97.0	0.8	0.2	0.2	0.3	0.4	0.5	0.3	0.1	0.1	0.2
Sr Hi	121766	6438	93.0	1.3	0.3	0.3	0.3	0.5	0.7	1.0	1.2	0.8	0.6
Total	253064	10880	95.1	1.0	0.3	0.3	0.3	0.4	0.6	0.6	0.7	0.4	0.4

Table 7.100: At what age did you first use uppers?

Table 7.101: At what age did you first use downers?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	45243	1571	97.8	0.9	0.2	0.1	0.2	0.3	0.1	0.0	0.0	0.1	0.2
7th	44097	1621	96.6	0.8	0.2	0.3	0.3	0.6	0.6	0.2	0.1	0.1	0.2
8th	41831	1377	95.3	0.9	0.2	0.3	0.4	0.6	1.0	0.7	0.2	0.2	0.2
9th	38890	1913	93.2	1.2	0.3	0.3	0.5	0.8	1.0	1.5	0.8	0.3	0.2
10th	33742	1716	92.1	1.2	0.3	0.3	0.3	0.6	0.9	1.3	1.7	0.8	0.3
11th	28093	1566	91.0	1.2	0.3	0.3	0.3	0.6	0.9	1.3	1.8	1.6	0.6
12th	21029	1255	89.2	2.0	0.3	0.4	0.4	0.6	0.7	1.1	1.6	2.0	1.7
Jr Hi	131171	4569	96.6	0.8	0.2	0.3	0.3	0.5	0.5	0.3	0.1	0.1	0.2
Sr Hi	121754	6450	91.7	1.4	0.3	0.3	0.4	0.7	0.9	1.3	1.4	1.0	0.6
Total	252925	11019	94.2	1.1	0.3	0.3	0.4	0.6	0.7	0.8	0.7	0.5	0.4

Table 7.102: At what age did you first use inhalants?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	45252	1562	95.3	1.7	0.5	0.5	0.7	0.6	0.2	0.1	0.0	0.0	0.2
7th	44084	1634	94.1	1.5	0.5	0.7	0.8	1.1	0.7	0.2	0.1	0.0	0.3
8th	41808	1400	93.3	1.5	0.5	0.6	0.7	1.0	1.2	0.6	0.2	0.1	0.3
9th	38860	1943	93.3	1.5	0.5	0.5	0.5	0.8	1.0	0.9	0.4	0.2	0.3
10th	33713	1745	93.9	1.4	0.3	0.4	0.4	0.6	0.8	0.7	0.8	0.4	0.4
11th	28092	1567	93.9	1.5	0.3	0.4	0.3	0.6	0.6	0.6	0.7	0.5	0.6
12th	21016	1268	92.7	2.2	0.4	0.4	0.4	0.5	0.6	0.6	0.6	0.7	0.9
Jr Hi	131144	4596	94.3	1.6	0.5	0.6	0.7	0.9	0.7	0.3	0.1	0.0	0.3
Sr Hi	121681	6523	93.5	1.6	0.4	0.4	0.4	0.6	0.8	0.7	0.6	0.4	0.5
Total	252825	11119	93.9	1.6	0.5	0.5	0.6	0.8	0.7	0.5	0.3	0.2	0.4

		Tuble I	.100.74	L Wildt ag	50 010	your	ii St us		uenno	gens.			
Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	45196	1618	98.1	0.8	0.1	0.1	0.1	0.2	0.1	0.1	0.0	0.1	0.2
7th	44061	1657	97.4	0.7	0.2	0.2	0.3	0.4	0.3	0.1	0.1	0.1	0.2
8th	41811	1397	96.6	0.8	0.2	0.2	0.2	0.4	0.6	0.4	0.1	0.1	0.2
9th	38886	1917	95.3	1.1	0.3	0.3	0.3	0.4	0.6	0.8	0.5	0.2	0.2
10th	33729	1729	94.9	1.1	0.2	0.2	0.2	0.4	0.4	0.6	0.9	0.6	0.3
11th	28094	1565	94.0	1.2	0.2	0.3	0.3	0.4	0.4	0.6	0.8	1.2	0.5
12th	21021	1263	92.1	2.0	0.3	0.4	0.3	0.4	0.5	0.5	0.8	1.3	1.4
Jr Hi	131068	4672	97.4	0.8	0.2	0.2	0.2	0.3	0.3	0.2	0.1	0.1	0.2
Sr Hi	121730	6474	94.3	1.3	0.3	0.3	0.3	0.4	0.5	0.6	0.7	0.7	0.5
Total	252798	11146	95.9	1.0	0.2	0.2	0.2	0.4	0.4	0.4	0.4	0.4	0.4

Table 7.103: At what age did you first use hallucinogens?

Table 7.104: At what age did you first use heroin?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	45220	1594	98.2	0.8	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.0	0.2
7th	44065	1653	97.5	0.7	0.2	0.2	0.2	0.3	0.3	0.1	0.1	0.0	0.2
8th	41817	1391	97.0	0.8	0.2	0.2	0.2	0.3	0.4	0.4	0.2	0.0	0.2
9th	38868	1935	96.1	1.1	0.3	0.2	0.3	0.3	0.4	0.5	0.4	0.1	0.2
10th	33716	1742	96.0	1.1	0.2	0.3	0.2	0.2	0.3	0.4	0.6	0.3	0.3
11th	28094	1565	95.5	1.2	0.2	0.3	0.2	0.3	0.3	0.4	0.6	0.4	0.4
12th	21039	1245	93.8	1.9	0.4	0.4	0.2	0.4	0.3	0.5	0.7	0.5	0.9
Jr Hi	131102	4638	97.6	0.8	0.2	0.2	0.2	0.3	0.3	0.2	0.1	0.0	0.2
Sr Hi	121717	6487	95.5	1.3	0.3	0.3	0.2	0.3	0.3	0.5	0.6	0.3	0.4
Total	252819	11125	96.6	1.0	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.3

Table 7.105: At what age did you first use steroids?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	45215	1599	97.8	0.9	0.2	0.2	0.2	0.2	0.1	0.1	0.0	0.1	0.2
7th	44065	1653	97.4	0.7	0.2	0.2	0.3	0.4	0.4	0.2	0.0	0.0	0.2
8th	41785	1423	96.9	0.9	0.2	0.2	0.2	0.4	0.4	0.4	0.1	0.0	0.2
9th	38876	1927	96.1	1.1	0.3	0.3	0.2	0.3	0.4	0.6	0.4	0.1	0.2
10th	33722	1736	96.0	1.1	0.3	0.2	0.2	0.3	0.2	0.5	0.5	0.4	0.3
11th	28074	1585	95.6	1.2	0.2	0.2	0.2	0.3	0.3	0.5	0.4	0.5	0.5
12th	21015	1269	94.0	2.0	0.3	0.3	0.3	0.3	0.3	0.5	0.5	0.6	0.9
Jr Hi	131065	4675	97.4	0.8	0.2	0.2	0.2	0.3	0.3	0.2	0.1	0.0	0.2
Sr Hi	121687	6517	95.6	1.3	0.3	0.3	0.2	0.3	0.3	0.5	0.4	0.4	0.4
Total	252752	11192	96.5	1.0	0.2	0.2	0.2	0.3	0.3	0.4	0.2	0.2	0.3

		100	10 1.100.		Lage	ulu ye	u mo	t use	cestas	·y·			
Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	45141	1673	98.0	0.8	0.1	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.2
7th	44049	1669	97.0	0.7	0.2	0.2	0.3	0.5	0.5	0.2	0.1	0.0	0.3
8th	41773	1435	95.9	0.9	0.2	0.2	0.3	0.5	0.8	0.7	0.2	0.1	0.2
9th	38859	1944	94.5	1.1	0.2	0.2	0.3	0.4	0.7	1.0	0.9	0.3	0.3
10th	33688	1770	94.1	1.2	0.2	0.3	0.3	0.4	0.6	0.7	1.2	0.8	0.4
11th	28067	1592	93.1	1.2	0.2	0.3	0.2	0.4	0.6	0.6	0.9	1.4	1.0
12th	21031	1253	91.4	2.0	0.3	0.3	0.3	0.4	0.6	0.7	0.9	1.3	2.0
Jr Hi	130963	4777	97.0	0.8	0.2	0.2	0.3	0.4	0.5	0.3	0.1	0.0	0.2
Sr Hi	121645	6559	93.5	1.3	0.2	0.3	0.3	0.4	0.6	0.8	1.0	0.9	0.8
Total	252608	11336	95.3	1.0	0.2	0.2	0.3	0.4	0.6	0.6	0.5	0.4	0.5

Table 7.106: At what age did you first use ecstasy?

Table 7.107: At what age did you first use OxyContin?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	45064	1750	97.9	0.9	0.1	0.1	0.2	0.3	0.2	0.1	0.0	0.1	0.3
7th	43994	1724	96.8	0.7	0.2	0.2	0.3	0.5	0.6	0.3	0.1	0.0	0.3
8th	41728	1480	95.7	0.9	0.2	0.2	0.3	0.5	0.8	0.7	0.3	0.1	0.3
9th	38827	1976	94.4	1.1	0.2	0.3	0.3	0.5	0.7	1.1	0.9	0.3	0.4
10th	33663	1795	94.1	1.1	0.2	0.2	0.2	0.5	0.5	0.8	1.3	0.7	0.4
11th	28026	1633	93.5	1.2	0.2	0.3	0.2	0.6	0.5	0.7	1.0	1.1	0.9
12th	20992	1292	91.8	2.0	0.2	0.3	0.3	0.6	0.4	0.5	0.9	1.3	1.8
Jr Hi	130786	4954	96.8	0.8	0.2	0.2	0.3	0.4	0.5	0.3	0.1	0.1	0.3
Sr Hi	121508	6696	93.6	1.3	0.2	0.3	0.2	0.5	0.5	0.8	1.0	0.8	0.7
Total	252294	11650	95.3	1.0	0.2	0.2	0.2	0.5	0.5	0.6	0.6	0.4	0.5

7.6 Where Do You Use

			too. which	j		0		
Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	85.1	5.3	0.9	1.5	4.4	4.8
7th	45718	0	76.4	9.3	1.4	3.5	9.0	7.6
8th	43208	0	71.0	12.5	2.2	6.0	13.1	9.7
9th	40803	0	66.1	14.2	4.1	10.3	15.0	10.9
10th	35458	0	65.4	13.2	4.1	13.7	15.2	11.0
11th	29659	0	63.8	12.5	4.4	17.1	15.7	12.5
12th	22284	0	60.3	13.2	5.2	19.4	16.9	13.7
Jr Hi	135740	0	77.7	8.9	1.5	3.6	8.7	7.3
Sr Hi	128204	0	64.4	13.3	4.4	14.4	15.5	11.8
Total	263944	0	71.2	11.1	2.9	8.8	12.0	9.5

Table 7.108: Where do you smoke cigarettes?

Table 7.109: Where do you use smokeless tobacco?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	90.5	2.7	1.0	0.9	1.8	2.2
7th	45718	0	86.2	4.5	1.6	1.5	3.5	3.5
8th	43208	0	83.1	6.1	2.6	2.6	5.5	5.1
9th	40803	0	79.6	7.3	4.4	4.0	6.3	5.6
10th	35458	0	79.6	6.6	4.2	5.0	6.2	5.5
11th	29659	0	79.0	6.5	4.7	5.8	6.3	6.1
12th	22284	0	77.1	7.0	5.5	6.5	6.6	6.8
Jr Hi	135740	0	86.7	4.4	1.7	1.6	3.6	3.5
Sr Hi	128204	0	79.0	6.9	4.6	5.2	6.3	5.9
Total	263944	0	82.9	5.6	3.1	3.3	4.9	4.7

		Table	.110: VVN	ere do yo	Ju smoke	Cigars		
Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	90.4	2.8	0.8	0.9	1.8	2.2
7th	45718	0	85.7	4.3	1.0	1.6	3.6	3.6
8th	43208	0	82.2	5.9	1.3	2.7	5.8	4.9
9th	40803	0	77.8	6.8	2.2	4.3	7.2	5.7
10th	35458	0	76.4	6.4	2.4	5.8	7.9	6.1
11th	29659	0	74.1	6.2	2.5	7.4	8.6	7.5
12th	22284	0	71.0	6.7	3.3	8.5	9.6	8.4
Jr Hi	135740	0	86.2	4.3	1.0	1.7	3.7	3.5
Sr Hi	128204	0	75.4	6.5	2.5	6.2	8.1	6.7
Total	263944	0	80.9	5.4	1.7	3.9	5.8	5.1

Table 7.110: Where do you smoke cigars?

Table 7.111: Where do you drink beer?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	81.3	9.6	0.9	1.2	3.5	5.0
7th	45718	0	72.5	13.2	1.1	2.2	8.3	7.7
8th	43208	0	63.4	16.8	1.7	3.8	14.8	11.0
9th	40803	0	56.7	17.0	2.6	5.7	20.6	13.1
10th	35458	0	53.8	15.8	2.5	6.6	23.8	14.6
11th	29659	0	50.9	14.5	2.8	7.5	27.5	16.3
12th	22284	0	46.8	15.7	3.9	9.0	30.6	18.1
Jr Hi	135740	0	72.7	13.1	1.2	2.3	8.7	7.9
Sr Hi	128204	0	52.8	15.9	2.8	6.9	24.8	15.1
Total	263944	0	63.0	14.4	2.0	4.6	16.5	11.4

Table 7.112: Where do you drink wine coolers?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	80.6	10.3	0.8	1.0	3.3	5.1
7th	45718	0	70.4	15.1	1.0	1.9	7.9	8.1
8th	43208	0	62.0	19.3	1.5	3.1	13.2	10.8
9th	40803	0	56.3	19.3	2.2	4.6	17.7	12.1
10th	35458	0	54.4	17.7	2.2	4.9	20.4	12.9
11th	29659	0	52.6	16.1	2.4	5.5	23.0	14.1
12th	22284	0	51.4	15.3	3.1	5.8	24.5	14.3
Jr Hi	135740	0	71.2	14.8	1.1	2.0	8.0	7.9
Sr Hi	128204	0	54.1	17.4	2.4	5.1	20.9	13.2
Total	263944	0	62.9	16.0	1.8	3.5	14.3	10.5

		Table	1.115. VVI	iere uo y		nquor:		
Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	88.6	3.9	0.8	0.8	1.9	2.6
7th	45718	0	80.7	7.2	0.9	1.5	5.6	5.2
8th	43208	0	71.4	11.7	1.6	2.8	11.3	8.7
9th	40803	0	61.9	13.8	2.5	4.7	17.5	11.5
10th	35458	0	56.4	13.8	2.6	5.6	22.4	14.0
11th	29659	0	51.4	13.6	3.0	6.6	26.8	16.7
12th	22284	0	46.3	15.0	3.9	7.8	30.5	18.3
Jr Hi	135740	0	80.5	7.5	1.1	1.7	6.1	5.4
Sr Hi	128204	0	55.2	14.0	2.9	5.9	23.3	14.6
Total	263944	0	68.2	10.6	2.0	3.7	14.5	9.9

Table 7.113: Where do you drink liquor?

Table 7.114: Where do you smoke marijuana?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	91.9	1.4	0.8	0.8	1.6	1.6
7th	45718	0	85.9	3.2	1.1	1.9	4.5	4.0
8th	43208	0	81.1	5.0	1.7	3.8	8.2	6.4
9th	40803	0	74.6	6.6	2.8	6.3	11.4	8.0
10th	35458	0	71.4	7.2	2.9	7.9	13.5	9.2
11th	29659	0	69.5	6.9	3.1	9.3	14.7	10.3
12th	22284	0	67.1	7.8	4.1	10.4	15.7	10.6
Jr Hi	135740	0	86.5	3.1	1.2	2.1	4.7	3.9
Sr Hi	128204	0	71.2	7.0	3.1	8.1	13.5	9.3
Total	263944	0	79.1	5.0	2.1	5.1	8.9	6.5

Table 7.115: Where do you use cocaine?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	93.7	0.6	0.8	0.5	0.6	0.7
7th	45718	0	91.9	0.9	0.7	0.6	1.0	1.0
8th	43208	0	91.6	1.1	1.0	0.8	1.5	1.4
9th	40803	0	88.4	1.6	1.5	1.3	2.0	1.8
10th	35458	0	87.7	1.6	1.6	1.6	2.2	1.8
11th	29659	0	86.6	1.6	1.8	1.8	2.7	2.1
12th	22284	0	84.2	2.3	2.7	2.5	3.3	2.8
Jr Hi	135740	0	92.4	0.9	0.8	0.6	1.0	1.1
Sr Hi	128204	0	87.1	1.7	1.8	1.7	2.5	2.0
Total	263944	0	89.8	1.3	1.3	1.1	1.7	1.5

		Table	7.110: VV	nere do y	you use u	pperse		
Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	93.3	0.7	0.8	0.5	0.5	0.7
7th	45718	0	92.0	0.8	0.7	0.5	0.9	1.0
8th	43208	0	91.4	1.4	1.1	0.8	1.4	1.3
9th	40803	0	88.2	2.0	1.8	1.2	2.1	1.8
10th	35458	0	87.5	1.9	2.0	1.4	2.2	1.9
11th	29659	0	86.7	1.9	2.3	1.6	2.4	2.1
12th	22284	0	84.9	2.2	3.0	2.0	2.8	2.5
Jr Hi	135740	0	92.3	1.0	0.9	0.6	0.9	1.0
Sr Hi	128204	0	87.1	2.0	2.2	1.5	2.3	2.0
Total	263944	0	89.7	1.5	1.5	1.0	1.6	1.5

Table 7.116: Where do you use uppers?

Table 7.117: Where do you use downers?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	93.1	0.9	0.8	0.4	0.5	0.7
7th	45718	0	91.6	1.3	0.8	0.4	0.9	1.0
8th	43208	0	91.0	1.8	1.2	0.8	1.5	1.4
9th	40803	0	87.4	2.8	2.0	1.3	2.3	2.0
10th	35458	0	86.4	2.9	2.2	1.6	2.7	2.2
11th	29659	0	85.4	3.2	2.6	1.9	3.1	2.4
12th	22284	0	83.7	3.5	3.2	2.3	3.4	2.9
Jr Hi	135740	0	91.9	1.3	0.9	0.6	1.0	1.0
Sr Hi	128204	0	86.0	3.0	2.4	1.7	2.8	2.3
Total	263944	0	89.1	2.2	1.6	1.1	1.8	1.6

Table 7.118: Where do you use inhalants?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	91.4	1.7	2.2	0.6	1.0	1.2
7th	45718	0	89.8	2.3	2.4	0.7	1.5	1.5
8th	43208	0	89.6	2.7	2.5	0.9	2.0	1.8
9th	40803	0	87.8	2.4	2.3	1.2	2.0	1.7
10th	35458	0	88.0	2.0	2.0	1.2	1.6	1.6
11th	29659	0	87.8	1.7	1.8	1.1	1.5	1.6
12th	22284	0	86.3	1.8	2.5	1.5	1.7	2.0
Jr Hi	135740	0	90.3	2.2	2.3	0.7	1.5	1.5
Sr Hi	128204	0	87.6	2.0	2.1	1.2	1.7	1.7
Total	263944	0	89.0	2.1	2.2	1.0	1.6	1.6

	١٥	able 1.1	19: Where	e uo you	use nanu	cinogei	15 !	
Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	93.3	0.6	0.8	0.4	0.5	0.6
7th	45718	0	92.1	0.8	0.6	0.4	0.8	0.9
8th	43208	0	92.0	1.1	0.9	0.6	1.1	1.2
9th	40803	0	89.0	1.5	1.4	1.0	1.6	1.5
10th	35458	0	88.3	1.5	1.4	1.1	1.8	1.6
11th	29659	0	87.6	1.5	1.6	1.1	1.9	1.8
12th	22284	0	85.5	2.1	2.4	1.6	2.4	2.3
Jr Hi	135740	0	92.5	0.8	0.7	0.5	0.8	0.9
Sr Hi	128204	0	87.9	1.6	1.6	1.1	1.9	1.7
Total	263944	0	90.2	1.2	1.2	0.8	1.3	1.3

Table 7.119: Where do you use hallucinogens?

Table 7.120: Where do you use heroin?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	93.4	0.6	0.7	0.4	0.5	0.6
7th	45718	0	92.3	0.6	0.6	0.4	0.7	0.8
8th	43208	0	92.3	0.8	0.9	0.6	0.9	1.0
9th	40803	0	89.6	1.2	1.3	0.9	1.2	1.2
10th	35458	0	89.1	1.1	1.4	1.0	1.2	1.3
11th	29659	0	88.5	1.1	1.6	1.1	1.2	1.3
12th	22284	0	86.7	1.5	2.5	1.5	1.5	1.7
Jr Hi	135740	0	92.7	0.7	0.7	0.5	0.7	0.8
Sr Hi	128204	0	88.7	1.2	1.6	1.1	1.2	1.3
Total	263944	0	90.7	0.9	1.2	0.8	0.9	1.1

Table 7.121: Where do you use steroids?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	93.1	0.9	0.8	0.5	0.5	0.7
7th	45718	0	92.1	0.8	0.6	0.4	0.6	0.9
8th	43208	0	92.2	1.0	0.9	0.6	0.8	1.0
9th	40803	0	89.6	1.3	1.3	0.9	0.9	1.2
10th	35458	0	89.1	1.2	1.4	1.0	1.0	1.2
11th	29659	0	88.5	1.3	1.7	1.0	1.1	1.3
12th	22284	0	86.7	1.7	2.4	1.4	1.3	1.7
Jr Hi	135740	0	92.5	0.9	0.8	0.5	0.6	0.8
Sr Hi	128204	0	88.7	1.3	1.6	1.0	1.0	1.3
Total	263944	0	90.7	1.1	1.2	0.8	0.8	1.1

Table 7.122: Where do you use ecstasy?								
Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	93.1	0.6	0.7	0.4	0.6	0.7
7th	45718	0	91.7	0.9	0.6	0.5	1.0	1.1
8th	43208	0	91.3	1.1	0.9	0.7	1.6	1.5
9th	40803	0	88.2	1.5	1.4	1.2	2.2	1.9
10th	35458	0	87.6	1.5	1.4	1.3	2.3	2.0
11th	29659	0	86.7	1.4	1.5	1.3	2.5	2.3
12th	22284	0	84.7	1.9	2.4	1.7	2.9	2.8
Jr Hi	135740	0	92.0	0.9	0.8	0.6	1.0	1.1
Sr Hi	128204	0	87.1	1.6	1.6	1.3	2.4	2.2
Total	263944	0	89.6	1.2	1.2	0.9	1.7	1.6

Table 7.122: Where do you use ecstasy?

Table 7.123: Where do you use OxyContin?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	92.7	0.7	0.7	0.4	0.6	0.8
7th	45718	0	91.3	0.9	0.6	0.5	1.0	1.2
8th	43208	0	91.0	1.3	1.0	0.7	1.5	1.5
9th	40803	0	87.9	1.8	1.6	1.2	2.0	1.9
10th	35458	0	87.5	1.7	1.7	1.3	2.0	2.0
11th	29659	0	86.9	1.7	1.8	1.3	2.0	2.3
12th	22284	0	85.0	2.0	2.5	1.7	2.3	2.6
Jr Hi	135740	0	91.7	1.0	0.8	0.5	1.0	1.1
Sr Hi	128204	0	87.1	1.8	1.8	1.3	2.1	2.1
Total	263944	0	89.5	1.4	1.3	0.9	1.5	1.6

Table 7.124: Where do you use any tobacco?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	93.1	4.5	1.2	1.3	2.9	3.4
7th	45718	0	90.3	7.1	2.1	2.5	5.8	5.6
8th	43208	0	88.4	9.6	3.2	4.4	9.0	7.8
9th	40803	0	84.9	11.1	5.2	6.8	10.6	8.7
10th	35458	0	84.4	10.4	5.2	8.9	11.1	8.9
11th	29659	0	83.3	10.2	5.7	10.7	11.8	10.5
12th	22284	0	80.9	10.8	6.6	12.1	12.7	11.3
Jr Hi	135740	0	90.7	7.0	2.1	2.7	5.8	5.6
Sr Hi	128204	0	83.7	10.6	5.6	9.2	11.4	9.6
Total	263944	0	87.3	8.8	3.8	5.8	8.5	7.5

		able 1.	125. whe	re uo yoi	i use any	alcono	1:	
Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	90.9	15.0	1.2	1.8	5.3	7.9
7th	45718	0	84.4	20.4	1.7	3.2	11.8	11.8
8th	43208	0	77.3	25.2	2.6	5.1	19.6	15.9
9th	40803	0	70.4	25.5	3.8	7.5	26.0	18.1
10th	35458	0	67.1	23.7	3.8	8.6	30.4	19.7
11th	29659	0	64.4	21.8	4.1	9.5	34.3	21.7
12th	22284	0	62.0	22.1	5.2	11.0	37.5	22.9
Jr Hi	135740	0	84.4	20.1	1.8	3.3	12.0	11.8
Sr Hi	128204	0	66.6	23.6	4.1	8.9	31.1	20.2
Total	263944	0	75.7	21.8	2.9	6.0	21.3	15.9

Table 7.125: Where do you use any alcohol?

Table 7.126: Where do you use any illicit drugs?

				,			0	
Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	46814	0	94.7	3.9	2.9	1.5	2.7	2.9
7th	45718	0	93.7	6.2	3.7	3.1	6.3	5.7
8th	43208	0	93.9	8.5	4.6	5.2	10.3	8.4
9th	40803	0	91.4	10.0	5.8	7.9	13.4	10.1
10th	35458	0	90.9	10.4	6.0	9.6	15.4	11.2
11th	29659	0	90.5	10.4	6.1	11.1	16.7	12.6
12th	22284	0	88.8	10.9	7.1	12.5	17.8	13.0
Jr Hi	135740	0	94.1	6.2	3.7	3.2	6.3	5.6
Sr Hi	128204	0	90.6	10.4	6.1	9.9	15.5	11.5
Total	263944	0	92.4	8.2	4.9	6.5	10.8	8.5

7.7 When Do You Use

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	85.0	1.3	0.9	3.1	2.1	7.1
7th	45718	0	76.5	2.9	1.1	6.5	4.5	12.7
8th	43208	0	71.4	4.4	1.8	9.4	7.0	17.4
9th	40803	0	66.9	7.1	3.5	11.7	9.1	19.0
10th	35458	0	66.0	8.2	3.5	12.6	10.1	19.8
11th	29659	0	64.4	10.1	3.9	14.3	12.0	20.8
12th	22284	0	61.0	11.6	5.0	15.4	13.4	23.1
Jr Hi	135740	0	77.8	2.8	1.2	6.2	4.5	12.2
Sr Hi	128204	0	65.0	8.9	3.8	13.2	10.8	20.3
Total	263944	0	71.6	5.8	2.5	9.6	7.5	16.2

Table 7.127: When do you smoke cigarettes?

Table 7.128: When do you use smokeless tobacco?

				,				
Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	89.5	0.9	0.9	1.7	1.1	3.2
7th	45718	0	85.0	1.5	1.4	3.2	2.1	5.3
8th	43208	0	82.3	2.2	2.4	4.9	3.4	7.7
9th	40803	0	78.8	3.4	4.0	6.0	4.4	8.2
10th	35458	0	78.9	3.7	3.9	5.8	4.6	8.1
11th	29659	0	78.3	4.1	4.3	6.3	5.1	7.9
12th	22284	0	76.5	4.7	5.2	6.5	5.6	8.5
Jr Hi	135740	0	85.7	1.5	1.6	3.2	2.2	5.3
Sr Hi	128204	0	78.3	3.9	4.3	6.1	4.8	8.1
Total	263944	0	82.1	2.7	2.9	4.6	3.5	6.7

	Table 7.129. When do you shoke cigars!								
Grade	N of	N of	Do Not	Before	During	After	Week	Week	
Level	Valid	Miss	Use	School	School	School	Nights	ends	
6th	46814	0	89.8	0.7	0.8	1.3	1.1	3.2	
7th	45718	0	85.0	1.1	0.8	2.4	1.7	6.0	
8th	43208	0	81.8	1.4	1.1	3.6	2.6	9.1	
9th	40803	0	77.6	2.1	1.8	4.3	3.3	10.6	
10th	35458	0	76.3	2.2	2.0	4.3	3.7	11.5	
11th	29659	0	74.5	2.4	2.1	4.6	3.9	12.6	
12th	22284	0	71.4	2.9	3.1	5.3	4.6	14.1	
Jr Hi	135740	0	85.6	1.1	0.9	2.4	1.8	6.0	
Sr Hi	128204	0	75.5	2.4	2.1	4.6	3.8	11.9	
Total	263944	0	80.7	1.7	1.5	3.5	2.8	8.9	

Table 7.129: When do you smoke cigars?

Table 7.130: When do you drink beer?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	82.2	1.0	0.8	2.2	2.3	9.9
7th	45718	0	73.5	1.2	0.9	3.5	3.7	16.7
8th	43208	0	65.0	1.5	1.3	5.0	5.2	24.9
9th	40803	0	58.3	2.1	2.0	5.3	6.1	29.6
10th	35458	0	55.3	2.0	2.0	5.0	6.1	32.5
11th	29659	0	52.5	2.1	2.2	4.9	6.8	35.1
12th	22284	0	48.1	2.7	3.3	6.3	8.2	37.9
Jr Hi	135740	0	73.8	1.2	1.0	3.5	3.7	17.0
Sr Hi	128204	0	54.4	2.2	2.3	5.3	6.6	33.1
Total	263944	0	64.3	1.7	1.6	4.4	5.1	24.8

Table 7.131: When do you drink wine coolers?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	81.1	0.9	0.8	2.0	2.4	11.0
7th	45718	0	71.2	1.2	0.8	3.5	3.9	18.6
8th	43208	0	63.2	1.5	1.2	4.8	5.6	26.5
9th	40803	0	57.4	1.9	1.9	4.8	6.2	30.2
10th	35458	0	55.5	1.8	1.8	4.2	5.8	32.1
11th	29659	0	53.9	1.8	1.8	3.9	6.0	33.2
12th	22284	0	52.4	2.3	2.8	4.4	6.1	33.7
Jr Hi	135740	0	72.0	1.2	0.9	3.4	3.9	18.5
Sr Hi	128204	0	55.2	1.9	2.0	4.4	6.0	32.0
Total	263944	0	63.9	1.6	1.4	3.9	5.0	25.1

		Table	e 7.152. VV	men uo y		iquor:		
Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	87.9	0.6	0.8	1.2	1.3	4.8
7th	45718	0	80.2	0.9	0.7	2.3	2.5	10.7
8th	43208	0	71.6	1.4	1.2	3.8	4.1	19.2
9th	40803	0	62.2	2.0	2.1	4.4	5.1	26.1
10th	35458	0	57.1	2.0	2.1	4.2	5.4	31.0
11th	29659	0	52.5	2.1	2.2	4.4	5.9	35.1
12th	22284	0	47.3	2.6	3.1	5.4	7.1	39.1
Jr Hi	135740	0	80.1	1.0	0.9	2.4	2.6	11.4
Sr Hi	128204	0	55.9	2.1	2.3	4.5	5.7	31.8
Total	263944	0	68.4	1.5	1.6	3.4	4.1	21.3

Table 7.132: When do you drink liquor?

Table 7.133: When do you smoke marijuana?

				5		<u> </u>		
Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	90.7	0.8	0.8	1.0	0.9	2.2
7th	45718	0	85.0	1.6	0.9	2.5	2.3	6.1
8th	43208	0	80.6	2.4	1.4	4.0	4.0	10.6
9th	40803	0	74.3	3.7	2.5	5.7	5.6	14.0
10th	35458	0	71.5	4.0	2.6	6.2	6.5	16.1
11th	29659	0	69.9	4.3	2.7	6.7	7.2	17.1
12th	22284	0	67.6	5.1	3.7	7.2	8.2	18.1
Jr Hi	135740	0	85.6	1.5	1.0	2.5	2.4	6.2
Sr Hi	128204	0	71.3	4.1	2.8	6.3	6.7	16.0
Total	263944	0	78.7	2.8	1.9	4.4	4.5	11.0

Table 7.134: When do you use cocaine?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	92.4	0.5	0.7	0.5	0.5	0.8
7th	45718	0	90.5	0.5	0.7	0.7	0.6	1.3
8th	43208	0	90.3	0.7	0.9	0.9	0.8	2.0
9th	40803	0	87.0	1.1	1.5	1.4	1.2	2.7
10th	35458	0	86.3	1.2	1.6	1.4	1.3	2.8
11th	29659	0	85.2	1.3	1.7	1.5	1.4	3.2
12th	22284	0	83.0	1.7	2.6	2.2	2.0	4.1
Jr Hi	135740	0	91.1	0.6	0.8	0.7	0.6	1.4
Sr Hi	128204	0	85.7	1.3	1.8	1.6	1.4	3.1
Total	263944	0	88.5	0.9	1.2	1.1	1.0	2.2

		Table	e 7.155. V	viteti uo y	ou use up	persi		
Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	92.1	0.5	0.7	0.5	0.4	0.7
7th	45718	0	90.6	0.6	0.6	0.7	0.6	1.2
8th	43208	0	90.2	0.8	1.0	1.0	0.9	2.0
9th	40803	0	86.6	1.3	1.8	1.5	1.3	2.7
10th	35458	0	86.0	1.3	1.7	1.5	1.3	2.9
11th	29659	0	85.2	1.5	2.0	1.6	1.6	2.9
12th	22284	0	83.5	1.8	2.8	2.0	1.8	3.5
Jr Hi	135740	0	91.0	0.7	0.8	0.7	0.6	1.3
Sr Hi	128204	0	85.6	1.4	2.0	1.6	1.4	2.9
Total	263944	0	88.4	1.0	1.4	1.2	1.0	2.1

Table 7.135: When do you use uppers?

Table 7.136: When do you use downers?

				3				
Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	91.9	0.6	0.7	0.6	0.6	0.7
7th	45718	0	90.3	0.7	0.7	0.8	0.7	1.3
8th	43208	0	89.8	1.0	1.1	1.1	1.1	2.1
9th	40803	0	86.1	1.6	2.0	1.7	1.8	3.0
10th	35458	0	85.0	1.6	2.1	1.7	2.0	3.5
11th	29659	0	84.1	1.9	2.1	1.9	2.2	3.7
12th	22284	0	82.4	2.2	3.0	2.3	2.5	4.3
Jr Hi	135740	0	90.7	0.8	0.8	0.8	0.8	1.4
Sr Hi	128204	0	84.7	1.8	2.2	1.9	2.0	3.5
Total	263944	0	87.7	1.3	1.5	1.3	1.4	2.4

Table 7.137: When do you use inhalants?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	90.3	0.8	1.9	1.1	0.9	1.3
7th	45718	0	88.6	0.9	2.1	1.5	1.2	2.0
8th	43208	0	88.6	1.0	2.2	1.7	1.6	2.7
9th	40803	0	86.3	1.2	2.1	1.7	1.5	2.6
10th	35458	0	86.4	1.0	1.8	1.4	1.3	2.5
11th	29659	0	86.2	1.0	1.7	1.3	1.1	2.2
12th	22284	0	84.7	1.4	2.5	1.7	1.4	2.4
Jr Hi	135740	0	89.2	0.9	2.1	1.4	1.2	2.0
Sr Hi	128204	0	86.0	1.1	2.0	1.5	1.3	2.4
Total	263944	0	87.7	1.0	2.0	1.5	1.3	2.2

		able 1.	150: VVne	n uo you	use nanuo	linogens:		
Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	92.0	0.5	0.7	0.5	0.4	0.6
7th	45718	0	90.7	0.6	0.5	0.6	0.5	1.0
8th	43208	0	90.7	0.7	0.8	0.7	0.7	1.6
9th	40803	0	87.5	1.0	1.3	1.1	1.0	2.2
10th	35458	0	86.7	1.0	1.3	1.1	1.1	2.4
11th	29659	0	86.1	1.1	1.5	1.0	1.1	2.3
12th	22284	0	84.0	1.4	2.3	1.6	1.6	3.1
Jr Hi	135740	0	91.1	0.6	0.7	0.6	0.6	1.1
Sr Hi	128204	0	86.3	1.1	1.5	1.2	1.2	2.4
Total	263944	0	88.8	0.8	1.1	0.9	0.9	1.7

Table 7.138: When do you use hallucinogens?

Table 7.139: When do you use heroin?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	92.1	0.5	0.7	0.4	0.4	0.6
7th	45718	0	90.8	0.5	0.5	0.5	0.5	0.9
8th	43208	0	91.0	0.6	0.8	0.7	0.6	1.3
9th	40803	0	88.0	0.9	1.3	1.0	0.8	1.6
10th	35458	0	87.4	0.9	1.4	1.1	0.9	1.8
11th	29659	0	86.7	1.0	1.5	1.1	0.9	1.7
12th	22284	0	84.9	1.4	2.3	1.7	1.4	2.2
Jr Hi	135740	0	91.3	0.5	0.7	0.6	0.5	0.9
Sr Hi	128204	0	87.0	1.0	1.6	1.2	1.0	1.8
Total	263944	0	89.2	0.7	1.1	0.9	0.7	1.3

Table 7.140: When do you use steroids?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	91.8	0.6	0.7	0.6	0.5	0.7
7th	45718	0	90.7	0.6	0.5	0.6	0.5	0.9
8th	43208	0	90.9	0.7	0.8	0.7	0.6	1.2
9th	40803	0	88.0	0.9	1.3	1.1	0.9	1.5
10th	35458	0	87.4	0.9	1.5	1.2	0.9	1.6
11th	29659	0	86.7	1.0	1.7	1.2	1.0	1.5
12th	22284	0	84.9	1.3	2.4	1.8	1.4	1.9
Jr Hi	135740	0	91.1	0.6	0.7	0.7	0.6	0.9
Sr Hi	128204	0	87.0	1.0	1.6	1.3	1.0	1.6
Total	263944	0	89.1	0.8	1.1	0.9	0.8	1.2

		Table	27.141: V	men do y	ou use ec	SLASY !		
Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	91.7	0.5	0.7	0.5	0.5	0.7
7th	45718	0	90.2	0.6	0.6	0.6	0.6	1.4
8th	43208	0	90.0	0.7	0.8	0.8	0.8	2.1
9th	40803	0	86.7	1.0	1.3	1.1	1.2	2.7
10th	35458	0	86.1	1.1	1.4	1.1	1.2	2.9
11th	29659	0	85.2	1.0	1.5	1.1	1.2	3.1
12th	22284	0	83.4	1.4	2.2	1.6	1.6	3.6
Jr Hi	135740	0	90.7	0.6	0.7	0.6	0.6	1.4
Sr Hi	128204	0	85.6	1.1	1.5	1.2	1.3	3.0
Total	263944	0	88.2	0.8	1.1	0.9	0.9	2.2

Table 7.141: When do you use ecstasy?

Table 7.142: When do you use OxyContin?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	91.3	0.5	0.7	0.5	0.4	0.8
7th	45718	0	89.8	0.5	0.5	0.6	0.6	1.5
8th	43208	0	89.7	0.7	0.9	0.8	0.9	2.2
9th	40803	0	86.4	1.0	1.4	1.3	1.2	2.8
10th	35458	0	85.9	1.1	1.5	1.3	1.3	2.9
11th	29659	0	85.4	1.1	1.7	1.3	1.3	2.9
12th	22284	0	83.5	1.4	2.4	1.7	1.5	3.4
Jr Hi	135740	0	90.3	0.6	0.7	0.6	0.6	1.5
Sr Hi	128204	0	85.6	1.1	1.7	1.3	1.3	3.0
Total	263944	0	88.0	0.8	1.2	1.0	0.9	2.2

Table 7.143: When do you use any tobacco?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	91.9	1.2	1.1	2.4	1.7	5.0
7th	45718	0	88.9	2.0	1.7	4.4	3.1	8.7
8th	43208	0	87.2	2.9	2.8	6.8	4.8	12.6
9th	40803	0	83.7	4.3	4.6	8.3	6.2	14.0
10th	35458	0	83.3	4.7	4.7	8.3	6.7	14.7
11th	29659	0	82.3	5.3	5.1	8.9	7.4	15.5
12th	22284	0	80.2	6.0	6.2	9.5	8.3	16.8
Jr Hi	135740	0	89.4	2.0	1.9	4.5	3.1	8.7
Sr Hi	128204	0	82.7	5.0	5.0	8.6	7.0	15.1
Total	263944	0	86.1	3.4	3.4	6.5	5.0	11.8

		Table I	.144: VVN	en do you	i use any	alconor		
Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	90.0	1.4	1.1	3.2	3.6	15.1
7th	45718	0	83.6	1.9	1.3	5.1	5.8	24.0
8th	43208	0	77.1	2.3	1.9	7.0	7.9	33.6
9th	40803	0	70.1	3.1	3.0	7.2	8.8	38.6
10th	35458	0	67.1	3.0	2.9	6.8	8.7	41.7
11th	29659	0	64.9	3.1	3.0	6.6	9.2	44.5
12th	22284	0	62.1	3.9	4.3	7.9	10.6	47.2
Jr Hi	135740	0	83.7	1.9	1.4	5.0	5.7	24.0
Sr Hi	128204	0	66.7	3.2	3.2	7.0	9.2	42.3
Total	263944	0	75.4	2.5	2.3	6.0	7.4	32.9

Table 7.144: When do you use any alcohol?

Table 7.145: When do you use any illicit drugs?

				3	3	<u> </u>		
Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	46814	0	93.5	2.1	2.6	2.3	2.1	3.8
7th	45718	0	92.3	3.2	3.3	4.3	3.9	8.2
8th	43208	0	92.6	4.1	4.1	6.2	6.0	12.9
9th	40803	0	89.8	5.7	5.2	7.9	7.7	16.3
10th	35458	0	89.2	5.9	5.2	8.3	8.5	18.2
11th	29659	0	88.8	6.5	5.4	8.8	9.4	19.5
12th	22284	0	87.2	7.4	6.4	9.7	10.5	20.4
Jr Hi	135740	0	92.8	3.1	3.3	4.2	3.9	8.2
Sr Hi	128204	0	88.9	6.2	5.5	8.5	8.8	18.3
Total	263944	0	90.9	4.6	4.4	6.3	6.3	13.1

7.8 While At School Have You

Tal	Table 7.146: While at school have you carried a gun?								
Grade	N of	N of		One	2-5	6 or More			
Level	Valid	Miss	Never	Time	Times	Times			
6th	43984	2830	96.6	1.2	0.6	1.7			
7th	42567	3151	95.9	1.5	0.7	1.8			
8th	40598	2610	95.3	1.7	0.8	2.2			
9th	37269	3534	94.7	1.7	1.0	2.6			
10th	32396	3062	94.5	1.6	1.1	2.8			
11th	26943	2716	94.5	1.6	1.0	3.0			
12th	20199	2085	92.9	1.7	1.2	4.2			
Jr Hi	127149	8591	95.9	1.5	0.7	1.9			
Sr Hi	116807	11397	94.3	1.6	1.0	3.0			
Total	243956	19988	95.2	1.5	0.9	2.4			

Table 7.147: While at school have you carried a knife, club or other weapon?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	43955	2859	90.3	5.4	1.7	2.6
7th	42548	3170	86.3	7.1	3.0	3.7
8th	40614	2594	81.8	8.4	4.4	5.4
9th	37246	3557	79.7	7.9	5.1	7.3
10th	32404	3054	79.7	6.9	5.0	8.5
11th	26941	2718	80.3	6.3	4.9	8.5
12th	20199	2085	79.8	5.3	4.9	10.0
Jr Hi	127117	8623	86.2	6.9	3.0	3.8
Sr Hi	116790	11414	79.9	6.8	5.0	8.4
Total	243907	20037	83.2	6.9	4.0	6.0

		,				0
Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	43702	3112	95.8	1.9	0.8	1.6
7th	42336	3382	93.9	2.7	1.4	2.0
8th	40371	2837	91.8	3.3	2.0	3.0
9th	37065	3738	91.4	3.2	2.3	3.2
10th	32231	3227	91.6	2.9	2.1	3.4
11th	26852	2807	92.1	2.6	2.1	3.2
12th	20144	2140	91.2	2.6	2.0	4.2
Jr Hi	126409	9331	93.9	2.6	1.4	2.1
Sr Hi	116292	11912	91.6	2.9	2.1	3.4
Total	242701	21243	92.8	2.7	1.8	2.7

Table 7.148: While at school have you threatened a student with a gun, knife or club?

Table 7.149: While at school have you threatened to hurt a student by hitting, slapping or kicking?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	43830	2984	65.1	12.5	10.5	11.9
7th	42468	3250	61.0	11.0	12.4	15.6
8th	40492	2716	57.1	10.3	14.0	18.7
9th	37172	3631	60.5	9.3	13.6	16.6
10th	32313	3145	63.4	8.5	13.1	15.0
11th	26876	2783	67.5	8.1	12.0	12.5
12th	20161	2123	70.7	7.3	10.5	11.5
Jr Hi	126790	8950	61.2	11.3	12.2	15.3
Sr Hi	116522	11682	64.7	8.4	12.6	14.3
Total	243312	20632	62.9	9.9	12.4	14.8

Table 7.150: While at school have you hurt a student by using a gun, knife or club?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	43777	3037	97.3	0.9	0.5	1.3
7th	42368	3350	96.5	1.3	0.8	1.4
8th	40434	2774	95.3	1.7	1.1	1.9
9th	37107	3696	94.4	2.0	1.2	2.3
10th	32234	3224	94.6	1.7	1.3	2.5
11th	26853	2806	94.7	1.5	1.2	2.5
12th	20162	2122	93.6	1.7	1.4	3.3
Jr Hi	126579	9161	96.4	1.3	0.8	1.5
Sr Hi	116356	11848	94.4	1.8	1.3	2.6
Total	242935	21009	95.4	1.5	1.0	2.0

-	-		· · · · · ·			.,	6, · · · · · · · · · · · · · · · · · · ·
	Grade	N of	N of		One	2-5	6 or More
	Level	Valid	Miss	Never	Time	Times	Times
	6th	43712	3102	68.4	13.4	9.4	8.9
	7th	42364	3354	65.2	12.2	11.3	11.4
	8th	40423	2785	62.1	11.8	13.1	12.9
	9th	37118	3685	66.9	10.3	11.9	10.9
	10th	32225	3233	70.1	9.8	10.5	9.6
	11th	26838	2821	74.3	8.8	9.1	7.8
	12th	20155	2129	77.1	7.8	7.8	7.3
	Jr Hi	126499	9241	65.3	12.5	11.2	11.0
	Sr Hi	116336	11868	71.2	9.4	10.2	9.2
	Total	242835	21109	68.1	11.0	10.7	10.1

Table 7.151: While at school have you hurt a student by hitting, slapping or kicking?

Table 7.152: While at school have you been threatened with a gun, knife or club by a student?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	43668	3146	89.1	5.8	2.6	2.5
7th	42314	3404	87.9	6.2	3.2	2.7
8th	40361	2847	86.2	6.5	3.8	3.4
9th	37059	3744	86.4	6.5	3.6	3.5
10th	32190	3268	87.3	5.6	3.7	3.5
11th	26790	2869	88.5	5.0	3.1	3.4
12th	20126	2158	88.8	4.3	2.9	4.0
Jr Hi	126343	9397	87.8	6.2	3.2	2.9
Sr Hi	116165	12039	87.5	5.5	3.4	3.6
Total	242508	21436	87.7	5.9	3.3	3.2

Table 7.153: While at school have you had a student threaten to hit, slap or kick you?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	43702	3112	56.5	15.7	14.1	13.7
7th	42354	3364	57.3	14.7	14.3	13.7
8th	40424	2784	56.9	14.0	15.2	14.0
9th	37081	3722	61.2	13.0	14.0	11.9
10th	32255	3203	64.7	12.3	12.6	10.3
11th	26830	2829	68.8	11.5	10.9	8.8
12th	20155	2129	72.6	9.9	9.4	8.1
Jr Hi	126480	9260	56.9	14.8	14.5	13.8
Sr Hi	116321	11883	65.9	11.9	12.1	10.1
Total	242801	21143	61.2	13.4	13.3	12.0

Grade	Grade N of N of Level Valid Miss			One	2-5	6 or More
Level			Never	Time	Times	Times
6th	43654	3160	73.3	12.7	7.0	7.0
7th	42366	3352	75.0	11.8	7.1	6.2
8th	40401	2807	77.3	11.1	6.5	5.0
9th	37092	3711	79.1	10.6	5.6	4.7
10th	32256	3202	81.6	9.5	5.0	3.9
11th	26827	2832	83.5	8.6	4.4	3.6
12th	20142	2142	84.9	7.2	3.8	4.1
Jr Hi	126421	9319	75.2	11.9	6.9	6.1
Sr Hi	116317	11887	81.8	9.2	4.8	4.1
Total	242738	21206	78.3	10.6	5.9	5.1

Table 7.154: While at school have you been afraid a student may hurt you?

Table 7.155: While at school have you been hurt by a student using a gun, knife or club?

Grade	N of	N of		One	2-5	6 or More
Level	Level Valid		Miss Never		Times	Times
6th	6th 43628 3186		96.7	1.4	0.6	1.3
7th	42311	3407	96.3	1.6	0.8	1.3
8th	40392	2816	95.5	1.9	1.0	1.7
9th	37054	3749	95.1	1.9	1.1	1.9
10th	32212	3246	95.5	1.6	0.9	2.0
11th	26805	2854	95.5	1.4	0.9	2.2
12th	20124	2160	94.4	1.5	1.1	3.1
Jr Hi	126331	9409	96.2	1.6	0.8	1.4
Sr Hi	116195	12009	95.2	1.6	1.0	2.2
Total	242526	21418	95.7	1.6	0.9	1.8

Table 7.156: While at school have you been hurt by a student who hit, slapped or kicked you?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	43642	3172	73.2	12.8	7.7	6.3
7th	42330	3388	75.9	11.0	7.4	5.7
8th	40401	2807	77.6	10.2	6.8	5.4
9th	37071	3732	81.9	8.4	5.4	4.4
10th	32218	3240	84.6	7.3	4.3	3.8
11th	26804	2855	86.9	6.2	3.5	3.4
12th	20124	2160	88.0	5.1	3.0	3.9
Jr Hi	126373	9367	75.5	11.3	7.3	5.8
Sr Hi	116217	11987	84.8	7.0	4.2	3.9
Total	242590	21354	80.0	9.3	5.8	4.9

		eer nare	Jea 200			
Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	43463	3351	93.2	3.8	1.4	1.6
7th	42272	3446	93.4	3.9	1.3	1.5
8th	40355	2853	92.9	3.8	1.6	1.7
9th	36999	3804	92.8	3.7	1.6	1.9
10th	32211	3247	92.5	4.0	1.6	2.0
11th	26781	2878	92.2	4.0	1.8	2.0
12th	20086	2198	91.2	4.1	2.1	2.7
Jr Hi	126090	9650	93.2	3.8	1.4	1.6
Sr Hi	116077	12127	92.3	3.9	1.7	2.1
Total	242167	21777	92.7	3.9	1.6	1.8

Table 7.157: While at school have you been helped by a school security officer?

Table 7.158: While at school have you been in trouble with school security officer?

Grade	N of	N of		One	2-5	6 or More
Level	Level Valid M		Miss Never		Times	Times
6th	6th 43443 3371		94.6	2.7	1.1	1.6
7th	42183	3535	92.6	3.5	1.9	2.1
8th	40275	2933	90.7	4.2	2.4	2.6
9th	36919	3884	90.6	4.1	2.4	2.9
10th	32107	3351	91.6	3.5	2.1	2.8
11th	26724	2935	92.1	3.4	1.8	2.7
12th	20038	2246	91.8	3.0	1.7	3.5
Jr Hi	125901	9839	92.7	3.4	1.8	2.1
Sr Hi	115788	12416	91.4	3.6	2.1	2.9
Total	241689	22255	92.1	3.5	1.9	2.5

7.9 What Effect Do You Most Often Get When You Use

Table 7.1	59: What	effect do	you most	often g	get when y	ou smo	ke cigarettes?
Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	43925	2889	88.5	8.7	1.6	0.4	0.9
7th	42555	3163	80.5	15.8	2.4	0.5	0.8
8th	40533	2675	74.6	20.6	3.2	0.5	1.1
9th	37357	3446	70.9	23.4	3.8	0.4	1.4
10th	32347	3111	70.4	23.0	4.5	0.4	1.6
11th	26976	2683	68.7	24.0	5.0	0.5	1.8
12th	20193	2091	65.5	25.3	5.8	0.6	2.9
Jr Hi	127013	8727	81.4	14.9	2.4	0.4	0.9
Sr Hi	116873	11331	69.3	23.8	4.6	0.5	1.8
Total	243886	20058	75.6	19.1	3.5	0.5	1.3

Table 7.160: What effect do you most often get when you use smokeless tobacco?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	43883	2931	93.9	4.0	1.0	0.4	0.8
7th	42458	3260	90.4	6.9	1.6	0.5	0.7
8th	40492	2716	86.7	9.2	2.4	0.6	1.0
9th	37298	3505	84.6	10.5	3.0	0.6	1.3
10th	32337	3121	85.1	9.6	3.1	0.7	1.5
11th	26934	2725	84.3	9.9	3.4	0.8	1.6
12th	20168	2116	82.4	10.5	3.7	0.8	2.5
Jr Hi	126833	8907	90.4	6.6	1.6	0.5	0.8
Sr Hi	116737	11467	84.3	10.1	3.3	0.7	1.6
Total	243570	20374	87.5	8.3	2.4	0.6	1.2

			5			,	
Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	43834	2980	94.1	3.4	1.2	0.5	0.8
7th	42406	3312	90.0	6.7	1.9	0.6	0.8
8th	40385	2823	85.8	9.6	2.7	0.7	1.1
9th	37197	3606	82.9	11.7	3.4	0.7	1.4
10th	32264	3194	81.9	12.1	3.6	0.8	1.7
11th	26894	2765	79.5	13.5	4.3	0.9	1.7
12th	20145	2139	76.5	14.8	5.0	1.0	2.7
Jr Hi	126625	9115	90.1	6.5	1.9	0.6	0.9
Sr Hi	116500	11704	80.8	12.8	3.9	0.8	1.8
Total	243125	20819	85.6	9.5	2.9	0.7	1.3

Table 7.161: What effect do you most often get when you smoke cigars?

Table 7.162: What effect do you most often get when you drink beer?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	43805	3009	85.1	9.5	3.0	1.0	1.3
7th	42379	3339	77.0	13.5	5.8	1.9	1.9
8th	40414	2794	67.4	16.0	9.9	3.6	3.0
9th	37195	3608	61.8	15.1	13.2	5.5	4.4
10th	32244	3214	59.0	13.0	15.5	7.0	5.5
11th	26869	2790	55.8	11.7	17.4	8.7	6.4
12th	20173	2111	51.4	10.5	18.8	10.8	8.6
Jr Hi	126598	9142	76.7	12.9	6.2	2.1	2.1
Sr Hi	116481	11723	57.8	13.0	15.8	7.6	5.9
Total	243079	20865	67.7	12.9	10.8	4.7	3.9

Table 7.163: What effect do you most often get when you drink wine coolers?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	43733	3081	84.5	11.2	2.4	0.7	1.2
7th	42342	3376	75.2	17.5	4.7	1.2	1.4
8th	40370	2838	65.9	21.6	8.2	2.2	2.2
9th	37187	3616	61.3	21.6	11.5	2.7	2.9
10th	32235	3223	59.2	20.2	13.5	3.6	3.5
11th	26884	2775	57.7	18.4	15.5	4.5	3.8
12th	20157	2127	56.1	16.5	16.9	5.2	5.3
Jr Hi	126445	9295	75.5	16.6	5.0	1.3	1.6
Sr Hi	116463	11741	59.0	19.6	13.9	3.8	3.7
Total	242908	21036	67.6	18.0	9.3	2.5	2.6

Tuble 1	.101. 1011		uo you m		<u> </u>		inin inquoi .
Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	43785	3029	92.5	3.5	1.7	1.1	1.2
7th	42356	3362	85.1	6.5	3.8	2.5	2.1
8th	40365	2843	75.0	9.2	6.7	5.2	3.9
9th	37141	3662	66.6	9.6	9.3	8.0	6.5
10th	32185	3273	61.3	8.5	11.2	10.5	8.5
11th	26856	2803	56.2	8.4	12.0	13.4	10.0
12th	20130	2154	50.7	8.0	13.0	15.0	13.3
Jr Hi	126506	9234	84.4	6.3	4.0	2.9	2.4
Sr Hi	116312	11892	60.0	8.7	11.1	11.2	9.0
Total	242818	21126	72.7	7.5	7.4	6.8	5.6

Table 7.164: What effect do you most often get when you drink liquor?

Table 7.165: What effect do you most often get when you smoke marijuana?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	43784	3030	95.5	0.6	0.9	1.4	1.6
7th	42343	3375	90.2	0.8	1.8	3.2	4.0
8th	40350	2858	84.4	1.1	2.7	5.2	6.7
9th	37155	3648	79.3	1.3	3.5	6.8	9.1
10th	32190	3268	76.4	1.4	3.9	7.9	10.4
11th	26854	2805	74.4	1.5	4.5	8.6	10.9
12th	20134	2150	71.6	2.0	4.9	8.8	12.7
Jr Hi	126477	9263	90.2	0.8	1.7	3.2	4.0
Sr Hi	116333	11871	76.0	1.5	4.1	7.9	10.5
Total	242810	21134	83.4	1.1	2.9	5.4	7.1

Table 7.166: What effect do you most often get when you use cocaine?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	43782	3032	97.5	0.4	0.3	0.6	1.1
7th	42388	3330	96.6	0.6	0.5	0.8	1.5
8th	40365	2843	95.6	0.8	0.6	1.0	2.1
9th	37175	3628	94.3	0.9	0.8	1.1	2.9
10th	32218	3240	94.0	0.9	0.9	1.3	3.0
11th	26855	2804	92.9	1.1	0.9	1.7	3.4
12th	20134	2150	90.9	1.4	1.3	2.0	4.4
Jr Hi	126535	9205	96.6	0.6	0.5	0.8	1.5
Sr Hi	116382	11822	93.3	1.0	0.9	1.5	3.3
Total	242917	21027	95.0	0.8	0.7	1.1	2.4

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	43636	3178	97.6	0.4	0.4	0.5	1.1
7th	42342	3376	96.8	0.6	0.5	0.8	1.3
8th	40345	2863	95.6	0.7	0.8	1.1	1.9
9th	37187	3616	94.1	0.8	1.0	1.2	2.7
10th	32205	3253	93.9	0.8	1.0	1.5	2.7
11th	26850	2809	93.3	0.9	1.3	1.6	2.9
12th	20142	2142	91.6	1.3	1.4	1.8	3.9
Jr Hi	126323	9417	96.7	0.6	0.5	0.8	1.4
Sr Hi	116384	11820	93.4	0.9	1.2	1.5	3.0
Total	242707	21237	95.1	0.7	0.8	1.1	2.2

Table 7.167: What effect do you most often get when you use uppers?

Table 7.168: What effect do you most often get when you use downers?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	43596	3218	97.5	0.6	0.5	0.5	1.0
7th	42305	3413	96.5	0.9	0.8	0.7	1.2
8th	40349	2859	95.1	1.0	1.0	1.1	1.7
9th	37168	3635	93.3	1.2	1.5	1.6	2.4
10th	32217	3241	92.8	1.2	1.7	1.7	2.6
11th	26846	2813	91.9	1.3	2.0	2.0	2.9
12th	20127	2157	90.3	1.5	2.1	2.2	3.9
Jr Hi	126250	9490	96.4	0.8	0.8	0.8	1.3
Sr Hi	116358	11846	92.3	1.3	1.8	1.8	2.8
Total	242608	21336	94.4	1.0	1.3	1.3	2.0

Table 7.169: What effect do you most often get when you use inhalants?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	43563	3251	95.5	1.4	1.3	0.7	1.1
7th	42294	3424	94.4	1.3	2.1	1.0	1.2
8th	40329	2879	93.5	1.5	2.1	1.1	1.7
9th	37155	3648	93.6	1.3	2.0	1.1	2.1
10th	32201	3257	94.2	1.0	1.6	1.0	2.2
11th	26847	2812	94.3	1.0	1.6	1.0	2.1
12th	20133	2151	92.9	1.3	1.6	1.1	3.1
Jr Hi	126186	9554	94.5	1.4	1.8	0.9	1.3
Sr Hi	116336	11868	93.8	1.2	1.7	1.0	2.3
Total	242522	21422	94.2	1.3	1.8	1.0	1.8

	\$1 11.at	011000 40	Jea	0.000 C	,ee mien j	e a a e e .	
Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	43516	3298	97.7	0.5	0.3	0.4	1.0
7th	42258	3460	97.2	0.5	0.5	0.6	1.2
8th	40322	2886	96.1	0.6	0.6	0.8	1.9
9th	37143	3660	95.0	0.9	0.6	0.9	2.6
10th	32181	3277	94.8	0.7	0.6	1.0	2.9
11th	26844	2815	94.2	0.8	0.7	1.1	3.1
12th	20115	2169	92.2	1.2	0.9	1.4	4.4
Jr Hi	126096	9644	97.0	0.6	0.5	0.6	1.4
Sr Hi	116283	11921	94.3	0.9	0.7	1.0	3.1
Total	242379	21565	95.7	0.7	0.6	0.8	2.2

Table 7.170: What effect do you most often get when you use hallucinogens?

Table 7.171: What effect do you most often get when you use heroin?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	43544	3270	97.9	0.4	0.3	0.4	1.0
7th	42269	3449	97.3	0.5	0.4	0.5	1.2
8th	40330	2878	96.6	0.6	0.5	0.6	1.8
9th	37156	3647	95.7	0.8	0.5	0.6	2.4
10th	32183	3275	95.6	0.7	0.5	0.7	2.4
11th	26833	2826	95.3	0.8	0.6	0.8	2.6
12th	20114	2170	93.5	1.1	0.9	0.9	3.5
Jr Hi	126143	9597	97.3	0.5	0.4	0.5	1.3
Sr Hi	116286	11918	95.2	0.8	0.6	0.7	2.6
Total	242429	21515	96.3	0.7	0.5	0.6	2.0

Table 7.172: What effect do you most often get when you use steroids?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	43552	3262	97.6	0.7	0.4	0.4	0.9
7th	42275	3443	97.2	0.9	0.5	0.5	1.0
8th	40306	2902	96.5	1.0	0.6	0.6	1.4
9th	37145	3658	95.8	1.2	0.6	0.6	1.7
10th	32173	3285	95.7	1.2	0.6	0.6	1.9
11th	26834	2825	95.3	1.3	0.8	0.7	1.9
12th	20099	2185	93.6	1.7	1.0	0.9	2.9
Jr Hi	126133	9607	97.1	0.8	0.5	0.5	1.1
Sr Hi	116251	11953	95.3	1.3	0.7	0.7	2.0
Total	242384	21560	96.2	1.1	0.6	0.6	1.5

Table I	1.175. 101	at enect	uo you m		n get whe	n you u	se ecsiasy!
Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	43487	3327	97.6	0.4	0.3	0.4	1.1
7th	42226	3492	96.7	0.5	0.5	0.7	1.5
8th	40262	2946	95.4	0.6	0.6	1.0	2.4
9th	37114	3689	94.3	0.8	0.7	1.0	3.1
10th	32172	3286	94.1	0.8	0.8	1.1	3.3
11th	26842	2817	93.2	0.9	0.9	1.4	3.6
12th	20104	2180	91.6	1.2	1.2	1.3	4.6
Jr Hi	125975	9765	96.6	0.5	0.5	0.7	1.7
Sr Hi	116232	11972	93.5	0.9	0.9	1.2	3.6
Total	242207	21737	95.1	0.7	0.7	0.9	2.6

Table 7.173: What effect do you most often get when you use ecstasy?

Table 7.174: What effect do you most often get when you use OxyContin?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	43348	3466	97.6	0.5	0.3	0.4	1.1
7th	42126	3592	96.6	0.6	0.5	0.7	1.7
8th	40189	3019	95.5	0.7	0.6	0.9	2.3
9th	37036	3767	94.3	0.9	0.8	1.1	3.0
10th	32105	3353	94.1	0.8	0.9	1.1	3.0
11th	26797	2862	93.7	0.9	0.9	1.3	3.1
12th	20039	2245	92.2	1.3	1.1	1.3	4.1
Jr Hi	125663	10077	96.6	0.6	0.5	0.7	1.7
Sr Hi	115977	12227	93.8	1.0	0.9	1.2	3.2
Total	241640	22304	95.2	0.8	0.7	0.9	2.4

7.10 How Easy Is It To Get

	Tabi	e 7.175.	How easy	IS IL LO ge	t cigarettes	5!	
Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	42739	4075	69.3	4.3	3.9	8.2	14.3
7th	41569	4149	58.4	3.9	5.1	12.3	20.3
8th	39940	3268	45.7	3.3	5.7	15.9	29.5
9th	36768	4035	35.9	2.4	4.9	18.0	38.7
10th	31969	3489	29.8	1.7	4.0	18.7	45.7
11th	26633	3026	24.9	1.5	3.2	18.1	52.3
12th	19941	2343	20.5	1.2	2.6	16.9	58.9
Jr Hi	124248	11492	58.0	3.8	4.9	12.0	21.2
Sr Hi	115311	12893	29.0	1.8	3.9	18.0	47.3
Total	239559	24385	44.1	2.9	4.4	14.9	33.7

Table 7.175: How easy is it to get cigarettes?

Table 7.176: How easy is it to get smokeless tobacco?

	Table 7	L70. HOW	l easy is it	. to get sm	okeless tor	Dacco!	
Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	42575	4239	78.1	3.7	3.7	5.7	8.8
7th	41398	4320	69.7	3.5	4.6	8.3	13.8
8th	39820	3388	57.9	3.3	5.5	12.1	21.3
9th	36560	4243	46.1	2.6	5.3	14.8	31.2
10th	31790	3668	38.2	2.3	4.8	16.5	38.2
11th	26520	3139	31.7	2.0	3.9	17.0	45.4
12th	19849	2435	25.9	1.8	3.3	16.1	52.8
Jr Hi	123793	11947	68.8	3.5	4.6	8.6	14.5
Sr Hi	114719	13485	37.1	2.2	4.5	16.0	40.2
Total	238512	25432	53.5	2.9	4.5	12.2	26.9

Grade Level	N of Valid	N of	Cannot	Vani	E stat	- · ·	
	Valid		cannot	Very	Fairly	Fairly	Very
LCVCI	vanu	Miss	Get	Difficult	Difficult	Easy	Easy
6th	42510	4304	78.7	3.9	3.9	5.1	8.4
7th	41307	4411	70.6	4.4	5.4	7.6	12.0
8th	39725	3483	58.5	4.3	7.2	11.2	18.9
9th	36468	4335	46.5	3.7	7.9	14.7	27.2
10th	31737	3721	37.7	2.9	7.5	17.1	34.8
11th	26497	3162	30.6	2.3	6.4	18.1	42.6
12th	19825	2459	24.8	1.8	5.4	17.5	50.6
Jr Hi 1	23542	12198	69.5	4.2	5.5	7.9	12.9
Sr Hi 1	14527	13677	36.6	2.8	7.0	16.6	36.9
Total 2	38069	25875	53.7	3.5	6.2	12.1	24.5

Table 7.177: How easy is it to get cigars?

Table 7.178: How easy is it to get beer?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	42517	4297	68.6	4.9	4.8	7.6	14.2
7th	41353	4365	57.7	4.9	6.3	11.3	19.7
8th	39800	3408	43.9	4.2	7.6	15.5	28.8
9th	36636	4167	34.5	3.3	7.2	18.7	36.4
10th	31872	3586	27.8	2.6	6.5	20.7	42.4
11th	26567	3092	23.2	2.2	5.6	21.3	47.7
12th	19898	2386	19.9	1.9	5.1	21.4	51.7
Jr Hi	123670	12070	57.0	4.7	6.2	11.4	20.7
Sr Hi	114973	13231	27.5	2.6	6.2	20.3	43.3
Total	238643	25301	42.8	3.7	6.2	15.7	31.6

Table 7.179: How easy is it to get wine coolers?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	42407	4407	71.2	4.7	4.8	7.2	12.1
7th	41296	4422	59.4	4.9	6.6	10.9	18.2
8th	39763	3445	45.7	4.4	7.9	15.1	26.8
9th	36545	4258	35.7	3.6	7.7	18.4	34.6
10th	31794	3664	28.8	2.9	7.1	20.4	40.8
11th	26528	3131	23.9	2.1	6.2	21.3	46.5
12th	19865	2419	20.4	1.9	5.5	21.6	50.6
Jr Hi	123466	12274	59.1	4.7	6.4	11.0	18.9
Sr Hi	114732	13472	28.4	2.7	6.8	20.2	41.8
Total	238198	25746	44.3	3.7	6.6	15.4	29.9

	Ta	ble 7.100	D: now ea	sy is it to g	get inquor?		
Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	42429	4385	78.3	4.4	3.7	5.0	8.7
7th	41276	4442	68.0	4.7	5.5	7.8	14.0
8th	39705	3503	52.8	4.7	7.2	12.5	22.8
9th	36504	4299	40.0	3.9	8.0	16.4	31.7
10th	31775	3683	31.2	3.4	7.6	19.4	38.4
11th	26514	3145	25.4	2.7	7.0	20.8	44.1
12th	19880	2404	20.9	2.4	6.5	21.5	48.7
Jr Hi	123410	12330	66.6	4.6	5.4	8.3	15.0
Sr Hi	114673	13531	30.9	3.2	7.4	19.1	39.4
Total	238083	25861	49.4	3.9	6.4	13.5	26.7

Table 7.180: How easy is it to get liquor?

Table 7.181: How easy is it to get marijuana?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	42417	4397	83.9	4.4	2.8	2.8	6.0
7th	41254	4464	75.2	4.9	4.3	5.2	10.4
8th	39655	3553	62.1	5.1	6.7	8.8	17.4
9th	36418	4385	48.2	4.9	7.8	13.1	26.0
10th	31679	3779	38.5	4.2	8.5	16.0	32.9
11th	26430	3229	32.5	3.5	8.1	18.4	37.5
12th	19798	2486	28.1	3.4	8.4	19.7	40.4
Jr Hi	123326	12414	74.0	4.8	4.6	5.5	11.1
Sr Hi	114325	13879	38.4	4.1	8.2	16.3	33.1
Total	237651	26293	56.9	4.5	6.3	10.7	21.7

Table 7.182: How easy is it to get cocaine?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	42379	4435	86.5	4.5	2.3	2.1	4.6
7th	41188	4530	81.9	5.0	3.6	3.3	6.3
8th	39582	3626	73.2	6.0	6.0	5.3	9.5
9th	36305	4498	61.4	7.2	8.6	8.5	14.2
10th	31525	3933	52.5	8.1	11.3	11.0	17.2
11th	26244	3415	46.5	7.8	12.9	13.3	19.5
12th	19643	2641	41.5	8.2	13.4	14.6	22.3
Jr Hi	123149	12591	80.7	5.1	3.9	3.5	6.7
Sr Hi	113717	14487	52.1	7.8	11.2	11.4	17.6
Total	236866	27078	66.9	6.4	7.4	7.3	12.0

GradeN ofN ofCannotVeryFairlyFairlyVeryLevelValidMissGetDifficultDifficultEasyEasy6th42189462587.24.12.42.04.47th41159455982.84.73.43.16.08th39570363874.46.05.74.99.19th36269453462.97.18.28.313.510th31516394254.07.710.710.816.811th26251340848.27.512.013.019.312th19605267943.18.112.913.922.0Jr Hi1229181282281.64.93.83.36.5Sr Hi1136411456353.67.510.611.017.2Total2365592738568.26.27.17.011.6		Id	DIE 1.105	. How eas	sy is it to g	get uppers:		
6th42189462587.24.12.42.04.47th41159455982.84.73.43.16.08th39570363874.46.05.74.99.19th36269453462.97.18.28.313.510th31516394254.07.710.710.816.811th26251340848.27.512.013.019.312th19605267943.18.112.913.922.0Jr Hi1229181282281.64.93.83.36.5Sr Hi1136411456353.67.510.611.017.2	Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
7th41159455982.84.73.43.16.08th39570363874.46.05.74.99.19th36269453462.97.18.28.313.510th31516394254.07.710.710.816.811th26251340848.27.512.013.019.312th19605267943.18.112.913.922.0Jr Hi1229181282281.64.93.83.36.5Sr Hi1136411456353.67.510.611.017.2	Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
8th39570363874.46.05.74.99.19th36269453462.97.18.28.313.510th31516394254.07.710.710.816.811th26251340848.27.512.013.019.312th19605267943.18.112.913.922.0Jr Hi1229181282281.64.93.83.36.5Sr Hi1136411456353.67.510.611.017.2	6th	42189	4625	87.2	4.1	2.4	2.0	4.4
9th36269453462.97.18.28.313.510th31516394254.07.710.710.816.811th26251340848.27.512.013.019.312th19605267943.18.112.913.922.0Jr Hi1229181282281.64.93.83.36.5Sr Hi1136411456353.67.510.611.017.2	7th	41159	4559	82.8	4.7	3.4	3.1	6.0
10th31516394254.07.710.710.816.811th26251340848.27.512.013.019.312th19605267943.18.112.913.922.0Jr Hi1229181282281.64.93.83.36.5Sr Hi1136411456353.67.510.611.017.2	8th	39570	3638	74.4	6.0	5.7	4.9	9.1
11th26251340848.27.512.013.019.312th19605267943.18.112.913.922.0Jr Hi1229181282281.64.93.83.36.5Sr Hi1136411456353.67.510.611.017.2	9th	36269	4534	62.9	7.1	8.2	8.3	13.5
12th19605267943.18.112.913.922.0Jr Hi1229181282281.64.93.83.36.5Sr Hi1136411456353.67.510.611.017.2	10th	31516	3942	54.0	7.7	10.7	10.8	16.8
Jr Hi 122918 12822 81.6 4.9 3.8 3.3 6.5 Sr Hi 113641 14563 53.6 7.5 10.6 11.0 17.2	11th	26251	3408	48.2	7.5	12.0	13.0	19.3
Sr Hi 113641 14563 53.6 7.5 10.6 11.0 17.2	12th	19605	2679	43.1	8.1	12.9	13.9	22.0
	Jr Hi	122918	12822	81.6	4.9	3.8	3.3	6.5
Total 236559 27385 68.2 6.2 7.1 7.0 11.6	Sr Hi	113641	14563	53.6	7.5	10.6	11.0	17.2
	Total	236559	27385	68.2	6.2	7.1	7.0	11.6

Table 7.183: How easy is it to get uppers?

Table 7.184: How easy is it to get downers?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	42148	4666	86.8	3.9	2.4	2.3	4.7
7th	41117	4601	82.2	4.5	3.4	3.3	6.5
8th	39559	3649	73.9	5.7	5.6	5.3	9.6
9th	36265	4538	62.2	6.7	7.8	8.8	14.5
10th	31499	3959	53.2	7.1	10.2	11.7	17.8
11th	26234	3425	47.4	7.0	11.4	13.7	20.4
12th	19598	2686	42.3	7.4	12.5	14.7	23.1
Jr Hi	122824	12916	81.1	4.7	3.8	3.6	6.9
Sr Hi	113596	14608	52.8	7.0	10.1	11.8	18.3
Total	236420	27524	67.5	5.8	6.8	7.5	12.3

Table 7.185: How easy is it to get inhalants?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	42146	4668	81.4	2.8	2.0	2.6	11.1
7th	41108	4610	77.3	3.1	2.5	3.6	13.6
8th	39555	3653	69.2	3.8	4.0	5.1	18.0
9th	36233	4570	59.2	4.5	5.5	7.9	22.8
10th	31468	3990	51.0	5.0	7.2	9.6	27.1
11th	26231	3428	46.0	5.1	7.9	11.6	29.4
12th	19606	2678	41.4	5.5	8.9	12.3	32.0
Jr Hi	122809	12931	76.1	3.2	2.8	3.7	14.2
Sr Hi	113538	14666	50.8	5.0	7.1	10.0	27.1
Total	236347	27597	63.9	4.1	4.9	6.8	20.4

	Table	<i>1</i> .100. II	low easy is	s it to get	nallucinoge	ins :	
Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	42043	4771	87.6	4.0	2.3	1.9	4.2
7th	41083	4635	83.7	4.7	3.3	2.7	5.6
8th	39489	3719	76.0	5.9	5.6	4.3	8.2
9th	36241	4562	64.5	7.7	8.0	7.4	12.4
10th	31475	3983	55.6	8.9	11.0	9.5	15.0
11th	26222	3437	49.9	9.1	12.9	11.3	16.8
12th	19598	2686	44.8	9.8	13.7	12.2	19.4
Jr Hi	122615	13125	82.6	4.8	3.7	3.0	6.0
Sr Hi	113536	14668	55.3	8.7	10.9	9.7	15.3
Total	236151	27793	69.4	6.7	7.2	6.2	10.5

Table 7.186: How easy is it to get hallucinogens?

Table 7.187: How easy is it to get heroin?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	42098	4716	87.7	4.1	2.2	1.9	4.1
7th	41092	4626	83.9	4.9	3.1	2.6	5.5
8th	39517	3691	76.4	6.3	5.3	4.0	8.1
9th	36221	4582	65.4	8.2	7.8	6.7	11.9
10th	31469	3989	57.0	9.7	10.6	8.4	14.3
11th	26229	3430	51.4	10.3	12.5	9.8	16.0
12th	19595	2689	46.6	11.2	13.2	10.7	18.3
Jr Hi	122707	13033	82.8	5.1	3.5	2.8	5.9
Sr Hi	113514	14690	56.6	9.6	10.6	8.6	14.6
Total	236221	27723	70.2	7.3	6.9	5.6	10.1

Table 7.188: How easy is it to get steroids?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	42108	4706	87.0	4.0	2.3	2.3	4.5
7th	41086	4632	83.4	4.5	3.3	2.9	5.8
8th	39513	3695	75.8	5.8	5.3	4.6	8.5
9th	36199	4604	64.6	7.3	7.8	7.8	12.5
10th	31429	4029	56.1	8.2	10.3	10.0	15.5
11th	26199	3460	50.3	8.4	11.8	11.9	17.5
12th	19579	2705	45.5	9.1	12.5	12.6	20.3
Jr Hi	122707	13033	82.2	4.7	3.6	3.3	6.2
Sr Hi	113406	14798	55.6	8.1	10.2	10.2	15.8
Total	236113	27831	69.4	6.4	6.8	6.6	10.8

Table 7.189. How easy is it to get ecstasy?							
Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	42018	4796	87.7	4.0	2.2	1.8	4.2
7th	41041	4677	83.7	4.6	3.2	2.8	5.8
8th	39507	3701	75.6	6.0	5.1	4.6	8.6
9th	36201	4602	64.1	7.7	7.8	7.5	12.9
10th	31458	4000	55.2	8.6	10.4	9.9	16.0
11th	26191	3468	49.1	8.7	12.1	11.7	18.4
12th	19611	2673	44.0	9.3	12.9	12.9	20.9
Jr Hi	122566	13174	82.5	4.9	3.5	3.0	6.1
Sr Hi	113461	14743	54.7	8.5	10.4	10.1	16.4
Total	236027	27917	69.1	6.6	6.8	6.4	11.1

Table 7.189: How easy is it to get ecstasy?

Table 7.190: How easy is it to get OxyContin?

	Table	27.190	now easy	is it to get	. OxyConti	n :	
Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	41891	4923	87.5	4.0	2.1	2.0	4.4
7th	40945	4773	83.5	4.6	3.0	2.9	6.1
8th	39391	3817	75.6	6.0	4.9	4.5	8.9
9th	36108	4695	64.5	7.5	7.3	7.4	13.3
10th	31365	4093	55.7	8.4	9.7	9.7	16.5
11th	26126	3533	49.7	8.9	11.2	11.7	18.6
12th	19498	2786	44.7	9.2	12.4	12.8	21.0
Jr Hi	122227	13513	82.3	4.9	3.3	3.1	6.4
Sr Hi	113097	15107	55.2	8.4	9.7	9.9	16.7
Total	235324	28620	69.3	6.6	6.4	6.4	11.4

7.11 In My School, I Feel Safe...

Table 7.191: In my school, I feel safe in the classroom?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	43378	3436	11.0	4.6	13.2	15.1	56.1
7th	41904	3814	14.8	5.8	14.9	17.4	47.1
8th	40002	3206	16.0	5.9	15.0	18.8	44.2
9th	36748	4055	16.2	6.0	15.2	20.9	41.8
10th	31816	3642	15.3	5.2	14.7	21.3	43.5
11th	26551	3108	14.2	4.9	13.4	21.4	46.1
12th	19887	2397	13.7	4.1	11.4	20.9	49.9
Jr Hi	125284	10456	13.9	5.4	14.3	17.1	49.3
Sr Hi	115002	13202	15.0	5.2	14.0	21.1	44.6
Total	240286	23658	14.4	5.3	14.2	19.0	47.1

Table 7.192: In my school, I feel safe in the cafeteria?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	43266	3548	15.9	6.9	14.4	16.5	46.3
7th	41853	3865	18.2	7.9	15.3	17.7	41.0
8th	39988	3220	18.3	7.3	15.2	18.8	40.3
9th	36759	4044	18.0	7.5	16.1	20.8	37.7
10th	31807	3651	16.5	7.1	15.7	21.3	39.5
11th	26542	3117	15.1	6.1	14.7	21.6	42.4
12th	19895	2389	14.5	5.4	12.6	20.9	46.6
Jr Hi	125107	10633	17.4	7.4	14.9	17.7	42.6
Sr Hi	115003	13201	16.3	6.7	15.1	21.1	40.8
Total	240110	23834	16.9	7.1	15.0	19.3	41.7

	Table	7.19J. III	i iliy sch		sale in the ha	115:	
Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	43239	3575	20.8	9.3	16.5	16.0	37.4
7th	41839	3879	21.9	9.9	17.2	16.4	34.7
8th	39940	3268	20.6	8.9	16.9	17.9	35.6
9th	36713	4090	19.5	8.7	17.7	19.7	34.4
10th	31790	3668	17.6	8.0	17.0	20.3	37.1
11th	26513	3146	15.7	6.7	16.1	20.9	40.6
12th	19878	2406	14.7	5.6	14.2	20.7	44.7
Jr Hi	125018	10722	21.1	9.3	16.9	16.7	36.0
Sr Hi	114894	13310	17.3	7.5	16.5	20.3	38.4
Total	239912	24032	19.3	8.5	16.7	18.5	37.1

Table 7.193: In my school, I feel safe in the halls?

Table 7.194: In my school, I feel safe in the bathroom?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	43136	3678	22.5	9.9	15.1	14.7	37.7
7th	41784	3934	23.3	10.1	15.7	15.7	35.3
8th	39910	3298	21.8	9.3	15.8	17.1	36.1
9th	36709	4094	20.6	8.6	16.4	19.3	35.0
10th	31766	3692	18.3	7.9	15.9	19.9	38.0
11th	26493	3166	16.2	6.7	14.7	20.9	41.6
12th	19851	2433	15.2	5.8	13.0	20.8	45.3
Jr Hi	124830	10910	22.5	9.8	15.5	15.8	36.4
Sr Hi	114819	13385	18.0	7.5	15.3	20.1	39.1
Total	239649	24295	20.4	8.7	15.4	17.9	37.7

Table 7.195: In my school, I feel safe in the gym?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	43025	3789	17.2	7.1	13.9	15.6	46.2
7th	41718	4000	18.7	7.8	15.1	17.0	41.3
8th	39894	3314	18.8	7.4	15.3	18.1	40.4
9th	36605	4198	18.2	7.3	15.6	20.3	38.6
10th	31698	3760	16.7	6.6	15.3	20.8	40.6
11th	26470	3189	15.1	5.8	14.5	21.0	43.6
12th	19858	2426	14.6	5.1	12.5	21.0	46.8
Jr Hi	124637	11103	18.2	7.5	14.7	16.9	42.7
Sr Hi	114631	13573	16.5	6.4	14.7	20.7	41.7
Total	239268	24676	17.4	6.9	14.7	18.7	42.2

GradeN ofN ofALevelValidMissNeverSeldomSometimesOftenLot6th41982483226.09.114.213.836.97th41037468124.68.914.915.236.48th39439376923.48.415.216.636.49th36229457421.98.215.718.735.610th31440401820.37.815.219.037.711th26164349518.76.714.619.540.512th19588269617.85.712.719.644.1Jr Hi1224581328224.78.814.715.236.5Sr Hi1134211478320.07.314.819.138.8Total2358792806522.48.114.817.137.6	Table 7.190. In my school, Theer sale on the school bus:							
6th41982483226.09.114.213.836.97th41037468124.68.914.915.236.48th39439376923.48.415.216.636.49th36229457421.98.215.718.735.610th31440401820.37.815.219.037.711th26164349518.76.714.619.540.512th19588269617.85.712.719.644.1Jr Hi1224581328224.78.814.715.236.5Sr Hi1134211478320.07.314.819.138.8	Grade	N of	N of					A
7th41037468124.68.914.915.236.48th39439376923.48.415.216.636.49th36229457421.98.215.718.735.610th31440401820.37.815.219.037.711th26164349518.76.714.619.540.512th19588269617.85.712.719.644.1Jr Hi1224581328224.78.814.715.236.5Sr Hi1134211478320.07.314.819.138.8	Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
8th39439376923.48.415.216.636.49th36229457421.98.215.718.735.610th31440401820.37.815.219.037.711th26164349518.76.714.619.540.512th19588269617.85.712.719.644.1Jr Hi1224581328224.78.814.715.236.5Sr Hi1134211478320.07.314.819.138.8	6th	41982	4832	26.0	9.1	14.2	13.8	36.9
9th36229457421.98.215.718.735.610th31440401820.37.815.219.037.711th26164349518.76.714.619.540.512th19588269617.85.712.719.644.1Jr Hi1224581328224.78.814.715.236.5Sr Hi1134211478320.07.314.819.138.8	7th	41037	4681	24.6	8.9	14.9	15.2	36.4
10th31440401820.37.815.219.037.711th26164349518.76.714.619.540.512th19588269617.85.712.719.644.1Jr Hi1224581328224.78.814.715.236.5Sr Hi1134211478320.07.314.819.138.8	8th	39439	3769	23.4	8.4	15.2	16.6	36.4
11th26164349518.76.714.619.540.512th19588269617.85.712.719.644.1Jr Hi1224581328224.78.814.715.236.5Sr Hi1134211478320.07.314.819.138.8	9th	36229	4574	21.9	8.2	15.7	18.7	35.6
12th19588269617.85.712.719.644.1Jr Hi1224581328224.78.814.715.236.5Sr Hi1134211478320.07.314.819.138.8	10th	31440	4018	20.3	7.8	15.2	19.0	37.7
Jr Hi1224581328224.78.814.715.236.5Sr Hi1134211478320.07.314.819.138.8	11th	26164	3495	18.7	6.7	14.6	19.5	40.5
Sr Hi 113421 14783 20.0 7.3 14.8 19.1 38.8	12th	19588	2696	17.8	5.7	12.7	19.6	44.1
	Jr Hi	122458	13282	24.7	8.8	14.7	15.2	36.5
Total 235879 28065 22.4 8.1 14.8 17.1 37.6	Sr Hi	113421	14783	20.0	7.3	14.8	19.1	38.8
	Total	235879	28065	22.4	8.1	14.8	17.1	37.6

Table 7.196: In my school, I feel safe on the school bus?

Table 7.197: In my school, I feel safe at school events?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	42833	3981	20.8	7.9	14.4	15.5	41.4
7th	41605	4113	21.4	7.9	14.9	17.1	38.7
8th	39788	3420	20.6	7.6	15.6	18.2	38.0
9th	36594	4209	19.4	7.8	16.6	20.1	36.2
10th	31731	3727	17.8	6.9	16.6	20.9	37.9
11th	26450	3209	16.0	6.3	15.6	21.5	40.7
12th	19851	2433	15.1	5.4	14.0	20.9	44.6
Jr Hi	124226	11514	20.9	7.8	15.0	16.9	39.4
Sr Hi	114626	13578	17.4	6.8	15.9	20.8	39.2
Total	238852	25092	19.2	7.3	15.4	18.7	39.3

Table 7.198: In my school, I feel safe on the playground?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	42563	4251	23.7	8.2	13.8	14.4	39.8
7th	41064	4654	25.0	8.0	14.0	15.2	37.8
8th	39380	3828	23.4	7.6	14.5	16.4	38.1
9th	36053	4750	22.2	7.3	14.9	18.5	37.2
10th	31294	4164	20.3	6.7	14.3	19.2	39.5
11th	26084	3575	18.2	5.8	13.6	19.6	42.8
12th	19572	2712	16.7	5.0	12.1	19.8	46.4
Jr Hi	123007	12733	24.1	7.9	14.1	15.3	38.6
Sr Hi	113003	15201	19.8	6.4	13.9	19.2	40.7
Total	236010	27934	22.0	7.2	14.0	17.2	39.6

	Table 7.199: In my school, I feel safe in the parking lot?								
Grade	N of	N of					Α		
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot		
6th	42815	3999	31.1	10.4	13.8	12.6	32.0		
7th	41506	4212	27.8	10.0	14.8	14.5	32.9		
8th	39727	3481	24.8	9.1	15.4	16.2	34.5		
9th	36558	4245	22.0	8.7	16.6	18.7	34.0		
10th	31668	3790	19.6	7.7	16.4	19.8	36.7		
11th	26427	3232	17.2	6.9	15.5	20.4	40.0		
12th	19811	2473	15.8	5.8	13.8	20.2	44.4		
Jr Hi	124048	11692	28.0	9.9	14.7	14.4	33.1		
Sr Hi	114464	13740	19.1	7.5	15.8	19.6	37.9		
Total	238512	25432	23.7	8.7	15.2	16.9	35.4		

Table 7.199: In my school, I feel safe in the parking lot?

Table 7.200: In my school, I feel safe in all school areas?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	42792	4022	19.4	8.2	17.5	15.9	39.0
7th	41432	4286	20.8	8.5	17.5	17.0	36.3
8th	39669	3539	20.6	7.8	16.9	18.0	36.7
9th	36440	4363	19.5	7.6	17.7	20.2	35.1
10th	31576	3882	17.8	7.2	16.8	20.8	37.4
11th	26384	3275	16.1	6.3	15.7	21.2	40.6
12th	19759	2525	15.0	5.4	13.8	21.1	44.7
Jr Hi	123893	11847	20.2	8.2	17.3	16.9	37.4
Sr Hi	114159	14045	17.4	6.8	16.3	20.8	38.7
Total	238052	25892	18.9	7.5	16.8	18.8	38.0

7.12 In My Neighborhood, I Feel Safe...

Table 7.201: In my neighborhood, I feel safe where I live?							
Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	42699	4115	8.3	2.5	6.8	9.3	73.0
7th	41414	4304	8.5	2.8	7.6	11.9	69.1
8th	39622	3586	9.4	3.2	8.5	13.6	65.4
9th	36341	4462	9.4	3.3	8.4	15.2	63.8
10th	31489	3969	8.6	3.0	8.4	16.1	64.0
11th	26322	3337	8.2	2.7	8.1	16.0	64.9
12th	19729	2555	8.4	2.5	7.3	15.9	65.9
Jr Hi	123735	12005	8.7	2.8	7.6	11.6	69.2
Sr Hi	113881	14323	8.7	2.9	8.1	15.7	64.5
Total	237616	26328	8.7	2.9	7.9	13.6	66.9

Table 7.201: In my neighborhood, I feel safe where I live?

Table 7.202: In my neighborhood, I feel safe in the streets?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	42397	4417	32.2	9.2	15.0	14.5	29.1
7th	41248	4470	24.7	8.4	15.3	16.2	35.4
8th	39525	3683	20.7	7.8	15.2	17.0	39.2
9th	36258	4545	17.5	7.2	15.0	18.2	42.2
10th	31438	4020	15.6	6.6	14.5	18.4	44.9
11th	26271	3388	13.9	6.1	13.9	18.1	48.0
12th	19698	2586	12.7	5.2	12.4	18.2	51.5
Jr Hi	123170	12570	26.0	8.5	15.2	15.9	34.5
Sr Hi	113665	14539	15.3	6.4	14.1	18.2	45.9
Total	236835	27109	20.9	7.5	14.7	17.0	40.0

i	Table 7.203. In my neighborhood, i teel sale at the movies:						
Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	42377	4437	18.6	8.2	18.1	18.0	37.1
7th	41217	4501	16.3	7.5	17.7	19.3	39.2
8th	39465	3743	15.4	6.7	17.2	20.0	40.7
9th	36222	4581	14.0	6.3	16.6	21.6	41.5
10th	31414	4044	12.9	5.9	16.1	22.0	43.1
11th	26260	3399	11.6	5.0	15.3	21.9	46.1
12th	19678	2606	11.1	4.5	13.6	21.1	49.7
Jr Hi	123059	12681	16.8	7.5	17.7	19.1	38.9
Sr Hi	113574	14630	12.7	5.6	15.6	21.7	44.4
Total	236633	27311	14.8	6.6	16.7	20.3	41.6

Table 7.203: In my neighborhood, I feel safe at the movies?

Table 7.204: In my neighborhood, I feel safe on the playground?

LevelValidMissNeverSeldomSometimesOftenLot6th42081473323.28.515.615.337.57th40868485021.78.114.816.439.08th39225398319.97.714.917.240.39th35917488618.06.814.718.941.610th31223423515.86.214.619.344.011th26111354813.85.513.819.847.212th19591269312.94.812.419.550.4Jr Hi1221741356621.68.115.116.338.9Sr Hi1128421536215.56.014.119.345.1	Grade	N of	N of					Α
7th 40868 4850 21.7 8.1 14.8 16.4 39.0 8th 39225 3983 19.9 7.7 14.9 17.2 40.3 9th 35917 4886 18.0 6.8 14.7 18.9 41.6 10th 31223 4235 15.8 6.2 14.6 19.3 44.0 11th 26111 3548 13.8 5.5 13.8 19.8 47.2 12th 19591 2693 12.9 4.8 12.4 19.5 50.4 Jr Hi 122174 13566 21.6 8.1 15.1 16.3 38.9	Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
8th 39225 3983 19.9 7.7 14.9 17.2 40.3 9th 35917 4886 18.0 6.8 14.7 18.9 41.6 10th 31223 4235 15.8 6.2 14.6 19.3 44.0 11th 26111 3548 13.8 5.5 13.8 19.8 47.2 12th 19591 2693 12.9 4.8 12.4 19.5 50.4 Jr Hi 122174 13566 21.6 8.1 15.1 16.3 38.9	6th	42081	4733	23.2	8.5	15.6	15.3	37.5
9th 35917 4886 18.0 6.8 14.7 18.9 41.6 10th 31223 4235 15.8 6.2 14.6 19.3 44.0 11th 26111 3548 13.8 5.5 13.8 19.8 47.2 12th 19591 2693 12.9 4.8 12.4 19.5 50.4 Jr Hi 122174 13566 21.6 8.1 15.1 16.3 38.9	7th	40868	4850	21.7	8.1	14.8	16.4	39.0
10th31223423515.86.214.619.344.011th26111354813.85.513.819.847.212th19591269312.94.812.419.550.4Jr Hi1221741356621.68.115.116.338.9	8th	39225	3983	19.9	7.7	14.9	17.2	40.3
11th 26111 3548 13.8 5.5 13.8 19.8 47.2 12th 19591 2693 12.9 4.8 12.4 19.5 50.4 Jr Hi 122174 13566 21.6 8.1 15.1 16.3 38.9	9th	35917	4886	18.0	6.8	14.7	18.9	41.6
12th 19591 2693 12.9 4.8 12.4 19.5 50.4 Jr Hi 122174 13566 21.6 8.1 15.1 16.3 38.9	10th	31223	4235	15.8	6.2	14.6	19.3	44.0
Jr Hi 122174 13566 21.6 8.1 15.1 16.3 38.9	11th	26111	3548	13.8	5.5	13.8	19.8	47.2
	12th	19591	2693	12.9	4.8	12.4	19.5	50.4
Sr Hi 112842 15362 15.5 6.0 14.1 19.3 45.1	Jr Hi	122174	13566	21.6	8.1	15.1	16.3	38.9
	Sr Hi	112842	15362	15.5	6.0	14.1	19.3	45.1
Total 235016 28928 18.7 7.1 14.6 17.7 41.9	Total	235016	28928	18.7	7.1	14.6	17.7	41.9

Table 7.205: In my neighborhood, I feel safe at my friend's house?

Grade	N of	N of					A
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	42376	4438	10.8	4.2	11.0	16.0	58.0
7th	41178	4540	10.7	3.8	10.9	16.9	57.7
8th	39446	3762	10.9	3.5	10.6	18.2	56.8
9th	36166	4637	10.3	3.5	10.1	19.3	56.7
10th	31377	4081	9.6	3.2	9.8	19.5	57.9
11th	26216	3443	8.9	2.7	9.2	19.4	59.9
12th	19650	2634	9.0	2.6	8.3	18.9	61.2
Jr Hi	123000	12740	10.8	3.9	10.8	17.0	57.5
Sr Hi	113409	14795	9.6	3.0	9.5	19.3	58.6
Total	236409	27535	10.2	3.5	10.2	18.1	58.0

	Table 7.20	. in my	/ neignbo	ornood, i i	eel safe at th	e maii !	
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	42292	4522	20.3	9.3	17.9	17.8	34.6
7th	41087	4631	17.6	7.6	17.2	19.5	38.2
8th	39376	3832	16.1	7.1	16.5	20.2	40.1
9th	36063	4740	14.6	6.5	16.1	21.8	41.0
10th	31310	4148	13.5	6.0	15.9	22.2	42.4
11th	26151	3508	12.1	5.3	15.5	22.3	44.9
12th	19580	2704	11.6	4.7	14.4	22.0	47.3
Jr Hi	122755	12985	18.0	8.0	17.2	19.1	37.6
Sr Hi	113104	15100	13.2	5.8	15.6	22.1	43.4
Total	235859	28085	15.7	6.9	16.5	20.5	40.4

Table 7.206: In my neighborhood, I feel safe at the mall?

7.13 Would Your Parents Disapprove Of You

Tab	Table 7.207: Would you parents disapprove of you using tobacco?									
Grade	N of	N of	Don't		Strongly	Don't				
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know				
6th	42580	4234	15.4	11.5	64.0	9.2				
7th	41371	4347	13.5	11.3	65.2	10.0				
8th	39577	3631	12.9	13.1	63.7	10.3				
9th	36360	4443	13.2	15.7	60.9	10.3				
10th	31609	3849	12.8	17.0	60.8	9.4				
11th	26378	3281	12.7	19.0	59.7	8.6				
12th	19827	2457	15.1	21.6	54.4	8.9				
Jr Hi	123528	12212	14.0	11.9	64.3	9.8				
Sr Hi	114174	14030	13.3	17.8	59.5	9.4				
Total	237702	26242	13.6	14.8	62.0	9.6				

Table 7.208:	Would you	parents	disapprove	of you	using alcohol	?
		p a. o	alouppioro	e . j e a		••

Table 7.206. Would you parents disapprove of you using alcohor?								
Grade	N of	N of	Don't		Strongly	Don't		
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know		
6th	42501	4313	15.6	13.0	62.5	8.9		
7th	41320	4398	14.4	13.1	62.7	9.9		
8th	39513	3695	14.3	15.6	59.6	10.5		
9th	36331	4472	14.4	18.5	56.5	10.7		
10th	31567	3891	14.0	20.0	56.3	9.6		
11th	26389	3270	14.4	22.0	54.6	9.0		
12th	19809	2475	17.5	24.5	48.9	9.0		
Jr Hi	123334	12406	14.8	13.9	61.6	9.8		
Sr Hi	114096	14108	14.8	20.8	54.7	9.7		
Total	237430	26514	14.8	17.2	58.3	9.7		

Tabl	Table 1.209. Would you parents disapprove of you using manjuana:					
Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	42454	4360	14.8	9.3	68.1	7.9
7th	41256	4462	12.6	8.2	70.7	8.5
8th	39537	3671	11.0	8.8	71.2	8.9
9th	36260	4543	10.5	10.3	70.2	9.0
10th	31544	3914	9.9	10.6	71.3	8.2
11th	26332	3327	9.0	11.4	71.9	7.7
12th	19793	2491	9.9	12.7	69.5	8.0
Jr Hi	123247	12493	12.8	8.8	70.0	8.4
Sr Hi	113929	14275	9.9	11.0	70.8	8.3
Total	237176	26768	11.4	9.9	70.4	8.4

Table 7.209: Would you parents disapprove of you using marijuana?

Table 7.210: Would you parents disapprove of you using other illicit drugs?

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	42360	4454	14.7	9.2	67.9	8.2
7th	41152	4566	12.3	7.9	71.4	8.4
8th	39401	3807	10.7	8.1	72.9	8.4
9th	36160	4643	9.6	9.0	73.0	8.4
10th	31456	4002	8.7	8.8	74.9	7.6
11th	26258	3401	7.7	8.9	76.2	7.2
12th	19770	2514	8.6	9.6	74.2	7.6
Jr Hi	122913	12827	12.6	8.4	70.7	8.3
Sr Hi	113644	14560	8.7	9.0	74.5	7.8
Total	236557	27387	10.7	8.7	72.5	8.0

Table 7.211: Would you parents disapprove of you fighting with a student?

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	42324	4490	21.0	20.4	46.7	11.9
7th	41164	4554	21.1	20.2	46.7	12.0
8th	39429	3779	21.3	21.5	45.3	11.9
9th	36183	4620	19.7	24.0	44.9	11.4
10th	31481	3977	17.9	24.8	46.9	10.5
11th	26290	3369	16.2	25.4	48.6	9.8
12th	19756	2528	15.6	26.2	48.5	9.6
Jr Hi	122917	12823	21.1	20.7	46.3	11.9
Sr Hi	113710	14494	17.7	24.9	46.9	10.5
Total	236627	27317	19.5	22.7	46.6	11.2

		<u> </u>		, j	0 1	
Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	42384	4430	14.8	9.6	68.0	7.6
7th	41205	4513	12.3	8.7	71.0	8.0
8th	39451	3757	10.8	9.0	72.4	7.9
9th	36189	4614	9.8	10.5	71.8	7.9
10th	31509	3949	9.0	10.5	73.6	6.9
11th	26294	3365	8.0	10.9	74.5	6.6
12th	19757	2527	9.0	11.7	72.5	6.8
Jr Hi	123040	12700	12.7	9.1	70.4	7.8
Sr Hi	113749	14455	9.0	10.8	73.0	7.1
Total	236789	27155	10.9	9.9	71.7	7.5

Table 7.212: Would you parents disapprove of you carrying a weapon to school?

Table 7.213: Would you parents disapprove of you threatening a student?

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	42396	4418	15.9	14.6	59.8	9.7
7th	41151	4567	14.4	14.5	61.0	10.1
8th	39430	3778	13.5	15.8	60.8	10.0
9th	36182	4621	12.5	17.6	60.2	9.7
10th	31486	3972	11.6	18.1	61.2	9.1
11th	26252	3407	10.5	18.3	62.8	8.3
12th	19743	2541	11.1	18.7	62.0	8.2
Jr Hi	122977	12763	14.6	14.9	60.5	9.9
Sr Hi	113663	14541	11.6	18.1	61.4	9.0
Total	236640	27304	13.1	16.4	60.9	9.5

Table 7.214: Would you parents disapprove of you joining a gang?

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	42226	4588	15.0	10.2	65.0	9.8
7th	40980	4738	12.7	8.9	68.9	9.6
8th	39274	3934	10.8	8.7	71.2	9.2
9th	36029	4774	9.9	9.5	72.0	8.6
10th	31356	4102	8.8	9.1	74.6	7.5
11th	26178	3481	7.8	9.3	76.1	6.8
12th	19650	2634	8.7	9.9	74.5	6.9
Jr Hi	122480	13260	12.9	9.3	68.3	9.5
Sr Hi	113213	14991	8.9	9.4	74.1	7.6
Total	235693	28251	11.0	9.3	71.1	8.6

Would Your Friends Disapprove Of You 7.14

lal	Table 7.215: Would you friends disapprove of you using tobacco?						
Grade	N of	N of	Don't		Strongly	Don't	
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know	
6th	41423	5391	19.6	19.2	39.1	22.1	
7th	40439	5279	24.1	18.4	35.6	21.9	
8th	38880	4328	30.6	18.9	29.5	21.1	
9th	35680	5123	36.0	20.3	24.7	19.1	
10th	31088	4370	38.7	20.3	23.8	17.1	
11th	25946	3713	41.5	19.8	22.8	15.9	
12th	19496	2788	45.6	19.4	20.3	14.7	
Jr Hi	120742	14998	24.6	18.8	34.8	21.7	
Sr Hi	112210	15994	39.7	20.0	23.3	17.0	
Total	232952	30992	31.9	19.4	29.3	19.5	

f you using tobacc Table 7 215: Would friands die ~?

Table 7.216: Would you friends disapprove of you using alcohol?

Id	Table 7.210. Would you mends disapprove of you using alcohol?					
Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	41376	5438	20.0	19.2	39.0	21.8
7th	40351	5367	25.8	17.9	34.5	21.8
8th	38845	4363	34.4	17.5	27.3	20.8
9th	35663	5140	41.9	18.1	21.4	18.6
10th	31060	4398	46.0	17.3	19.9	16.7
11th	25919	3740	49.3	16.5	18.7	15.4
12th	19463	2821	53.4	15.6	16.9	14.1
Jr Hi	120572	15168	26.6	18.2	33.7	21.5
Sr Hi	112105	16099	46.7	17.1	19.6	16.6
Total	232677	31267	36.3	17.7	26.9	19.1

	le 1.211.	vvoula yo	ou menus uisa	pprove or you	using manjua	illa !
Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	41311	5503	17.3	17.2	45.0	20.6
7th	40303	5415	20.1	16.4	42.9	20.7
8th	38777	4431	24.7	17.2	38.2	19.9
9th	35589	5214	28.7	19.5	33.7	18.2
10th	30996	4462	30.7	20.1	32.7	16.5
11th	25890	3769	32.1	20.7	32.4	14.8
12th	19444	2840	33.4	21.2	31.5	13.9
Jr Hi	120391	15349	20.6	16.9	42.1	20.4
Sr Hi	111919	16285	30.9	20.2	32.7	16.2
Total	232310	31634	25.6	18.5	37.6	18.4

Table 7.217: Would you friends disapprove of you using marijuana?

Table 7.218: Would you friends disapprove of you using other illicit drugs?

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	41256	5558	16.8	17.1	44.9	21.2
7th	40193	5525	17.9	16.7	44.1	21.3
8th	38698	4510	19.8	17.7	41.8	20.7
9th	35492	5311	21.3	20.3	39.3	19.1
10th	30918	4540	20.5	21.2	40.9	17.5
11th	25820	3839	19.3	22.3	42.6	15.8
12th	19405	2879	19.4	22.4	43.5	14.8
Jr Hi	120147	15593	18.1	17.1	43.7	21.1
Sr Hi	111635	16569	20.3	21.4	41.2	17.2
Total	231782	32162	19.2	19.2	42.5	19.2

Table 7.219: Would you friends disapprove of you fighting with a student?

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	41223	5591	28.9	18.4	29.2	23.5
7th	40248	5470	34.6	16.2	26.8	22.4
8th	38733	4475	40.2	15.7	22.9	21.2
9th	35549	5254	42.2	17.4	20.9	19.5
10th	30953	4505	42.1	17.8	21.3	18.8
11th	25857	3802	40.5	19.3	22.6	17.5
12th	19451	2833	38.4	21.0	23.9	16.6
Jr Hi	120204	15536	34.4	16.8	26.4	22.4
Sr Hi	111810	16394	41.1	18.6	21.9	18.4
Total	232014	31930	37.7	17.7	24.2	20.5

		5			8	
Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	41320	5494	17.1	17.0	45.1	20.8
7th	40270	5448	18.5	16.8	43.8	20.9
8th	38747	4461	20.6	18.1	41.0	20.3
9th	35558	5245	21.9	20.3	38.9	18.9
10th	30949	4509	20.8	21.2	40.6	17.4
11th	25879	3780	19.3	21.9	43.0	15.8
12th	19436	2848	19.1	22.0	44.0	14.9
Jr Hi	120337	15403	18.7	17.3	43.4	20.7
Sr Hi	111822	16382	20.5	21.2	41.2	17.1
Total	232159	31785	19.5	19.2	42.3	19.0

Table 7.220: Would you friends disapprove of you carrying a weapon to school?

Table 7.221: Would you friends disapprove of you threatening a student?

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	41275	5539	21.7	18.6	36.9	22.7
7th	40200	5518	25.4	17.7	34.3	22.6
8th	38697	4511	30.0	18.0	30.4	21.6
9th	35533	5270	32.3	19.7	27.9	20.1
10th	30947	4511	31.8	20.5	28.6	19.1
11th	25839	3820	30.6	21.7	30.3	17.4
12th	19402	2882	29.5	22.4	31.6	16.5
Jr Hi	120172	15568	25.6	18.1	34.0	22.3
Sr Hi	111721	16483	31.3	20.9	29.3	18.5
Total	231893	32051	28.3	19.4	31.7	20.5

Table 7.222: Would you friends disapprove of you joining a gang?

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	41089	5725	18.9	16.2	42.1	22.7
7th	40026	5692	19.8	15.6	42.1	22.5
8th	38576	4632	21.3	16.2	40.8	21.6
9th	35301	5502	21.3	18.5	40.6	19.6
10th	30798	4660	19.3	18.7	43.9	18.1
11th	25738	3921	17.6	19.4	46.5	16.4
12th	19297	2987	17.2	19.1	48.3	15.5
Jr Hi	119691	16049	20.0	16.0	41.7	22.3
Sr Hi	111134	17070	19.2	18.9	44.2	17.7
Total	230825	33119	19.6	17.4	42.9	20.1

7.15 Frequency of Use

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	45704	1110	2.0	3.6	4.9	11.0
7th	44594	1124	4.0	7.8	10.5	19.9
8th	42213	995	6.2	11.7	15.3	26.3
9th	39445	1358	9.3	15.5	19.6	30.7
10th	34396	1062	11.0	17.2	21.3	32.0
11th	28691	968	13.4	19.7	23.9	34.2
12th	21481	803	16.3	22.7	27.1	37.5
Jr Hi	132511	3229	4.0	7.6	10.1	18.9
Sr Hi	124013	4191	11.9	18.2	22.4	33.0
Total	256524	7420	7.8	12.7	16.0	25.7

Table 7.223: Frequency of Use - Cigarettes?

Tuble Tille II Trequency of obc Officiences Tobuccos	Table 7.224:	Frequency of	Use – Smoke	less Tobacco?
--	--------------	--------------	-------------	---------------

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	45634	1180	1.6	2.5	3.1	5.9
7th	44505	1213	2.4	4.4	5.7	9.6
8th	42122	1086	3.6	6.4	8.3	13.4
9th	39297	1506	5.1	8.1	10.2	15.7
10th	34315	1143	5.3	8.0	10.1	15.4
11th	28590	1069	5.9	8.5	10.7	16.0
12th	21411	873	7.3	10.3	12.3	17.6
Jr Hi	132261	3479	2.5	4.4	5.6	9.5
Sr Hi	123613	4591	5.7	8.5	10.6	16.0
Total	255874	8070	4.0	6.4	8.0	12.7

	Table	1.225. 1	requein	Ly UI USE	Cigai 5:	
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	45487	1327	1.3	2.0	2.8	5.7
7th	44348	1370	1.5	3.2	5.0	9.9
8th	41978	1230	2.0	4.4	7.2	14.2
9th	39138	1665	2.6	5.7	9.4	17.6
10th	34194	1264	2.7	6.2	10.6	19.4
11th	28506	1153	3.0	7.0	11.9	21.9
12th	21350	934	4.2	8.2	14.1	25.3
Jr Hi	131813	3927	1.6	3.2	4.9	9.8
Sr Hi	123188	5016	3.0	6.6	11.1	20.4
Total	255001	8943	2.3	4.8	7.9	14.9

Table 7.225: Frequency of Use - Cigars?

Table 7.226:	Frequency of Use - Beer?
	Trequency of 03c Deers

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	45442	1372	1.5	3.2	5.3	16.0
7th	44295	1423	1.9	5.6	10.1	24.9
8th	41968	1240	2.6	8.7	16.3	34.4
9th	39167	1636	3.0	12.0	21.8	40.6
10th	34200	1258	3.1	13.3	24.5	43.4
11th	28517	1142	3.3	15.5	28.0	46.5
12th	21366	918	4.7	19.6	33.4	50.7
Jr Hi	131705	4035	2.0	5.8	10.4	24.8
Sr Hi	123250	4954	3.4	14.5	26.0	44.5
Total	254955	8989	2.7	10.0	17.9	34.3

Table 7.227: Frequency of Use – Wine Coolers?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	45385	1429	1.6	3.4	5.6	17.1
7th	44266	1452	2.1	6.0	10.7	27.2
8th	41914	1294	2.7	8.4	15.8	36.1
9th	39126	1677	2.8	9.9	19.2	40.4
10th	34182	1276	2.7	9.6	19.8	41.8
11th	28496	1163	2.8	9.7	20.9	42.5
12th	21329	955	3.8	10.5	22.3	42.9
Jr Hi	131565	4175	2.1	5.9	10.5	26.6
Sr Hi	123133	5071	2.9	9.9	20.3	41.7
Total	254698	9246	2.5	7.8	15.3	33.9

Table 7.226. Frequency of Ose – Liquor							
Grade	N of	N of					
Level	Valid	Miss	Daily	Weekly	Monthly	Annual	
6th	45436	1378	1.4	2.4	3.5	8.2	
7th	44245	1473	1.6	4.4	7.4	16.2	
8th	41854	1354	2.4	7.3	13.2	26.8	
9th	39074	1729	3.0	10.6	19.5	35.6	
10th	34153	1305	3.0	11.9	23.1	41.6	
11th	28476	1183	3.1	13.5	26.7	46.1	
12th	21317	967	4.3	16.4	32.3	52.1	
Jr Hi	131535	4205	1.8	4.6	7.9	16.8	
Sr Hi	123020	5184	3.3	12.6	24.4	42.5	
Total	254555	9389	2.5	8.5	15.9	29.3	

Table 7.228: Frequency of Use - Liquor?

Table 7.229: Frequency of Use – Marijuana?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	45388	1426	1.5	2.3	3.0	4.5
7th	44276	1442	2.3	4.8	6.5	10.2
8th	41905	1303	3.6	7.6	10.4	16.4
9th	39067	1736	4.9	10.1	14.1	21.8
10th	34122	1336	5.3	11.1	15.8	25.2
11th	28471	1188	6.0	12.0	17.0	27.2
12th	21284	1000	7.3	13.3	18.2	29.4
Jr Hi	131569	4171	2.4	4.8	6.5	10.2
Sr Hi	122944	5260	5.7	11.4	16.0	25.3
Total	254513	9431	4.0	8.0	11.1	17.5

Table 7.230: Frequency of Use - Cocaine?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	45360	1454	1.2	1.5	1.8	2.3
7th	44227	1491	1.2	1.7	2.3	3.3
8th	41859	1349	1.5	2.3	3.0	4.4
9th	38981	1822	1.9	2.8	3.8	5.6
10th	34112	1346	2.1	3.1	4.2	6.2
11th	28426	1233	2.2	3.2	4.5	7.0
12th	21271	1013	3.4	4.7	6.2	9.2
Jr Hi	131446	4294	1.3	1.8	2.3	3.3
Sr Hi	122790	5414	2.3	3.3	4.5	6.7
Total	254236	9708	1.8	2.5	3.4	5.0

Table 7.251. Frequency of Ose – Oppers?							
Grade	N of	N of					
Level	Valid	Miss	Daily	Weekly	Monthly	Annual	
6th	45127	1687	1.1	1.4	1.8	2.3	
7th	44166	1552	1.0	1.7	2.2	3.3	
8th	41803	1405	1.5	2.3	3.2	4.6	
9th	38918	1885	1.9	3.0	4.2	6.1	
10th	34090	1368	2.0	3.2	4.5	6.6	
11th	28413	1246	2.0	3.2	4.7	7.1	
12th	21252	1032	3.2	4.6	6.1	8.7	
Jr Hi	131096	4644	1.2	1.8	2.4	3.4	
Sr Hi	122673	5531	2.2	3.4	4.7	6.9	
Total	253769	10175	1.7	2.6	3.5	5.1	

Table 7.231: Frequency of Use – Uppers?

Table 7.232: Frequency of Use – Downers?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	45020	1794	1.2	1.5	1.9	2.6
7th	44067	1651	1.2	1.8	2.5	3.7
8th	41773	1435	1.6	2.5	3.5	5.2
9th	38911	1892	1.9	3.2	4.8	7.1
10th	34046	1412	2.1	3.6	5.4	8.1
11th	28376	1283	2.2	3.8	5.9	8.8
12th	21242	1042	3.2	5.1	7.3	10.5
Jr Hi	130860	4880	1.3	1.9	2.6	3.8
Sr Hi	122575	5629	2.2	3.8	5.7	8.3
Total	253435	10509	1.8	2.8	4.1	6.0

Table 7.233: Frequency of Use - Inhalants?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	45074	1740	1.4	2.0	2.7	5.1
7th	44048	1670	1.3	2.4	3.4	6.3
8th	41745	1463	1.7	2.8	4.2	7.1
9th	38883	1920	1.8	2.8	4.2	6.8
10th	34018	1440	1.8	2.7	3.9	6.0
11th	28384	1275	1.9	2.7	3.8	5.7
12th	21233	1051	3.0	3.9	5.1	6.8
Jr Hi	130867	4873	1.5	2.4	3.4	6.2
Sr Hi	122518	5686	2.1	2.9	4.2	6.3
Total	253385	10559	1.7	2.7	3.8	6.2

	Table 7.234: Frequency of Use – Hallucinogens?							
Grade	N of	N of						
Level	Valid	Miss	Daily	Weekly	Monthly	Annual		
6th	44925	1889	1.1	1.4	1.8	2.3		
7th	43980	1738	1.0	1.5	2.1	2.9		
8th	41682	1526	1.4	1.9	2.8	3.9		
9th	38813	1990	1.7	2.4	3.6	5.0		
10th	33988	1470	1.8	2.6	3.8	5.5		
11th	28360	1299	2.0	2.7	3.9	5.9		
12th	21212	1072	3.0	3.8	5.3	7.8		
Jr Hi	130587	5153	1.2	1.6	2.2	3.0		
Sr Hi	122373	5831	2.0	2.8	4.0	5.8		
Total	252960	10984	1.6	2.2	3.1	4.4		

Table 7.234: Frequency of Use - Hallucinogens?

Table 7.235: Frequency of Use – Heroin?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	44947	1867	1.1	1.3	1.7	2.1
7th	43972	1746	1.0	1.4	1.9	2.7
8th	41658	1550	1.4	1.9	2.4	3.4
9th	38807	1996	1.7	2.3	3.2	4.1
10th	33977	1481	1.8	2.4	3.2	4.3
11th	28327	1332	1.9	2.7	3.5	4.6
12th	21192	1092	3.0	3.8	4.9	6.2
Jr Hi	130577	5163	1.1	1.5	2.0	2.7
Sr Hi	122303	5901	2.0	2.7	3.5	4.7
Total	252880	11064	1.6	2.1	2.7	3.7

Table 7.236: Frequency of Use - Steroids?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	44943	1871	1.1	1.4	1.8	2.5
7th	43939	1779	1.0	1.6	2.0	2.9
8th	41625	1583	1.4	2.0	2.5	3.5
9th	38725	2078	1.7	2.4	3.1	4.2
10th	33939	1519	1.8	2.5	3.1	4.2
11th	28307	1352	2.0	2.7	3.4	4.6
12th	21182	1102	3.0	4.1	5.0	6.3
Jr Hi	130507	5233	1.2	1.6	2.1	3.0
Sr Hi	122153	6051	2.0	2.8	3.5	4.7
Total	252660	11284	1.6	2.2	2.8	3.8

	Table 7.237. Frequency of Ose – Ecstasy!							
Grade	N of	N of						
Level	Valid	Miss	Daily	Weekly	Monthly	Annual		
6th	44811	2003	1.1	1.4	1.7	2.3		
7th	43861	1857	1.1	1.6	2.1	3.2		
8th	41557	1651	1.5	2.1	2.9	4.5		
9th	38708	2095	1.8	2.6	3.7	5.6		
10th	33946	1512	2.0	2.8	3.8	5.9		
11th	28306	1353	2.0	3.0	4.1	6.7		
12th	21194	1090	3.1	4.0	5.3	8.2		
Jr Hi	130229	5511	1.2	1.7	2.2	3.3		
Sr Hi	122154	6050	2.1	3.0	4.1	6.4		
Total	252383	11561	1.6	2.3	3.1	4.8		

Table 7.237: Frequency of Use - Ecstasy?

Table 7.238: Frequency of Use – OxyContin?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	44664	2150	1.2	1.5	1.8	2.5
7th	43807	1911	1.1	1.7	2.2	3.4
8th	41513	1695	1.5	2.2	3.0	4.7
9th	38622	2181	1.9	2.8	3.9	5.8
10th	33877	1581	2.0	2.9	3.9	6.1
11th	28242	1417	2.1	3.0	4.1	6.4
12th	21126	1158	3.2	4.1	5.3	7.9
Jr Hi	129984	5756	1.3	1.8	2.3	3.5
Sr Hi	121867	6337	2.2	3.1	4.2	6.4
Total	251851	12093	1.7	2.4	3.2	4.9

Table 7.239: Frequency of Use – Any Tobacco?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	45912	902	2.5	4.7	6.4	13.9
7th	44820	898	5.3	10.1	13.3	24.0
8th	42420	788	8.2	14.8	19.1	31.8
9th	39660	1143	12.1	19.3	24.0	36.9
10th	34551	907	13.9	21.0	25.8	38.3
11th	28808	851	16.6	23.7	28.5	40.6
12th	21577	707	20.0	26.9	31.8	43.7
Jr Hi	133152	2588	5.2	9.7	12.8	23.0
Sr Hi	124596	3608	15.0	22.1	26.9	39.3
Total	257748	6196	10.0	15.7	19.6	30.9

Grade	N of	N of	queriey		any / aconor	
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	45824	990	2.0	4.6	7.4	23.4
7th	44690	1028	2.7	8.0	14.2	35.1
8th	42302	906	3.5	12.0	21.4	46.3
9th	39540	1263	3.9	15.4	27.6	52.9
10th	34466	992	3.8	16.6	30.3	56.4
11th	28739	920	4.0	18.7	34.2	59.4
12th	21529	755	5.5	23.0	39.7	63.0
Jr Hi	132816	2924	2.7	8.1	14.1	34.6
Sr Hi	124274	3930	4.2	17.8	32.0	57.1
Total	257090	6854	3.4	12.8	22.8	45.5

Table 7.240: Frequency of Use – Any Alcohol?

Table 7.241: Frequency of Use – Any Illicit Drugs?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	45879	935	2.5	3.9	4.8	8.8
7th	44753	965	3.6	6.8	8.9	14.4
8th	42373	835	5.0	9.5	12.8	20.3
9th	39584	1219	6.4	12.1	16.2	24.8
10th	34508	950	6.8	13.0	17.8	27.6
11th	28784	875	7.4	13.9	19.1	29.5
12th	21559	725	9.0	15.4	20.4	31.2
Jr Hi	133005	2735	3.6	6.6	8.7	14.4
Sr Hi	124435	3769	7.2	13.3	18.0	27.8
Total	257440	6504	5.4	9.9	13.2	20.8


Chapter 8

Year-to-Year Graphics


The following graphs compare prevalence of drug use data across several years.

- The first set of graphs present data on the frequency of use. For the each drug, there is a chart reporting *Annual Use* (i.e. any use within the past year) and *Monthly Use* (i.e. use at least once per month).
- The second set of graphs present data on the availability of drugs. Each graph presents the percent of students who report a particular drug as being *Fairly Easy* or *Very Easy* to get.
- The third set of graphs present data on the effect of use of drugs. Each graph presents the percent of students who report getting *Very High* or *Bombed/Stoned* when using a particular drug.


8.1 Annual & Monthly Frequency of Use Across Years



Annual Use of Cigarettes




Monthly Use of Cigarettes




Annual Use of Beer


252




Monthly Use of Beer



Annual Use of Wine Coolers




Monthly Use of Wine Coolers




Annual Use of Liquor

<u>32.3</u>

1.25



Monthly Use of Liquor



Annual Use of Marijuana

۶.8۱

0.71

6[.]71


9.91

15.8

۶.5۱


14.8

۲.۵۲




7.S


Monthly Use of Marijuana



Annual Use of Cocaine





Monthly Use of Cocaine




Annual Use of Uppers

۶.1







۵ľ.



Annual Use of Downers




Monthly Use of Downers




Annual Use of Inhalants


2004-05 Alabama Statewide Survey




Monthly Use of Inhalants




5.3




Monthly Use of Hallucinogens




Annual Use of Alcohol




Monthly Use of Alcohol




Annual Use of Illicit Drugs




8.2 Availability Across Years




Availability of Beer




Availability of Wine Coolers




Availability of Liquor






Availability of Cocaine



Availability of Uppers

8.7£


38.3



Availability of Downers

£.44


42.0



Availability of Inhalants


7.15

30.8



Availability of Hallucinogens


8.3 Effect of Use Across Years



Effect of Use of Beer

23.9


8.12




Effect of Use of Wine Coolers

4[.]78


<u>6.</u>78




Effect of Use of Liquor




Effect of Use of Marijuana



Effect of Use of Cocaine



Effect of Use of Uppers



Effect of Use of Downers

5.93

55.1

5.43

9.43

4.1ð

9.64

۲<u>9</u>.1

9.74


6.44


43.3

43.4

0.78

6.13






Source: PRIDE Survey

Effect of Use of Inhalants

2004-05 Alabama Statewide Survey



Effect of Use of Hallucinogens