

Pride Surveys Questionnaire for Grades 4 thru 6 Standard Report

Pride Surveys Questionnaire for Grades 4 to 6 / Sample Report

March 27, 2014



PRIDE SURVEYS
160 Vanderbilt Court
Bowling Green, KY 42103
☎ 800.279.6361
☎ 270.746.9598
www.pridesurveys.com

Contents

1	Introduction	8
1.1	Drug Use Summary	9
1.2	Tobacco Use	9
1.3	Alcohol Use	9
1.4	Marijuana Use	9
1.5	Inhalants Use	9
1.6	Other drugs Use	9
1.7	What Can You Do As A Parent, Teacher, Or Concerned Citizen?	9
2	Standard Graphics	11
2.1	Frequency Of Use	12
2.2	Harmful To Health	15
2.3	How Easy Is It For Kids Your Age To Get	18
3	Advanced Graphics	21
3.1	Frequency of Use by Sex	22
3.2	Parents' Approval of Drug Use	28
3.3	Friends' Approval of Drug Use	34
4	Narrative Report	40
4.1	Introduction	40
4.1.1	The Problem	40
4.1.2	The Pride Questionnaire for Grades 4-6	40
4.1.3	Gateway Drug Use	41
4.1.4	Overview of Report	41
4.1.5	How Pride Surveys Can Help You	41
4.2	Survey Findings	42

4.2.1	Self-Reported Gateway Drug Use	42
4.2.2	Perceived Health Effects of Gateway Drug Use	45
4.2.3	Perceived Availability of Gateway Drugs	46
4.3	How To Use This Report	47
4.3.1	Community Awareness	47
4.3.2	The News Media	47
4.3.3	Presentations to School/Community Groups	50
4.3.4	Sample Press Release	53
5	Percentage Tables	55
5.1	Student Information	56
5.2	Student Characteristics	57
5.3	Within The Past Year How Often Have You Used	59
5.4	Harmful To Health	60
5.5	Would Your Parents Approve	61
5.6	Would Your Friends Approve	62
5.7	Where Do You Get	63
5.8	While <i>At</i> School Have You	64
5.9	While <i>Not</i> At School Have You	66
5.10	How Easy Is It For Kids Your Age To Get	68
5.11	Frequency of Use	69

List of Tables

4.1	Perceived Harmful Effects of Drug and Alcohol Use	45
4.2	Percentage of Students Reporting Drugs as Easy to Get	46
5.1	Sex	56
5.2	Ethnic Origin	56
5.3	Age	56
5.4	I make good grades.	57
5.5	I get into trouble at school.	57
5.6	I go to church or synagogue.	57
5.7	I talk to my parents about my problems.	57
5.8	My parents talk to me about the dangers of alcohol and drugs.	57
5.9	My teachers talk to me about the dangers of alcohol and drugs.	57
5.10	My parents make me follow certain rules.	57
5.11	My school makes me follow certain rules.	58
5.12	I have to be home at a certain time.	58
5.13	Most days I am alone at home for an hour or more.	58
5.14	The kids at school like me.	58
5.15	My parents make sure I do my homework.	58
5.16	I play violent video games.	58
5.17	I think I am overweight.	58
5.18	A doctor said that I am overweight.	58
5.19	Within the past year how often have you used tobacco (cigarettes, chew, etc.)?	59
5.20	Within the past year how often have you drunk alcohol (beer, liquor, etc.)?	59
5.21	Within the past year how often have you smoked marijuana (pot)?	59
5.22	Within the past year how often have you sniffed glue, gas, etc. (to get high)?	59
5.23	Within the past year how often have you used other drugs (to get high)?	59
5.24	Do you think that using tobacco (cigarettes, chew, etc.) is harmful to your health?	60

5.25 Do you think that using alcohol (beer, liquor, etc.) is harmful to your health?	60
5.26 Do you think that using marijuana (pot) is harmful to your health?	60
5.27 Do you think that using glue, gas, etc. (to get high) is harmful to your health?	60
5.28 Do you think that using other drugs (to get high) is harmful to your health?	60
5.29 Would your parents approve of you using tobacco (cigarettes, chew, etc.)?	61
5.30 Would your parents approve of you using alcohol (beer, liquor, etc.)?	61
5.31 Would your parents approve of you using marijuana (pot)?	61
5.32 Would your parents approve of you using glue, gas, etc. (to get high)?	61
5.33 Would your parents approve of you using other drugs (to get high)?	61
5.34 Would your friends approve of you using tobacco (cigarettes, chew, etc.)?	62
5.35 Would your friends approve of you using alcohol (beer, liquor, etc.)?	62
5.36 Would your friends approve of you using marijuana (pot)?	62
5.37 Would your friends approve of you using glue, gas, etc. (to get high)?	62
5.38 Would your friends approve of you using other drugs (to get high)?	62
5.39 Where do you get tobacco (cigarettes, chew, etc.)?	63
5.40 Where do you get alcohol (beer, liquor, etc.)?	63
5.41 Where do you get marijuana (pot)?	63
5.42 Where do you get glue, gas, etc. (to get high)?	63
5.43 Where do you get other drugs (to get high)?	63
5.44 While <i>at</i> school have you used tobacco (cigarettes, chew, etc.)?	64
5.45 While <i>at</i> school have you drunk alcohol (beer, liquor, etc.)?	64
5.46 While <i>at</i> school have you smoked marijuana?	64
5.47 While <i>at</i> school have you inhaled glue, gas, etc. to get high?	64
5.48 While <i>at</i> school have you been afraid a student will hurt you?	64
5.49 While <i>at</i> school have you been threatened by a student?	64
5.50 While <i>at</i> school have you been hurt by a student?	64
5.51 While <i>at</i> school have you carried a real gun for protection?	65
5.52 While <i>at</i> school have you carried a knife for protection?	65
5.53 While <i>not</i> at school have you used tobacco (cigarettes, chew, etc.)?	66
5.54 While <i>not</i> at school have you drunk alcohol (beer, liquor, etc.)?	66
5.55 While <i>not</i> at school have you smoked marijuana?	66
5.56 While <i>not</i> at school have you inhaled glue, gas, etc. to get high?	66
5.57 While <i>not</i> at school have you been afraid a student will hurt you?	66
5.58 While <i>not</i> at school have you been threatened by a student?	66
5.59 While <i>not</i> at school have you been hurt by a student?	67
5.60 While <i>not</i> at school have you carried a real gun for protection?	67
5.61 While <i>not</i> at school have you carried a knife for protection?	67

5.62 How easy is it to get tobacco (cigarettes, chew, etc.)?	68
5.63 How easy is it to get alcohol (beer, liquor, etc.)?	68
5.64 How easy is it to get marijuana (pot)?	68
5.65 How easy is it to get glue, gas, etc. (to get high)?	68
5.66 How easy is it to get other drugs (to get high)?	68
5.67 How easy is it to get a gun?	68
5.68 Frequency of Use – Tobacco (cigarettes, chew, etc.)	69
5.69 Frequency of Use – Alcohol (beer, liquor, etc.)	69
5.70 Frequency of Use – Marijuana	69
5.71 Frequency of Use – Glue, Gas, etc.	69
5.72 Frequency of Use – Other Drugs	69

List of Figures

2.1	% Students Who Use Gateway Drugs	13
2.2	% Students Who Use Illicit Drugs	14
2.3	Harmful to Health – Tobacco and Alcohol	16
2.4	Harmful to Health – Marijuana, Glue, Gas, Other Drugs	17
2.5	How Easy Is It For Kids Your Age To Get Tobacco and Alcohol	19
2.6	How Easy Is It For Kids Your Age To Get Marijuana, Glue, Gas, Other Drugs, A Gun	20
3.1	% Students Who Use Tobacco (Cigarettes, Chew, Etc. By Sex	23
3.2	% Students Who Use Alcohol (Beer, Liquor, Etc.) By Sex	24
3.3	% Students Who Use Marijuana By Sex	25
3.4	% Students Who Use Inhalants By Sex	26
3.5	% Students Who Use Other Drugs By Sex	27
3.6	Would Your Parents Approve of You Using Tobacco	29
3.7	Would Your Parents Approve of You Using Alcohol	30
3.8	Would Your Parents Approve of You Using Marijuana	31
3.9	Would Your Parents Approve of You Using Inhalants	32
3.10	Would Your Parents Approve of You Using Other drugs	33
3.11	Would Your Friends Approve Of You Using Tobacco	35
3.12	Would Your Friends Approve Of You Using Alcohol	36
3.13	Would Your Friends Approve Of You Using Marijuana	37
3.14	Would Your Friends Approve Of You Using Inhalants	38
3.15	Would Your Friends Approve Of You Using Other drugs	39

Chapter 1

Introduction

The following graphs, summary and tables are compiled from data collected in your school(s)/system using the ***Pride Surveys Questionnaire***. These data reflect prevalence and patterns of drug and alcohol use, violence, gang activity and suicide. It is important that this report be utilized as part of your drug abuse and violence awareness and prevention programs. We strongly suggest that you:

COPY THE FOLLOWING PAGES, (which highlight and graphically summarize drug use and violent behavior by students in your school/system)

DISTRIBUTE THEM TO YOUR FACULTY

AND SHARE THIS INFORMATION WITH PARENTS.

Most of all, we strongly encourage a parent meeting at your school to share this information!

FOR GREATEST SUCCESS IN DECREASING DRUG USE,
FACULTY, STUDENTS AND PARENTS MUST WORK TO-
GETHER TOWARD A DRUG-FREE LIFESTYLE.

If you have questions about this report or if you wish to have information on other ***Pride Surveys*** services and products, please call the ***Pride Surveys*** Office or write to the following address:

Pride Surveys

Janie Pitcock
160 Vanderbilt Court
Bowling Green, KY 42103
1-800-279-6361
1-270-746-9596
www.pridesurveys.com

The following information is for ***Pride Surveys*** internal use only.

- Data Files: ue130001-10,36-39
- Filter:

1.1 Drug Use Summary

- Number of 4th grade students surveyed: 180
- Number of 5th grade students surveyed: 500
- Number of 6th grade students surveyed: 216
- Total number of students surveyed: 896

1.2 Tobacco Use

1.1 percent of your 4th grade students said they used tobacco within the past year (2012-2013 Pride National Avg = 1.0 %). **0.9** percent of your 6th grade students said they used tobacco within the past year (2012-2013 Pride National Avg = 2.0 %).

1.3 Alcohol Use

4.0 percent of your 4th grade students said they used alcohol within the past year (2012-2013 Pride National Avg = 2.6 %). **2.2** percent of your 5th grade students said they used alcohol within the past year (2012-2013 Pride National Avg = 3.1 %). **2.3** percent of your 6th grade students said they used alcohol within the past year (2012-2013 Pride National Avg = 6.2 %).

1.4 Marijuana Use

0.6 percent of your 4th grade students said they used marijuana within the past year (2012-2013 Pride National Avg = 0.7 %). **0.5** percent of your 6th

grade students said they used marijuana within the past year (2012-2013 Pride National Avg = 1.3 %).

1.5 Inhalants Use

1.1 percent of your 4th grade students said they used inhalants within the past year (2012-2013 Pride National Avg = 2.3 %). **1.4** percent of your 5th grade students said they used inhalants within the past year (2012-2013 Pride National Avg = 1.6 %). **1.9** percent of your 6th grade students said they used inhalants within the past year (2012-2013 Pride National Avg = 2.5 %).

1.6 Other drugs Use

0.6 percent of your 4th grade students said they used other drugs within the past year (2012-2013 Pride National Avg = 0.8 %).

1.7 What Can You Do As A Parent, Teacher, Or Concerned Citizen?

The drug merchandisers thrive on the ignorance, apathy, and irresponsibility of ordinary citizens.

YOU CAN MAKE A DIFFERENCE!

Here's how:

1. Educate yourself and your family about the health hazards of drugs.

2. Insist on no illegal drug use by youngsters. This includes alcohol, tobacco and marijuana.
3. Support drug education in the schools, workplace, churches and civic associations.
4. Rebuild understanding and respect for the laws concerning alcohol, marijuana, cocaine and other drugs.
5. Recognize the danger of the illegal consumer as well as the illegal supplier of alcohol and other drugs.
6. Support law-enforcement efforts at home and abroad.
7. Write letters, telephone and visit those members of the publishing, merchandising and media world who glamorize, trivialize or subsidize the drug culture.

Chapter 2

Standard Graphics

The following graphs will assist you in understanding the relationship of student behavior to alcohol and other drug use. You are encouraged to make overheads or slides from the graphs for presentations to school faculty, parents, media, and other audiences in the community.

The *Frequency of Use* graphs show the percent of students at each grade level who report any use of the various drugs. The graphs are divided into *Gateway* and *Illicit* drug categories.

The *Perceived Harm* of alcohol and other drugs will assist with understanding how the false assumptions concerning harm are related to drug use. When drugs are perceived as harmless, the probability of use increases. These graphs show the percent of students who marked *Yes* or *A Lot* on the question *Do You Think The Following Are Harmful To Your Health*.

Research indicates that easy access, *Availability*, to drugs increases the probability of use. Availability of alcohol and other drugs normally increases at higher grade levels. These graphs show the percent of students who marked *Easy To Get* on the question *How Easy Is It For Kids Your Age To Get*.

Data collected in past years using the ***Pride Surveys Questionnaire*** indicate a high correlation between friends' use of drugs and an individual student's use of drugs (i.e. a student who reports use of drugs by friends

is more likely to use drugs). These graphs show the percent of students who marked *A Lot* on the question *How Many Of Your Friends Use*.

2.1 Frequency Of Use

% Students Who Use Gateway Drugs




Figure 2.1: % Students Who Use Gateway Drugs

% Students Who Use Illicit Drugs




Figure 2.2: % Students Who Use Illicit Drugs

2.2 Harmful To Health

Harmful to Health -- Tobacco and Alcohol




Figure 2.3: Harmful to Health – Tobacco and Alcohol

Harmful to Health -- Marijuana, Glue, Gas, Other Drugs




Figure 2.4: Harmful to Health – Marijuana, Glue, Gas, Other Drugs

2.3 How Easy Is It For Kids Your Age To Get

How Easy Is It For Kids Your Age To Get Tobacco and Alcohol




Figure 2.5: How Easy Is It For Kids Your Age To Get Tobacco and Alcohol

How Easy Is It For Kids Your Age To Get Marijuana, Glue, Gas, Other Drugs, A Gun




Figure 2.6: How Easy Is It For Kids Your Age To Get Marijuana, Glue, Gas, Other Drugs, A Gun

Chapter 3

Advanced Graphics

The following graphs will assist you in understanding the relationship of student behavior to alcohol and other drug usage. You are encouraged to make presentations to school faculty, parents, media, and other audiences in the community.

The first set of graphs, on frequency of use by sex, presents data on gateway and illicit drug use broken down by Male and Female students. These graphs show any use within the past year as reported by the students.

3.1 Frequency of Use by Sex

Figure 3.1: % Students Who Use Tobacco (Cigarettes, Chew, Etc. By Sex

% Students Who Use Tobacco (Cigarettes, Chew, Etc. By Sex




Figure 3.2: % Students Who Use Alcohol (Beer, Liquor, Etc.) By Sex

% Students Who Use Alcohol (Beer, Liquor, Etc.) By Sex




Figure 3.3: % Students Who Use Marijuana By Sex

% Students Who Use Marijuana By Sex




Figure 3.4: % Students Who Use Inhalants By Sex

% Students Who Use Inhalants By Sex





Figure 3.5: % Students Who Use Other Drugs By Sex


% Students Who Use Other Drugs By Sex



3.2 Parents Approval of Drug Use

Would Your Parents Approve of You Using Tobacco

4-4th Grade, 5-5th Grade, 6-6th Grade




Source: Pride Questionnaire for Grades 4 thru 6

Figure 3.6: Would Your Parents Approve of You Using Tobacco

Would Your Parents Approve of You Using Alcohol

4-4th Grade, 5-5th Grade, 6-6th Grade




Source: Pride Questionnaire for Grades 4 thru 6

Figure 3.7: Would Your Parents Approve of You Using Alcohol

Would Your Parents Approve of You Using Marijuana

4-4th Grade, 5-5th Grade, 6-6th Grade




Source: Pride Questionnaire for Grades 4 thru 6

Figure 3.8: Would Your Parents Approve of You Using Marijuana

Would Your Parents Approve of You Using Inhalants

4-4th Grade, 5-5th Grade, 6-6th Grade




Source: Pride Questionnaire for Grades 4 thru 6

Figure 3.9: Would Your Parents Approve of You Using Inhalants

Would Your Parents Approve of You Using Other drugs

4-4th Grade, 5-5th Grade, 6-6th Grade




Source: Pride Questionnaire for Grades 4 thru 6

Figure 3.10: Would Your Parents Approve of You Using Other drugs

3.3 Friends' Approval of Drug Use

Would Your Friends Approve Of You Using Tobacco

4-4th Grade, 5-5th Grade, 6-6th Grade




Source: Pride Questionnaire for Grades 4 thru 6

Figure 3.11: Would Your Friends Approve Of You Using Tobacco

Would Your Friends Approve Of You Using Alcohol

4-4th Grade, 5-5th Grade, 6-6th Grade




Source: Pride Questionnaire for Grades 4 thru 6

Figure 3.12: Would Your Friends Approve Of You Using Alcohol

Would Your Friends Approve Of You Using Marijuana

4-4th Grade, 5-5th Grade, 6-6th Grade




Source: Pride Questionnaire for Grades 4 thru 6

Figure 3.13: Would Your Friends Approve Of You Using Marijuana

Would Your Friends Approve Of You Using Inhalants

4-4th Grade, 5-5th Grade, 6-6th Grade




Source: Pride Questionnaire for Grades 4 thru 6

Figure 3.14: Would Your Friends Approve Of You Using Inhalants

Would Your Friends Approve Of You Using Other drugs

4-4th Grade, 5-5th Grade, 6-6th Grade



Source: Pride Questionnaire for Grades 4 thru 6

Figure 3.15: Would Your Friends Approve Of You Using Other drugs

Chapter 4

Narrative Report

4.1 Introduction

4.1.1 The Problem

Early use of psychoactive drugs by elementary age students is a dangerous *fall out* of the drug culture which has plagued our country during the past quarter century. Use of mind altering drugs by children and young adolescents can retard physical, educational and social development, and often leads to severe problems of alcohol and drug dependency in junior and senior high school. Although tobacco and alcohol are legal drugs for adults, use by children and adolescents place them at a high risk of becoming drug dependent. Drug use also contributes to other problems such as teenage crime, pregnancy, school dropouts and suicide.

As with junior and senior high students, gateway drug use by elementary students is most likely prevented by those who have the most contact with the students. Parents, educators, law enforcement officers, court officials, health care professionals, the clergy, business and civic leaders, and the students themselves must be part of the drug prevention effort for maximum success.

This report is designed to assist schools, parent groups and community task forces to initiate and/or continue adolescent drug and alcohol abuse prevention programs. Also, enclosed with this report is information on

Pride Surveys services, programs, and materials that you may want to review as you plan your prevention programs.

4.1.2 The Pride Questionnaire for Grades 4-6

The Pride Questionnaire for Grades 4-6 was developed to provide accurate, reliable and useful information about student drug use behavior and perceptions. The questionnaire and administration procedures have undergone extensive field tests and other developmental studies. These studies found that surveys using the Pride Questionnaire produced consistent and accurate results. To date, more than half a million students in 38 states have completed the elementary version of the Pride Questionnaire. A copy of the *Pride Questionnaire for Grades 4-6* is contained in your report.

Each school year, responses to the Pride Questionnaire are summarized in an annual report. A copy of the most current annual report, the 2012-2013 Pride Surveys National Summary Percentage Tables for Grades 4-6, is available for your use in contrasting local percentages with national summary percentages at our website www.pridesurveys.com

4.1.3 Gateway Drug Use

In grades 4-6, students who use drugs generally report using tobacco, alcohol, and marijuana, which are referred to as *gateway* drugs. Use of these drugs is especially harmful to developing adolescents and often leads to the use of other toxic drugs such as cocaine, opiates, and hallucinogens. The Pride Questionnaire asks students to respond to questions about their use of alcohol and other drugs and about how they regard or perceive the use of various drugs. This report spotlights selected responses your students made to these questions.

It may be of interest to note that Pride Surveys annual reports continue to indicate early use of tobacco and alcohol by many students in elementary school. For example, 6.2% of sixth grade students reported using alcohol within the past year. A relatively low percentage of students at this level reported smoking marijuana. However, since marijuana is generally the first illicit drug used by students, it is considered an important drug to monitor.

Students are asked how harmful drugs are to their health, and how easy it is to get drugs. These questions help define a student's relationship to drug use. Student responses to these questions will be explored in this report.

Very little information is available in the research literature on drug use by elementary students and their perceptions about drugs. The Pride Questionnaire for Grades 4-6 breaks new ground at the school and community level. With these results, you can make informed program decisions and develop or select prevention activities that are appropriate for students in your school and community.

4.1.4 Overview of Report

Your school survey is an important part of a dynamic, ongoing process that identifies drug-related needs and resources in your community. This

report is intended to be used as part of your school/community prevention program. The report is divided into three sections:

- Section One: INTRODUCTION
- Section Two: SURVEY FINDINGS
- Section Three: HOW TO USE THIS REPORT

Section One provides you with useful introductory information. Selected results from your survey appear in Section Two. All statistics compiled from your survey results in this section will be highlighted in **bold** print. Section Three contains creative ways to use your survey results to create attention for your programs. A customized press release will help you phrase the main findings in an interesting and understandable way. This section also provides a presentation outline that can be adapted to your survey results.

The 2012-2013 Pride Surveys National Summary Percentage Tables for Grades 4-6 may be used to contrast local data with findings from other communities that have used the Pride Survey. Throughout this report there are spaces left for you to make notes on aspects that you find particularly important, or on actions that you may wish to take.

4.1.5 How *Pride Surveys* Can Help You

Pride Surveys offers other in-depth analysis, training, and technical assistance services to accompany your report. For information about ***Pride Surveys*** services such as parent, community and worksite training and Pride publications write to:

Pride Surveys
Janie Pitcock
160 Vanderbilt Court
Bowling Green, KY 42103

1-800-279-6361

1-270-746-9596

www.pridesurveys.com

YOUR NOTES HERE:

4.2 Survey Findings

4.2.1 Self-Reported Gateway Drug Use

Tobacco

The Facts About Tobacco

Tobacco contains the drug nicotine which acts as a stimulant to the central nervous system. Smoking any drug delivers it quickly to the brain. The tobacco user develops a tolerance to the nicotine and quickly becomes dependent or addicted. While not as rapid as smoking tobacco, nicotine ingested through chewing or *dipping* also creates a dependence.

Tobacco use can cause cancer of the lungs, mouth, throat and other organs of the body. It can also cause heart and vascular disease and lead to a heart attack. Adolescents who smoke tobacco are **thirty times** more likely to use marijuana, and those who use marijuana are **one-hundred and fifty times** more likely to use cocaine than the non-user.

It is important that elementary students know the health consequences of using tobacco, but they may be most influenced by the social stigma and unattractive appearance that smoking or chewing can cause. For example, young people may choose not to smoke because cigarette smoke makes their hair smell bad, turns their teeth and fingers yellow, and causes bad breath. These are important considerations for young adolescents who are usually concerned about their appearance and being accepted by their peers.

Annual Use of Tobacco

Responses to the survey by your elementary students indicate that **0.4** percent report using tobacco (cigarettes, chew, etc.) within the past year.

For sixth graders, **0.9** percent report using tobacco (cigarettes, chew,

etc.) within the past year. Figure 4.1 contains a bar graph of cigarette and smokeless tobacco use reported by students in grades 4 through 6. More information about frequency of cigarette smoking and use of smokeless tobacco by your students may be found in the Percentage Tables chapter of your report.

Alcohol

The Facts About Alcohol

Alcohol is a central nervous system depressant which relaxes the inhibiting and controlling mechanisms of the brain. The intoxicating effects of drinking alcohol depend on the amount consumed, body size, food intake before or while drinking, age, genetic susceptibility, and tolerance to alcohol. The compulsive frequent need for alcohol is a biological condition involving genetic and metabolic factors.

The types of alcohol most used by youth are beer, wine or wine coolers, and various forms of liquor. It is important that youth and adults understand that beer and wine coolers with lower percentages of alcohol are equally as capable of causing intoxication and dependence as liquor. However, there appears to be a progression of alcohol use that begins with drinking beer and/or wine coolers and moves to liquor. And, as expected, students report reaching higher levels of intoxication when drinking liquor, probably due to its higher concentration of alcohol.

One out of 10 adults who drink become dependent on alcohol, but the odds may be two to three times greater for adolescents who drink. Teens have fewer defenses against acute intoxication and rapid addictions. Immature inhibitors in the forebrain, incomplete muscle and bone mass, poor eating habits, a tendency to gulp drinks, and frequent exposure to social events where alcohol is served place teens at a high risk for addiction.

Annual Use of Alcohol

Although drinking alcoholic beverages is illegal for minors, drinking is widespread among junior and senior high students and, to a lesser extent, among students in upper elementary school. Figures 4.2, 4.3, and 4.4 contain percentage data from your students in grades 4 through 6 describing use of beer, wine coolers and liquor within the past year compared to the 2012-2013 Pride Surveys National Summary Percentage Tables for Grades 4-6.

In Figure 4.2, **2.3** percent of sixth grade students report drinking alcohol as compared to **4.0** percent of fourth grade students. Percentages of all students responding to alcohol use are contained in the Percentages Tables of your report.

Marijuana

The Facts About Marijuana

Marijuana used in the 1960's generally had a low content of the mind-altering chemical Tetrahydrocannabinol, or THC. The THC content ranged from .25 to one percent. In the early 1970's, the Mexican marijuana coming into this country averaged one to two percent THC content. After 1975, Colombian marijuana became available, and it ranged from three to six percent in THC content. The marijuana (a variety called Sinsemilla) presently grown in the U.S. has THC levels of 25 percent or higher. Because of the stronger, more potent varieties now available, the intoxicating and health effects of smoking marijuana have been dramatically increased.

The THC and other cannabinoids found in marijuana are fat-soluble chemicals and accumulate in the fatty linings of cells. They are metabolized very slowly, and may stay in the body for six weeks or longer. Thus, the student who smokes pot *only on weekends* will gradually accumulate THC content in his or her body cells. This build-up of THC due to mari-

juana smoking is unlike the effects of alcohol, which is metabolized out of the body much more quickly, usually within 24 hours.

THC in the body has the most detrimental effect on those organs where there is an accumulation of fatty cells, such as the brain, heart, lungs and reproductive systems of males and females. The effect of this drug may be even more severe when used by a developing adolescent. Recent research has indicated that regular marijuana use reduces the mental efficiency of students and increases their susceptibility to infection and disease.

Annual Use of Marijuana

Percentage data in Figure 4.5 indicates that for fourth grade students, **0.6** percent report using marijuana within the past year. **0.0** percent of fifth grade students report using marijuana within the past year. This changes to **0.5** percent for sixth grade students. Typically, fewer students report using marijuana than alcohol.

Widespread use of marijuana is generally not seen by students in upper elementary school grades. However, it is important that students at this level understand the dangers of using marijuana. More detailed information about marijuana use by students in grades 4 through 6 is contained in the Percentage Table chapter of your report.

Inhalants

The Facts About Inhalants

The immediate negative effects of inhalants include nausea, sneezing, coughing, nosebleeds, fatigue, lack of coordination, and loss of appetite. Solvents and aerosol sprays also decrease the heart and respiratory rates and impair judgement. Amyl and butyl nitrite cause rapid pulse, headaches, and involuntary passing of urine and feces. Long-term use may result in hepatitis and/or brain damage.

Deeply inhaling the toxic vapors, or using large amounts of these chemicals over a short time, may result in disorientation, violent behavior, unconsciousness, or death. High concentrations of inhalants can cause suffocation by displacing the oxygen in the lungs or by depressing the central nervous system to the point that breathing stops.

Long-term use can cause weight loss, fatigue, electrolyte imbalance, and muscle fatigue. Repeated sniffing of concentrated vapors over time can permanently damage the nervous system.

Annual Use of Inhalants

Use of inhalants is a very dangerous, life-threatening practice. Fortunately, relatively little use of inhalants is typically reported by students (as compared to reported alcohol or tobacco use). However, given the considerable danger of this practice, any use should be of immediate concern. Inhalant use by grade level is presented in Figure 4.6. Overall use of inhalants by students in grades 4 through 6 was **1.5** percent. Figure 4.7 compares inhalant use to other drug use.

YOUR NOTES HERE:

4.2.2 Perceived Health Effects of Gateway Drug Use

YOUR NOTES HERE:

One of the main objectives of alcohol and drug education is to provide students with accurate information about the health hazards of using drugs. Students were asked, *DO YOU THINK THE FOLLOWING ARE HARMFUL TO YOUR HEALTH?* Table 4.2 contains students' responses to this question for eight drug categories.

It is encouraging that most students consider the use of gateway drugs harmful to one's health. However, some students perceive gateway drug use, particularly alcohol, as safe. As perception of danger decreases for a specific drug, its use increases. For example, **21.0** percent of the your students responded that alcohol is not harmful to one's health.

These data suggest a need for continued alcohol and drug education for students in upper elementary grades. Additional information on perceived harmful health effects can be found in the Percentage Tables chapter of your report.

Table 4.1: Perceived Harmful Effects of Drug and Alcohol Use

	<i>No</i>	<i>Yes</i>
tobacco	17.6	82.4
alcohol	21.0	79.0
marijuana	18.6	81.4
inhalants	20.6	79.4
other drugs	18.2	81.8
Students in grades 4 through 6.		

YOUR NOTES HERE:

4.2.3 Perceived Availability of Gateway Drugs

The question of availability is an important consideration for parents, educators, law enforcement officials, and others in the community who are concerned about prevention. Students who have ready access to gateway drugs are at greater risk than students who cannot easily obtain them. Figures 4.9 through 4.11 present the percentage of your students in fourth, fifth, and sixth grades, respectively, who responded *Easy* to the question *How easy is it for kids your age to get ... the various gateway drugs.*

The percentage of students reporting ready access to gateway drugs by peers commonly increases with grade level. Similar access was reported for alcohol with marijuana being the least accessible. However, it is important to note that **1.2** percent of fourth grade students and **6.5** percent of sixth grade students reported marijuana as easy to get.

Table 4.3 contains the percentage of students who responded *Easy* compared with the 2012-2013 Pride Surveys National Summary percentages calculated from 8403 student responses. More than one in five American students in fourth, fifth, and sixth grades reported that marijuana was easy to obtain.

Table 4.2: Percentage of Students Reporting Drugs as Easy to Get

DRUG	LOCAL				NATIONAL			
	4th	5th	6th	TOTAL	4th	5th	6th	TOTAL
tobacco	1.2	5.7	8.4	5.5	4.1	7.9	9.5	6.1
alcohol	4.2	8.1	8.8	7.6	5.8	9.8	15.0	8.2
marijuana	1.2	2.9	6.5	3.4	2.5	4.4	5.9	3.5
inhalants	4.2	8.2	11.6	8.3	8.2	11.4	18.6	10.5
other drugs	1.2	2.8	6.5	3.4	3.6	5.7	7.1	4.7

Use of alcohol and marijuana by minors is illegal, yet these drugs are reported to be readily available. The use of alcohol and, to a lesser extent, other drugs by adolescents is often encouraged and condoned in the youth culture through movies, music, television programs, advertisements, t-shirts, internet, etc. There are few anti-alcohol/drug messages to counter these strong influences.

It is important to discourage the use of alcohol and marijuana by elementary students through formal education, family education, and community prevention programs. It is also important to reduce the ease by which students may obtain these drugs, whether at home or a neighbor's home, from "pushers" who prey on youth, or from uncaring or greedy establishments that sell alcoholic beverages to minors. Cooperation of parents, students and educators with local, state and federal law enforcement agencies to reduce the availability of gateway drugs to students should be an important part of a community's prevention strategy.

4.3 How To Use This Report

4.3.1 Community Awareness

Your school-based survey results can be utilized in many ways to promote and support drug and alcohol prevention programs in your community. It is important that the results of this survey be made available to the public in a timely fashion.

Community awareness that a drug problem exists is the first step toward mobilizing the various components of your community. Unless members of your community are convinced that the problem is serious, real, and local, i.e., a threat to children, families and friends, it is doubtful that meaningful community involvement or support will occur. You can inform them by using the information collected in your survey of student drug use.

It is also important for members of the community to understand the

harmful nature of drug use. Two of the most effective means of conducting community awareness are through electronic and print media and through presentations to community groups, such as parent and school groups, civic and business organizations, and church groups.

The following pages outline a step-by-step plan for community awareness. Tailor the plan to your community, but by all means try to reach as many people as possible through as many avenues as possible. Depending on the size of your community, you may need committees to take responsibility for various activities. The leader of your publicity or communications committee should be knowledgeable about the local news media. The communications/public relations professional in your school system is a good contact for assistance in this area.

4.3.2 The News Media

Since the survey is news, the results should be reported to the community in a timely fashion. The community deserves to know the extent of the alcohol and drug problem of students. After you have announced the results to the total community through the news media, you will want to conduct a series of follow-up activities to target specific groups and organizations, enlisting them in the prevention effort.

The news media used most often to communicate survey results are newspaper articles and editorials, radio and television newscasts, talk shows, and interviews. Opportunities exist within their pages and on their broadcast channels for you to communicate information about the local student drug and alcohol use problem, especially when you have evidence from your elementary school survey.

Communications can:

- Raise awareness
- Increase knowledge

- Influence attitudes
- Show benefits of behavior change
- Reinforce knowledge, attitudes and behavior
- Demonstrate skills
- Suggest an action
- Increase the demand for services

HOW TO GET STARTED!

You can set a date for the announcement of your school data. Choose a *slow news day* when nothing major is scheduled in the community. Mid-morning on Tuesday may be a good time, giving the reporters time to prepare their stories for an afternoon or early morning edition of the newspaper, or an early evening broadcast or telecast.

Develop a local news media profile, showing the names, addresses, phone numbers and contact persons for each newspaper, station and type of program. Keep up with times you contact each one, news releases or other materials you provide them, and what the next steps will be toward giving your topic coverage. Good sources for help in developing your news media profile are the yellow pages, locally-published media directories, or media profiles already available from communications/public relations professionals.

HOW TO WRITE A NEWS RELEASE

Your next step is to prepare a news release on the survey results. A sample news release is included in Appendix B. The following guidelines may assist you in preparing a news release:

1. Use standard-size 8 1/2 by 11 white paper, and type or computer print the release double spaced on one side only. The first page should contain the name and address of your school/organization

(letterhead is fine). If special News Release paper is available, use it.

2. Name a contact person and his/her office and home phone numbers in the upper right hand corner of the first page. Ideally, this is the person who prepared the news release. Make sure the contact person has agreed to handle possible follow-up calls from the media.
3. Write FOR IMMEDIATE RELEASE in the upper left hand corner of the first page unless you have planned a certain day and time to announce the survey results, perhaps at a news conference or some other event. If that is the case, write FOR RELEASE (DATE and TIME). The media are accustomed to respecting your release time.
4. Give the news release a brief two or three line title, centered and all caps (also bold if possible) for emphasis.
5. Be brief with what you write – one to three pages, double spaced. Most releases do not exceed two pages, but questionnaire data are hard to summarize and may take an additional page.
6. Write in the active voice and use short sentences and paragraphs.
7. Write MORE at the bottom of each page except the last one to let the reporter know there is more than one page to the release. Type -30- or ### in the center of the last page below the last paragraph.
8. Proofread carefully. Reporters are wary of releases that contain typographical errors, misspellings, or crossouts.

TIPS FOR WRITING YOUR NEWS RELEASE

1. Traditionally, news releases are written in the "inverted pyramid style." This means that the more important information comes first in case the reporter doesn't have space or time for the entire release and wants to "cut" it from the bottom.
2. Include at least two of the five W's (Who, What, Where, When, and Why) in the lead (first) paragraph. Your lead paragraph should grab

the reporter's attention and make him/her want to read and report the news the release contains.

3. The second paragraph should answer the other W's.
4. Identify your spokesperson no later than the third paragraph.
5. Use quotes to make an emotional point or state an opinion. A good news release contains two to four quotes. Remember to obtain the quoted person's permission, and let him/her know when the news will be released so that he/she can be prepared to respond to any media calls for additional details.
6. The last paragraph should include background information on your school or organization – a "commercial" for the work you are doing. Include purpose, size, non-profit status or other pertinent information.
7. Double-check names, dates, places, numbers, and quotes for accuracy. Your credibility as a source of information is jeopardized when details of a news release are inaccurate.

Send an original copy of the news release to all appropriate names on your media list. Follow-up by phone is important to make sure the release arrived, answer any questions, provide more information, and offer spokespeople to be interviewed by phone or in person.

End your conversation by thanking the reporter or editor for his/her time and interest. And, when the story appears in print or on the air, phone or write the reporter/editor a brief but sincere "thank you." Remember, a well written news release containing valid and interesting data should receive wide distribution in the news media.

SPECIALIZED PUBLICATIONS AND NEWS CONFERENCES

In addition to the news media in your community, there will be a number of specialized publications that will be interested in your survey data. They include school and school system newsletters and other publications, community magazines, club and organization newsletters, and church bulletins. Don't forget to send them an original copy of your news release.

A News Conference gives your group the opportunity to release important information to all the news media at once. Here are some tips for setting up a news conference:

- Schedule the news conference for a "slow news time." You will be more likely to get a good turnout of reporters.
- Select a location appropriate for your announcement. In the case of a student drug use report that has implications for the entire community, you may want to consider the school, City Hall, or some youth oriented site in the community.
- Develop a good presentation. Include your key spokespeople, but also include parents and young people who represent the populations affected by the survey announcement.
- Develop a Media Alert to let reporters/editors know about the conference, and notify them two to three weeks in advance.
- Phone the media to remind them to schedule the news conference on their calendars.
- Develop an information packet to distribute to the media at the conference and to others who are unable to attend. Include your news release, fact sheets and brochures, and recent news clippings on the drug problem. You may want to provide biographies of your leaders and/or spokespeople.

EDITORIALS, LETTERS TO THE EDITOR, AND PUBLIC SERVICE ANNOUNCEMENTS

Editorials in newspapers and on radio and television express definite opinions on important issues that face the community. Editorials may be produced by the media from materials you provide to them, or you may be asked to read your own editorial on radio or television as a "community comment." Opinion pages in newspapers and letters to the editor are other good ways to express your viewpoint on the problem of early adolescent alcohol and drug use in the community.

Radio and television make time available to local nonprofit groups for free announcements that benefit the community by providing needed information or linking individuals with services. Your student drug use report will be of interest to Public Service Directors of radio and television who may decide to air public service announcements (PSA's) to heighten the community awareness about prevalence and patterns of elementary school students' use of gateway drugs.

4.3.3 Presentations to School/Community Groups

An excellent means of reaching the community leadership is through presentations to school, parent, civic, business, and religious groups. These groups are concerned with community issues, particularly those related to the safety and welfare of youth. Often these organizations will invite prevention leaders to speak at their meetings. While media coverage will help to make known your prevention efforts, you will want to contact appropriate groups and organizations in your community to offer a program on student drug and alcohol abuse and strategies for combatting it.

The interests, needs, and abilities of your audience should be kept in mind when preparing your presentation. For example, parents are concerned about drug use that may affect their children and their children's friends; business leaders are mindful of the need for a drug-free work force that includes workers' children and future workers.

Select a poised, articulate spokesperson who is thoroughly familiar with the student data. The graphs, tables, and narrative discussion of the data in this report should assist the speaker in presenting pertinent and meaningful information. Such presentations are easy to prepare and deliver, and will make the presentation more interesting and informative to the audience. Necessary arrangements should be made with the organization's program chairman. Background information (perhaps a news release) could help the group to promote your presentation among its membership.

GUIDELINES FOR PRESENTATION OF STUDENT DRUG USE RESULTS

Length of Presentation

An important consideration in preparing a presentation is the length of time you are expected to address the group. Usually civic and business groups have a limited time available for a program – as little as 5 or 10 minutes in some cases. This means only a fraction of the information may be presented. Once again, concentrate on the type of audience and what you think they will be interested in and need to hear. It is more important to leave the audience wanting to know more than having them feeling uncomfortable by exceeding your allotted time. If possible, leave a few minutes for questions at the end of your presentation, and always promise to provide additional information through printed materials or a return appearance.

Matching Survey Results to the Audience

In structuring your presentation, keep in mind your audience. If the presentation is to teachers and administrators, you may want to emphasize students' perceptions of the harmful effects of gateway drug use. You may want to stress that while most students in grades four through six perceive tobacco, alcohol, and marijuana use as harmful, there are many students who do not share these strong convictions. Teachers and administrators will be interested in how often students say they talk to teachers about the harmful effects of drug use.

If the presentation is targeted to parents, frequency of use, expectation of future use and availability of drugs are important data to share. Help parents to realize their responsibility for their child's actions regarding gateway drug use and the importance of becoming involved in community drug prevention programs. Civic and business groups, law enforcement officers, and court officials will be particularly interested in the current use, anticipated future use, and availability of gateway drugs to students 9 through 12 years of age.

Organizing Survey Results

Graphs are very effective in communicating the meaning of data. They enable audiences to "see" the relationship you are explaining. Bar graphs located in this report can be utilized in describing gateway drug use. However, you can lose the audience's attention with too many graphs. Tables are also effective if they are kept simple.

Short sentences or phrases called "bullets" are an excellent way to communicate your findings. Bullets can stand alone, be included in a list of findings, or accompany a graph or table. The following are examples of "bullets" that can be used in presentations:

1. "ONE IN EIGHT STUDENTS IN GRADES FOUR THROUGH SIX REPORTED USING BEER AND/OR WINE COOLERS WITHIN THE PAST YEAR"
2. "ONLY ONE PERCENT OF (–YOUR SCHOOL NAME–) STUDENTS IN GRADES FOUR THROUGH SIX REPORTED USING MARIJUANA WITHIN THE PAST YEAR"
3. "NEARLY ONE IN FOUR STUDENTS IN GRADES FOUR THROUGH SIX REPORTED THEY EXPECTED TO SMOKE CIGARETTES AT SOME FUTURE TIME, BUT ONLY TWO PERCENT REPORTED EXPECTATIONS OF FUTURE MARIJUANA USE"
4. "OVER ONE-THIRD OF STUDENTS IN UPPER ELEMENTARY SCHOOL REPORTED THAT BEER AND WINE COOLERS WERE EASY TO GET BY THEIR PEERS AND NEARLY ONE-FOURTH INDICATED LIQUOR WAS EASY TO GET"
5. "ONE-FOURTH OF SIXTH GRADE STUDENTS IN –YOUR SCHOOL NAME– REPORTED MARIJUANA AS EASILY ACCESSIBLE TO THEIR PEERS"

A combination of graphics, tables and bullets are suggested in a presentation to add variety and keep audience attention. It should be kept in

mind that a good presentation is:

1. straightforward
2. easy to understand
3. relevant to the interests of the audience
4. supportive of local drug efforts.

Using Visual Aids

Visual aids can be very helpful when presenting statistical data, as long as they don't interfere with the intent and smooth flow of your presentation. Visual aids range from a simple handout to transparencies, slides, and even videotape. Use one or more, depending on the time allotted to the presentation. The following are types of presentation aids that you may want to consider:

1. **Overhead transparencies** - are easy and inexpensive to make, can be viewed by large audiences, but can be cumbersome to use and require an on-site projector and screen;
2. **Flip charts and poster boards** - are easy to use, fairly easy to transport, and require no special equipment, but are sometimes expensive and time consuming to make and can only be viewed by a relatively small audience;
3. **Slides** - are easy to use and can be viewed by large audiences, but are difficult and expensive to make, and require on-site projector and screen;
4. **Handouts** - are useful when other types of aids cannot be utilized, are easy to transport, and provide a *take-home* product, but can be expensive to produce, may be difficult to utilize with large audiences, and may distract attention from your presentation;

5. **Video tapes** - provide a *canned*, consistent approach to a topic, utilize *expertise* of presenter(s) on tape, and are easy to use, but are very time consuming and expensive to make, require technical expertise for quality product, require on-site play-back equipment, and may be difficult to use with large audiences.

YOUR NOTES:

4.3.4 Sample Press Release

(Name of Organization & Address)

*Contact
phone number*

FOR IMMEDIATE RELEASE

*ALCOHOL PRIMARY DRUG
USED BY ELEMENTARY STUDENTS
IN (NAME OF SCHOOL DISTRICT)*

Few students in grades ____ in *(Name of School District)* use marijuana, but more drink alcohol frequently and find it readily available, according to information obtained by the Pride Questionnaire for Grades 4-6.

Among sixth graders, ____ percent reported drinking beer, ____ percent reported drinking liquor, and ____ percent reported drinking wine coolers. In comparison, ____ percent of fifth graders and ____ percent of fourth graders reported drinking beer.

"The results of the survey in *(Locality)* were similar to national results which show that the gateway drugs of alcohol and tobacco are the primary drugs used by elementary students," said *(Local Official, i.e., superintendent, mayor, principal)*.

Widespread use of illicit drugs usually begins in high school, most often by students who began drinking and smoking in elementary school.

*** MORE ***

PAGE TWO

A total of *(Number of Students)* in *(Name of School District)* responded to the questionnaire developed by Pride, the national drug prevention organization which assisted local officials in conducting their school-based survey. Over 3,000 schools throughout the nation have administered the Pride Questionnaire for Grades 4-6 to determine the prevalence and perceptions of drug use by elementary students.

Marijuana Use Not As Prevalent

Marijuana is the most used illegal drug among American adolescents. Data from *(Name of School District)* indicates that relatively few elementary students reported using marijuana as compared to alcohol at this level. Marijuana use was reported by ____ percent of fourth graders, ____ percent of fifth graders, and ____ percent of sixth graders.

Drug prevention specialists caution that any use of illicit drugs such as marijuana by young people should be considered a problem.

"We are deeply concerned about any use of alcohol or other drugs by students in *(locality)*," said *(Local Official)*.

*** MORE ***

PAGE THREE

Upper Elementary Students Find Drugs Readily Available

Of the gateway drugs alcohol, tobacco and marijuana, the percentage of students who responded "Easy" to the question "How easy is it for kids your age to get ...?" increased with grade level. Among fourth graders in *(Name of School District)*, ____ percent reported beer as easy to obtain. Beer was reported as easy to get by ____ percent of fifth graders and ____ percent of sixth graders.

Marijuana was the least accessible gateway drug to students in grades 4-6 in *(Name of School District)*, with ____ percent of sixth graders reporting the drug as easy to obtain. Accordingly, a fewer number of fifth graders (____ percent) and fourth graders (____ percent) reported easy access to marijuana.

The Pride Questionnaire

The Pride Questionnaire for Grades 4-6 has undergone continuous development since 1988 and provides reliable and accurate information for evaluating the effectiveness of drug prevention efforts. Over 7.5 million students have completed Pride Questionnaires in elementary, middle and high schools. For more information, contact Pride Surveys at 1-800-279-6361.

####

Chapter 5

Percentage Tables

This chapter contains your school/school district survey results in tabular form. Each table corresponds to an item on the questionnaire. The tables contain percentage data by grade level, (grades 4 through 6), and *Total*. The *N of Valid* column contains the number of students responding to the item and the *N of Missing* column contains the number of students not responding to the item. The remaining columns contain the percentages of students responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the questionnaire. The Table of Contents contains the percentage tables by section and gives the page number where each section is located. The List of Tables contains the location of each individual table.

The last section of tables presents the frequency of drug use data with the categories *collapsed* as follows:

Weekly Use - 1-7 Times A Week

Monthly Use - 1-2 Times A Month + 1-7 Times A Week

Annual Use - 1-6 Times A Year + 1-2 Times A Month + 1-7 Times A Week

5.1 Student Information

Table 5.1: Sex

Grade Level	N of Valid	N of Miss	Male	Female
4th	180	0	47.2	52.8
5th	498	2	51.8	48.2
6th	216	0	50.0	50.0
Total	894	2	50.4	49.6

Table 5.2: Ethnic Origin

Grade Level	N of Valid	N of Miss	White	Black	Hispanic	Asian	Native American	Mixed Origin	Other
4th	180	0	5.6	81.1	3.9	0.6	2.2	6.1	0.6
5th	486	14	39.7	35.2	8.8	4.7	0.6	6.8	4.1
6th	216	0	86.1	2.3	2.3	0.5	0.5	7.9	0.5
Total	882	14	44.1	36.5	6.2	2.8	0.9	6.9	2.5

Table 5.3: Age

Grade Level	N of Valid	N of Miss	8	9	10	11	12	13	14+
4th	180	0	0.0	40.6	51.7	7.2	0.6	0.0	0.0
5th	497	3	0.0	0.0	67.8	27.6	4.0	0.6	0.0
6th	216	0	0.0	0.0	1.4	84.3	14.4	0.0	0.0
Total	893	3	0.0	8.2	48.5	37.2	5.8	0.3	0.0

5.2 Student Characteristics

Table 5.4: I make good grades.

Grade Level	N of Valid	N of Miss	Never	Sometimes	A Lot
4th	178	2	1.7	66.9	31.5
5th	497	3	0.0	53.7	46.3
6th	216	0	0.5	39.4	60.2
Total	891	5	0.4	52.9	46.7

Table 5.5: I get into trouble at school.

Grade Level	N of Valid	N of Miss	Never	Sometimes	A Lot
4th	178	2	25.3	63.5	11.2
5th	491	9	42.6	54.8	2.6
6th	213	3	56.8	40.8	2.3
Total	882	14	42.5	53.2	4.3

Table 5.6: I go to church or synagogue.

Grade Level	N of Valid	N of Miss	Never	Sometimes	A Lot
4th	178	2	3.9	25.8	70.2
5th	491	9	15.7	41.5	42.8
6th	215	1	31.2	42.8	26.0
Total	884	12	17.1	38.7	44.2

Table 5.7: I talk to my parents about my problems.

Grade Level	N of Valid	N of Miss	Never	Sometimes	A Lot
4th	179	1	14.5	50.3	35.2
5th	495	5	13.9	49.5	36.6
6th	215	1	16.7	52.6	30.7
Total	889	7	14.7	50.4	34.9

Table 5.8: My parents talk to me about the dangers of alcohol and drugs.

Grade Level	N of Valid	N of Miss	Never	Sometimes	A Lot
4th	179	1	15.1	18.4	66.5
5th	492	8	15.4	38.0	46.5
6th	215	1	19.5	50.2	30.2
Total	886	10	16.4	37.0	46.6

Table 5.9: My teachers talk to me about the dangers of alcohol and drugs.

Grade Level	N of Valid	N of Miss	Never	Sometimes	A Lot
4th	171	9	8.8	36.8	54.4
5th	481	19	8.5	43.0	48.4
6th	207	9	49.8	43.0	7.2
Total	859	37	18.5	41.8	39.7

Table 5.10: My parents make me follow certain rules.

Grade Level	N of Valid	N of Miss	Never	Sometimes	A Lot
4th	179	1	6.7	17.3	76.0
5th	491	9	5.7	31.4	62.9
6th	215	1	2.8	23.7	73.5
Total	885	11	5.2	26.7	68.1

Table 5.11: My school makes me follow certain rules.

Grade Level	N of Valid	N of Miss	Never	Sometimes	A Lot
4th	179	1	2.2	2.8	95.0
5th	491	9	1.4	11.2	87.4
6th	216	0	0.5	12.0	87.5
Total	886	10	1.4	9.7	88.9

Table 5.12: I have to be home at a certain time.

Grade Level	N of Valid	N of Miss	Never	Sometimes	A Lot
4th	179	1	20.1	37.4	42.5
5th	487	13	25.9	42.3	31.8
6th	214	2	11.2	52.8	36.0
Total	880	16	21.1	43.9	35.0

Table 5.13: Most days I am alone at home for an hour or more.

Grade Level	N of Valid	N of Miss	Never	Sometimes	A Lot
4th	177	3	56.5	33.3	10.2
5th	491	9	61.1	33.8	5.1
6th	213	3	45.1	43.7	11.3
Total	881	15	56.3	36.1	7.6

Table 5.14: The kids at school like me.

Grade Level	N of Valid	N of Miss	Never	Sometimes	A Lot
4th	171	9	12.9	42.7	44.4
5th	470	30	3.2	45.3	51.5
6th	208	8	2.4	39.9	57.7
Total	849	47	4.9	43.5	51.6

Table 5.15: My parents make sure I do my homework.

Grade Level	N of Valid	N of Miss	Never	Sometimes	A Lot
4th	179	1	2.2	13.4	84.4
5th	497	3	2.2	11.5	86.3
6th	215	1	1.9	7.4	90.7
Total	891	5	2.1	10.9	87.0

Table 5.16: I play violent video games.

Grade Level	N of Valid	N of Miss	Never	Sometimes	A Lot
4th	175	5	44.6	30.3	25.1
5th	489	11	51.1	32.5	16.4
6th	206	10	41.3	43.2	15.5
Total	870	26	47.5	34.6	17.9

Table 5.17: I think I am overweight.

Grade Level	N of Valid	N of Miss	Never	Sometimes	A Lot
4th	179	1	71.5	21.8	6.7
5th	492	8	69.1	23.6	7.3
6th	211	5	67.8	26.5	5.7
Total	882	14	69.3	23.9	6.8

Table 5.18: A doctor said that I am overweight.

Grade Level	N of Valid	N of Miss	Never	Sometimes	A Lot
4th	177	3	85.9	11.3	2.8
5th	489	11	87.9	9.6	2.5
6th	210	6	88.6	8.6	2.9
Total	876	20	87.7	9.7	2.6

5.3 Within The Past Year How Often Have You Used

Table 5.19: Within the past year how often have you used tobacco (cigarettes, chew, etc.)?

Grade Level	N of Valid	N of Miss	Did Not Use	1-6/yr	1-2/mo	1-7/wk
4th	178	2	98.9	0.6	0.0	0.6
5th	497	3	100.0	0.0	0.0	0.0
6th	214	2	99.1	0.9	0.0	0.0
Total	889	7	99.6	0.3	0.0	0.1

Table 5.20: Within the past year how often have you drunk alcohol (beer, liquor, etc.)?

Grade Level	N of Valid	N of Miss	Did Not Use	1-6/yr	1-2/mo	1-7/wk
4th	177	3	96.0	0.6	1.1	2.3
5th	498	2	97.8	1.6	0.6	0.0
6th	214	2	97.7	1.9	0.5	0.0
Total	889	7	97.4	1.5	0.7	0.4

Table 5.21: Within the past year how often have you smoked marijuana (pot)?

Grade Level	N of Valid	N of Miss	Did Not Use	1-6/yr	1-2/mo	1-7/wk
4th	176	4	99.4	0.6	0.0	0.0
5th	497	3	100.0	0.0	0.0	0.0
6th	214	2	99.5	0.5	0.0	0.0
Total	887	9	99.8	0.2	0.0	0.0

Table 5.22: Within the past year how often have you sniffed glue, gas, etc. (to get high)?

Grade Level	N of Valid	N of Miss	Did Not Use	1-6/yr	1-2/mo	1-7/wk
4th	176	4	98.9	0.6	0.0	0.6
5th	496	4	98.6	1.2	0.2	0.0
6th	214	2	98.1	1.9	0.0	0.0
Total	886	10	98.5	1.2	0.1	0.1

Table 5.23: Within the past year how often have you used other drugs (to get high)?

Grade Level	N of Valid	N of Miss	Did Not Use	1-6/yr	1-2/mo	1-7/wk
4th	176	4	99.4	0.6	0.0	0.0
5th	498	2	100.0	0.0	0.0	0.0
6th	214	2	100.0	0.0	0.0	0.0
Total	888	8	99.9	0.1	0.0	0.0

5.4 Harmful To Health

Table 5.24: Do you think that using tobacco (cigarettes, chew, etc.) is harmful to your health?

Grade Level	N of Valid	N of Miss	No	Yes
4th	179	1	33.0	67.0
5th	497	3	16.3	83.7
6th	216	0	7.9	92.1
Total	892	4	17.6	82.4

Table 5.25: Do you think that using alcohol (beer, liquor, etc.) is harmful to your health?

Grade Level	N of Valid	N of Miss	No	Yes
4th	177	3	32.2	67.8
5th	498	2	20.3	79.7
6th	216	0	13.4	86.6
Total	891	5	21.0	79.0

Table 5.26: Do you think that using marijuana (pot) is harmful to your health?

Grade Level	N of Valid	N of Miss	No	Yes
4th	176	4	34.7	65.3
5th	496	4	16.3	83.7
6th	215	1	10.7	89.3
Total	887	9	18.6	81.4

Table 5.27: Do you think that using glue, gas, etc. (to get high) is harmful to your health?

Grade Level	N of Valid	N of Miss	No	Yes
4th	177	3	34.5	65.5
5th	493	7	19.3	80.7
6th	215	1	12.1	87.9
Total	885	11	20.6	79.4

Table 5.28: Do you think that using other drugs (to get high) is harmful to your health?

Grade Level	N of Valid	N of Miss	No	Yes
4th	177	3	35.6	64.4
5th	495	5	16.4	83.6
6th	214	2	7.9	92.1
Total	886	10	18.2	81.8

5.5 Would Your Parents Approve

Table 5.29: Would your parents approve of you using tobacco (cigarettes, chew, etc.)?

Grade Level	N of Valid	N of Miss	No	Not Sure Yes	
4th	173	7	93.6	5.2	1.2
5th	496	4	97.0	2.0	1.0
6th	216	0	96.8	2.3	0.9
Total	885	11	96.3	2.7	1.0

Table 5.30: Would your parents approve of you using alcohol (beer, liquor, etc.)?

Grade Level	N of Valid	N of Miss	No	Not Sure Yes	
4th	171	9	92.4	4.1	3.5
5th	496	4	90.7	7.1	2.2
6th	216	0	92.1	6.5	1.4
Total	883	13	91.4	6.3	2.3

Table 5.31: Would your parents approve of you using marijuana (pot)?

Grade Level	N of Valid	N of Miss	No	Not Sure Yes	
4th	171	9	95.3	4.1	0.6
5th	495	5	98.2	1.0	0.8
6th	215	1	98.1	1.9	0.0
Total	881	15	97.6	1.8	0.6

Table 5.32: Would your parents approve of you using glue, gas, etc. (to get high)?

Grade Level	N of Valid	N of Miss	No	Not Sure Yes	
4th	171	9	96.5	2.9	0.6
5th	495	5	95.8	3.2	1.0
6th	215	1	96.7	3.3	0.0
Total	881	15	96.1	3.2	0.7

Table 5.33: Would your parents approve of you using other drugs (to get high)?

Grade Level	N of Valid	N of Miss	No	Not Sure Yes	
4th	171	9	96.5	2.9	0.6
5th	495	5	97.8	1.2	1.0
6th	216	0	99.5	0.5	0.0
Total	882	14	98.0	1.4	0.7

5.6 Would Your Friends Approve

Table 5.34: Would your friends approve of you using tobacco (cigarettes, chew, etc.)?

Grade Level	N of Valid	N of Miss	No	Sure	Not Yes
4th	173	7	87.9	11.0	1.2
5th	496	4	88.5	10.7	0.8
6th	215	1	91.2	8.4	0.5
Total	884	12	89.0	10.2	0.8

Table 5.35: Would your friends approve of you using alcohol (beer, liquor, etc.)?

Grade Level	N of Valid	N of Miss	No	Sure	Not Yes
4th	171	9	87.1	9.9	2.9
5th	496	4	84.5	13.7	1.8
6th	216	0	89.8	9.7	0.5
Total	883	13	86.3	12.0	1.7

Table 5.36: Would your friends approve of you using marijuana (pot)?

Grade Level	N of Valid	N of Miss	No	Sure	Not Yes
4th	171	9	88.3	10.5	1.2
5th	495	5	89.1	10.3	0.6
6th	216	0	92.6	6.9	0.5
Total	882	14	89.8	9.5	0.7

Table 5.37: Would your friends approve of you using glue, gas, etc. (to get high)?

Grade Level	N of Valid	N of Miss	No	Sure	Not Yes
4th	171	9	87.1	12.3	0.6
5th	493	7	86.6	12.2	1.2
6th	214	2	91.6	8.4	0.0
Total	878	18	87.9	11.3	0.8

Table 5.38: Would your friends approve of you using other drugs (to get high)?

Grade Level	N of Valid	N of Miss	No	Sure	Not Yes
4th	171	9	87.7	11.7	0.6
5th	495	5	89.5	9.9	0.6
6th	215	1	92.6	7.4	0.0
Total	881	15	89.9	9.6	0.5

5.7 Where Do You Get

Table 5.39: Where do you get tobacco (cigarettes, chew, etc.)?

Grade Level	N of Valid	N of Miss	Never Get	At Home	Friend's House	At School	Other Place
4th	171	9	97.1	0.0	0.6	0.6	1.8
5th	493	7	99.0	0.2	0.2	0.0	0.6
6th	215	1	98.6	0.9	0.5	0.0	0.0
Total	879	17	98.5	0.3	0.3	0.1	0.7

Table 5.40: Where do you get alcohol (beer, liquor, etc.)?

Grade Level	N of Valid	N of Miss	Never Get	At Home	Friend's House	At School	Other Place
4th	169	11	95.3	3.0	0.6	0.0	1.2
5th	493	7	96.1	1.8	0.4	0.0	1.6
6th	215	1	96.3	2.3	1.4	0.0	0.0
Total	877	19	96.0	2.2	0.7	0.0	1.1

Table 5.41: Where do you get marijuana (pot)?

Grade Level	N of Valid	N of Miss	Never Get	At Home	Friend's House	At School	Other Place
4th	169	11	98.8	0.0	0.0	0.0	1.2
5th	493	7	99.2	0.2	0.2	0.0	0.4
6th	215	1	99.1	0.0	0.9	0.0	0.0
Total	877	19	99.1	0.1	0.3	0.0	0.5

Table 5.42: Where do you get glue, gas, etc. (to get high)?

Grade Level	N of Valid	N of Miss	Never Get	At Home	Friend's House	At School	Other Place
4th	169	11	98.2	0.6	0.0	0.0	1.2
5th	490	10	98.4	0.2	0.2	0.6	0.6
6th	214	2	99.1	0.5	0.0	0.0	0.5
Total	873	23	98.5	0.3	0.1	0.3	0.7

Table 5.43: Where do you get other drugs (to get high)?

Grade Level	N of Valid	N of Miss	Never Get	At Home	Friend's House	At School	Other Place
4th	169	11	98.2	0.6	0.0	0.0	1.2
5th	491	9	99.4	0.0	0.2	0.0	0.4
6th	215	1	99.5	0.0	0.5	0.0	0.0
Total	875	21	99.2	0.1	0.2	0.0	0.5

5.8 While At School Have You

Table 5.44: While *at school* have you used tobacco (cigarettes, chew, etc.)?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	174	6	99.4	0.0	0.6
5th	494	6	99.8	0.0	0.2
6th	215	1	100.0	0.0	0.0
Total	883	13	99.8	0.0	0.2

Table 5.45: While *at school* have you drunk alcohol (beer, liquor, etc.)?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	172	8	96.5	2.9	0.6
5th	494	6	99.6	0.2	0.2
6th	214	2	99.5	0.5	0.0
Total	880	16	99.0	0.8	0.2

Table 5.46: While *at school* have you smoked marijuana?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	172	8	99.4	0.0	0.6
5th	494	6	99.8	0.0	0.2
6th	215	1	100.0	0.0	0.0
Total	881	15	99.8	0.0	0.2

Table 5.47: While *at school* have you inhaled glue, gas, etc. to get high?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	172	8	97.1	2.3	0.6
5th	492	8	98.4	1.0	0.6
6th	215	1	99.5	0.5	0.0
Total	879	17	98.4	1.1	0.5

Table 5.48: While *at school* have you been afraid a student will hurt you?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	171	9	79.5	13.5	7.0
5th	490	10	76.1	13.3	10.6
6th	214	2	73.8	15.4	10.7
Total	875	21	76.2	13.8	9.9

Table 5.49: While *at school* have you been threatened by a student?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	172	8	74.4	11.0	14.5
5th	491	9	76.0	10.4	13.6
6th	214	2	64.0	22.0	14.0
Total	877	19	72.7	13.3	13.9

Table 5.50: While *at school* have you been hurt by a student?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	172	8	78.5	11.6	9.9
5th	488	12	78.7	11.9	9.4
6th	214	2	75.7	16.4	7.9
Total	874	22	77.9	12.9	9.2

Table 5.51: While *at school* have you carried a real gun for protection?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	172	8	97.1	2.3	0.6
5th	493	7	99.6	0.4	0.0
6th	214	2	99.5	0.5	0.0
Total	879	17	99.1	0.8	0.1

Table 5.52: While *at school* have you carried a knife for protection?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	172	8	95.3	4.1	0.6
5th	492	8	98.0	0.6	1.4
6th	214	2	97.7	2.3	0.0
Total	878	18	97.4	1.7	0.9

5.9 While *Not* At School Have You

Table 5.53: While *not* at school have you used tobacco (cigarettes, chew, etc.)?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	168	12	99.4	0.6	0.0
5th	490	10	100.0	0.0	0.0
6th	216	0	99.1	0.5	0.5
Total	874	22	99.7	0.2	0.1

Table 5.54: While *not* at school have you drunk alcohol (beer, liquor, etc.)?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	167	13	96.4	2.4	1.2
5th	489	11	96.7	2.7	0.6
6th	216	0	96.3	2.8	0.9
Total	872	24	96.6	2.6	0.8

Table 5.55: While *not* at school have you smoked marijuana?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	167	13	100.0	0.0	0.0
5th	489	11	99.8	0.2	0.0
6th	215	1	99.5	0.0	0.5
Total	871	25	99.8	0.1	0.1

Table 5.56: While *not* at school have you inhaled glue, gas, etc. to get high?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	166	14	97.6	2.4	0.0
5th	487	13	99.0	0.6	0.4
6th	215	1	99.5	0.5	0.0
Total	868	28	98.8	0.9	0.2

Table 5.57: While *not* at school have you been afraid a student will hurt you?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	167	13	89.2	7.8	3.0
5th	489	11	87.9	6.3	5.7
6th	215	1	87.4	6.0	6.5
Total	871	25	88.1	6.5	5.4

Table 5.58: While *not* at school have you been threatened by a student?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	167	13	78.4	13.2	8.4
5th	487	13	85.2	8.4	6.4
6th	216	0	83.8	9.3	6.9
Total	870	26	83.6	9.5	6.9

Table 5.59: While *not* at school have you been hurt by a student?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	167	13	86.8	6.6	6.6
5th	486	14	88.5	6.0	5.6
6th	213	3	86.4	8.5	5.2
Total	866	30	87.6	6.7	5.7

Table 5.60: While *not* at school have you carried a real gun for protection?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	167	13	96.4	3.0	0.6
5th	487	13	99.4	0.6	0.0
6th	214	2	99.1	0.0	0.9
Total	868	28	98.7	0.9	0.3

Table 5.61: While *not* at school have you carried a knife for protection?

Grade Level	N of Valid	N of Miss	No	One Time	Two or More
4th	167	13	94.6	4.2	1.2
5th	486	14	94.7	3.1	2.3
6th	214	2	86.9	5.6	7.5
Total	867	29	92.7	3.9	3.3

5.10 How Easy Is It For Kids Your Age To Get

Table 5.62: How easy is it to get tobacco (cigarettes, chew, etc.)?

Grade Level	N of Valid	N of Miss	Cannot Get	Hard To Get	Easy To Get
4th	169	11	95.3	3.6	1.2
5th	494	6	85.0	9.3	5.7
6th	215	1	83.7	7.9	8.4
Total	878	18	86.7	7.9	5.5

Table 5.63: How easy is it to get alcohol (beer, liquor, etc.)?

Grade Level	N of Valid	N of Miss	Cannot Get	Hard To Get	Easy To Get
4th	167	13	91.6	4.2	4.2
5th	491	9	83.7	8.1	8.1
6th	215	1	82.3	8.8	8.8
Total	873	23	84.9	7.6	7.6

Table 5.64: How easy is it to get marijuana (pot)?

Grade Level	N of Valid	N of Miss	Cannot Get	Hard To Get	Easy To Get
4th	167	13	95.2	3.6	1.2
5th	491	9	88.8	8.4	2.9
6th	214	2	85.5	7.9	6.5
Total	872	24	89.2	7.3	3.4

Table 5.65: How easy is it to get glue, gas, etc. (to get high)?

Grade Level	N of Valid	N of Miss	Cannot Get	Hard To Get	Easy To Get
4th	167	13	91.6	4.2	4.2
5th	490	10	85.5	6.3	8.2
6th	215	1	81.9	6.5	11.6
Total	872	24	85.8	6.0	8.3

Table 5.66: How easy is it to get other drugs (to get high)?

Grade Level	N of Valid	N of Miss	Cannot Get	Hard To Get	Easy To Get
4th	167	13	94.6	4.2	1.2
5th	493	7	89.2	7.9	2.8
6th	215	1	86.0	7.4	6.5
Total	875	21	89.5	7.1	3.4

Table 5.67: How easy is it to get a gun?

Grade Level	N of Valid	N of Miss	Cannot Get	Hard To Get	Easy To Get
4th	167	13	88.6	7.2	4.2
5th	491	9	81.5	13.6	4.9
6th	215	1	77.7	14.0	8.4
Total	873	23	81.9	12.5	5.6

5.11 Frequency of Use

Table 5.68: Frequency of Use – Tobacco (cigarettes, chew, etc.)

Grade Level	N of Valid	N of Miss	Weekly Use	Monthly Use	Annual Use
4th	178	2	0.6	0.6	1.1
5th	497	3	0.0	0.0	0.0
6th	214	2	0.0	0.0	0.9
Total	889	7	0.1	0.1	0.4

Table 5.69: Frequency of Use – Alcohol (beer, liquor, etc.)

Grade Level	N of Valid	N of Miss	Weekly Use	Monthly Use	Annual Use
4th	177	3	2.3	3.4	4.0
5th	498	2	0.0	0.6	2.2
6th	214	2	0.0	0.5	2.3
Total	889	7	0.4	1.1	2.6

Table 5.70: Frequency of Use – Marijuana

Grade Level	N of Valid	N of Miss	Weekly Use	Monthly Use	Annual Use
4th	176	4	0.0	0.0	0.6
5th	497	3	0.0	0.0	0.0
6th	214	2	0.0	0.0	0.5
Total	887	9	0.0	0.0	0.2

Table 5.71: Frequency of Use – Glue, Gas, etc.

Grade Level	N of Valid	N of Miss	Weekly Use	Monthly Use	Annual Use
4th	176	4	0.6	0.6	1.1
5th	496	4	0.0	0.2	1.4
6th	214	2	0.0	0.0	1.9
Total	886	10	0.1	0.2	1.5

Table 5.72: Frequency of Use – Other Drugs

Grade Level	N of Valid	N of Miss	Weekly Use	Monthly Use	Annual Use
4th	176	4	0.0	0.0	0.6
5th	498	2	0.0	0.0	0.0
6th	214	2	0.0	0.0	0.0
Total	888	8	0.0	0.0	0.1