Pride Surveys Questionnaire for Grades 6 thru 12 Year-to-Year

2014-15 Sample Report Your Town, USA February 24, 2016



Contents

1	Annual & Monthly Use Across Years	1
2	Perceived Risk of Use	24
3	Availability Across Years	32

1 Annual & Monthly Use Across Years

The first set of graphs present data on the frequency of use. For each drug, there is a chart reporting *Annual Use* (i.e. any use within the past year) and *Monthly Use* (i.e. use at least once a month).

Annual Use of Cigarettes




Figure 1: Annual Use of Cigarettes

Annual Use of Beer




Figure 2: Annual Use of Beer

Annual Use of Wine Coolers




Figure 3: Annual Use of Wine Coolers

Annual Use of Liquor




Figure 4: Annual Use of Liquor

Annual Use of Marijuana




Figure 5: Annual Use of Marijuana

Annual Use of Cocaine




Figure 6: Annual Use of Cocaine

Annual Use of Uppers






Figure 7: Annual Use of Uppers

Annual Use of Downers





Annual Use of Inhalants






Figure 9: Annual Use of Inhalants

Annual Use of Hallucinogens








Figure 11: Annual Use of Heroin

Annual Use of Steroids




Figure 12: Annual Use of Steroids

Annual Use of Ecstasy





Figure 13: Annual Use of Ecstasy

Annual Use of OxyContin

Source: Pride Survey

Figure 14: Annual Use of OxyContin

Annual Use of Meth



Source: Pride Survey

Figure 15: Annual Use of Meth

Annual Use of Tobacco




Figure 16: Annual Use of Tobacco

Annual Use of Alcohol





Figure 17: Annual Use of Alcohol

Annual Use of Illicit Drugs



Source: Pride Survey

Figure 18: Annual Use of Illicit Drugs

Monthly Use of Cigarettes





Figure 19: Monthly Use of Cigarettes

Monthly Use of Alcohol



Source: Pride Survey

Figure 20: Monthly Use of Alcohol

Monthly Use of Marijuana




Figure 21: Monthly Use of Marijuana

Monthly Use of Presc Drugs




Figure 22: Monthly Use of Presc Drugs

2 Perceived Risk of Use

Before the 2012-13 school year, this section was called *Perceived Harmfulness* of Use. Questions were of the form *Do you feel the following are harmful to your health?* followed by a list of drugs with the possible responses being *No Harm, Some Harm, Harmful* and *Very Harmful*. The perception of harmfullness percentage was calculated by combining the percentage figues for *Harmful* and *Very Harmful* together. These questions, with these response categories, were considered acceptable for reporting purposes for clients with a Drug-Free Commnities (DFC) Support Program Grant.

Starting in the 2012-13 school year, new and stricter DFC guidelines require that changes be made in wording to both the questions and the responses in order to be acceptable for DFC reporting purposes. For example, rather than asking students whether they felt alcohol was harmful to their health, the new guidelines require that students be asked specifically *How much do you think people risk harming themselves physically or in other ways if they have five or more drinks of an alcoholic beverage once or twice a week?* with the possible responses being *No Risk, Slight Risk, Moderate Risk* and *Great Risk.* The percentage figures for *Moderate Risk* and *Great Risk* are combined for DFC reporting.

Because of these required changes and due to the more specific nature and wording of the questions, data starting in the 2012-13 school year may show a somewhat different pattern of results than that seen in prior years. The graphs for the drug categories of smokeless tobacco, cigars, beer, coolers and liquor will eventually be removed from this section as questions on this topic for these drug categories will no longer be asked.

Perceived Risk of Use of Tobacco





Figure 23: Perceived Risk of Use of Tobacco


Perceived Risk of Use of Alcohol



Source: Pride Survey

Figure 24: Perceived Risk of Use of Alcohol

Perceived Risk of Use of Cigarettes





Perceived Risk of Use of Beer




Figure 26: Perceived Risk of Use of Beer

Perceived Risk of Use of Wine Coolers




Figure 27: Perceived Risk of Use of Wine Coolers

Perceived Risk of Use of Liquor





Figure 28: Perceived Risk of Use of Liquor

Perceived Risk of Use of Marijuana




Source: Pride Survey

Figure 29: Perceived Risk of Use of Marijuana

3 Availability Across Years

The third set of graphs present data on the availability of drugs. Each graph presents the percent of students who report a drug as being *Fairly Easy* or *Very Easy* to get.


Availability of Tobacco



Source: Pride Survey

Figure 30: Availability of Tobacco


Availability of Alcohol



Source: Pride Survey

Figure 31: Availability of Alcohol

Availability of Marijuana



Source: Pride Survey

Figure 32: Availability of Marijuana