

# **Questionnaire Report for Faculty and Staff**

# **Your School**

Anytown, USA

May 11, 2006

# **Contents**

1	Intro	oduction	1
2	Sun	nmary Information	3
	2.1	Drug Programs	3
		2.1.1 Effectiveness Of Programs	3
		2.1.2 Less Known Programs	4
	2.2	Safety In The Workplace	4
	2.3	Drug Policy	5
		2.3.1 Knowledge of School Drug Policy	5
		2.3.2 Compliance With School Drug Policy	5
	2.4	Drug Information Quiz	5
		2.4.1 Alcohol Quiz Results	6
		2.4.2 Marijuana Quiz Results	6
		2.4.3 Tobacco Quiz Results	7
	2.5	Training Needs	7
	2.6	Graphs of Training Needs	8
	2.7	Graphs of Drug Information Quiz	12
3	Perc	centage Tables	14
	3.1	Information About My Work	15
	3.2	Drug Information	16
		3.2.1 Alcohol	16
		3.2.2 Marijuana	18
		3.2.3 Tobacco	19
	3.3	Safety in the Workplace	20
	3.4	Training Needs	22
	3.5	School Personnel Opinions	24
	3.6	School Programs	26
	3.7	School Policy	28

# **List of Tables**

3.1	My major teaching area is	15
3.2	I work at an	15
3.3	May cause liver damage (correct response is YES)	16
3.4	May cause cancer (correct response is YES)	16
3.5	About 10% of alcohol users become addicted (correct response is YES)	16
3.6	Is fat soluble (correct response is NO)	16
3.7	Coolers, breezers, etc. have less alcohol than beer (correct response is NO)	16
3.8	Is a stimulant (correct response is NO)	16
3.9	Will slow reaction time (correct response is YES)	17
3.10	May hurt immune system (correct response is YES)	18
3.11	Is fat soluble (correct response is YES)	18
3.12	May cause birth defects (correct response is YES)	18
3.13	May cause cancer (correct response is YES)	18
3.14	Is less addictive than alcohol (correct response is NO)	18
3.15	Is legal as medicine under federal law (correct response is NO)	18
3.16	Has more carcinogens than tobacco (correct response is YES)	18
3.17	Causes cancer (correct response is YES)	19
3.18	Causes low birth weight (correct response is YES)	19
3.19	Is less addictive than alcohol (correct response is NO)	19
3.20	Causes early skin damage (correct response is YES)	19
3.21	Will slow reaction time (correct response is NO)	19
3.22	Most users are addicted by age 14 (correct response is YES)	19
3.23	Use by teens increasing (correct response is NO)	19
3.24	My workplace is safe	20
3.25	My workplace is unsafe due to: Alcohol and/or drug use by students	20
3.26	My workplace is unsafe due to: Drug dealing by students	20
3.27	My workplace is unsafe due to: Students who carry weapons	20
3.28	My workplace is unsafe due to: "Outsiders" coming into the school	20
3.29	My workplace is unsafe due to: Students being more violent than in the past	20
3.30	My workplace is unsafe due to: Rules being unclear or not enforced	21
3.31	My workplace is unsafe due to: Influence of violence in movies and music	21
3.32	My workplace is unsafe due to: Lack of security officer (police) at my school	21
3.33	My workplace is unsafe due to: Poor parental support for school policies	21
3.34	Recognizing signs and symptoms of alcohol and drug use	22
3.35	Biological effects of alcohol and drugs	22

3.36	How the child's social world may affect alcohol and drug use	22
3.37	Student refusal skills	2
3.38	Drug education training and awareness programs for parents	22
3.39	Alcohol and other drug curricula	22
3.40	Recognizing signs & symptoms of potential violence	23
3.41	Conflict resolution	23
		23
3.43	Personal liabilities and responsibilities regarding students	23
		23
3.45	Parents set clear rules for their children	24
3.46	Students buy and sell drugs when NOT at school	24
3.47	Students buy and sell drugs when AT school	24
		24
3.49	Parents talk to students about the harmful effects of using tobacco, alcohol and drugs 2	24
		24
		25
3.52	Alcohol and drug curriculum for all grades	26
3.53	Teacher training program for preventing drug use and violence	26
3.54	Program for students who have an alcohol and/or drug problem	26
3.55	Support group for students recovering from substance abuse	26
3.56	Student anti-drug organization or program	26
3.57	Drug awareness/education program for parents	26
3.58	Crisis intervention team	27
3.59	Parent, Teacher, Student Association (PTA, PTO, etc)	27
		27
3.61	Student Assistance Program (SAP)	27
		27
3.63	Student drug-testing program	27
3.64	Our school has effective policies on violence/bullying	28
		28
3.66	School personnel understand the school drug policy	28
3.67	School personnel know the consequences of student drug use	28
3.68	The school policy on drugs is applied fairly	28
		28
3.70	Our school sets clear rules on bullying	29
		29
3.72	Strict enforcement of violence policy has helped to keep our school safe	29

# **List of Figures**

2.1	Training Needs Assessment Graph 1	ć
2.2	Training Needs Assessment Graph 2	1(
2.3	Training Needs Assessment Graph 3	1
2.4	Drug Information Quiz Averages	1:

# **Chapter 1**

### Introduction

The following summary, graphs, and tables are compiled from data collected in your school(s) using the **PRIDE Questionnaire for Faculty and Staff**. These data reflect school personnel's:

- awareness and assessment of current alcohol and drug programs,
- · safety concerns,
- · compliance and basic knowledge of policy,
- · knowledge of drug information,
- and training needs.

This report will help your school and system planners decide which programs and policies to maintain, what new prevention/intervention programs to initiate, and what personnel training needs to address. The following pages summarize the results of the questionnaire. We suggest you distribute a copy of this summary to school faculty and to your Board of Education for system reports.

**NOTE:** Most drug use occurs at nights and weekends when school is not in session.

FOR GREATEST SUCCESS IN DECREASING DRUG USE, FACULTY, STUDENTS AND PARENTS MUST WORK TOGETHER TOWARD A DRUG-FREE LIFESTYLE.

If you have questions about this report, or if you wish to have information on other *Pride Surveys* services and products, please call the *Pride Surveys* Office or write to the following address:

#### Pride Surveys

Janie Pitcock 160 Vanderbilt Court Bowling Green, KY 42103 1-800-279-6361 1-270-746-9596 www.pridesurveys.com

The following information is for *Pride Surveys*ínternal use only.

• Data Files: fs050001-40

• Filter:

# **Chapter 2**

# **Summary Information**

### 2.1 Drug Programs

#### 2.1.1 Effectiveness Of Programs

The following school drug and alcohol programs are listed in order from most effective to least effective as determined by your personnel who expressed an opinion (percentage is based on those who **Agree** or **Strongly Agree**):

- Parent, teacher, student association (73.5% deemed effective)
- Student anti-drug organization or program (49.3% deemed effective)
- Crisis intervention team (43.7% deemed effective)
- Alcohol and drug curriculum for all grades (42.8% deemed effective)
- Violence prevention program (34.0% deemed effective)
- Teacher training programs for drug and violence prevention (33.0% deemed effective)
- Drug awareness/ed. program for parents (24.3% deemed effective)
- Programs for students with an alcohol and/or drug problem (23.7% deemed effective)
- Student assistance program (23.6% deemed effective)
- Employee assistance program (21.3% deemed effective)
- Student drug-testing program (21.0% deemed effective)
- support groups for students recovering from substance abuse (18.6% deemed effective)

#### 2.1.2 Less Known Programs

The following school drug and alcohol programs are listed in order from least well known to most well known. The percentage figures represent the portion of your faculty and staff who did not respond to the questions regarding the effectiveness of the programs.

- Student assistance program (10.2%)
- Employee assistance program (10.1%)
- Drug awareness/ed. program for parents (9.6%)
- Student anti-drug organization or program (9.6%)
- Crisis intervention team (9.5%)
- support groups for students recovering from substance abuse (9.4%)
- Student drug-testing program (9.3%)
- Programs for students with an alcohol and/or drug problem (9.2%)
- Parent, teacher, student association (8.9%)
- Violence prevention program (8.9%)
- Teacher training programs for drug and violence prevention (8.5%)
- Alcohol and drug curriculum for all grades (8.1%)

### 2.2 Safety In The Workplace

57.2% of the faculty and staff said their workplace is safe, while 42.8% said their workplace is **not safe**. Personnel in the latter groups said they **Agree** or **Strongly Agree** with the following reasons as to why they consider their workplace unsafe:

- Influence of violence in movies and music (77.5%)
- Poor parental support for school policies (74.5%)
- Students being more violent than in the past (71.5%)
- Outsiders coming into the school (57.5%)
- Alcohol and/or drug use by students (52.8%)
- School rules being unclear or not enforced (50.5%)

- Lack of security officer (police) at my school (43.7%)
- Drug dealing by students (42.3%)
- Students who carry weapons (32.2%)

#### 2.3 Drug Policy

#### 2.3.1 Knowledge of School Drug Policy

The following list shows the percentage of faculty and staff who agreed (i.e. responded **Agree** or **Strongly Agree**) with the following statements:

- School personnel understand the school drug policy (75.9%)
- School personnel know the consequences of student drug use (71.7%)

#### 2.3.2 Compliance With School Drug Policy

The following list shows the percentage of faculty and staff who agreed (i.e. responed **Agree** or **Strongly Agree**) with the following statements:

- The school policy on drugs is applied fairly (62.6%)
- The school policy on drugs is applied consistently (59.4%)

### 2.4 Drug Information Quiz

The average score on the drug information quiz was 68.6%. This fell below the suggested average score of 77.8%.

In looking at the results of the drug knowledge quiz, slight differences in the percentage figures may be found between the quiz results section and the percentage figures found in the tables chapter for these questions. In the case of the tables chapter all tables have a *N of Valid* and a *N of Missing* column which represents the number of respondents who actually marked a response to the question and the number of respondents who left the question blank, respectively. All tables in the tables chapter calculate percentage figures based on valid responses only (i.e. blank responses are ignored). However, when scoring the quiz a blank response is counted as an incorrect response (i.e. blank responses are NOT ignored). The figures

in the **Drug Information Quiz** section more accurately reflect how well all participants performed on the quiz.

#### 2.4.1 Alcohol Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- May cause liver damage (correct response is YES) (92.8% answered correctly)
- Will slow reaction time (correct response is YES) (91.3% answered correctly)
- About 10% of Alcohol users become addicted (correct response is YES) (72.2% answered correctly)
- Coolers, breezers, etc. have less alcohol than beer (correct response is NO) (67.5% answered correctly)
- May cause cancer (correct response is YES) (57.0% answered correctly)
- Is a stimulant (correct response is NO) (54.0% answered correctly)
- Is fat soluble (correct response is NO) (48.1% answered correctly)

#### 2.4.2 Marijuana Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- May cause birth defects (correct response is YES) (87.1% answered correctly)
- May hurt immune system (correct response is YES) (80.5% answered correctly)
- Is less addictive than alcohol (correct response is NO) (76.1% answered correctly)
- May cause cancer (correct response is YES) (67.7% answered correctly)
- Is legal as medicine under federal law (correct response is NO) (60.9% answered correctly)
- Has more carcinogens than tobacco (correct response is YES) (56.0% answered correctly)
- Is fat soluble (correct response is YES) (31.4% answered correctly)

#### 2.4.3 Tobacco Quiz Results

The following list ranks from highest to lowest how well participants answered the quiz for this drug category.

- Causes cancer (correct response is YES) (92.5% answered correctly)
- Causes low birth weight (correct response is YES) (89.9% answered correctly)
- Is less addictive than alcohol (correct response is NO) (84.9% answered correctly)
- Causes early skin damage (correct response is YES) (83.1% answered correctly)
- Most users are addicted by age 14 (correct response is YES) (66.6% answered correctly)
- Will slow reaction time (correct response is NO) (58.7% answered correctly)
- Use by teens increasing (correct response is NO) (21.7% answered correctly)

#### 2.5 Training Needs


Faculty and staff reported training needs in the following areas:


- Personal liabilities and responsibilities regarding students (77.3% said I need training)
- Recognizing signs & symptoms of potential violence (75.6% said I need training)
- Violence prevention (bullying, threatening behaviors, etc.) (75.3% said I need training)
- Conflict resolution (73.5% said *I need training*)
- Student refusal skills (68.9% said I need training)
- Locating and using community resources (68.4% said *I need training*)
- Recognizing signs and symptoms of alcohol and drug use (67.3% said I need training)
- Drug education training and awareness programs for parents (66.7% said I need training)
- Alcohol and other drug curricula (62.7% said I need training)
- How the child's social world may affect alcohol and drug use (61.1% said I need training)
- Biological effects of alcohol and drugs (58.3% said *I need training*)


### 2.6 Graphs of Training Needs


The following graphs examine the questions regarding training needs and reports the percentage of the faculty and staff who feel the need for some training.

switched to shorten bar label










### 2.7 Graphs of Drug Information Quiz

The following graphs examine how well the faculty and staff answered the drug quiz questions.



# **Chapter 3**

# **Percentage Tables**

This chapter contains your schools faculty/staff needs assessment results in tabular form. Each table corresponds to an item on the needs assessment. The tables contain percentage data on each question. The *N of Valid* column contains the number of workers responding to the item and the *N of Missing* column contains the number of workers not responding to the item. The remaining columns contain the percentages of workers responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the faculty/staff needs assessment. The preceding Table of Contents contains the percentage tables by section and gives the page number where each is located.

# 3.1 Information About My Work

Table 3.1: My major teaching area is

	N of	N of		Social	Foreign					Do Not
	Valid	Miss	Science	Science	Language	PE/Health	English	Math	Other	Teach
TOTAL	1108	112	8.2	7.8	3.2	3.3	13.4	11.1	41.3	11.6

Table 3.2: I work at an

	N of	N of	Elementary	Middle/Junior	High	Alternative	
	Valid	Miss	School	High School	School	School	Other
TOTAL	1124	96	33.1	29.0	34.3	0.8	2.8

### 3.2 Drug Information

#### 3.2.1 Alcohol

Table 3.3: May cause liver damage (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1134	86	99.8	0.2

Table 3.4: May cause cancer (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1091	129	63.8	36.2

Table 3.5: About 10% of alcohol users become addicted (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1089	131	80.9	19.1

Table 3.6: Is fat soluble (correct response is NO)

	N of	N of	<u>'</u>	
	Valid	Miss	Yes	No
TOTAL	1046	174	43.9	56.1

Table 3.7: Coolers, breezers, etc. have less alcohol than beer (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1099	121	25.0	75.0

Table 3.8: Is a stimulant (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1103	117	40.3	59.7

Table 3.9: Will slow reaction time (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1125	95	99.0	1.0

#### 3.2.2 Marijuana

Table 3.10: May hurt immune system (correct response is YES)

	N of	N of		_
	Valid	Miss	Yes	No
TOTAL	1100	120	89.3	10.7

Table 3.11: Is fat soluble (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1033	187	37.1	62.9

Table 3.12: May cause birth defects (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1119	101	95.0	5.0

Table 3.13: May cause cancer (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1083	137	76.3	23.7

Table 3.14: Is less addictive than alcohol (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1093	127	15.0	85.0

Table 3.15: Is legal as medicine under federal law (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1101	119	32.5	67.5

Table 3.16: Has more carcinogens than tobacco (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1073	147	63.7	36.3

#### 3.2.3 Tobacco

Table 3.17: Causes cancer (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1133	87	99.6	0.4

Table 3.18: Causes low birth weight (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1123	97	97.7	2.3

Table 3.19: Is less addictive than alcohol (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1115	105	7.1	92.9

Table 3.20: Causes early skin damage (correct response is YES)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1110	110	91.4	8.6

Table 3.21: Will slow reaction time (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1092	128	34.4	65.6

Table 3.22: Most users are addicted by age 14 (correct response is YES)

	N of	N of			
	Valid	Miss	Yes	No	
TOTAL	1095	125	74.2	25.8	

Table 3.23: Use by teens increasing (correct response is NO)

	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1116	104	76.3	23.7

### 3.3 Safety in the Workplace

Table 3.24: My workplace is safe

	•·- ·· ···	,		00.0
	N of	N of		
	Valid	Miss	Yes	No
TOTAL	1061	159	57.2	42.8

Table 3.25: My workplace is unsafe due to: Alcohol and/or drug use by students

	N of	N of	Strongly			<u> </u>	Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	556	664	7.9	37.8	15.3	18.9	20.1

Table 3.26: My workplace is unsafe due to: Drug dealing by students

					<u> </u>	<u> </u>	
	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	554	666	6.9	30.3	20.2	22.6	20.0

Table 3.27: My workplace is unsafe due to: Students who carry weapons

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	555	665	3.4	24.5	25.8	25.4	20.9

Table 3.28: My workplace is unsafe due to: "Outsiders" coming into the school

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	558	662	13.6	37.3	16.8	18.8	13.4

Table 3.29: My workplace is unsafe due to: Students being more violent than in the past

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	560	660	21.8	43.4	14.8	12.9	7.1

Table 3.30: My workplace is unsafe due to: Rules being unclear or not enforced Strongly N of N of Strongly Valid Miss Undecided Disagree Disagree Agree Agree TOTAL 559 661 19.0 26.8 15.2 22.9 16.1

Table 3.31: My workplace is unsafe due to: Influence of violence in movies and music

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	558	662	33.0	38.2	14.7	6.5	7.7

Table 3.32: My workplace is unsafe due to: Lack of security officer (police) at my school

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	554	666	13.0	26.7	19.9	25.5	15.0

Table 3.33: My workplace is unsafe due to: Poor parental support for school policies

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	567	653	30.9	37.6	15.9	10.4	5.3

### 3.4 Training Needs

Table 3.34: Recognizing signs and symptoms of alcohol and drug use

						. ~
	N of	N of	No	Some	A Lot Of	
	Valid	Miss	Training	Training	Training	
TOTAL	1099	121	32.7	59.1	8.2	•

Table 3.35: Biological effects of alcohol and drugs

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	1097	123	41.7	52.8	5.6

Table 3.36: How the child's social world may affect alcohol and drug use

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	1088	132	38.9	54.8	6.3

Table 3.37: Student refusal skills

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	1071	149	31.1	55.7	13.2

Table 3.38: Drug education training and awareness programs for parents

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	1094	126	33.3	51.5	15.3

Table 3.39: Alcohol and other drug curricula

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	1080	140	37.3	55.0	7.7

Table 3.40: Recognizing signs & symptoms of potential violence

			, ,			_
	N of	N of	No	Some	A Lot Of	-
	Valid	Miss	Training	Training	Training	_
TOTAL	1093	127	24.4	62.4	13.2	•

Table 3.41: Conflict resolution A Lot Of N of N of No Some Valid Miss Training Training Training TOTAL 1096 124 26.5 60.0 13.5

Table 3.42: Violence prevention (bullying, threatening behaviors, etc.)

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	1094	126	24.7	59.0	16.4

Table 3.43: Personal liabilities and responsibilities regarding students

	N of	N of	No	Some	A Lot Of
	Valid	Miss	Training	Training	Training
TOTAL	1100	120	22.7	60.3	17.0

Table 3.44: Locating and using community resources

Table 5.44. Locating and daing community resources							
	N of	N of	No	Some	A Lot Of		
	Valid	Miss	Training	Training	Training		
TOTAL	1095	125	31.6	58.7	9.7		

### 3.5 School Personnel Opinions

labi	<u>e 3.45:</u>	Parents s	set clear	rules for	tneir ch	ıldren
No	of N	of				

	IN Of	IN Of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	1124	96	2.4	28.8	58.9	7.7	2.1

Table 3.46: Students buy and sell drugs when NOT at school

-	N of	N of	-	-			Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	1096	124	6.8	17.7	48.8	21.6	5.0

Table 3.47: Students buy and sell drugs when AT school

	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	1089	131	25.9	32.9	33.3	6.4	1.5

Table 3.48: Teachers talk to students about the harmful effects of using tobacco, alcohol and drugs

	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	1121	99	1.0	12.8	46.0	28.9	11.2

Table 3.49: Parents talk to students about the harmful effects of using tobacco, alcohol and drugs

	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	1097	123	1.5	25.3	58.2	12.0	3.0

Table 3.50: Students skip school without parent's permission

	N of	N of					Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	1112	108	6.3	23.4	49.1	15.4	5.8

Table 3.51: School security officer helps keep school safe

	N of	N of		<u> </u>	·		Α
	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
TOTAL	1048	172	14.7	11.3	28.6	26.0	19.5

### 3.6 School Programs

Table 3.52: Alcohol and drug curriculum for all grades

_	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1121	99	10.8	32.0	30.2	21.4	5.5

Table 3.53: Teacher training program for preventing drug use and violence

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1116	104	6.3	26.7	28.5	30.6	7.9

Table 3.54: Program for students who have an alcohol and/or drug problem

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1108	112	6.4	17.3	31.7	31.8	12.8

Table 3.55: Support group for students recovering from substance abuse

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1105	115	5.5	13.1	32.2	32.4	16.7

Table 3.56: Student anti-drug organization or program

					0	1 0	
	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1103	117	14.3	35.0	24.8	18.4	7.4

Table 3.57: Drug awareness/education program for parents

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1103	117	6.8	17.5	35.9	29.3	10.5

Table 3.58: Crisis intervention team									
	N of	N of	Strongly				Strongly		
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree		
OTAL	1104	116	12.3	31.3	31.6	18.2	6.5		

Table 3.59:	Parent	Teacher	Student	<b>Association</b>	$(PT\Delta$	PTO	etc)
เฉบเซ บ.บฮ.	I altil.	icaciici.	Oludelli	ASSOCIATION	U 17.	1 10.	

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1112	108	29.5	44.0	12.8	8.5	5.2

Table 3.60: Employee Assistance Program (EAP)

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1097	123	6.7	14.7	49.0	18.6	11.0

Table 3.61: Student Assistance Program (SAP)

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1096	124	6.8	16.9	47.9	18.3	10.1

Table 3.62: Violence and bullying prevention program

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1111	109	7.9	26.1	31.2	23.9	10.9

Table 3.63: Student drug-testing program

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1107	113	7.0	14.1	31.0	25.7	22.2

### 3.7 School Policy

Table 3.64: Our school has effective policies on violence/bullying

	N of	N of	Strongly			<del>_</del>	Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1120	100	14.3	40.2	20.7	17.9	7.0

Table 3.65: Our school sets clear rules on using drugs at school

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1121	99	32.4	50.2	9.2	5.7	2.5

Table 3.66: School personnel understand the school drug policy

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1115	105	29.9	46.0	15.2	6.5	2.4

Table 3.67: School personnel know the consequences of student drug use

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1117	103	27.3	44.4	15.7	9.4	3.2

Table 3.68: The school policy on drugs is applied fairly

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1113	107	24.1	38.5	27.3	6.6	3.4

Table 3.69: The school policy is applied consistently

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1112	108	22.8	36.6	28.6	8.5	3.6

Table 3.70: Our school sets clear rules on bullying

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1112	108	16.7	38.7	24.1	15.7	4.8

Table 3.71: School policy on threatening behaviors by students is applied consistently

	N of	N of	Strongly	•			Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1117	103	15.8	35.3	24.6	17.3	7.0

Table 3.72: Strict enforcement of violence policy has helped to keep our school safe

	N of	N of	Strongly				Strongly
	Valid	Miss	Agree	Agree	Undecided	Disagree	Disagree
TOTAL	1116	104	19.0	39.4	24.3	12.8	4.5